

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH96	TOTAL HEALTH CARE CHARGES 97, EXCL. RX	Sum of (DVTC96X from DVIS records) + (OMTC96X from OMED records) + (OPFTC96X + OPDTC96X from OPAT records) + (ERFTC96X + ERDTC96X from EROM records) + (IPFTC96X + IPDTC96X from STAZ records) + (HPTC96X + HATC96X from HVIS records) + (OBTC96X from MVIS records)	17697	17697	722687670114.28	722640292652.17	3205.15	3204.94
0.2	TOTEXP96X	TOTAL HEALTH CARE EXP 96	Sum of (DVXP96X from DVIS records) + (OMXP96X from OMED records) + (OPFXP96X + OPDXP96X from OPAT records) + (ERFXP96X + ERDXP96X from EROM records) + (IPFXP96X + IPDXP96X from STAZ records) + (HPXP96X + HAXP96X from HVIS records) + (OBXP96X from MVIS records) + (RXXP96X from PMED records)	18122	18122	553961514559.71	553915744746.71	2398.37	2398.18
0.3	TOTSLF96	TOTAL AMT PAID BY SELF/FAMILY 96	Sum of (DVSF96X from DVIS records) + (OMSF96X from OMED records) + (OPFSF96X + OPDSF96X from OPAT records) + (ERFSF96X + ERDSF96X from EROM records) + (IPFSF96X + IPDSF96X from STAZ records) + (HPSF96X + HASF96X from HVIS records) + (OBSF96X from MVIS records) + (RXSF96X from PMED records)	16389	16398	99763142851.31	99751930558.46	468.56	468.27

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.4	TOTMCR96	TOTAL AMT PAID BY MEDICARE 96	Sum of (DVMR96X from DVIS records) + (OMMR96X from OMED records) + (OPFMR96X + OPDMR96X from OPAT records) + (ERFMR96X + ERDMR96X from EROM records) + (IPFMR96X + IPDMR96X from STAZ records) + (HPMR96X + HAMR96X from HVIS records) + (OBMR96X from MVIS records) + (RXMR96X from PMED records)	2578	2580	116772402583.37	116752500594.32	3457.06	3453.81
0.5	TOTMCD96	TOTAL AMT PAID BY MEDICAID 96	Sum of (DVMD96X from DVIS records) + (OMMD96X from OMED records) + (OPFMD96X + OPDMD96X from OPAT records) + (ERFMD96X + ERDMD96X from EROM records) + (IPFMD96X + IPDMD96X from STAZ records) + (HPMD96X + HAMD96X from HVIS records) + (OBMD96X from MVIS records) + (RXMD96X from PMED records)	3065	3066	47538472079.10	47530954208.15	1574.08	1572.93
0.6	TOTPRV96	TOTAL AMT PAID BY PRIVATE INS 96	Sum of (DVPV96X from DVIS records) + (OMPV96X from OMED records) + (OPFPV96X + OPDPV96X from OPAT records) + (ERFPV96X + ERDPV96X from EROM records) + (IPFPV96X + IPDPV96X from STAZ records) + (HPPV96X + HAPV96X from HVIS records) + (OBPV96X from MVIS records) + (RXPV96X from PMED records)	11624	11644	245565263314.60	245556406273.18	1549.68	1547.58

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA96	TOTL AMT PAID BY VA 96	Sum of (DVVA96X from DVIS records) + (OMVA96X from OMED records) + (OPFVA96X + OPDVA96X from OPAT records) + (ERFVA96X + ERDVA96X from EROM records) + (IPFVA96X + IPDVA96X from STAZ records) + (HPVA96X + HAVA96X from HVIS records) + (OBVA96X from MVIS records) + (RXVA96X from PMED records)	641	660	12587271824.54	12582906855.30	1459.42	1418.87
0.8	TOTCHM96	TOTL AMT PAID BY CHAMPUS /CHAMPVA 96	Sum of (DVCH96X from DVIS records) + (OMCH96X from OMED records) + (OPFCH96X + OPDCH96X from OPAT records) + (ERFCH96X + ERDCH96X from EROM records) + (IPFCH96X + IPDCH96X from STAZ records) + (HPCH96X + HACH96X from HVIS records) + (OBCH96X from MVIS records) + (RXCH96X from PMED records)	176	177	1100477778.67	1100264209.72	460.70	456.60
0.9	TOTOFD96	TOTL AMT PAID BY OTHER FEDERAL 96	Sum of (DVOF96X from DVIS records) + (OMOF96X from OMED records) + (OPFOF96X + OPDOF96X from OPAT records) + (ERFOF96X + ERDOF96X from EROM records) + (IPFOF96X + IPDOF96X from STAZ records) + (HPOF96X + HAOF96X from HVIS records) + (OBOF96X from MVIS records) + (RXOF96X from PMED records)	352	352	2463080659.82	2461871029.92	556.07	555.80

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.10	TOTSTL96	TOTL AMT PAID BY OTH ST/LOCAL 96	Sum of (DVSL96X from DVIS records) + (OMSL96X from OMED records) + (OPFSL96X + OPDSL96X from OPAT records) + (ERFSL96X + ERDSL96X from EROM records) + (IPFSL96X + IPDSL96X from STAZ records) + (HPSL96X + HASL96X from HVIS records) + (OBSL96X from MVIS records) + (RXSL96X from PMED records)	285	288	1783860240.23	1781660090.43	528.21	523.68
0.11	TOTWCP96	TOTL AMT PAID BY WORKERS COMP 96	Sum of (DVWC96X from DVIS records) + (OMWC96X from OMED records) + (OPFWC96X + OPDWC96X from OPAT records) + (ERFWC96X + ERDWC96X from EROM records) + (IPFWC96X + IPDWC96X from STAZ records) + (HPWC96X + HAWC96X from HVIS records) + (OBWC96X from MVIS records) + (RXWC96X from PMED records)	386	387	4406848121.24	4406757110.55	887.27	883.57
0.12	TOTOPR96	TOTL AMT PAID BY OTHER PRIVATE 96	Sum of (DVOR96X from DVIS records) + (OMOR96X from OMED records) + (OPFOR96X + OPDOR96X from OPAT records) + (ERFOR96X + ERDOR96X from EROM records) + (IPFOR96X + IPDOR96X from STAZ records) + (HPOR96X + HAOR96X from HVIS records) + (OBOR96X from MVIS records) + (RXOR96X from PMED records)	995	996	8737289379.22	8736437593.39	749.04	748.59

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU96	TOTL AMT PAID BY OTHER PUBLIC 96	Sum of (DVOU96X from DVIS records) + (OMOU96X from OMED records) + (OPFOU96X + OPDOU96X from OPAT records) + (ERFOU96X + ERDOU96X from EROM records) + (IPFOU96X + IPDOU96X from STAZ records) + (HPOU96X + HAOU96X from HVIS records) + (OBOU96X from MVIS records) + (RXOU96X from PMED records)	166	167	2814761003.24	2814666900.42	1509.12	1497.37
0.14	TOTOSR96	TOTL AMT PAID OTHR UNCLASS SOURCES 96	Sum of (DVOT96X from DVIS records) + (OMOT96X from OMED records) + (OPFOT96X + OPDOT96X from OPAT records) + (ERFOT96X + ERDOT96X from EROM records) + (IPFOT96X + IPDOT96X from STAZ records) + (HPOT96X + HAOT96X from HVIS records) + (OBOT96X from MVIS records) + (RXOT96X from PMED records)	951	951	10433675991.62	10433455455.59	850.32	850.31
1.0	OBTOTV96	# OFFICE-BASED PROVIDER VISITS 96	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	15172	15172	1250060178.59	1250060178.59	6.46	6.46
1.1	OBVTCH96	OFFICE-BASED PROVIDER VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	15162	15162	152009482770.02	152006368361.61	785.80	785.79
1.2	OBVEXP96	TOTAL OFFICE- BASED EXP 96	Sum of OBP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	14838	14838	105983677099.90	105981669214.21	558.93	558.92
1.3	OBVSLF96	ALL OFFICE VISITS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	11253	11254	24065656563.35	24065280642.87	161.27	161.25

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
1.4	OBVMCR96	ALL OFFICE V I S I T S - MEDICARE AMT 96	Sum of OBMR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	2320	2322	15249795512.28	15249614556.02	503.38	502.94
1.5	OBVMCD96	ALL OFFICE VISITS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	2307	2307	7801215426.51	7800960025.31	349.76	349.75
1.6	OBVPRV96	ALL OFFICE VISITS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	8814	8814	51411036481.49	51409466128.02	427.19	427.18
1.7	OBVVA96	ALL OFFICE VISITS-VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	304	325	1037787492.27	1037249124.52	258.56	239.54
1.8	OBVCHM96	ALL OFFICE V I S I T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	88	88	268773456.86	268684507.12	218.57	218.50
1.9	OBVOFD96	ALL OFFICE VISITS -OTHER FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	198	198	443837546.81	443380816.23	175.21	175.03
1.10	OBVSTL96	ALL OFFICE V I S I T S - O T H ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	87	89	214220918.13	214181561.10	228.33	225.11
1.11	OBVWCP96	ALL OFFICE V I S I T S - WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	219	220	1362369884.29	1362349469.27	487.85	484.25
1.12	OBVOPR96	ALL OFFICE VISITS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	535	535	1556252565.38	1556005045.46	243.53	243.50
1.13	OBVOPU96	ALL OFFICE VISITS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	84	85	179586569.60	179575960.32	199.47	196.28
1.14	OBVOSR96	ALL OFF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	624	624	2394983699.59	2394921377.98	297.57	297.56
2.0	OBDRV96	# OFFICE-BASED P H Y S I C I A N VISITS, 1996	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14360	14360	897023139.31	897023139.31	4.89	4.89

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.1	OBDTCH96	OFFICE-BASED PHYSICIAN VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14350	14350	119488545658 .43	119485713658 .59	652.02	652.01
2.2	OBDEXP96	TOTAL OFF- BASED DR EXP 96	Sum of OBP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14047	14047	81776380390.15	81774532580.32	455.34	455.33
2.3	OBDSLF96	DR OFFICE VISITS -SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	10381	10382	17276024740.70	17275812775.87	125.22	125.20
2.4	OBDMCR96	DR OFFICE VISITS -MEDICARE AMT 96	Sum of OBMCR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	2261	2263	13145754754.79	13145734947.29	444.67	444.28
2.5	OBDMCD96	DR OFFICE VISITS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	2177	2177	5848992048.44	5848715156.88	280.23	280.22
2.6	OBDPRV96	DR OFFICE VISITS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	8338	8338	40011995183.96	40010635808.02	351.36	351.35
2.7	OBDVA96	DR OFFICE VISITS -VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	258	277	783342056.33	782876883.01	232.57	213.90
2.8	OBDCHM96	DR OFFICE V I S I T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	81	81	238031514.74	237991260.37	209.11	209.07
2.9	OBD OFD96	DR OFFICE VISITS -OTHER FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	167	167	311428408.17	311057944.45	146.39	146.21
2.10	OBDSTL96	DR OFFICE VISITS -OTH ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	64	66	94187395.42	94155121.39	137.39	134.75

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.11	OBDWCP96	DR OFFICE VISITS -WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	192	192	1036247630.28	1036205309.86	423.68	423.66
2.12	OBDOPR96	DR OFFICE VISITS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	481	481	1251723905.32	1251546076.74	216.81	216.78
2.13	OBDOPU96	DR OFFICE VISITS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	73	74	163788516.52	163816602.62	207.66	203.93
2.14	OBDOSR96	DR OFF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	475	475	1615965363.78	1615984693.83	257.69	257.69
3.0	OBOHV96	# OFFICE-BASED NON-PHYSICAN VISITS 96	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4966	4966	321108350.83	321108350.83	4.87	4.87
3.1	OBOTCH96	OFFICE-BASED NON-DR VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4942	4942	29654523346.65	29653875756.97	452.40	452.39
3.2	OBOEXP96	TOTAL OFF- BASED NON-DR EXP 96	Sum of OBP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4648	4648	22282924868.68	22282348825.45	360.17	360.16
3.3	OBOSLF96	NON-DR OFF V I S T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	2808	2808	5938624213.27	5938468637.76	153.48	153.48
3.4	OBOMCR96	NON-DR OFF VISTS -MEDICARE AMT 96	Sum of OBMR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	688	688	1940062263.79	1939893642.00	207.72	207.70



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.5	OBOMCD96	NON-DR OFF VISTS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	451	451	1625148596.65	1625019793.01	342.56	342.53
3.6	OBOPRV96	NON-DR OFF VISTS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	2574	2576	11036564294.59	11036013814.36	309.20	308.89
3.7	OBOVA96	NON-DR OFF VISTS -VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	81	84	248777035.39	248635296.13	225.66	218.85
3.8	OBOCHM96	NON-DR OFF V I S T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	20	20	30728213.08	30693246.75	106.88	106.76
3.9	OBOOFD96	NON-DR OFF VISTS -OTHER FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	49	49	130922843.13	130808780.56	218.40	218.21
3.10	OBOSTL96	NON-DR OFF VISTS -OTH ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	27	27	66559650.48	66533327.63	218.05	217.97
3.11	OBOWCP96	NON-DR OFF VISTS -WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	55	56	326049638.51	325994951.46	430.61	419.07
3.12	OBOOPR96	NON-DR OFF VISTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	131	131	284698485.53	284658132.25	175.53	175.50

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.13	OBOOPU96	NON-DR OFF VISTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	22	22	15774063.16	15759357.70	69.29	69.22
3.14	OBOOSR96	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	221	221	639997383.32	639869845.84	238.61	238.56
4.0	OBCHIR96	# OFFICE-BASED CHIROPRACTOR VISITS 96	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	543	543	56546291.82	56546291.82	7.61	7.61
4.1	OBCTCH96	OFFICE-BASED CHIRO VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	543	543	2563146878.73	2563166227.62	344.96	344.97
4.2	OBCEXP96	TOTAL OFF- BASED CHIRO EXP 96	Sum of OBXP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	520	520	2283814868.83	2283817302.31	322.43	322.43
4.3	OBCSLF96	CHIRO OFF VISITS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	428	428	1033434516.66	1033443970.82	174.79	174.80
4.4	OBCMCR96	CHIRO OFF VISITS - MEDICARE AMT 96	Sum of OBMR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	27	27	63989889.85	63985614.23	174.12	174.11
4.5	OBCMCD96	CHIRO OFF VISITS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	12	12	48857419.86	48861685.74	325.29	325.31

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.6	OBCPRV96	CHIRO OFF VISITS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	226	226	944921453.84	944864540.52	305.94	305.92
4.7	OBCVA96	CHIRO OFF VISITS -VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	3	3	2516448.52	2510902.20	90.78	90.58
4.8	OBCCHM96	CHIRO OFF VISITS -CHAMPUS/CHAMPVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00
4.9	OBCOFD96	CHIRO OFF VISITS -OTHER FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00
4.10	OBCSTL96	CHIRO OFF VISITS -OTH ST/LOCAL AMT 96	Sum of OBSTL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00
4.11	OBCWCP96	CHIRO OFF VISITS -WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	14	15	33104669.08	33095101.69	188.94	168.90
4.12	OBCOPR96	CHIRO OFF VISTS - OTHR PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	19	19	53975284.44	53977521.75	218.09	218.10
4.13	OBCOPU96	CHIRO OFF VISTS - OTHR PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.14	OBCOSR96	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1	25	25	103077965.36	103077965.36	298.74	298.74
5.0	OBNURS96	# OFF-BASED NURSE/PRACTITI ONER VISITS 96	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	2037	2037	86746807.33	86746807.33	3.22	3.22
5.1	OBNTCH96	OFFICE-BASED NURSE/PRACTI VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	2026	2026	5307868044.53	5307546447.78	198.56	198.55
5.2	OBNEXP96	TOTAL OFF- BASED NURSE/PRACTI 96	Sum of OBP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	1800	1800	3630159060.77	3629726735.67	151.64	151.63
5.3	OBNSLF96	NURSE/PRACTI OFF VISITS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	921	921	695707903.15	695578933.33	54.84	54.83
5.4	OBNMCR96	NURSE/PRACTI OFF VISITS - MEDICARE AMT 96	Sum of OBM96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	327	327	468960100.05	468859440.79	105.18	105.15
5.5	OBNMCD96	NURSE/PRACTI OFF VSTS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	207	207	518095831.21	518010962.88	226.56	226.52
5.6	OBNPRV96	NURSE/PRACTI OFF VSTS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	935	935	1698720500.76	1698495352.27	128.65	128.63

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.7	OBNVA96	NURSE/PRAC OFF VSTS-VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	24	26	53385294.27	53352398.25	178.07	169.02
5.8	OBNCHM96	NURSE/PRAC OFF V S T S - CHMPUS/CHMPVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	8	8	1785568.85	1766510.23	14.96	14.80
5.9	OBNOFD96	NURSE/PRAC OFF V S T S - O T H E R FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	15	15	24187376.12	24162042.88	158.67	158.50
5.10	OBNSTL96	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 96	Sum of OBSTL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	14	14	36836045.74	36823396.47	232.34	232.26
5.11	OBNWCP96	NURSE/PRAC OFF VSTS -WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	6	6	5299057.14	5294264.02	56.08	56.03
5.12	OBNOPR96	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	44	44	41562809.36	41544771.31	72.78	72.75
5.13	OBNOPU96	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	9	9	1131156.10	1127599.39	16.42	16.37
5.14	OBNOSR96	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4	110	110	84825988.24	84711063.86	67.23	67.14

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.0	OBOPTO96	# OFFICE-BASED OPTOMETRIST VISITS, 1996	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	731	731	11958735.84	11958735.84	1.21	1.21
6.1	OBETCH96	OFFICE-BASED OPTOMETRIST VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	725	725	1492112497.97	1492116916.02	152.37	152.37
6.2	OBEXP96	TOTAL OFF- BASED OPTOMETRIST EXP 96	Sum of OBXP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	709	709	1275819848.59	1275784070.91	133.74	133.74
6.3	OBESLF96	OPTOMETRIST OFF VSTS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	547	547	744974883.75	744955813.43	100.63	100.63
6.4	OBEMCR96	OPTOMETRIST OFF VSTS - MEDICARE AMT 96	Sum of OBMCR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	41	41	34448374.03	34435365.30	59.76	59.73
6.5	OBEMCD96	OPTOMETRIST OFF VSTS - MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	51	51	46067177.49	46052008.79	79.58	79.55
6.6	OBEPV96	OPTOMETRIST OFF VSTS - PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	255	255	433686680.55	433677136.97	122.69	122.69
6.7	OBEVA96	OPTOMETRIST OFF VSTS -VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	6	6	5969152.25	5965719.21	71.82	71.78

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.8	OBECHM96	OPTOMETRIST OFF VSTS- CHMPUS/CHPVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	0	0	0.00	0.00	0.00	0.00
6.9	OBEOFD96	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	1	1	117575.28	117575.28	15.00	15.00
6.10	OBESTL96	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	2463815.32	2463815.32	68.04	68.04
6.11	OBEWCP96	OPTOMETRIST OFF VSTS- WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	0	0	0.00	0.00	0.00	0.00
6.12	OBEOPR96	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	8	8	4205215.72	4205215.72	54.39	54.39
6.13	OBEOPU96	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	2	2	1677279.04	1675085.80	56.29	56.22
6.14	OBEOSR96	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5	5	5	2243565.25	2236335.09	38.82	38.69
7.0	OBASST96	# OFF-BASED PHYSICIAN ASS T VSTS, 1996	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	297	297	5995643.11	5995643.11	1.52	1.52

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.1	OBATCH96	OFFICE-BASED PHYS ASST VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	295	295	555848796.01	555748014.70	141.54	141.51
7.2	OBAEXP96	TOTAL OFF- BASED PHYS ASS T EXP 96	Sum of OBPX96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	282	282	409916491.88	409925210.78	109.81	109.81
7.3	OBASLF96	PHYS ASS T OFF V S T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	180	180	83328493.14	83304834.30	32.78	32.77
7.4	OBAMCR96	PHYS ASS T OFF VSTS-MEDICARE AMT 96	Sum of OBMR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	19	19	25183807.17	25202355.13	127.27	127.36
7.5	OBAMCD96	PHYS ASS T OFF VSTS-MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	26	26	19303576.14	19296092.34	76.08	76.05
7.6	OBAPRV96	PHYS ASS T OFF VSTS-PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	171	172	255062551.18	255055048.36	107.33	106.55
7.7	OBAVA96	PHYS ASS T OFF VSTS-VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	6	6	8959319.68	8945815.75	90.54	90.40
7.8	OBACHM96	PHYS ASS T OFF V S T S - CHMPUS/CHMPVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	2	2	236257.04	229506.44	11.13	10.81



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.9	OBAOFD96	PHYS ASS T OFF VSTS -OTHER FED AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	4	4	4289401.21	4283494.90	82.27	82.16
7.10	OBASTL96	PHYS ASS T OFF VSTS -OTH ST/LOCL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	1407321.95	1409482.72	40.05	40.11
7.11	OBAWCP96	PHYS ASS T OFF VSTS-WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	2	2	876083.43	876083.43	46.20	46.20
7.12	OBAOPR96	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	8	8	3541065.57	3537851.98	42.47	42.43
7.13	OBAOPU96	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	0	0	0.00	0.00	0.00	0.00
7.14	OBAOSR96	P A OFF VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7	4	4	7781656.34	7784645.43	166.30	166.37
8.0	OBTHER96	# OFF-BASED PHYSICL/OCC THRPY VSTS, 1996	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	351	351	47589079.61	47589079.61	9.86	9.86
8.1	OBTTC96	OFFICE-BASED PT/OC VISIT CHARGES 96	Sum of OBTC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	348	348	5654096525.46	5654006805.83	1184.90	1184.88

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.2	OBTEXP96	TOT OFF-BASED PT EXP 96	Sum of OBP96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	340	340	4495878461.17	4495837352.91	960.56	960.55
8.3	OBTSLF96	PT/OT OFF V I S I T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	136	136	351613098.82	351610227.65	187.78	187.77
8.4	OBTMCR96	PT/OT OFF VISITS-MEDICARE AMT 96	Sum of OBM96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	52	52	287179922.45	287165321.29	419.23	419.21
8.5	OBTMCD96	PT/OT OFF VISITS-MEDICAID AMT 96	Sum of OBMD96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	18	18	223087005.89	223092488.19	1445.95	1445.99
8.6	OBTPRV96	PT/OT OFF VISITS-PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	254	255	2858043781.95	2857953176.81	810.66	806.83
8.7	OBTVA96	PT/OT OFF VISITS-VA AMT 96	Sum of OBVA96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	9	9	94830265.18	94831123.80	738.34	738.34
8.8	OBTCHM96	PT/OT OFF V I S I T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	3	3	14451686.54	14452430.18	355.00	355.02
8.9	OBTofd96	PT/OT OFF VISITS -OTHER FED AMT 96	Sum of OBOF96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9)	7	7	44156531.40	44143270.50	472.22	472.08

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.1	OBTSTL96	PT/OT OFF VISITS - OTH ST/LOCL AMT 96	Sum of OBSL96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	10763840.10	10763023.11	1054.00	1053.92
8.1	OBTWCP96	PT/OT OFF VISITS-WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	31	31	285393185.42	285358153.29	645.73	645.65
8.12	OBTOPR96	PT/OT OFF VISITS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	8	8	70926618.85	70917686.29	579.12	579.05
8.13	OBTOPU96	PT/OT OFF VISITS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	0	0	0.00	0.00	0.00	0.00
8.14	OBTOSR96	PT/OT OF VSTS- OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	21	21	255538432.03	255550451.81	826.82	826.86
9.0	OPTOTV96	# OUTPATIENT DEPT PROVIDER VISITS 96	Count Of OPAT records	3015	3015	125819127.66	125819127.66	3.19	3.19
9.1	OPFTCH96	OPD PROVIDER VISIT CHARGES - FAC 96	Sum of OPFTC96X from OPAT records	2996	2996	64012557678.15	64011187384.76	1634.33	1634.30
9.2	OPFEXP96	T O T A L O U T P A T I E N T F A C I L I T Y E X P 9 6	Sum of OPFXP96X from OPAT records	2853	2853	40851631029.25	40851051177.85	1092.48	1092.46
9.3	OPFSLF96	ALL OPD VISITS- S E L F / F A M I L Y A M T - F A C 9 6	Sum of OPFSF96X from OPAT records	1126	1126	2530351691.13	2530184382.12	166.72	166.71
9.4	OPFMCR96	ALL OPD VISITS- M E D I C A R E A M T - F A C 9 6	Sum of OPFMR96X from OPAT records	748	748	8417213366.55	8417185014.55	852.38	852.38

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.5	OPFMCD96	ALL OPD VISITS- MEDICAID AMT- FAC 96	Sum of OPFMD96X from OPAT records	378	378	1947574878.06	1947526151.99	481.39	481.38
9.6	OPFPRV96	ALL OPD VISITS- PRIV INS AMT- FAC 96	Sum of OPFPV96X from OPAT records	1806	1806	23567414621.33	23566846985.32	939.64	939.62
9.7	OPFVA96	ALL OPD VISITS- VA AMT-FAC 96	Sum of OPFVA96X from OPAT records	104	105	1016992383.08	1016838401.92	821.76	806.92
9.8	OPFCHM96	ALL OPD VISITS- CHMPUS/CHMPVA AMT-FAC 96	Sum of OPFCH96X from OPAT records	19	19	154263905.72	154239297.87	623.73	623.63
9.9	OPFOFD96	ALL OPD VISITS- OTHER FED AMT- FAC 96	Sum of OPFOF96X from OPAT records	67	67	485718792.90	485548822.87	611.77	611.56
9.10	OPFSTL96	ALL OPD VISITS- OTH ST/LOCAL AMT-FAC 96	Sum of OPFSL96X from OPAT records	10	10	75266274.16	75276081.74	631.75	631.83
9.11	OPFWCP96	ALL OPD VISITS- WORKERS COMP AMT-FAC 96	Sum of OPFWC96X from OPAT records	54	54	1040226160.27	1040229766.04	1529.89	1529.90
9.12	OPFOPR96	ALL OPD VISITS - OTH PRIVATE AMT-FAC 96	Sum of OPFOR96X from OPAT records	105	105	1125081838.05	1125070970.63	868.11	868.10
9.13	OPFOPU96	ALL OPD VISITS - OTH PUBLIC AMT- FAC 96	Sum of OPFOU96X from OPAT records	16	16	77492147.95	77495444.96	393.70	393.71
9.14	OPFOSR96	ALL OPD VSTS- OTH UNCLASS SRCE AMT-FAC 96	Sum of OPFOT96X from OPAT records	57	57	414646503.66	414609857.83	618.30	618.24
9.15	OPDTCH96	OPD PROVIDER VISIT CHARGES - DR 96	Sum of OPDTC96X from OPAT records	1797	1797	13947491728.87	13947139871.24	582.91	582.89
9.16	OPDEXP96	T O T A L O U T P A T I E N T P R O V I D E R E X P 9 6	Sum of OPDXP96X from OPAT records	1884	1884	24374993904.16	24374484277.46	975.34	975.32
9.17	OPDSL96	ALL OPD VISITS- SELF/FAMILY AMT-DR 96	Sum of OPDSF96X from OPAT records	595	595	851671258.23	851441851.16	107.26	107.23

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.18	OPDMCR96	ALL OPD VISITS- MEDICARE AMT - DR 96	Sum of OPDMR96X from OPAT records	560	560	2582079434.91	2582003761.24	349.46	349.45
9.19	OPDMCD96	ALL OPD VISITS- MEDICAID AMT - DR 96	Sum of OPDMD96X from OPAT records	224	224	578718404.88	578824600.14	221.16	221.20
9.20	OPDPRV96	ALL OPD VISITS- PRIV INS AMT-DR 96	Sum of OPDPV96X from OPAT records	1215	1215	9054852575.97	9054687340.04	543.70	543.69
9.21	OPDVA96	ALL OPD VISITS- VA AMT-DR 96	Sum of OPDVA96X from OPAT records	15	16	92706687.73	92615920.57	462.16	405.54
9.22	OPDCHM96	ALL OPD VISITS- CHMPUS/CHMPVA AMT-DR 96	Sum of OPDCH96X from OPAT records	9	9	12281166.74	12280222.01	105.32	105.31
9.23	OPDOFD96	ALL OPD VISITS- OTHER FED AMT- DR 96	Sum of OPDOF96X from OPAT records	13	13	90243119.69	90154301.56	501.43	500.94
9.24	OPDSTL96	ALL OPD VISITS- OTH ST/LOCAL AMT-DR 96	Sum of OPDSL96X from OPAT records	3	3	17403838.57	17403042.87	292.64	292.63
9.25	OPDWCP96	ALL OPD VISITS- WORKERS COMP AMT-DR 96	Sum of OPDWC96X from OPAT records	39	39	258315548.14	258276383.51	508.32	508.24
9.26	OPDOPR96	ALL OPD VISITS - OTH PRIVATE AMT-DR 96	Sum of OPDOR96X from OPAT records	106	106	382462921.87	382446045.75	295.86	295.85
9.27	OPDOPU96	ALL OPD VISITS- OTH PUBLIC AMT- DR 96	Sum of OPDOU96X from OPAT records	18	18	22260217.06	22275250.77	88.39	88.45
9.28	OPDOSR96	ALL OPD VSTS- OTH UNCLASS SRCE AMT-DR 96	Sum of OPDOT96X from OPAT records	1	1	4730840.97	4730840.97	214.00	214.00
10.0	OPDRV96	# OUTPATIENT DEPT - DR VISITS 96	Count of OPAT records with SEEDOC = 1	1792	1792	51960584.05	51960584.05	2.22	2.22
10.1	OPVTCH96	OPD PHYSICIAN VISIT CHARGES - FAC 96	Sum of OPFTC96X from OPAT records with SEEDOC = 1	1768	1768	38623977561. 35	38623253562. 42	1678.30	1678.26

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.2	OPVEXP96	T O T A L O U T P A T I E N T P H Y S I C I A N - F A C E X P 9 6	Sum of OPFXP96X from OPAT records with SEEDOC = 1	1676	1676	24896955898.75	24896319222.04	1136.01	1135.98
10.3	OPVSLF96	OPD DR VISITS- S E L F / F A M I L Y A M T - F A C 9 6	Sum of OPFSF96X from OPAT records with SEEDOC = 1	599	599	1430808592.10	1430726653.02	174.81	174.80
10.4	OPVMCR96	OPD DR VISITS- M E D I C A R E A M T - F A C 9 6	Sum of OPFMR96X from OPAT records with SEEDOC = 1	430	430	4890100065.31	4890075547.77	841.40	841.39
10.5	OPVMCD96	OPD DR VISITS- M E D I C A I D A M T - F A C 9 6	Sum of OPFMD96X from OPAT records with SEEDOC = 1	268	268	1414260017.80	1414179819.15	513.74	513.71
10.6	OPVPRV96	OPD DR VISITS- P R I V I N S A M T - F A C 9 6	Sum of OPFPV96X from OPAT records with SEEDOC = 1	1017	1017	14332747528.84	14332556285.52	999.04	999.03
10.7	OPVVA96	OPD DR VISITS- V A A M T - F A C 9 6	Sum of OPFVA96X from OPAT records with SEEDOC = 1	84	84	845256189.73	845115968.94	849.58	849.44
10.8	OPVCHM96	OPD DR VISITS- C H P U S / C H P V A A M T - F A C 9 6	Sum of OPFCH96X from OPAT records with SEEDOC = 1	12	12	108338608.52	108322191.42	716.83	716.72
10.9	OPVOFD96	OPD DR VISITS- O T H E R F E D A M T - F A C 9 6	Sum of OPFOF96X from OPAT records with SEEDOC = 1	54	54	408847749.37	408697102.17	628.10	627.87
10.10	OPVSTL96	OPD DR VISITS- O T H S T / L O C A L A M T - F A C 9 6	Sum of OPFSL96X from OPAT records with SEEDOC = 1	6	6	63485351.98	63493873.81	658.58	658.66
10.11	OPVWCP96	OPD DR VISITS- W O R K E R S C O M P A M T - F A C 9 6	Sum of OPFWC96X from OPAT records with SEEDOC = 1	31	31	570875834.80	570856558.22	1419.56	1419.51
10.12	OPVOPR96	OPD DR VISITS - O T H P R I V A T E A M T - F A C 9 6	Sum of OPFOR96X from OPAT records with SEEDOC = 1	67	67	451040997.21	451029559.35	576.04	576.02
10.13	OPVOPU96	OPD DR VISITS- O T H P U B L I C A M T - F A C 9 6	Sum of OPFOU96X from OPAT records with SEEDOC = 1	11	11	53446635.70	53427378.01	328.90	328.78
10.14	OPVOSR96	OPD DR VSTS- O T H U N C L A S S S R C E A M T - F A C 9 6	Sum of OPFOT96X from OPAT records with SEEDOC = 1	35	35	327845221.47	327838284.65	827.83	827.81

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.15	OPSTCH96	OPD PHYSICIAN VISIT CHARGES - DR 96	Sum of OPDTC96X from OPAT records with SEEDOC =1	1015	1015	9372680908.74	9372608386.05	680.19	680.18
10.16	OPSEXP96	T O T A L O U T P A T I E N T P H Y S I C I A N - D R E X P 9 6	Sum of OPDXP96X from OPAT records with SEEDOC = 1	1067	1067	16428939752.21	16428722787.81	1139.57	1139.56
10.17	OPSSLF96	OPD DR VISITS- S E L F / F A M I L Y A M T - D R 9 6	Sum of OPDSF96X from OPAT records with SEEDOC =1	299	299	523680169.13	523509975.95	130.69	130.64
10.18	OPSMCR96	OPD DR VISITS- M E D I C A R E A M T - D R 9 6	Sum of OPDMR96X from OPAT records with SEEDOC = 1	314	314	1781820568.30	1781845568.74	406.74	406.75
10.19	OPSMCD96	OPD DR VISITS- M E D I C A I D A M T - D R 9 6	Sum of OPDMD96X from OPAT records with SEEDOC = 1	149	149	431866647.94	431931665.14	241.97	242.01
10.20	OPSPRV96	OPD DR VISITS- P R I V I N S A M T - D R 9 6	Sum of OPDPV96X from OPAT records with SEEDOC = 1	686	686	6216761880.84	6216644350.31	648.47	648.46
10.21	OPVA96	OPD DR VISITS- V A A M T - D R 9 6	Sum of OPDVA96X from OPAT records with SEEDOC =1	4	4	19203732.55	19188089.57	436.88	436.53
10.22	OPSCHM96	OPD DR VISITS- C H M P U S / C H M P V A A M T - D R 9 6	Sum of OPDCH96X from OPAT records with SEEDOC = 1	6	6	9779655.70	9775536.20	136.20	136.15
10.23	OPSOFD96	OPD DR VISITS- O T H E R F E D A M T - D R 9 6	Sum of OPDOF96X from OPAT records with SEEDOC = 1	3	3	16923085.88	16907442.90	540.92	540.42
10.24	OPSSTL96	OPD DR VISITS- O T H S T / L O C A L A M T - D R 9 6	Sum of OPDSL96X from OPAT records with SEEDOC = 1	1	1	17297746.00	17297746.00	525.00	525.00
10.25	OPSWCP96	OPD DR VISITS- W O R K E R S C O M P A M T - D R 9 6	Sum of OPDWC96X from OPAT records with SEEDOC = 1	22	22	165519804.69	165483760.37	589.33	589.20
10.26	OPSOPR96	OPD DR VISITS - O T H P R I V A T E A M T - D R 9 6	Sum of OPDOR96X from OPAT records with SEEDOC = 1	60	60	171737119.48	171727716.51	236.93	236.92

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.27	OPSOPU96	OPD DR VISITS- OTH PUBLIC AMT- DR 96	Sum of OPDOU96X from OPAT records with SEEDOC = 1	14	14	18290139.37	18296523.86	83.27	83.30
10.28	OPSOSR96	OPD DR VSTS- OTH UNCLASS SRCE AMT-DR 96	Sum of OPDOT96X from OPAT records with SEEDOC = 1	0	0	0.00	0.00	0.00	0.00
11.0	OPOTHV96	# OUTPATIENT DEPT NON-DR VISITS 96	Count of OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1731	1731	70867497.22	70867497.22	3.11	3.11
11.1	OPOTCH96	OPD NON-PHYS VISIT CHARGES - FAC 96	Sum of OPFTC96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1725	1725	23953731926.14	23952936085.85	1055.68	1055.65
11.2	OPOEXP96	T O T A L O U T P A T I E N T NON-DR - FAC EXP 96	Sum of OPFPX96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1649	1649	14968829950.88	14968631250.40	688.03	688.02
11.3	OPOSFL96	OPD NON-DR VISITS-SELF/FAM AMT-FAC 96	Sum of OPFSF96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	599	599	994420357.60	994366491.91	123.50	123.50
11.4	OPOMCR96	OPD NON-DR VISITS-MEDICARE AMT-FAC 96	Sum of OPFMR96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	457	457	3080555023.19	3080479318.44	510.46	510.45
11.5	OPOMCD96	OPD NON-DR VISITS-MEDICAID AMT-FAC 96	Sum of OPFMD96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	170	170	528057630.47	528055224.86	274.95	274.95
11.6	OPOPRV96	OPD NON-DR VISITS-PRIV INS AMT-FAC 96	Sum of OPFPV96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1087	1087	8960852007.75	8960500318.88	600.39	600.36
11.7	OPOVA96	OPD NON-DR VISITS-VA AMT- FAC 96	Sum of OPFVA96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	35	36	157879754.70	157819641.85	375.82	356.52



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.8	OPOCHM96	OPD NON-DR V I S I T S - CHPS/CHVA AMT- FAC 96	Sum of OPFCH96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	9	9	45911621.06	45917106.45	365.49	365.53
11.9	OPOOFD96	OPD NON-DR VISITS-OTHER FED AMT-FAC 96	Sum of OPFOF96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	21	21	75680558.46	75629500.16	314.07	313.86
11.10	OPOSTL96	OPD NON-DR V I S I T S - O T H ST/LOC AMT-FAC 96	Sum of OPFSL96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	4	4	11780922.18	11782207.93	518.02	518.08
11.11	OPOWCP96	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 96	Sum of OPFWC96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	30	30	469379804.60	469373207.82	1241.92	1241.91
11.12	OPOOPR96	OPD NON-DR V I S I T S - O T H PRIVATE AMT- FAC 96	Sum of OPFOR96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	52	52	539668610.00	539640641.37	759.62	759.58
11.13	OPOOPU96	OPD NON-DR V I S I T S - O T H PUBLIC AMT-FAC 96	Sum of OPFOU96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	8	8	24045512.25	24068066.95	208.35	208.55
11.14	OPOOSR96	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 96	Sum of OPFOT96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	25	25	81025674.37	80999523.79	263.38	263.29
11.15	OPPTCH96	OPD NON-PHYS VISIT CHARGES - DR 96	Sum of OPDTC96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	980	980	4240969735.66	4240709798.59	331.89	331.87
11.16	OPPEXP96	T O T A L O U T P A T I E N T NON-DR - DR EXP 96	Sum of OPDXP96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1030	1030	7400644837.82	7400311307.20	552.55	552.53
11.17	OPPSLF96	OPD NON-DR VISITS-SELF/FAM AMT-DR 96	Sum of OPDSF96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	319	319	311195560.90	311120818.22	74.09	74.07

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.18	OPPMCR96	OPD NON-DR VISITS-MEDICARE AMT-DR 96	Sum of OPDMR96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	315	315	701274229.40	701219829.06	176.41	176.40
11.19	OPPMCD96	OPD NON-DR VISITS-MEDICAID AMT-DR 96	Sum of OPDMD96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	88	88	143025309.35	143053627.24	147.63	147.66
11.20	OPPPRV96	OPD NON-DR VISITS-PRIV INS AMT-DR 96	Sum of OPDPV96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	666	666	2750230516.68	2750211418.18	309.57	309.57
11.21	OPPVA96	OPD NON-DR VISITS-VA AMT- DR 96	Sum of OPDVA96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	11	12	73502955.19	73427831.00	469.25	398.15
11.22	OPPCHM96	OPD NON-DR V I S I T S - CHPS/CHVA AMT- DR 96	Sum of OPDCH96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	3	3	2501511.05	2504685.82	55.83	55.90
11.23	OPPOFD96	OPD NON-DR VISITS-OTHER FED AMT-DR 96	Sum of OPDOF96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	10	10	73320033.81	73246858.66	493.12	492.63
11.24	OPPSTL96	OPD NON-DR V I S I T S - O T H ST/LOC AMT-DR 96	Sum of OPDSL96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1	1	27847.94	27639.08	4.00	3.97
11.25	OPPWCP96	OPD NON-DR VISITS-WRKRS COMP AMT-DR 96	Sum of OPDWC96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	19	19	92818826.67	92792623.14	370.69	370.58
11.26	OPPOPR96	OPD NON-DR V I S I T S - O T H PRIVATE AMT-DR 96	Sum of OPDOR96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	50	50	84437056.94	84394600.18	138.24	138.17
11.27	OPPOPU96	OPD NON-DR V I S I T S - O T H PUBLIC AMT-DR 96	Sum of OPDOU96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	6	6	3970077.70	3978726.90	37.55	37.64

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.28	OPPOSR96	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 96	Sum of OPDOT96X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1	1	4730840.97	4730840.97	214.00	214.00
12.0	N/A - SEE <b>NOTE (B)</b> BELOW	# CHIROPRACTR V S T S (OFF+OUTPAT), 1996	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE=1] plus OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE <b>NOTE (B)</b> BELOW	544	N/A - SEE <b>NOTE</b> <b>(B)</b> BELOW	56570821.62	N/A - SEE <b>NOTE (B)</b> BELOW	7.60
12.1	N/A - SEE <b>NOTE (B)</b> BELOW	C H I R O AMBULATORY VISIT CHARGES 96	Sum of OBTC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTCH96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE <b>NOTE (B)</b> BELOW	544	N/A - SEE <b>NOTE</b> <b>(B)</b> BELOW	2568269993.39	N/A - SEE <b>NOTE (B)</b> BELOW	345.24
12.2	N/A - SEE <b>NOTE (B)</b> BELOW	TOTL AMBULTRY (OB+OP) CHIRO EXP 96	Sum of OBXP96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPEXP96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE <b>NOTE (B)</b> BELOW	521	N/A - SEE <b>NOTE</b> <b>(B)</b> BELOW	2288734754.10	N/A - SEE <b>NOTE (B)</b> BELOW	322.71
12.3	N/A - SEE <b>NOTE (B)</b> BELOW	CHIRO AMB VISITS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF96X + OPDSF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE <b>NOTE (B)</b> BELOW	429	N/A - SEE <b>NOTE</b> <b>(B)</b> BELOW	1034595356.06	N/A - SEE <b>NOTE (B)</b> BELOW	174.72

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.4	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS - MEDICARE AMT 96	Sum of OBMR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR96X + OPDMR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	27	N/A - SEE NOTE (B) BELOW	63985614.23	N/A - SEE NOTE (B) BELOW	174.11
12.5	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD96X + OPDMD96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	12	N/A - SEE NOTE (B) BELOW	48861685.74	N/A - SEE NOTE (B) BELOW	325.31
12.6	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV96X + OPDPV96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	227	N/A - SEE NOTE (B) BELOW	948630607.06	N/A - SEE NOTE (B) BELOW	306.25
12.7	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS -VA AMT 96	Sum of OBVA96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA96X + OPDVA96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	3	N/A - SEE NOTE (B) BELOW	2510902.20	N/A - SEE NOTE (B) BELOW	90.58

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.8	N/A - SEE NOTE (B) BELOW	CHIRO AMB V I S I T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFCH96X + OPDCH96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
12.9	N/A - SEE NOTE (B) BELOW	CHIRO AMB V I S I T S -OTHER FEDERAL AMT 96	Sum of OBOF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF96X + OPDOF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
12.10	N/A - SEE NOTE (B) BELOW	CHIRO AMB V I S I T S -OTH ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL96X + OPDSL96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
12.11	N/A - SEE NOTE (B) BELOW	CHIRO AMB V I S I T S -WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC96X + OPDWC96X) from OPAT records with and [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	15	N/A - SEE NOTE (B) BELOW	33095101.69	N/A - SEE NOTE (B) BELOW	168.90

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.12	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR96X + OPDOR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	19	N/A - SEE NOTE (B) BELOW	53977521.75	N/A - SEE NOTE (B) BELOW	218.10
12.13	N/A - SEE NOTE (B) BELOW	CHIRO AMB VISITS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU96X + OPDOU96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
12.14	N/A - SEE NOTE (B) BELOW	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT96X + OPDOT96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	N/A - SEE NOTE (B) BELOW	25	N/A - SEE NOTE (B) BELOW	103077965.36	N/A - SEE NOTE (B) BELOW	298.74
13.0	N/A - SEE NOTE (B) BELOW	# A M B NURSE/PRCTITIO NR VSTS(OB+OP) 96	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	2236	N/A - SEE NOTE (B) BELOW	99444051.58	N/A - SEE NOTE (B) BELOW	3.36

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.1	N/A - SEE NOTE (B) BELOW	N R S / P R A C AMBULATORY VISIT CHARGES 96	Sum of OBTC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTCH96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	N/A - SEE NOTE (B) BELOW	2222	N/A - SEE NOTE (B) BELOW	12582905758.64	N/A - SEE NOTE (B) BELOW	429.19
13.2	N/A - SEE NOTE (B) BELOW	TOTL AMBULTRY ( O B + O P ) NURSE/PRAC EXP 96	Sum of OBXP96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPEXP96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	N/A - SEE NOTE (B) BELOW	1994	N/A - SEE NOTE (B) BELOW	7832208038.33	N/A - SEE NOTE (B) BELOW	295.22
13.3	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB V S T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF96X + OPDSF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	1005	N/A - SEE NOTE (B) BELOW	800702708.13	N/A - SEE NOTE (B) BELOW	57.93
13.4	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS -MEDICARE AMT 96	Sum of OBMR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR96X + OPDMR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	387	N/A - SEE NOTE (B) BELOW	1509174022.42	N/A - SEE NOTE (B) BELOW	286.45

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.5	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD96X + OPDMD96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	229	N/A - SEE NOTE (B) BELOW	595302949.69	N/A - SEE NOTE (B) BELOW	236.14
13.6	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS -PRIV INS AMT 96	Sum of OBPV96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV96X + OPDPV96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	1063	N/A - SEE NOTE (B) BELOW	4516761981.33	N/A - SEE NOTE (B) BELOW	301.12
13.7	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS-VA AMT 96	Sum of OBVA96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA96X + OPDVA96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	33	N/A - SEE NOTE (B) BELOW	110107217.94	N/A - SEE NOTE (B) BELOW	274.01
13.8	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB V S T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFCH96X + OPDCH96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	12	N/A - SEE NOTE (B) BELOW	23500637.48	N/A - SEE NOTE (B) BELOW	133.10



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB V S T S - O T H E R FEDERAL AMT 96	Sum of OBOF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF96X + OPDOF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	20	N/A - SEE NOTE (B) BELOW	49771256.65	N/A - SEE NOTE (B) BELOW	243.01
13.10	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB V S T S - O T H ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL96X + OPDSL96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	15	N/A - SEE NOTE (B) BELOW	36859860.56	N/A - SEE NOTE (B) BELOW	226.74
13.11	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS-WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC96X + OPDWC96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	9	N/A - SEE NOTE (B) BELOW	35718889.25	N/A - SEE NOTE (B) BELOW	286.91
13.12	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR96X + OPDOR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	52	N/A - SEE NOTE (B) BELOW	55355731.87	N/A - SEE NOTE (B) BELOW	80.82

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.13	N/A - SEE NOTE (B) BELOW	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU96X + OPDOU96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	12	N/A - SEE NOTE (B) BELOW	3969799.38	N/A - SEE NOTE (B) BELOW	40.20
13.14	N/A - SEE NOTE (B) BELOW	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 96	Sum of OBOT96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT96X + OPDOT96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	N/A - SEE NOTE (B) BELOW	116	N/A - SEE NOTE (B) BELOW	94982983.62	N/A - SEE NOTE (B) BELOW	71.41
14.0	N/A - SEE NOTE (B) BELOW	# A M B OPTOMETRIST VSTS (OB+OP) 96	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	742	N/A - SEE NOTE (B) BELOW	12108095.72	N/A - SEE NOTE (B) BELOW	1.21
14.1	N/A - SEE NOTE (B) BELOW	OPTOMETRIST AMBULATORY VISIT CHARGES 96	Sum of OBTC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTCH96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	736	N/A - SEE NOTE (B) BELOW	1856186686.84	N/A - SEE NOTE (B) BELOW	186.95

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	N/A - SEE NOTE (B) BELOW	TOTL AMBULTRY ( O B + O P ) OPTOMETRIST EXP 96	Sum of OBXP96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPEXP96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	718	N/A - SEE NOTE (B) BELOW	1369820780.84	N/A - SEE NOTE (B) BELOW	141.97
14.3	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB V S T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF96X + OPDSF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	550	N/A - SEE NOTE (B) BELOW	747407661.61	N/A - SEE NOTE (B) BELOW	100.68
14.4	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS -MEDICARE AMT 96	Sum of OBMR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR96X + OPDMR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	43	N/A - SEE NOTE (B) BELOW	44026548.29	N/A - SEE NOTE (B) BELOW	74.17
14.5	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS -MEDICAID AMT 96	Sum of OBMD96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD96X + OPDMD96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	53	N/A - SEE NOTE (B) BELOW	120654684.77	N/A - SEE NOTE (B) BELOW	199.75

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.6	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS -PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV96X + OPDPV96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	258	N/A - SEE NOTE (B) BELOW	438802240.08	N/A - SEE NOTE (B) BELOW	122.15
14.7	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS-VA AMT 96	Sum of OBVA96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA96X + OPDVA96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	6	N/A - SEE NOTE (B) BELOW	5965719.21	N/A - SEE NOTE (B) BELOW	71.78
14.8	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB V S T S - CHMPUS/CHMPVA AMT 96	Sum of OBCH96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFCH96X + OPDCH96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
14.9	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS-OTHER FED AMT 96	Sum of OBOF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF96X + OPDOF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	1	N/A - SEE NOTE (B) BELOW	117575.28	N/A - SEE NOTE (B) BELOW	15.00

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.10	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB V S T S - O T H ST/LOCAL AMT 96	Sum of OBSL96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL96X + OPDSL96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	2	N/A - SEE NOTE (B) BELOW	2463815.32	N/A - SEE NOTE (B) BELOW	68.04
14.11	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS-WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC96X + OPDWC96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
14.12	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR96X + OPDOR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	8	N/A - SEE NOTE (B) BELOW	4205215.72	N/A - SEE NOTE (B) BELOW	54.39
14.13	N/A - SEE NOTE (B) BELOW	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU96X + OPDOU96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	3	N/A - SEE NOTE (B) BELOW	3940929.79	N/A - SEE NOTE (B) BELOW	111.44

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	N/A - SEE NOTE (B) BELOW	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 96	Sum of OBOT96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT96X + OPDOT96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	N/A - SEE NOTE (B) BELOW	5	N/A - SEE NOTE (B) BELOW	2236335.09	N/A - SEE NOTE (B) BELOW	38.69
15.0	N/A - SEE NOTE (B) BELOW	# PHYSICIAN ASS T V S T S (OFF+OPAT), 1996	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	313	N/A - SEE NOTE (B) BELOW	6763520.84	N/A - SEE NOTE (B) BELOW	1.60
15.1	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMBULATORY VISIT CHARGES 96	Sum of OBTC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTCH96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	N/A - SEE NOTE (B) BELOW	310	N/A - SEE NOTE (B) BELOW	960420451.36	N/A - SEE NOTE (B) BELOW	229.16
15.2	N/A - SEE NOTE (B) BELOW	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 96	Sum of OBP96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPEXP96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	N/A - SEE NOTE (B) BELOW	295	N/A - SEE NOTE (B) BELOW	546613332.63	N/A - SEE NOTE (B) BELOW	137.70

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.3	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB V S T S - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF96X + OPDSF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	185	N/A - SEE NOTE (B) BELOW	97751248.40	N/A - SEE NOTE (B) BELOW	36.85
15.4	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS-MEDICARE AMT 96	Sum of OBMR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR96X + OPDMR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	23	N/A - SEE NOTE (B) BELOW	48921922.66	N/A - SEE NOTE (B) BELOW	177.85
15.5	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS-MEDICAID AMT 96	Sum of OBMD96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD96X + OPDMD96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	29	N/A - SEE NOTE (B) BELOW	43696375.53	N/A - SEE NOTE (B) BELOW	150.42
15.6	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS-PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV96X + OPDPV96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	181	N/A - SEE NOTE (B) BELOW	329176905.39	N/A - SEE NOTE (B) BELOW	128.74

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.7	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS-VA AMT 96	Sum of OBVA96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA96X + OPDVA96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	6	N/A - SEE NOTE (B) BELOW	8945815.75	N/A - SEE NOTE (B) BELOW	90.40
15.8	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB V S T S - CHMPUS/CHMPVA AMT 96	Sum of OBCH96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFCH96X + OPDCH96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	2	N/A - SEE NOTE (B) BELOW	229506.44	N/A - SEE NOTE (B) BELOW	10.81
15.9	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS -OTHER FED AMT 96	Sum of OBOF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF96X + OPDOF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	4	N/A - SEE NOTE (B) BELOW	4283494.90	N/A - SEE NOTE (B) BELOW	82.16
15.10	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB V S T S - O T H ST/LOCL AMT 96	Sum of OBSL96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL96X + OPDSL96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	4	N/A - SEE NOTE (B) BELOW	1409482.72	N/A - SEE NOTE (B) BELOW	40.11



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.11	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS-WRKERS COMP AMT 96	Sum of OBWC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC96X + OPDWC96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	2	N/A - SEE NOTE (B) BELOW	876083.43	N/A - SEE NOTE (B) BELOW	46.20
15.12	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR96X + OPDOR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	8	N/A - SEE NOTE (B) BELOW	3537851.98	N/A - SEE NOTE (B) BELOW	42.43
15.13	N/A - SEE NOTE (B) BELOW	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 96	Sum of OBOU96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU96X + OPDOU96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	0	N/A - SEE NOTE (B) BELOW	0.00	N/A - SEE NOTE (B) BELOW	0.00
15.14	N/A - SEE NOTE (B) BELOW	P A AMB VSTS- OTH UNCLASS SRCE AMT 96	Sum of OBOT96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT96X + OPDOT96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	N/A - SEE NOTE (B) BELOW	4	N/A - SEE NOTE (B) BELOW	7784645.43	N/A - SEE NOTE (B) BELOW	166.37

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.0	N/A - SEE NOTE (B) BELOW	# AMB PT/OT THRPY VISITS (OB+OP) 96	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	468	N/A - SEE NOTE (B) BELOW	66650924.74	N/A - SEE NOTE (B) BELOW	10.47
16.1	N/A - SEE NOTE (B) BELOW	P T / O C AMBULATORY VISIT CHARGES 96	Sum of OBTC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTCH96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	N/A - SEE NOTE (B) BELOW	465	N/A - SEE NOTE (B) BELOW	10126575270.89	N/A - SEE NOTE (B) BELOW	1603.74
16.2	N/A - SEE NOTE (B) BELOW	TOTL AMBULTRY (OB+OP) PT/OT EXP 96	Sum of OBXP96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPEXP96X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	N/A - SEE NOTE (B) BELOW	453	N/A - SEE NOTE (B) BELOW	7714771498.12	N/A - SEE NOTE (B) BELOW	1254.71
16.3	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS - SELF/FAMILY AMT 96	Sum of OBSF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF96X + OPDSF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	196	N/A - SEE NOTE (B) BELOW	489482128.29	N/A - SEE NOTE (B) BELOW	183.92

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.4	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS-MEDICARE AMT 96	Sum of OBMR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR96X + OPDMR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	92	N/A - SEE NOTE (B) BELOW	721971076.24	N/A - SEE NOTE (B) BELOW	580.64
16.5	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS-MEDICAID AMT 96	Sum of OBMD96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD96X + OPDMD96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	29	N/A - SEE NOTE (B) BELOW	294563739.08	N/A - SEE NOTE (B) BELOW	1077.78
16.6	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS-PRIVATE INS AMT 96	Sum of OBPV96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV96X + OPDPV96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	334	N/A - SEE NOTE (B) BELOW	4531727268.28	N/A - SEE NOTE (B) BELOW	988.62
16.7	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS-VA AMT 96	Sum of OBVA96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA96X + OPDVA96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	16	N/A - SEE NOTE (B) BELOW	130459662.13	N/A - SEE NOTE (B) BELOW	619.10

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.8	N/A - SEE NOTE (B) BELOW	PT/OT AMB V I S I T S - CHAMPUS/CHAM PVA AMT 96	Sum of OBCH96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFCH96X + OPDCH96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	3	N/A - SEE NOTE (B) BELOW	14452430.18	N/A - SEE NOTE (B) BELOW	355.02
16.9	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS -OTHER FED AMT 96	Sum of OBOF96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF96X + OPDOF96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	11	N/A - SEE NOTE (B) BELOW	72344420.68	N/A - SEE NOTE (B) BELOW	566.66
16.10	N/A - SEE NOTE (B) BELOW	PT/OT AMB V I S I T S - O T H ST/LOCL AMT 96	Sum of OBSL96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL96X + OPDSL96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	1	N/A - SEE NOTE (B) BELOW	10763023.11	N/A - SEE NOTE (B) BELOW	1053.92
16.11	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS-WORKERS COMP AMT 96	Sum of OBWC96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC96X + OPDWC96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	46	N/A - SEE NOTE (B) BELOW	643310332.25	N/A - SEE NOTE (B) BELOW	1012.99

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.12	N/A - SEE NOTE (B) BELOW	PT/OT AMB VISITS - OTH PRIVATE AMT 96	Sum of OBOR96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR96X + OPDOR96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	17	N/A - SEE NOTE (B) BELOW	529789480.82	N/A - SEE NOTE (B) BELOW	2295.50
16.13	N/A - SEE NOTE (B) BELOW	PT/OT AMB V I S I T S - O T H PUBLIC AMT 96	Sum of OBOU96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU96X + OPDOU96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	1	N/A - SEE NOTE (B) BELOW	9554379.61	N/A - SEE NOTE (B) BELOW	161.64
16.14	N/A - SEE NOTE (B) BELOW	PT/OT AMB VSTS- OTH UNCLAS SRCE AMT 96	Sum of OBOT96X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT96X + OPDOT96X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	N/A - SEE NOTE (B) BELOW	27	N/A - SEE NOTE (B) BELOW	266353557.44	N/A - SEE NOTE (B) BELOW	696.85
17.0	N/A - SEE NOTE (B) BELOW	# CALLS W/OFFICE & OUPAT DEPTS, 1996	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records	N/A - SEE NOTE (B) BELOW	4331	N/A - SEE NOTE (B) BELOW	172469316.94	N/A - SEE NOTE (B) BELOW	3.01
18.0	N/A - SEE NOTE (B) BELOW	# CALLS W/OFF & O U T P A T PHYSICIANS, 1996	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEEDOC = 1	N/A - SEE NOTE (B) BELOW	2860	N/A - SEE NOTE (B) BELOW	82139746.25	N/A - SEE NOTE (B) BELOW	2.17

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
19.0	ERTOT96	# EMERGENCY ROOM VISITS, 1996	Count of EROM records	2746	2746	46328551.61	46328551.61	1.36	1.36
19.1	ERFTCH96	ER FACILITY VISIT CHARGES 96	Sum of ERFTC96X from EROM records	2745	2745	23180097985.58	23178969003.56	678.34	678.31
19.2	ERFEXP96	TOTAL ER FACILITY EXP 96	Sum of ERFXP96X from EROM records	2370	2370	13274739266.57	13273833716.73	448.98	448.95
19.3	ERFSLF96	ER-SELF/FAMILY AMT - FAC 96	Sum of ERFSF96X from EROM records	926	926	1468798044.64	1468673847.82	121.14	121.13
19.4	ERFMCR96	ER-MEDICARE AMT - FAC 96	Sum of ERFMR96X from EROM records	355	355	1622786448.78	1622825549.37	362.74	362.75
19.5	ERFMCD96	ER-MEDICAID AMT - FAC 96	Sum of ERFMD96X from EROM records	509	509	1206528913.34	1206289105.13	245.39	245.34
19.6	ERFPRV96	ER-PRIVATE INS AMT - FAC 96	Sum of ERFPV96X from EROM records	1243	1243	6554017202.62	6553647181.49	389.01	388.98
19.7	ERFVA96	ER-VA AMT - FAC 96	Sum of ERFVA96X from EROM records	30	30	109317965.52	109265999.88	285.39	285.26
19.8	ERFCHM96	ER - CHAMPUS/CHAM PVA AMT - FAC 96	Sum of ERFCH96X from EROM records	2	2	1869066.76	1867870.25	220.04	219.90
19.9	ERFOFD96	ER - O T H E R FEDERAL AMT - FAC 96	Sum of ERFOF96X from EROM records	25	25	109990503.95	109940655.06	347.26	347.11
19.10	ERFSTL96	ER - O T H ST/LOCAL AMT - FAC 96	Sum of ERFSL96X from EROM records	2	2	2426418.84	2430546.01	110.97	111.16
19.11	ERFWCP96	ER-WORKERS COMP AMT - FAC 96	Sum of ERFWC96X from EROM records	97	97	809801648.22	809714510.32	603.79	603.73
19.12	ERFOPR96	ER - O T H E R PRIVATE AMT - FAC 96	Sum of ERFOR96X from EROM records	115	115	333137888.98	333121739.90	241.36	241.34
19.13	ERFOPU96	ER - O T H E R PUBLIC AMT - FAC 96	Sum of ERFOU96X from EROM records	14	14	29778494.46	29757411.10	182.47	182.35
19.14	ERFOSR96	ER-OTH UNCLASS SRCE AMT - FAC 96	Sum of ERFOT96X from EROM records	61	61	1026352637.97	1026299300.36	1159.70	1159.64

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
19.15	ERDTCH96	ER DOCTOR VISIT CHARGES 96	Sum of ERDTC96X from EROM records	1544	1544	3661268945.48	3661085433.51	187.97	187.96
19.16	ERDEXP96	T O T A L E M E R G E N C Y R O O M D R E X P 96	Sum of ERDXP96X from EROM records	1731	1731	6365131796.35	6364797567.11	291.07	291.06
19.17	ERDSLF96	ER-SELF/FAMILY AMT - DR 96	Sum of ERDSF96X from EROM records	400	402	372823530.32	372707735.09	69.77	69.33
19.18	ERDMCR96	ER-MEDICARE AMT - DR 96	Sum of ERDMR96X from EROM records	287	287	582511047.27	582506843.48	158.76	158.75
19.19	ERDMCD96	ER-MEDICAID AMT - DR 96	Sum of ERDMD96X from EROM records	329	329	261118659.52	261121370.52	75.85	75.85
19.20	ERDPRV96	ER-PRIVATE INS AMT - DR 96	Sum of ERDPV96X from EROM records	837	837	2007864247.51	2007953350.31	178.48	178.49
19.21	ERDVA96	ER-VA AMT - DR 96	Sum of ERDVA96X from EROM records	8	8	4630996.10	4632550.50	51.66	51.68
19.22	ERDCHM96	E R - C H A M P U S / C H A M P V A A M T - D R 96	Sum of ERDCH96X from EROM records	3	3	4359353.16	4352651.78	149.74	149.51
19.23	ERDOFD96	ER-OTHER FED AMT - DR 96	Sum of ERDOF96X from EROM records	6	6	3381437.00	3376414.77	49.93	49.86
19.24	ERDSTL96	E R - O T H S T / L O C A L A M T - D R 96	Sum of ERDSL96X from EROM records	6	6	2182647.33	2180905.84	31.37	31.34
19.25	ERDWCP96	ER - W O R K E R S C O M P A M T - D R 96	Sum of ERDWC96X from EROM records	65	65	180653714.88	180678549.39	211.03	211.06
19.26	ERDOPR96	ER - O T H E R P R I V A T E A M T - D R 96	Sum of ERDOR96X from EROM records	139	139	233071892.47	233024718.54	144.11	144.08
19.27	ERDOPU96	ER - O T H E R P U B L I C A M T - D R 96	Sum of ERDOU96X from EROM records	12	12	7592585.06	7583874.86	55.18	55.12
19.28	ERDOSR96	ER-OTH UNCLASS SRCE AMT - DR 96	Sum of ERDOT96X from EROM records	4	4	995914.51	966638.05	16.59	16.10
20.0	IPZERO96	# ZERO-NIGHT HOSPITAL STAYS 96	Count of STAZ records with NUMNIGHX = 0	116	116	1426236.07	1426236.07	1.06	1.06

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.1	ZIFTCH96	ZERO-NITE IP STAY CHARGES - FAC 96	Sum of IPFTC96X from STAZ records with NUMNIGHX = 0	116	116	4001955769.69	4001949485.06	2964.40	2964.39
20.2	ZIFEXP96	TOTAL ZERO- NITE STAYS FAC EXP 96	Sum of IPFXP96X from STAZ records with NUMNIGHX=0	114	114	2451650681.15	2451694471.31	1885.49	1885.52
20.3	ZIFSLF96	ZERO-NITE IP STAZ -SELF/FAM AMT-FAC 96	Sum of IPFSF96X from STAZ records with NUMNIGHX = 0	29	29	119574031.67	119555023.01	379.30	379.24
20.4	ZIFMCR96	ZERO-NITE IP STAZ-MEDICARE AMT-FAC 96	Sum of IPFMR96X from STAZ records with NUMNIGHX = 0	25	25	538339743.12	538356768.23	1932.72	1932.78
20.5	ZIFMCD96	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 96	Sum of IPFMD96X from STAZ records with NUMNIGHX = 0	27	27	237241550.28	237243674.05	1138.20	1138.21
20.6	ZIFPRV96	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 96	Sum of IPFPV96X from STAZ records with NUMNIGHX = 0	72	72	1265422002.64	1265384656.68	1370.40	1370.36
20.7	ZIFVA96	ZERO-NITE IP STAZ-VA AMT- FAC 96	Sum of IPFVA96X from STAZ records with NUMNIGHX = 0	1	1	24114244.77	24123439.11	1154.00	1154.44
20.8	ZIFCHM96	ZERO-NITE IP S T A Z - CHPUS/CHPVA AMT-FAC 96	Sum of IPFCH96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.9	ZIFOFD96	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 96	Sum of IPFOF96X from STAZ records with NUMNIGHX = 0	1	1	24114244.77	24123439.11	1154.00	1154.44
20.10	ZIFSTL96	ZERO-NITE IP S T A Z - O T H ST/LOC AMT-FAC 96	Sum of IPFSL96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.11	ZIFWCP96	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 96	Sum of IPFWC96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.12	ZIFOPR96	ZERO-NITE IP S T A Z - O T H PRIVATE AMT- FAC 96	Sum of IPFOR96X from STAZ records with NUMNIGHX = 0	2	2	242908800.15	242907471.12	17590.11	17590.01



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.13	ZIFOPU96	ZERO-NITE IP S T A Z - O T H PUBLIC AMT-FAC 96	Sum of IPFOU96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.14	ZIFOSR96	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 96	Sum of IPFOT96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.15	ZIDTCH96	ZERO-NITE IP STAY CHARGES - DR 96	Sum of IPDTC96X from STAZ records with NUMNIGHX=0	81	81	938558737.65	938569914.39	972.95	972.96
20.16	ZIDEXP96	TOTAL ZERO- NITE STAZ DR 96	Sum of IPDXP96X from STAZ records with NUMNIGHX = 0	83	83	1544864079.13	1544845608.58	1557.99	1557.97
20.17	ZIDSLF96	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 96	Sum of IPDSF96X from STAZ records with NUMNIGHX = 0	21	21	63715916.81	63718025.58	229.62	229.63
20.18	ZIDMCR96	ZERO-NITE IP STAZ-MEDICARE AMT-DR 96	Sum of IPDMR96X from STAZ records with NUMNIGHX = 0	21	21	184126729.55	184120244.83	764.71	764.69
20.19	ZIDMCD96	ZERO-NITE IP STAZ-MEDICAID AMT-DR 96	Sum of IPDMD96X from STAZ records with NUMNIGHX = 0	17	17	52860158.64	52857623.39	441.54	441.52
20.20	ZIDPRV96	ZERO-NITE IP STAZ-PRIV INS AMT-DR 96	Sum of IPDPV96X from STAZ records with NUMNIGHX = 0	48	48	563206561.68	563212146.05	854.73	854.74
20.21	ZIDVA96	ZERO-NITE IP STAZ-VA AMT-DR 96	Sum of IPDVA96X from STAZ records with NUMNIGHX = 0	2	2	6983209.08	6983209.08	266.09	266.09
20.22	ZIDCHM96	ZERO-NITE IP S T A Z - CHPUS/CHPVA AMT-DR 96	Sum of IPDCH96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.23	ZIDOFD96	ZERO-NITE IP STAZ-OTHER FED AMT-DR 96	Sum of IPDOF96X from STAZ records with NUMNIGHX = 0	1	1	2190086.97	2190086.97	152.00	152.00
20.24	ZIDSTL96	ZERO-NITE IP S T A Z - O T H ST/LOC AMT-DR 96	Sum of IPDSL96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.25	ZIDWCP96	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 96	Sum of IPDWC96X from STAZ records with NUMNIGHX = 0	5	5	51981885.58	51977087.99	1094.12	1094.02
20.26	ZIDOPR96	ZERO-NITE IP STAZ - OTH PRIVATE AMT-DR 96	Sum of IPDOR96X from STAZ records with NUMNIGHX = 0	3	3	13511013.86	13511490.50	1001.18	1001.22
20.27	ZIDOPU96	ZERO-NITE IP STAZ - OTH PUBLIC AMT-DR 96	Sum of IPDOU96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.28	ZIDOSR96	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 96	Sum of IPDOT96X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
21.0	IPDIS96	# HOSPITAL DISCHARGES, 1996	Count of STAZ records	1565	1565	26526274.90	26526274.90	1.37	1.37
21.1	IPFTCH96	IP HOSP STAY CHARGES - FAC 96	Sum of IPFTC96X from STAZ records	1563	1563	296515346311.77	296515041809.91	15278.99	15278.98
21.2	IPFEXP96	TOT HOSP IP FACILITY EXP-INC 0 NITES 96	Sum of IPFXP96X from STAZ records	1515	1515	185580126160.08	185580028594.06	9878.20	9878.20
21.3	IPFSLF96	IP HOSP STAZ- SELF/FAMILY AMT-FAC 96	Sum of IPFSF96X from STAZ records	444	444	3162709161.70	3162495145.94	548.43	548.40
21.4	IPFMCR96	IP HOSP STAZ- MEDICARE AMT- FAC 96	Sum of IPFMR96X from STAZ records	486	486	62263888467.69	62263868157.67	9771.23	9771.23
21.5	IPFMCD96	IP HOSP STAZ- MEDICAID AMT- FAC 96	Sum of IPFMD96X from STAZ records	342	342	19368479911.87	19368491209.45	5747.72	5747.72
21.6	IPFPRV96	IP HOSP STAZ- PRIV INS AMT- FAC 96	Sum of IPFPV96X from STAZ records	846	846	82428934150.15	82428807020.97	7332.47	7332.46
21.7	IPFVA96	IP HOSP STAZ-VA AMT-FAC 96	Sum of IPFVA96X from STAZ records	26	26	6401603598.46	6401559074.82	17953.01	17952.89
21.8	IPFCHM96	IP HOSP STAZ- CHAMPUS/CHAM PVA AMT-FAC 96	Sum of IPFCH96X from STAZ records	6	6	171277393.27	171266785.38	2642.83	2642.67

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.9	IPFOFD96	IP HOSP STAZ- OTHER FED AMT- FAC 96	Sum of IPFOF96X from STAZ records	17	17	840301732.55	840282436.08	3915.49	3915.40
21.10	IPFSTL96	IP HOSP STAZ- OTH ST/LOCAL AMT-FAC 96	Sum of IPFSL96X from STAZ records	1	1	11351812.61	11352661.11	1873.00	1873.14
21.11	IPFWCP96	IP HOSP STAZ- WORKERS COMP AMT-FAC 96	Sum of IPFWC96X from STAZ records	4	4	78314364.87	78307638.71	1418.16	1418.04
21.12	IPFOPR96	IP HOSP STAZ - OTH PRIVATE AMT-FAC 96	Sum of IPFOR96X from STAZ records	77	77	2997861764.52	2997952589.04	3198.85	3198.95
21.13	IPFOPU96	IP HOSP STAZ - OTH PUBLIC AMT- FAC 96	Sum of IPFOU96X from STAZ records	21	21	2333493131.51	2333480104.83	10029.06	10029.01
21.14	IPFOSR96	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 96	Sum of IPFOT96X from STAZ records	47	47	5522191741.58	5522165770.04	9150.30	9150.25
21.15	IPDTC96	IP HOSP STAY CHARGES - DR 96	Sum of IPDTC96X from STAZ records	1213	1213	26902184362.49	26902113113.64	1781.92	1781.91
21.16	IPDEXP96	TOTL HOSP STAZ DR EXP 96	Sum of IPDXP96X from STAZ records	1259	1259	45795078695.16	45794764170.78	2919.34	2919.31
21.17	IPDSL96	IP HOSP STAZ- SELF/FAMILY AMT-DR 96	Sum of IPDSF96X from STAZ records	344	344	1073967508.92	1073815940.44	239.60	239.56
21.18	IPDMCR96	IP HOSP STAZ- MEDICARE AMT- DR 96	Sum of IPDMR96X from STAZ records	461	461	5934683160.69	5934666880.34	975.69	975.68
21.19	IPDMCD96	IP HOSP STAZ- MEDICAID AMT- DR 96	Sum of IPDMD96X from STAZ records	270	270	1667488417.49	1667457280.36	622.13	622.12
21.20	IPDPRV96	IP HOSP STAZ- PRIV INS AMT- DR 96	Sum of IPDPV96X from STAZ records	724	724	16836996603.83	16837043567.03	1733.49	1733.49
21.21	IPDVA96	IP HOSP STAZ-VA AMT-DR 96	Sum of IPDVA96X from STAZ records	11	11	23617607.63	23613573.34	160.64	160.61
21.22	IPDCHM96	IP HOSP STAZ- CHAMPUS/CHAM PVA AMT-DR 96	Sum of IPDCH96X from STAZ records	4	4	29253537.24	29257313.40	773.47	773.57

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.23	IPDOFD96	IP HOSP STAZ- OTHER FED AMT- DR 96	Sum of IPDOF96X from STAZ records	4	4	4020891.62	4009046.21	65.80	65.61
21.24	IPDSTL96	IP HOSP STAZ- OTH ST/LOCAL AMT-DR 96	Sum of IPDSL96X from STAZ records	5	5	119530760.62	119540503.24	1909.69	1909.84
21.25	IPDWCP96	IP HOSP STAZ- WORKERS COMP AMT-DR 96	Sum of IPDWC96X from STAZ records	25	25	484374926.86	484392739.71	1581.45	1581.51
21.26	IPDOPR96	IP HOSP STAZ - OTH PRIVATE AMT-DR 96	Sum of IPDOR96X from STAZ records	93	93	491200743.74	491183063.29	424.00	423.99
21.27	IPDOPU96	IP HOSP STAZ - OTH PUBLIC AMT- DR 96	Sum of IPDOU96X from STAZ records	23	23	86458720.64	86449750.92	304.27	304.23
21.28	IPDOSR96	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 96	Sum of IPDOT96X from STAZ records	5	5	150675681.35	150683513.53	2145.65	2145.76
21.29	IPNGTD96	# NIGHTS IN HOSP FOR DISCHARGES, 1996	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	1462	1462	153518514.89	153518514.89	8.42	8.42
22.0	DVTOT96	# DENTAL CARE VISITS 96	Count of DVIS records	8653	8653	294539797.76	294539797.76	2.55	2.55
22.1	DVTTC96	TOTAL DENTAL CARE VISIT CHARGES 96	Sum of DVTC96X from DVIS records	8583	8583	50247242531.41	50247229769.64	439.02	439.02
22.2	DVTEXP96	TOTAL DENTAL CARE EXP 96	Sum of DVXP96X from DVIS records	8424	8424	43146628385.43	43146390623.55	383.69	383.69
22.3	DVTSLF96	ALL DENTAL C A R E - SELF/FAMILY AMT 96	Sum of DVSF96X from DVIS records	5883	5883	22213601259.92	22213592271.71	275.67	275.67
22.4	DVTMCR96	ALL DENTAL CARE -MEDICARE AMT 96	Sum of DVMR96X from DVIS records	35	35	98058088.92	98050557.94	205.52	205.50

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
22.5	DVTMCD96	ALL DENTAL CARE -MEDICAID AMT 96	Sum of DVMD96X from DVIS records	741	741	1224616395.77	1224433329.35	178.85	178.82
22.6	DVTPRV96	ALL DENTAL CARE -PRIVATE INS AMT 96	Sum of DVPV96X from DVIS records	4799	4799	18323758969.75	18323657971.47	274.13	274.13
22.7	DVTVA96	ALL DENTAL CARE-VA AMT 96	Sum of DVVA96X from DVIS records	40	40	175600754.67	175554012.06	313.00	312.91
22.8	DVTCHM96	ALL DENTAL C A R E - CHAMPUS/CHAM PVA AMT 96	Sum of DVCH96X from DVIS records	12	12	11000691.81	10981781.84	62.01	61.90
22.9	DVTOFD96	ALL DENTAL CARE -OTHER FEDRL AMT 96	Sum of DVOF96X from DVIS records	15	15	14758491.18	14739243.33	79.81	79.71
22.10	DVTSTL96	ALL DENTAL C A R E - O T H ST/LOCAL AMT 96	Sum of DVSL96X from DVIS records	20	21	48979567.45	48981571.10	176.47	169.73
22.11	DVTWCP96	ALL DENTAL CARE-WORKERS COMP AMT 96	Sum of DVWC96X from DVIS records	5	5	3294960.70	3294960.70	110.86	110.86
22.12	DVTOPR96	ALL DENTAL CARE - OTH PRIVATE AMT 96	Sum of DVOR96X from DVIS records	121	121	410827145.46	410827145.46	276.54	276.54
22.13	DVTOU96	ALL DENTAL CARE - OTH PUBLIC AMT 96	Sum of DVOU96X from DVIS records	11	11	33759224.22	33762415.92	493.55	493.60
22.14	DVTOSR96	ALL DENT CARE- OT UNCLASS SRCE AMT 96	Sum of DVOT96X from DVIS records	147	147	588527350.56	588515362.68	297.07	297.07
23.0	DVGEN96	# GENERAL DENTIST VISITS 96	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	7878	7878	216383373.28	216383373.28	2.05	2.05
23.1	DVGTCH96	G E N E R A L DENTAL CARE VISIT CHARGES 96	Sum of DVTC96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7821	7821	33109226043.20	33109209704.46	316.65	316.65
23.2	DVGEXP96	TOTAL GENERAL DENTIST EXP 96	Sum of DVXP96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7687	7687	29169254766.91	29169044380.24	283.59	283.58

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
23.3	DVGSLF96	GNRL DENTAL VISITS -SELF/FAM AMT 96	Sum of DVSF96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5201	5201	14299709861.35	14299703174.58	200.55	200.55
23.4	DVGMCR96	GNRL DENTAL V I S I T S - MEDICARE AMT 96	Sum of DVMR96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	30	30	91321707.45	91314176.46	245.77	245.75
23.5	DVGMCD96	GNRL DENTAL VISITS -MEDICAID AMT 96	Sum of DVMD96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	659	659	932459295.91	932306330.45	153.94	153.92
23.6	DVGPRV96	GNRL DENTAL VISITS -PRIVATE INS AMT 96	Sum of DVPV96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	4391	4391	12950927143.90	12950834164.06	211.88	211.87
23.7	DVGVA96	GNRL DENTAL VISITS -VA AMT 96	Sum of DVVA96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	32	32	168160778.15	168119962.09	352.35	352.26
23.8	DVGCHM96	GNRL DENTAL V I S I T S - CHMPUS/CHMPVA AMT 96	Sum of DVCH96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	10	10	10323763.28	10308731.08	63.76	63.67
23.9	DVGOFD96	GNRL DENTAL VISITS- OTHER FED AMT 96	Sum of DVOF96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	12	12	11893883.69	11880562.38	79.29	79.21
23.10	DVGSTL96	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 96	Sum of DVSL96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	15	16	27474538.25	27476541.89	116.64	111.43
23.11	DVGWCP96	GNRL DENTAL V I S I T S - WORKERS COMP AMT 96	Sum of DVWC96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5	5	3294960.70	3294960.70	110.86	110.86
23.12	DVGOPR96	GNRL DENTAL VISITS - OTH PRIVATE AMT 96	Sum of DVOR96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	109	109	347389596.46	347389596.46	260.53	260.53
23.13	DVGOPU96	GNRL DENTAL VISITS - OTH PUBLIC AMT 96	Sum of DVOR96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	10	10	11739669.51	11740535.40	187.58	187.59
23.14	DVGOSR96	GNRL DENT VSTS - OT UNCLASS SRCE AMT 96	Sum of DVOT96X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	125	125	314687632.57	314675644.70	186.96	186.95

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
24.0	DVORTH96	# ORTHODONTIST VISITS 96	Count of DVIS records with ORTHODNT = 1	637	637	39773604.50	39773604.50	4.52	4.52
24.1	DVOTCH96	ORTHODONTIST VISIT CHARGES 96	Sum of DVTC96X from DVIS records with ORTHODNT = 1	481	481	9669713819.48	9669713819.48	1475.87	1475.87
24.2	DVOEXP96	T O T A L ORTHODONTIST EXP 96	Sum of DVXP96X from DVIS records with ORTHODNT = 1	425	425	7506252491.24	7506266949.23	1300.28	1300.28
24.3	DVOSLF96	ORTHODONTIST VISITS - SELF/FAMILY AMT 96	Sum of DVSF96X from DVIS records with ORTHODNT = 1	328	328	4420156366.87	4420155710.02	980.95	980.95
24.4	DVOMCR96	ORTHODONTIST VISITS - MEDICARE AMT 96	Sum of DVMR96X from DVIS records with ORTHODNT = 1	1	1	485729.23	485729.23	166.00	166.00
24.5	DVOMCD96	ORTHODONTIST VISITS -MEDICAID AMT 96	Sum of DVMD96X from DVIS records with ORTHODNT = 1	36	36	114288685.57	114292950.89	318.07	318.08
24.6	DVOPRV96	ORTHODONTIST VISITS -PRIVATE INS AMT 96	Sum of DVPV96X from DVIS records with ORTHODNT = 1	211	211	2715991475.11	2715989050.91	876.97	876.97
24.7	DVOVA96	ORTHODONTIST VISITS-VA AMT 96	Sum of DVVA96X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.8	DVOCHM96	ORTHODONTIST V I S I T S - CHMPUS/CHMPVA AMT 96	Sum of DVCH96X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.9	DVOOFD96	ORTHODONTIST VISITS-OTHR FED AMT 96	Sum of DVOF96X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.10	DVOSTL96	ORTHODONTIST VISITS -OTHR ST/LOCAL AMT 96	Sum of DVSL96X from DVIS records with ORTHODNT = 1	2	2	2134797.44	2134797.44	143.03	143.03
24.11	DVOWCP96	ORTHODONTIST VISITS-WORKERS COMP AMT 96	Sum of DVWC96X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
24.12	DVOOPR96	ORTHODONTIST VISITS-OTHR PRIVATE AMT 96	Sum of DVOR96X from DVIS records with ORTHODNT = 1	7	7	30651520.73	30651520.73	306.30	306.30
24.13	DVOOPU96	ORTHODONTIST VISITS-OTHR PUBLIC AMT 96	Sum of DVOU96X from DVIS records with ORTHODNT = 1	1	1	11565063.20	11567389.00	1989.00	1989.40
24.14	DVOOSR96	ORTHODONT VSTS - OT UNCLASS SRCE AMT 96	Sum of DVOT96X from DVIS records with ORTHODNT = 1	11	11	210989801.00	210989801.00	1861.63	1861.63
25.0	HHTOTM96	# MOS W/ AT LEAST 1 HOME HLTH VST, 1996	N/A - SEE <b>NOTE (C)</b> BELOW	21571	N/A - SEE <b>NOTE (C)</b> BELOW	301183359.09	N/A - SEE <b>NOTE</b> <b>(C)</b> BELOW	1.12	N/A - SEE <b>NOTE (C)</b> BELOW
25.1	HHTOTD96	# HOME HEALTH PROVIDER DAYS, 1996	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	537	537	539643440.46	539643440.46	76.80	76.80
26.0	HHAGM96	# MONTHS W/ AGENCY HOME HEALTH CARE 96	N/A - SEE <b>NOTE (C)</b> BELOW	447	N/A - SEE <b>NOTE (C)</b> BELOW	27672742.52	N/A - SEE <b>NOTE</b> <b>(C)</b> BELOW	4.78	N/A - SEE <b>NOTE (C)</b> BELOW
26.1	HHAGD96	# AGENCY HOME HEALTH PROVIDER DAYS, 1996	Sum of HHDAYS from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	404	404	346930046.02	346930046.02	66.85	66.85
26.2	HHATCH96	HOME HEALTH AGENCY VISIT CHARGES 96	Sum of HHTC96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	460	460	36986967310.47	36986769772.26	6204.81	6204.77
26.3	HHAEXP96	TOTAL HOME HEALTH AGENCY EXP 96	Sum of HHXP96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	445	445	28161070507.49	28160962134.55	4860.89	4860.88



TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
26.4	HHASLF96	HOME HLTH AGENCY - SELF/FAMILY AMT 96	Sum of HHSF96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	30	30	198541582.34	198510762.35	469.07	468.99
26.5	HHAMCR96	HOME HLTH AGENCY - MEDICARE AMT 96	Sum of HHMR96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	292	292	17947490957.78	17947472277.93	4679.24	4679.24
26.6	HHAMCD96	HOME HLTH AGENCY - MEDICAID AMT 96	Sum of HHMD96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	127	127	4558096745.10	4558099370.87	3395.44	3395.45
26.7	HHAPRV96	HOME HLTH AGENCY - PRIVATE INS AMT 96	Sum of HHPV96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	106	106	2254402642.31	2254319485.87	1345.73	1345.68
26.8	HHAVA96	HOME HLTH AGENCY-VA AMT 96	Sum of HHVA96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	47	47	2192622664.68	2192644385.95	3377.73	3377.76
26.9	HHACHM96	HOME HLTH A G E N C Y - CHAMPUS/CHAM PVA AMT 96	Sum of HHCH96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	1	1	658617.22	664910.67	45.00	45.43
26.10	HHAOFD96	HOME HLTH AGENCY-OTHER FED AMT 96	Sum of HHOF96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	9	9	119378184.81	119368223.08	1257.92	1257.81
26.11	HHA STL96	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 96	Sum of HHSL96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	31	31	757431020.83	757448830.51	1816.27	1816.31
26.12	HHAWCP96	HOME HLTH A G E N C Y - WORKERS COMP AMT 96	Sum of HHWC96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	0	0	0.00	0.00	0.00	0.00
26.13	HHAOPR96	HOME HLTH AGENCY - OTH PRIVATE AMT 96	Sum of HHOR96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	5	5	119109252.53	119100933.41	2099.23	2099.08

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
26.14	HHAOPU96	HOME HLTH AGENCY - OTH PUBLIC AMT 96	Sum of HHOU96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	2	2	13338116.00	13332953.81	670.17	669.91
26.15	HHAOSR96	H HLTH AGENCY - OT UNCLASS SRCE AMT 96	Sum of HHOT96X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	0	0	0.00	0.00	0.00	0.00
27.0	HHINDM96	# MNTHS W/NON-AGENCY HOME HLTH CARE 96	N/A - SEE NOTE (C) BELOW	76	N/A - SEE NOTE (C) BELOW	6108284.94	N/A - SEE NOTE (C) BELOW	5.28	N/A - SEE NOTE (C) BELOW
27.1	HHINDD96	# NON-AGENCY HOME HEALTH PROVIDR DAYS 96	Sum of HHDDAYS from HVIS records with SELFAGEN = 2. NOTE: If person has at least one HVIS record with HHDDAYS = -9, then HHDDAYS not counted from ANY HVIS records for that person.	71	71	89263898.65	89263898.65	90.68	90.68
27.2	HHNTCH96	HOME HEALTH NON-AGENCY VISIT CHARGES 96	Sum of HHTC96X from HVIS records with SELFAGEN = 2	84	84	6452165064.90	6452165064.90	5137.32	5137.32
27.3	HHNEXP96	TOTAL HOME HEALTH NON-AGENCY EXP 96	Sum of HHXP96X from HVIS records with SELFAGEN = 2	81	81	5961741981.64	5961744489.00	4866.53	4866.53
27.4	HHNSLF96	HOME HLTH NON-AGENCY - SELF/FAM AMT 96	Sum of HHSF96X from HVIS records with SELFAGEN = 2	65	65	3935401193.28	3935401193.28	3860.16	3860.16
27.5	HHNMCR96	HOME HLTH NON-AGENCY - MEDICARE AMT 96	Sum of HHMR96X from HVIS records with SELFAGEN = 2	1	1	207209.03	207209.03	54.00	54.00
27.6	HHNMCD96	HOME HLTH NON-AGENCY - MEDICAID AMT 96	Sum of HHMD96X from HVIS records with SELFAGEN = 2	11	11	981097586.75	981100094.11	8732.26	8732.28
27.7	HHNPRV96	HOME HLTH NON-AGENCY -PRIV INS AMT 96	Sum of HHPV96X from HVIS records with SELFAGEN = 2	9	9	737995557.89	737995557.89	5327.28	5327.28

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
27.8	HHNVA96	HOME HLTH NON-AGNCY-VA AMT 96	Sum of HHVA96X from HVIS records with SELFAGEN = 2	2	2	20589171.38	20589171.38	872.67	872.67
27.9	HHNCHM96	HOME HLTH NON-AGNCY - CHMPUS/CHMPVA AMT 96	Sum of HHCH96X from HVIS records with SELFAGEN = 2	0	0	0.00	0.00	0.00	0.00
27.10	HHNOFD96	HOME HLTH NON-AGNCY - OTHR FED AMT 96	Sum of HHOF96X from HVIS records with SELFAGEN = 2	1	1	9307908.84	9307908.84	756.00	756.00
27.11	HHNSTL96	HOME HLTH NON-AGNCY - OTHR ST/LOCL AMT 96	Sum of HHSL96X from HVIS records with SELFAGEN = 2	1	1	2145635.68	2145635.68	140.00	140.00
27.12	HHNWCP96	HOME HLTH NON-AGNCY - WORKERS COMP AMT 96	Sum of HHWC96X from HVIS records with SELFAGEN = 2	0	0	0.00	0.00	0.00	0.00
27.13	HHNOPR96	HOME HLTH NON-AGNCY - OTH PRIVATE AMT 96	Sum of HHOR96X from HVIS records with SELFAGEN = 2	4	4	274997718.79	274997718.79	3535.58	3535.58
27.14	HHNOPU96	HOME HLTH NON-AGNCY - OTH PUBLIC AMT 96	Sum of HHOU96X from HVIS records with SELFAGEN = 2	0	0	0.00	0.00	0.00	0.00
27.15	HHNOSR96	H HLTH NON-AGNCY - OT UNCLASS SRCE AMT 96	Sum of HHOT96X from HVIS records with SELFAGEN = 2	0	0	0.00	0.00	0.00	0.00
28.0	HHINFM96	MONTHS W/ INFORMAL HOME HLTH CARE, 1996	N/A - SEE NOTE (C) BELOW	143	N/A - SEE NOTE (C) BELOW	6546604.68	N/A - SEE NOTE (C) BELOW	3.56	N/A - SEE NOTE (C) BELOW
28.1	HHINFD96	# INFORMAL HOME HEALTH PROV DAYS, 1996	Sum of HHDDAYS from HVIS records with HHTYPE = (1, 2, 3 or 5). NOTE: If person has at least one HVIS record with HHDDAYS = -9, then HHDDAYS not counted from ANY HVIS records for that person.	135	135	103449495.79	103449495.79	60.40	60.40

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
29.0	VISTCH96	GLASSES/CONTA CT LENSES CHARGES 96	Sum of OMTC96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	3314	3314	8481084807.42	8481084807.42	194.97	194.97
29.1	VIEXP96	T O T A L GLASSES/CONTA CT LENS EXPN 96	Sum of OMXP96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	3255	3255	7905947137.42	7905894454.97	184.80	184.80
29.2	VISSLF96	GLASSES/CNTCT LENSES - SELF/FAM AMT 96	Sum of OMSF96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	2855	2855	5977097011.89	5977091390.19	156.71	156.71
29.3	VISMCR96	GLASSES/CNTCT L E N S E S - MEDICARE AMT 96	Sum of OMMR96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	73	73	91718022.26	91718372.03	90.83	90.83
29.4	VISMCD96	GLASSES/CNTCT L E N S E S - MEDICAID AMT 96	Sum of OMMD96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	193	193	266872025.81	266825760.10	144.62	144.59
29.5	VISPRV96	GLASSES/CNTCT LENSES-PRIV INS AMT 96	Sum of OMPV96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	700	700	1410897551.45	1410886623.41	145.24	145.24
29.6	VISVA96	GLASSES/CNTCT LENSES-VA AMT 96	Sum of OMVA96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	9	9	8331512.78	8311498.68	77.90	77.72
29.7	VISCHM96	GLASSES/LENSE S - CHAMPUS/CHAM PVA AMT 96	Sum of OMCH96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	3	3	1673941.22	1671967.88	85.81	85.71
29.8	VISOFD96	GLASSES/CNTCT LENSES-OTHR FED AMT 96	Sum of OMOF96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	11	11	11506851.50	11493918.91	72.15	72.07

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
29.9	VISSTL96	GLASSES/CNTCT LENSES - OTH ST/LOCL AMT 96	Sum of OMSL96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	9	9	10843274.55	10840237.43	136.62	136.58
29.10	VISWCP96	GLASSES/CNTCT LENSES - WORKERS COMP AMT 96	Sum of OMWC96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	0	0	0.00	0.00	0.00	0.00
29.11	VISOPR96	GLASSES/CNTCT LENSES - OTH PRIVATE AMT 96	Sum of OMOR96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	30	30	52952942.25	52959644.34	166.59	166.61
29.12	VISOPU96	GLASSES/CNTCT LENSES - OTH PUBLIC AMT 96	Sum of OMOU96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	4	4	8311107.07	8304009.79	192.90	192.73
29.13	VISOSR96	GLASSES/CNTCT LENSE - OT UNCLAS SRCE AMT 96	Sum of OMOT96X from OMED records with OMTYPE1X = 1 (SEE NOTE (D) BELOW)	33	33	65791032.21	65791032.21	186.80	186.80
30.0	OTHTCH96	O T H E R EQUIP/SUPPLIES CHARGES 96	Sum of OMTC96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	1130	1128	8267521258.91	8261465087.27	562.48	563.75
30.1	OTHEXP96	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 96	Sum of OMXP96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	1042	1040	7376388645.53	7370306639.16	542.43	543.74
30.2	OTHSLF96	O T H E R EQUIP/SUPPLIES - SELF/FAM AMT 96	Sum of OMSF96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	657	656	2217547650.90	2216178406.51	251.97	252.10

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.3	OTHMCR96	O T H E R EQUIP/SUPPLIES- MEDICARE AMT 96	Sum of OMMR96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	83	83	942069471.54	942061579.87	799.33	799.32
30.4	OTHMCD96	O T H E R EQUIP/SUPPLIES- MEDICAID AMT 96	Sum of OMMD96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	141	141	567746886.97	567706616.87	419.32	419.29
30.5	OTHPRV96	O T H E R EQUIP/SUPPLIES- PRIV INS AMT 96	Sum of OMPV96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	321	321	2901445748.78	2901446331.10	658.56	658.56
30.6	OTHVA96	O T H E R EQUIP/SUPPLY-VA AMT 96	Sum of OMVA96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	44	44	374739128.05	374656280.26	626.40	626.26
30.7	OTHCHM96	O T H E R EQUIP/SUPPLY- CHAMPUS/CHAM PVA AMT 96	Sum of OMCH96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	0	0	0.00	0.00	0.00	0.00
30.8	OTHOFD96	O T H E R EQUIP/SUPPLIES- OTHR FEDRL AMT 96	Sum of OMOF96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	37	37	240452969.53	240357882.91	446.08	445.90
30.9	OTHSTL96	O T H E R EQUIP/SUPPLY- OTHR ST/LOCAL AMT 96	Sum of OMSL96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	2	1	17288789.32	12613858.91	396.72	1300.00
30.10	OTHWCP96	O T H E R EQUIP/SUPPLY - WORKERS COMP AMT 96	Sum of OMWC96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	3	3	3680334.65	3680334.65	105.52	105.52

TABLE HC10IT2

**COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)**

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.11	OTHOPR96	O T H E R EQUIP/SUPPLY- OTH PRIVATE AMT 96	Sum of OMOR96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	11	11	64039771.41	64041235.62	416.44	416.45
30.12	OTHOPU96	O T H E R EQUIP/SUPPLY - OTH PUBLIC AMT 96	Sum of OMOU96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	3	3	19895226.46	19911011.35	255.55	255.75
30.13	OTHOSR96	OTH EQUIP/SUPLY -OT UNCLASS SRCE AMT 96	Sum of OMOT96X from OMED records with OMTYPE1X = (4, 5, 6, 7, 8, 9, 10, 11 or 91) (SEE NOTE (D) BELOW)	9	9	27653101.11	27653101.11	252.68	252.68
31.0	RXFREE96	# FREE RX SAMPLES 96	Count of PMED records with FREEFLG = 1	2270	2270	49443934.20	49443934.20	1.62	1.62
32.0	RXTOT96	# PRESC MEDS I N C L REFILLS+FREE SAMPS 96	Count of PMED records	13988	13988	2165932573.19	2165932573.19	12.13	12.13
32.1	RXEXP96	TOTAL RX-EXP 96	Sum of RXXP96X from PMED records	13735	13735	71208619309.56	71207688753.77	406.20	406.19
32.2	RXSLF96	TOTAL RX- SELF/FAMILY AMT 96	Sum of RXSF96X from PMED records	12795	12817	31694976394.67	31692906075.00	190.80	190.49
32.3	RXMCR96	TOTAL RX-- MEDICARE AMT 96	Sum of RXMR96X from PMED records	312	312	1039901395.69	1039804722.05	255.08	255.06
32.4	RXMCD96	TOTAL RX- MEDICAID AMT 96	Sum of RXMD96X from PMED records	2043	2044	7108917827.01	7108816460.94	359.66	359.34
32.5	RXPRV96	TOTAL RX- PRIVATE INS AMT 96	Sum of RXPV96X from PMED records	7702	7769	28075646961.51	28075413215.66	267.94	265.80
32.6	RXVA96	TOTAL RX-VA AMT 96	Sum of RXVA96X from PMED records	309	312	1128731862.19	1128782543.67	274.88	272.83
32.7	RXCHM96	TOTAL RX- CHAMPUS/CHAM PVA AMT 96	Sum of RXCH96X from PMED records	104	105	445066648.68	445026173.39	325.94	320.99

TABLE HC10IT2

COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WTDPER96 > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
32.8	RXOFD96	TOTAL RX-OTHER FED AMT 96	Sum of RXOF96X from PMED records	42	42	90182229.45	90180999.10	184.16	184.15
32.9	RXSTL96	TOTAL RX-OTHER ST/LOCAL AMT 96	Sum of RXSL96X from PMED records	139	140	504789282.15	504802063.76	291.82	290.79
32.1	RXWCP96	TOTAL RX- WORKERS COMP AMT 96	Sum of RXWC96X from PMED records	38	38	185816578.36	185832758.26	364.08	364.11
32.11	RXOPR96	TOTAL RX - OTH PRIVATE AMT 96	Sum of RXOR96X from PMED records	174	175	696292933.76	696216447.31	344.41	343.38
32.12	RXOPU96	TOTAL RX - OTH PRIVATE AMT 96	Sum of RXOU96X from PMED records	9	9	2795463.19	2788633.82	26.27	26.21
32.13	RXOSR96	TOT RX-OTH UNCLASS SRCE AMT 96	Sum of RXOT96X from PMED records	79	79	237127488.09	237118660.81	210.04	210.03



TABLE HC10IT2

COMPARISON OF ESTIMATES OF MEPS HEALTH CARE EXPENDITURES  
USING MEPS EVENT FILES (HC-10A THROUGH HC-10H) AND THE PERSON-LEVEL FILE (HC-11)

ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-010A

DVIS = DENTAL VISITS FILE, HC-010B

OMED = OTHER MEDICAL EXPENSES FILE, HC-010C

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-010D

EROM = EMERGENCY ROOM VISITS FILE, HC-010E

OPAT = OUTPATIENT VISITS FILE, HC-010F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-010G

HVIS = HOME HEALTH VISITS FILE, HC-010H

TABLE NOTES:

- (A) EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.
- (B) VARIABLE WAS NOT INCLUDED ON THE PERSON-LEVEL FILE.
- (C) VARIABLE CAN NOT BE CALCULATED FROM THE EVENT-LEVEL FILE.
- (D) MINOR EDITING WAS DONE TO THE EVENT-LEVEL VARIABLE OMTYPE1X THAT IS NOT REFLECTED IN THE PERSON-LEVEL OMED VARIABLES.