#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH97	TOTAL HEALTH CARE CHARGES 97, EXCL. RX	Sum of (DVTC97X from DVIS records) + (OMTC97X from OMED records) + (OPFTC97X + OPDTC97X from OPAT records) + (ERFTC97X + ERDTC97X from EROM records) + (IPFTC97X + IPDTC97X from STAZ records) + (HPTC97X + HATC97X from HVIS records) + (OBTC97X from MVIS records)	26298	26298	797573175513.89	797569004095.86	3547.9949	3547.9764
0.2	TOTEXP97X	TOTAL HEALTH CARE EXP 97	Sum of (DVXP97X from DVIS records) + (OMXP97X from OMED records) + (OPFXP97X + OPDXP97X from OPAT records) + (ERFXP97X + ERDXP97X from EROM records) + (IPFXP97X + IPDXP97X from STAZ records) + (HPXP97X + HAXP97X from HVIS records) + (OBXP97X from MVIS records) + (RXXP97X from PMED records)	26699	26699	553240947049.01	553240151072.74	2423.9752	2423.9717

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF97	TOTAL AMT PAID BY SELF/FAMILY 97	Sum of (DVSF97X from DVIS records) + (OMSF97X from OMED records) + (OPFSF97X + OPDSF97X from OPAT records) + (ERFSF97X + ERDSF97X from EROM records) + (IPFSF97X + IPDSF97X from STAZ records) + (HPSF97X + HASF97X from HVIS records) + (OBSF97X from MVIS records) + (RXSF97X from PMED records)	23764	23773	107458654801.59	107457628361.23	514.8142	514.6944
0.4	TOTMCR97	TOTAL AMT PAID BY MEDICARE 97	Sum of (DVMR97X from DVIS records) + (OMMR97X from OMED records) + (OPFMR97X + OPDMR97X from OPAT records) + (ERFMR97X + ERDMR97X from EROM records) + (IPFMR97X + IPDMR97X from STAZ records) + (HPMR97X + HAMR97X from HVIS records) + (OBMR97X from MVIS records) + (RXMR97X from PMED records)	4277	4278	127652043644.98	127651320267.33	3581.0150	3580.9158

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD97	TOTAL AMT PAID BY MEDICAID 97	Sum of (DVMD97X from DVIS records) + (OMMD97X from OMED records) + (OPFMD97X + OPDMD97X from OPAT records) + (ERFMD97X + ERDMD97X from EROM records) + (IPFMD97X + IPDMD97X from STAZ records) + (HPMD97X + HAMD97X from HVIS records) + (OBMD97X from MVIS records) + (RXMD97X from PMED records)	5635	5636	41877858503.163	41877391205.101	1230.7472	1230.6256
0.6	TOTPRV97	TOTAL AMT PAID BY PRIVATE INS 97	Sum of (DVPV97X from DVIS records) + (OMPV97X from OMED records) + (OPFPV97X + OPDPV97X from OPAT records) + (ERFPV97X + ERDPV97X from EROM records) + (IPFPV97X + IPDPV97X from STAZ records) + (HPPV97X + HAPV97X from HVIS records) + (OBPV97X from MVIS records) + (RXPV97X from PMED records)	16225	16232	222880225926.30	222879012918.19	1433.8843	1433.3682

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA97	TOTL AMT PAID BY VA 97	Sum of (DVVA97X from DVIS records) + (OMVA97X from OMED records) + (OPFVA97X + OPDVA97X from OPAT records) + (ERFVA97X + ERDVA97X from EROM records) + (IPFVA97X + IPDVA97X from STAZ records) + (HPVA97X + HAVA97X from HVIS records) + (OBVA97X from MVIS records) + (RXVA97X from PMED records)	730	730	9808656918.1127	9807913883.9982	1359.6727	1359.5697
0.8	TOTCHM97	TOTL AMT PAID BY CHAMPUS /CHAMPVA 97	Sum of (DVCH97X from DVIS records) + (OMCH97X from OMED records) + (OPFCH97X + OPDCH97X from OPAT records) + (ERFCH97X + ERDCH97X from EROM records) + (IPFCH97X + IPDCH97X from STAZ records) + (HPCH97X + HACH97X from HVIS records) + (OBCH97X from MVIS records) + (RXCH97X from PMED records)	345	345	3977385380.8635	3977279257.4633	1279.4516	1279.4175

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD97	TOTL AMT PAID BY OTHER FEDERAL 97	Sum of (DVOF97X from DVIS records) + (OMOF97X from OMED records) + (OPFOF97X + OPDOF97X from OPAT records) + (ERFOF97X + ERDOF97X from EROM records) + (IPFOF97X + IPDOF97X from STAZ records) + (HPOF97X + HAOF97X from HVIS records) + (OBOF97X from MVIS records) + (RXOF97X from PMED records)	556	556	4965765000.9482	4965235076.8965	1089.7009	1089.5846
0.10	TOTSTL97	TOTL AMT PAID B Y O T H ST/LOCAL 97	Sum of (DVSL97X from DVIS records) + (OMSL97X from OMED records) + (OPFSL97X + OPDSL97X from OPAT records) + (ERFSL97X + ERDSL97X from EROM records) + (IPFSL97X + IPDSL97X from STAZ records) + (HPSL97X + HASL97X from HVIS records) + (OBSL97X from MVIS records) + (RXSL97X from PMED records)	501	501	2074240826.4335	2074043000.3104	539.3679	539.3165

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP97	TOTL AMT PAID BY WORKERS COMP 97	Sum of (DVWC97X from DVIS records) + (OMWC97X from OMED records) + (OPFWC97X + OPDWC97X from OPAT records) + (ERFWC97X + ERDWC97X from EROM records) + (IPFWC97X + IPDWC97X from STAZ records) + (HPWC97X + HAWC97X from HVIS records) + (OBWC97X from MVIS records) + (RXWC97X from PMED records)	811	811	10274908724.123	10274758393.049	1457.1955	1457.1742
0.12	TOTOPR97	TOTL AMT PAID BY OTHER PRIVATE 97	Sum of (DVOR97X from DVIS records) + (OMOR97X from OMED records) + (OPFOR97X + OPDOR97X from OPAT records) + (ERFOR97X + ERDOR97X from EROM records) + (IPFOR97X + IPDOR97X from STAZ records) + (HPOR97X + HAOR97X from HVIS records) + (OBOR97X from MVIS records) + (RXOR97X from PMED records)	2016	2016	14124098698.829	14123966189.447	951.7834	951.7745

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU97	TOTL AMT PAID BY OTHER PUBLIC 97	Sum of (DVOU97X from DVIS records) + (OMOU97X from OMED records) + (OPFOU97X + OPDOU97X from OPAT records) + (ERFOU97X + ERDOU97X from EROM records) + (IPFOU97X + IPDOU97X from STAZ records) + (HPOU97X + HAOU97X from HVIS records) + (OBOU97X from MVIS records) + (RXOU97X from PMED records)	328	329	1564673883.2268	1564631953.1699	762.6917	756.9142
0.14	TOTOSR97	TOTL AMT PAID OTHR UNCLASS SOURCES 97	Sum of (DVOT97X from DVIS records) + (OMOT97X from OMED records) + (OPFOT97X + OPDOT97X from OPAT records) + (ERFOT97X + ERDOT97X from EROM records) + (IPFOT97X + IPDOT97X from STAZ records) + (HPOT97X + HAOT97X from HVIS records) + (OBOT97X from MVIS records) + (RXOT97X from PMED records)	1458	1461	6587313746.8591	6586970566.5488	537.9462	537.0383
1.0	OBTOTV97	# OFFICE-BASED PROVIDER VISITS 97	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	22479	22479	1215653756.4513	1215653756.4513	6.3050	6.3050
1.1	OBVTCH97	OFFICE-BASED PROVIDER VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22452	22452	155982663070.67	155980216686.87	810.0107	809.9980

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.2	OBVEXP97	TOTAL OFFICE- BASED EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	21948	21948	103247714339.88	103247186743.87	546.7498	546.7471
1.3	OBVSLF97	ALL OFFICE VISITS - SELF/FAMILY AMT97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	16029	16029	23558697166.100	23558077141.261	160.5432	160.5390
1.4	OBVMCR97	ALL OFFICE VISITS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3722	3723	15896366876.186	15896255902.923	510.7529	510.7364
1.5	OBVMCD97	ALL OFFICE VISITS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3883	3884	7447197329.8780	7447296998.2974	342.4256	342.3333
1.6	OBVPRV97	ALL OFFICE VISITS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	12641	12646	45624883307.014	45624537041.998	375.1972	375.0835
1.7	OBVVA97	ALL OFFICE VISITS-VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	389	389	1086275224.4816	1085997977.4210	323.1512	323.0687
1.8	OBVCHM97	ALL OFFICE VISITS- CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	192	192	674959449.0160	674874207.4716	365.9825	365.9363
1.9	OBVOFD97	ALL OFFICE VISITS-OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	330	330	737677382.0825	737451579.3706	280.1226	280.0368
1.10	OBVSTL97	ALL OFFICE VISITS-OTH ST/LOCALAMT97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	172	172	220374471.4656	220260977.5308	166.9435	166.8576
1.11	OBVWCP97	ALL OFFICE VISITS - WORKERSCOMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	549	549	3031663647.5550	3031576770.3642	678.0505	678.0311

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.12	OBVOPR97	ALL OFFICE VISITS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	913	913	1940763610.6479	1940709716.4232	268.1151	268.1077
1.13	OBVOPU97	ALL OFFICE VISITS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	161	161	117229665.3925	117235850.5169	134.0471	134.0542
1.14	OBVOSR97	ALL OFF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	1041	1041	2913118857.4821	2912912580.2944	336.1660	336.1422
2.0	OBDRV97	# OFFICE-BASED P H Y S I C I A N VISITS, 1997	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21286	21286	859733146.9772	859733146.9772	4.7260	4.7260
2.1	OBDTCH97	OFFICE-BASED PHYSICIAN VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21253	21253	121800664651.90	121798475151.22	670.8009	670.7888
2.2	OBDEXP97	TOTAL OFF- BASED DR EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20806	20806	79216771123.440	79215970663.512	444.3957	444.3912
2.3	OBDSLF97	DR OFFICE VISITS - SELF/FAMILY AMT97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14834	14834	17075977636.166	17075461320.224	125.9953	125.9915
2.4	OBDMCR97	DR OFFICE VISITS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3636	3637	13539666733.624	13539548407.985	446.3638	446.3483
2.5	OBDMCD97	DR OFFICE VISITS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3681	3682	5360620281.8236	5360726001.1002	261.8393	261.7657

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.6	OBDPRV97	DR OFFICE VISITS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	12021	12026	35775510324.066	35774930069.948	310.1751	310.0734
2.7	OBDVA97	DR OFFICE VISITS -VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	352	352	920477126.5252	920258416.1822	305.6857	305.6131
2.8	OBDCHM97	DR OFFICE VISITS- CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	177	177	604468117.0511	604367858.9354	350.7117	350.6535
2.9	OBDOFD97	DR OFFICE VISITS -OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	294	294	564789442.8099	564584970.6531	244.9496	244.8609
2.10	OBDSTL97	DR OFFICE VISITS -OTH ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	134	134	155911039.2700	155824625.5621	160.5909	160.5019
2.11	OBDWCP97	DR OFFICE VISITS - WORKERSCOMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	504	504	1636933935.2565	1636797671.9265	392.8140	392.7813
2.12	OBDOPR97	DR OFFICE VISITS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	859	859	1566303491.6704	1566239874.7258	227.8735	227.8642
2.13	OBDOPU97	DR OFFICE VISITS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	148	148	109325040.1045	109325044.3699	135.6665	135.6665

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.14	OBDOSR97	DR OFF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	740	740	1907992503.8082	1907906401.9012	308.3574	308.3435
3.0	OBOTHV97	# OFFICE-BASED NON-PHYSICAN VISITS 97	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	7401	7401	339964991.7669	339964991.7669	5.1015	5.1015
3.1	OBOTCH97	OFFICE-BASED NON-DR VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	7360	7360	32524022212.019	32523248260.367	490.6940	490.6823
3.2	OBOEXP97	TOTAL OFF- BASED NON-DR EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	6928	6928	22901255868.586	22900633359.685	364.8562	364.8463
3.3	OBOSLF97	NON-DR OFF VISTS - SELF/FAMILY AMT97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4184	4185	5914295402.8223	5914229215.3656	146.9049	146.8523
3.4	OBOMCR97	NON-DR OFF VISTS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1056	1056	2264158171.9604	2264072451.3992	238.0884	238.0794

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.5	OBOMCD97	NON-DR OFF VISTS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	788	789	2017979053.6632	2017911049.6543	430.8132	430.6010
3.6	OBOPRV97	NON-DR OFF VISTS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	3672	3674	9496508858.6345	9496013406.9311	267.2721	267.1947
3.7	OBOVA97	NON-DR OFF VISTS -VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	83	83	165241208.4648	165169470.7875	226.0073	225.9091
3.8	OBOCHM97	NON-DR OFF V I S T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	45	45	68471384.7706	68479274.1744	177.9535	177.9740
3.9	OBOOFD97	NON-DR OFF VISTS -OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	81	81	170134652.5290	170085846.0286	235.1376	235.0702

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.10	OBOSTL97	NON-DR OFF VISTS -OTH ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	49	49	64148448.6364	64116029.7922	144.7490	144.6758
3.11	OBOWCP97	NON-DR OFF VISTS -WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	164	164	1391255432.5029	1391223116.1940	1076.4700	1076.4450
3.12	OBOOPR97	NON-DR OFF VISTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	177	177	360484476.2008	360481779.9419	245.1470	245.1452
3.13	OBOOPU97	NON-DR OFF VISTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	22	22	7535899.5077	7537473.3774	72.6749	72.6901
3.14	OBOOSR97	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	412	412	981421026.5609	981314246.0388	293.4274	293.3955
4.0	OBCHIR97	# OFFICE-BASED CHIROPRACTOR VISITS 97	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	823	823	65952270.5256	65952270.5256	8.3025	8.3025

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.1	OBCTCH97	OFFICE-BASED CHIRO VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	823	823	3344533460.5997	3344511551.4220	421.0322	421.0294
4.2	OBCEXP97	TOTAL OFF- BASED CHIRO EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	791	791	2720151172.4861	2720110981.3340	355.4422	355.4369
4.3	OBCSLF97	CHIRO OFF VISITS - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	603	603	925524136.3335	925507718.4631	155.6588	155.6560
4.4	OBCMCR97	CHIRO OFF VISITS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	55	55	84361076.9951	84351494.0903	138.0017	137.9860
4.5	OBCMCD97	CHIRO OFF VISITS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	25	25	23477024.7440	23460439.1414	175.3279	175.2040
4.6	OBCPRV97	CHIRO OFF VISITS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	365	365	820628162.0871	820617237.2843	228.3666	228.3636
4.7	OBCVA97	CHIRO OFF VISITS -VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	98246.3553	95517.2899	18.0000	17.5000

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.8	OBCCHM97	CHIRO OFF V I S I T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	4	4	8602713.6673	8601969.6142	595.1619	595.1104
4.9	OBCOFD97	CHIRO OFF VISITS -OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.0000	0.0000	0.0000	0.0000
4.10	OBCSTL97	CHIRO OFF VISITS -OTH ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.0000	0.0000	0.0000	0.0000
4.11	OBCWCP97	CHIRO OFF VISITS - WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	34	34	414619412.8591	414598739.1420	1234.6670	1234.6054
4.12	OBCOPR97	CHIRO OFF VISTS - OTHR PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	22	22	44685198.4513	44683091.1804	240.2087	240.1974
4.13	OBCOPU97	CHIRO OFF VISTS - OTHR PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	2274268.2917	2278193.4248	197.0000	197.3400
4.14	OBCOSR97	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	49	49	395939914.4581	395916581.7035	772.8909	772.8454

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.0	OBNURS97	# OFF-BASED NURSE/PRACTITI ONER VISITS 97	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2890	2890	85242454.6278	85242454.6278	3.2878	3.2878
5.1	OBNTCH97	OFFICE-BASED NURSE/PRAC VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2859	2859	7595501874.3093	7595188345.6446	296.5025	296.4902
5.2	OBNEXP97	TOTAL OFF- B A S E D NURSE/PRAC 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2522	2522	4305447236.2423	4305192673.8582	188.2816	188.2705
5.3	OBNSLF97	NURSE/PRAC OFF VISITS- SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1285	1286	727153464.4790	727158433.4425	56.8214	56.7600
5.4	OBNMCR97	NURSE/PRAC OFF VISITS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	417	417	807999426.7740	807920403.2445	214.1940	214.1731
5.5	OBNMCD97	NURSE/PRAC OFF VSTS - MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	308	309	769839280.5098	769847681.9163	430.4860	429.9737
5.6	OBNPRV97	N U R S E / P R A C OFF VSTS - PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1248	1248	1686288040.3076	1686040049.4881	135.0565	135.0367

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.7	OBNVA97	NURSE/PRAC OFF VSTS-VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	26	26	58863832.9815	58845237.3388	234.1578	234.0838
5.8	OBNCHM97	N U R S E / P R A C OFF VSTS- CHMPUS/CHMPV A AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	13	13	8506655.8627	8520717.0332	69.4327	69.5474
5.9	OBNOFD97	N U R S E / P R A C OFF VSTS-OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	27	27	18707018.5536	18694404.9295	63.5201	63.4772
5.10	OBNSTL97	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	22	22	14380633.9999	14377522.8427	83.3221	83.3040
5.11	OBNWCP97	N U R S E / P R A C OFF VSTS - WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	27	27	24969618.7390	24965315.4719	117.6009	117.5806
5.12	OBNOPR97	N U R SE / P R A C OFF VSTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	69	69	45958255.0332	45947131.1234	82.6953	82.6753
5.13	OBNOPU97	N U R S E / P R A C OFF VSTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	7	7	1081952.3579	1081411.0955	42.7107	42.6893

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.14	OBNOSR97	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	209	209	141862263.7755	141794365.9319	88.8445	88.8020
6.0	OBOPTO97	# OFFICE-BASED OPTOMETRIST VISITS, 1997	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1337	1337	14796784.7840	14796784.7840	1.2253	1.2253
6.1	OBETCH97	OFFICE-BASED OPTOMTRIST VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1333	1333	1506910930.9500	1506903860.5155	125.1543	125.1537
6.2	OBEEXP97	TOTAL OFF- B A S E D OPOTMETRIST EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1304	1304	1294253752.7033	1294225758.9509	109.9319	109.9295
6.3	OBESLF97	OPTOMETRIST OFF VSTS - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	985	985	744943277.0478	744868668.7465	81.6624	81.6543
6.4	OBEMCR97	OPTOMETRIST OFF VSTS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	81	81	44527025.7686	44534532.3127	63.4128	63.4235
6.5	OBEMCD97	OPTOMETRIST OFF VSTS - MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	103	103	44927451.5219	44923129.1346	77.2064	77.1990

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.6	OBEPRV97	OPTOMETRIST OFF VSTS - PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	487	487	422266574.9132	422165800.2959	92.4112	92.3891
6.7	OBEVA97	OPTOMETRIST OFF VSTS -VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	5	5	3342856.2108	3343679.8938	57.7180	57.7322
6.8	OBECHM97	OPTOMETRIST OFF VSTS- CHMPUS/CHPVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	0	0	0.0000	0.0000	0.0000	0.0000
6.9	OBEOFD97	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	1399693.3637	1399693.3637	137.8836	137.8836
6.10	OBESTL97	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	8	8	5874757.8716	5854812.7228	50.1518	49.9815
6.11	OBEWCP97	OPTOMETRIST OFF VSTS- WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	2253809.5726	2253809.5726	86.4502	86.4502
6.12	OBEOPR97	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	16	16	9186165.6726	9181238.7633	98.3871	98.3343

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.13	OBEOPU97	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	692058.4074	691304.0457	77.5472	77.4626
6.14	OBEOSR97	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	23	23	15013772.3572	15009090.0994	68.9933	68.9718
7.0	OBASST97	# OFF-BASED PHYSICIAN ASS T VSTS, 1997	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	440	440	6760342.8232	6760342.8232	1.6253	1.6253
7.1	OBATCH97	OFFICE-BASED PHYS ASST VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	438	438	792837936.4841	792783388.6417	191.1655	191.1524
7.2	OBAEXP97	TOTAL OFF- BASED PHYS ASS T EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	410	410	511918012.2000	511876640.4019	131.1694	131.1588
7.3	OBASLF97	PHYS ASS T OFF V S T S - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	272	272	105515025.5734	105514354.3091	38.4176	38.4174
7.4	OBAMCR97	PHYS ASS T OFF VSTS-MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	44	44	45408161.9728	45417389.3994	123.9881	124.0133

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.5	OBAMCD97	PHYS ASS T OFF VSTS-MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	47	47	50272677.3913	50251702.5852	151.5028	151.4396
7.6	OBAPRV97	PHYS ASS T OFF VSTS-PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	244	244	259479640.8680	259442201.1740	103.9861	103.9711
7.7	OBAVA97	PHYS ASS T OFF VSTS-VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	8	8	1148080.5087	1137905.7390	21.3178	21.1289
7.8	OBACHM97	PHYS ASS T OFF V S T S - CHMPUS/CHMPV A AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	1773259.9995	1766876.2043	44.4543	44.2942
7.9	OBAOFD97	PHYS ASS T OFF VSTS -OTHER FED AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	9	9	4166849.1660	4156170.6560	64.2583	64.0936
7.10	OBASTL97	PHYS ASS T OFF VSTS -OTH ST/LOCL AMT 97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	1	1	359600.7524	359446.0854	93.0000	92.9600
7.11	OBAWCP97	PHYS ASS T OFF VSTS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	35785046.6567	35783946.9280	1105.3460	1105.3120

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.12	OBAOPR97	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	6	6	1450367.0340	1448756.2247	34.1443	34.1064
7.13	OBAOPU97	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	1	1	423511.7178	420421.2269	37.0000	36.7300
7.14	OBAOSR97	P A OFF VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	11	11	6180473.7131	6177469.8701	74.4268	74.3907
8.0	OBTHER97	# OFF-BASED PHYSICL/OCC THRPY VSTS, 1997	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	568	568	50528348.7663	50528348.7663	10.2800	10.2800
8.1	OBTTCH97	OFFICE-BASED PT/OC VISIT CHARGES 97	Sum of OBTC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	564	564	5319922246.6920	5319833464.8814	1092.4433	1092.4251
8.2	OBTEXP97	TOT OFF-BASED PT EXP 97	Sum of OBXP97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	551	551	4179662119.5224	4179612443.0562	874.9860	874.9756

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.3	OBTSLF97	PT/OT OFF VISITS- SELF/FAMILY AMT97	Sum of OBSF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	212	212	478878622.0522	478892530.7628	225.0307	225.0372
8.4	OBTMCR97	PT/OT OFF VISITS- MEDICARE AMT 97	Sum of OBMR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	90	90	263773650.0022	263784795.1708	376.0842	376.1001
8.5	OBTMCD97	PT/OT OFF VISITS-MEDICAID AMT 97	Sum of OBMD97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	53	53	227075295.1313	227064329.8531	705.9555	705.9214
8.6	OBTPRV97	PT/OT OFF VISITS-PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	347	349	2080609903.8011	2080547839.5075	651.6997	649.9611
8.7	OBTVA97	PT/OT OFF VISITS-VA AMT 97	Sum of OBVA97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	8	8	27081939.8897	27069903.1291	432.5017	432.3095
8.8	OBTCHM97	PT/OT OFF V I S I T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	5	5	9990692.1083	9987932.5861	308.5574	308.4722

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.9	OBTOFD97	PT/OT OFF VISITS -OTHER FED AMT 97	Sum of OBOF97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	9	9	25262366.8316	25248838.3162	302.0386	301.8769
8.10	OBTSTL97	PT/OT OFF VISITS-OTH ST/LOCLAMT97	Sum of OBSL97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	2	2	7994467.0042	7995932.9271	536.7200	536.8184
8.11	OBTWCP97	PT/OT OFF VISITS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	88	88	826958787.1319	826951413.2362	1177.1837	1177.1732
8.12	OBTOPR97	PT/OT OFF VISITS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	19	19	97923470.8841	97931759.6713	885.4877	885.5626
8.13	OBTOPU97	PT/OT OFF VISITS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	10513.3605	9794.9475	6.0000	5.5900
8.14	OBTOSR97	PT/OT OF VSTS- OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	27	27	134139521.6169	134127372.9485	587.3931	587.3399

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.0	OPTOTV97	# OUTPATIENT DEPT PROVIDER VISITS 97	Count Of OPAT records	4488	4488	129208192.6514	129208192.6514	3.3220	3.3220
9.1	OPFTCH97	OPD PROVIDER VISIT CHARGES - FAC 97	Sum of OPFTC97X from OPAT records	4461	4461	85965325144.549	85964514301.869	2224.1223	2224.1013
9.2	OPFEXP97	T O T A L OUTPATIENT FACILITY EXP 97	Sum of OPFXP97X from OPAT records	4219	4219	43447347011.616	43447114049.764	1178.7850	1178.7787
9.3	OPFSLF97	ALL OPD VISITS- SELF/FAMILY AMT-FAC 97	Sum of OPFSF97X from OPAT records	1656	1656	3470957528.9247	3471084407.3545	229.4093	229.4177
9.4	OPFMCR97	ALL OPD VISITS- MEDICARE AMT- FAC 97	Sum of OPFMR97X from OPAT records	1162	1163	9221514341.5636	9221502628.4453	905.8783	905.3369
9.5	OPFMCD97	ALL OPD VISITS- MEDICAID AMT- FAC 97	Sum of OPFMD97X from OPAT records	605	605	1818982331.5982	1819029881.1203	512.1108	512.1242
9.6	OPFPRV97	ALL OPD VISITS- PRIV INS AMT- FAC 97	Sum of OPFPV97X from OPAT records	2550	2550	22335343139.679	22335301334.692	918.1431	918.1414
9.7	OPFVA97	ALL OPD VISITS- VA AMT-FAC 97	Sum of OPFVA97X from OPAT records	139	139	999705823.9209	999630844.9603	954.6577	954.5861
9.8	OPFCHM97	ALL OPD VISITS- CHMPUS/CHMPV A AMT-FAC 97	Sum of OPFCH97X from OPAT records	33	33	367321981.0363	367356731.1059	1177.7689	1177.8803
9.9	OPFOFD97	ALL OPD VISITS- OTHER FED AMT- FAC 97	Sum of OPFOF97X from OPAT records	114	114	663757277.0415	663683899.5506	861.6164	861.5211
9.10	OPFSTL97	ALL OPD VISITS- OTH ST/LOCAL AMT-FAC 97	Sum of OPFSL97X from OPAT records	13	13	61892679.7164	61888518.0370	481.4651	481.4327

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.11	OPFWCP97	ALL OPD VISITS- WORKERS COMP AMT-FAC 97	Sum of OPFWC97X from OPAT records	114	114	2719110129.6883	2719086106.5377	2562.3822	2562.3595
9.12	OPFOPR97	ALL OPD VISITS - OTH PRIVATE AMT-FAC 97	Sum of OPFOR97X from OPAT records	175	175	1160282954.2765	1160282909.8104	746.8733	746.8733
9.13	OPFOPU97	ALL OPD VISITS - OTH PUBLIC AMT- FAC 97	Sum of OPFOU97X from OPAT records	19	19	68316758.3420	68285100.7476	458.5302	458.3178
9.14	OPFOSR97	ALL OPD VSTS- OTH UNCLASS SRCE AMT-FAC 97	Sum of OPFOT97X from OPAT records	112	112	560000753.5141	559981687.4028	621.1149	621.0937
9.15	OPDEXP97	TOTAL OUTPATIENT PROVIDEREXP 97	Sum of OPDXP97X from OPAT records	2372	2372	12644274704.929	12643831187.750	596.6707	596.6498
9.16	OPDTCH97	OPD PROVIDER VISIT CHARGES - DR 97	Sum of OPDTC97X from OPAT records	2512	2512	21999525488.285	21999020141.414	989.5871	989.5644
9.17	OPDSLF97	ALL OPD VISITS- SELF/FAMILY AMT-DR 97	Sum of OPDSF97X from OPAT records	846	846	990681142.6206	990486511.6853	132.7448	132.7187
9.18	OPDMCR97	ALL OPD VISITS- MEDICARE AMT - DR 97	Sum of OPDMR97X from OPAT records	804	804	2665556605.6089	2665374084.2754	376.2928	376.2670
9.19	OPDMCD97	ALL OPD VISITS- MEDICAID AMT - DR 97	Sum of OPDMD97X from OPAT records	414	418	459370928.9709	459225064.5035	141.9743	141.0586
9.20	OPDPRV97	ALL OPD VISITS- PRIV INS AMT-DR 97	Sum of OPDPV97X from OPAT records	1485	1485	6434513242.4873	6434343472.6397	447.2411	447.2293
9.21	OPDVA97	ALL OPD VISITS- VA AMT-DR 97	Sum of OPDVA97X from OPAT records	25	25	25106765.1279	25092223.4729	88.2220	88.1709

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.22	OPDCHM97	ALL OPD VISITS- CHMPUS/CHMPV A AMT-DR 97	Sum of OPDCH97X from OPAT records	6	6	21704007.0995	21700521.4803	519.3889	519.3055
9.23	OPDOFD97	ALL OPD VISITS- OTHER FED AMT- DR 97	Sum of OPDOF97X from OPAT records	34	34	38436979.3689	38391084.4692	102.4237	102.3014
9.24	OPDSTL97	ALL OPD VISITS- OTH ST/LOCAL AMT-DR 97	Sum of OPDSL97X from OPAT records	12	12	13801720.0684	13798845.1309	141.8730	141.8434
9.25	OPDWCP97	ALL OPD VISITS- WORKERS COMP AMT-DR 97	Sum of OPDWC97X from OPAT records	83	83	515323010.4255	515272703.8190	602.7509	602.6921
9.26	OPDOPR97	ALL OPD VISITS - OTH PRIVATE AMT-DR 97	Sum of OPDOR97X from OPAT records	344	344	1420904510.1952	1420862459.5207	551.0069	550.9906
9.27	OPDOPU97	ALL OPD VISITS- OTH PUBLIC AMT- DR 97	Sum of OPDOU97X from OPAT records	38	39	59299603.4376	59284216.7531	178.9789	170.8845
9.28	OPDOSR97	ALL OPD VSTS- OTH UNCLASS SRCE AMT-DR 97	Sum of OPDOT97X from OPAT records	0	0	0.0000	0.0000	0.0000	0.0000
10.0	OPDRV97	# OUTPATIENT DEPT - DR VISITS 97	Count of OPAT records with SEEDOC = 1	2620	2620	48733139.8051	48733139.8051	2.1898	2.1898
10.1	OPVTCH97	OPD PHYSICIAN VISIT CHARGES - FAC 97	Sum of OPFTC97X from OPAT records with SEEDOC = 1	2598	2598	45789832668.941	45789596561.686	2075.7624	2075.7516
10.2	OPVEXP97	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 97	Sum of OPFXP97X from OPAT records with SEEDOC = 1	2420	2420	25768681430.194	25768598927.419	1236.6212	1236.6172
10.3	OPVSLF97	OPD DR VISITS- SELF/FAMILY AMT-FAC 97	Sum of OPFSF97X from OPAT records with SEEDOC = 1	875	875	1661002048.2290	1661025274.1251	201.9593	201.9621

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.4	OPVMCR97	OPD DR VISITS- MEDICARE AMT- FAC 97	Sum of OPFMR97X from OPAT records with SEEDOC = 1	631	632	4529281061.6737	4529238432.8294	828.3348	827.4078
10.5	OPVMCD97	OPD DR VISITS- MEDICAID AMT- FAC 97	Sum of OPFMD97X from OPAT records with SEEDOC = 1	421	421	1210430913.3212	1210437458.7790	512.3411	512.3438
10.6	OPVPRV97	OPD DR VISITS- PRIV INS AMT- FAC 97	Sum of OPFPV97X from OPAT records with SEEDOC =1	1374	1374	14023136429.076	14023152721.172	1063.4583	1063.4595
10.7	OPVVA97	OPD DR VISITS- VA AMT-FAC 97	Sum of OPFVA97X from OPAT records with SEEDOC = 1	109	109	699284167.2911	699259165.9951	870.5543	870.5232
10.8	OPVCHM97	OPD DR VISITS- CHPUS/CHPVA AMT-FAC 97	Sum of OPFCH97X from OPAT records with SEEDOC = 1	17	17	331598299.6550	331610879.5746	1770.7016	1770.7688
10.9	OPVOFD97	OPD DR VISITS- OTHER FED AMT- FAC 97	Sum of OPFOF97X from OPAT records with SEEDOC = 1	92	92	548739486.8788	548699900.3516	890.8699	890.8056
10.10	OPVSTL97	OPD DR VISITS- OTH ST/LOCAL AMT-FAC 97	Sum of OPFSL97X from OPAT records with SEEDOC = 1	4	4	31633366.6658	31631948.8912	1088.0984	1088.0497
10.11	OPVWCP97	OPD DR VISITS- WORKERS COMP AMT-FAC 97	Sum of OPFWC97X from OPAT records with SEEDOC = 1	69	69	1829744957.4876	1829737096.4827	2776.3990	2776.3871
10.12	OPVOPR97	OPD DR VISITS - OTH PRIVATE AMT-FAC 97	Sum of OPFOR97X from OPAT records with SEEDOC =1	97	97	633861799.4879	633879554.9468	782.3916	782.4135
10.13	OPVOPU97	OPD DR VISITS- OTH PUBLIC AMT- FAC 97	Sum of OPFOU97X from OPAT records with SEEDOC = 1	12	12	64856255.0903	64830523.8236	580.1566	579.9264
10.14	OPVOSR97	OPD DR VSTS- OTH UNCLASS SRCE AMT-FAC 97	Sum of OPFOT97X from OPAT records with SEEDOC = 1	63	63	205099390.3463	205095970.4477	392.5667	392.5602

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.15	OPSEXP97	TOTAL OUTPATIENT PHYSICIAN-DR EXP97	Sum of OPDXP97X from OPAT records with SEEDOC = 1	1404	1404	8142455247.8600	8142120113.1417	665.3773	665.3499
10.16	OPSTCH97	OPD PHYSICIAN VISIT CHARGES - DR 97	Sum of OPDTC97X from OPAT records with SEEDOC =1	1476	1476	14363628882.046	14363339742.994	1120.3663	1120.3437
10.17	OPSSLF97	OPD DR VISITS- SELF/FAMILY AMT-DR 97	Sum of OPDSF97X from OPAT records with SEEDOC =1	482	482	677515614.1499	677498814.7114	164.1761	164.1721
10.18	OPSMCR97	OPD DR VISITS- MEDICARE AMT- DR 97	Sum of OPDMR97X from OPAT records with SEEDOC = 1	486	486	1524326689.8919	1524307497.5967	364.9267	364.9221
10.19	OPSMCD97	OPD DR VISITS- MEDICAID AMT- DR 97	Sum of OPDMD97X from OPAT records with SEEDOC = 1	246	246	283621104.5766	283577197.1611	152.3486	152.3250
10.20	OPSPRV97	OPD DR VISITS- PRIV INS AMT-DR 97	Sum of OPDPV97X from OPAT records with SEEDOC = 1	842	842	4243254427.0974	4243113696.5442	519.5673	519.5500
10.21	OPSVA97	OPD DR VISITS- VA AMT-DR 97	Sum of OPDVA97X from OPAT records with SEEDOC =1	12	12	12892598.2288	12895648.4259	89.7484	89.7696
10.22	OPSCHM97	OPD DR VISITS- CHMPUS/CHMPV A AMT-DR 97	Sum of OPDCH97X from OPAT records with SEEDOC = 1	5	5	21651122.2124	21647460.3102	579.2088	579.1109
10.23	OPSOFD97	OPD DR VISITS- OTHER FED AMT- DR 97	Sum of OPDOF97X from OPAT records with SEEDOC = 1	13	13	13528560.2673	13528263.2958	89.9822	89.9802
10.24	OPSSTL97	OPD DR VISITS- OTH ST/LOCAL AMT-DR 97	Sum of OPDSL97X from OPAT records with SEEDOC = 1	6	6	11709433.6986	11709490.0094	224.5400	224.5411
10.25	OPSWCP97	OPD DR VISITS- WORKERS COMP AMT-DR 97	Sum of OPDWC97X from OPAT records with SEEDOC = 1	57	57	480487349.7780	480459106.2591	824.5937	824.5452

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.26	OPSOPR97	OPD DR VISITS - OTH PRIVATE AMT-DR 97	Sum of OPDOR97X from OPAT records with SEEDOC = 1	215	215	821214973.9909	821171001.9177	536.5800	536.5512
10.27	OPSOPU97	OPD DR VISITS- OTH PUBLIC AMT- DR 97	Sum of OPDOU97X from OPAT records with SEEDOC = 1	23	23	52224169.5146	52211936.9102	272.1405	272.0768
10.28	OPSOSR97	OPD DR VSTS- OTH UNCLASS SRCE AMT-DR 97	Sum of OPDOT97X from OPAT records with SEEDOC = 1	0	0	0.0000	0.0000	0.0000	0.0000
11.0	OPOTHV97	# OUTPATIENT DEPT NON-DR VISITS 97	Count of OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	2569	2569	78387936.7808	78387936.7808	3.4446	3.4446
11.1	OPOTCH97	OPD NON-PHYS VISIT CHARGES - FAC 97	Sum of OPFTC97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	2551	2551	39029944548.018	39029285141.488	1725.5400	1725.5108
11.2	OPOEXP97	T O T A L O U T P A T I E N T NON-DR - FAC EXP 97	Sum of OPFXP97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	2429	2429	17133341071.973	17133133824.443	791.6955	791.6859
11.3	OPOSLF97	OPD NON-DR VISITS-SELF/FAM AMT-FAC 97	Sum of OPFSF97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	876	876	1723609666.5211	1723679916.2463	218.9032	218.9121
11.4	OPOMCR97	OPD NON-DR V I S I T S - MEDICARE AMT- FAC 97	Sum of OPFMR97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	724	724	4498305156.3791	4498363140.1848	692.0722	692.0812

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.5	OPOMCD97	OPD NON-DR VISITS-MEDICAID AMT-FAC 97	Sum of OPFMD97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	256	256	579617298.1174	579663209.9673	366.9933	367.0223
11.6	OPOPRV97	OPD NON-DR VISITS-PRIV INS AMT-FAC 97	Sum of OPFPV97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1564	1564	8099337411.9154	8099181205.4520	550.7948	550.7842
11.7	OPOVA97	OPD NON-DR VISITS-VA AMT- FAC 97	Sum of OPFVA97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	44	44	298435707.5968	298376905.9292	859.1060	858.9368
11.8	OPOCHM97	OPD NON-DR V I S I T S - CHPS/CHVA AMT- FAC 97	Sum of OPFCH97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	18	18	35731858.8564	35745851.5313	259.3386	259.4402
11.9	OPOOFD97	OPD NON-DR VISITS-OTHER FED AMT-FAC 97	Sum of OPFOF97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	36	36	113921301.8111	113886022.7742	459.9822	459.8398
11.10	OPOSTL97	OPD NON-DR VISITS-OTH ST/LOCAMT-FAC 97	Sum of OPFSL97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	9	9	30259313.0506	30256569.1458	304.1793	304.1517
11.11	OPOWCP97	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 97	Sum of OPFWC97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	61	61	889157701.0821	889137295.3150	1575.5950	1575.5588

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.12	OPOOPR97	OPD NON-DR VISITS-OTH PRIVATE AMT- FAC 97	Sum of OPFOR97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	94	94	507070032.9598	507027907.9126	575.3350	575.2872
11.13	OPOOPU97	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 97	Sum of OPFOU97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	7	7	2934187.4949	2930083.0294	78.8765	78.7661
11.14	OPOOSR97	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 97	Sum of OPFOT97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	58	58	354908570.3337	354885716.9551	784.5166	784.4660
11.15	OPPEXP97	TOTAL OUTPATIENT NON-DR-DREXP 97	Sum of OPDXP97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1199	1199	4329006315.4604	4328844709.1889	393.9696	393.9549
11.16	OPPTCH97	OPD NON-PHYS VISIT CHARGES - DR 97	Sum of OPDTC97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1283	1283	7362380752.4522	7362147490.4755	634.3552	634.3351
11.17	OPPSLF97	OPD NON-DR VISITS-SELF/FAM AMT-DR 97	Sum of OPDSF97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	401	401	307005556.9111	306839696.9535	84.8189	84.7731
11.18	OPPMCR97	OPD NON-DR V I S I T S - MEDICARE AMT- DR 97	Sum of OPDMR97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	383	383	1101599116.4025	1101400652.0256	318.3323	318.2749

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.19	OPPMCD97	OPD NON-DR VISITS-MEDICAID AMT-DR 97	Sum of OPDMD97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	185	189	173453015.8390	173309294.3922	115.7014	114.0858
11.20	OPPPRV97	OPD NON-DR VISITS-PRIV INS AMT-DR 97	Sum of OPDPV97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	768	768	2132348032.7132	2132330523.0743	286.4864	286.4840
11.21	OPPVA97	OPD NON-DR VISITS-VA AMT- DR 97	Sum of OPDVA97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	14	14	12214166.8991	12196575.0470	79.0183	78.9045
11.22	OPPCHM97	OPD NON-DR V I S I T S - CHPS/CHVA AMT- DR 97	Sum of OPDCH97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	1	1	52884.8872	53061.1701	12.0000	12.0400
11.23	OPPOFD97	OPD NON-DR VISITS-OTHER FED AMT-DR 97	Sum of OPDOF97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	22	22	24908419.1017	24862821.1734	104.4082	104.2170
11.24	OPPSTL97	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 97	Sum of OPDSL97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	5	5	353096.9423	350165.6939	9.0982	9.0227
11.25	OPPWCP97	OPD NON-DR VISITS-WRKRS COMP AMT-DR 97	Sum of OPDWC97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	28	28	34839858.4969	34813597.5599	122.8594	122.7668

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.26	OPPOPR97	OPD NON-DR V I S I T S - O T H PRIVATE AMT-DR 97	Sum of OPDOR97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	154	154	535626926.9204	535616042.2560	427.1683	427.1596
11.27	OPPOPU97	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 97	Sum of OPDOU97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	16	17	7080387.4913	7072279.8429	49.0420	44.2079
11.28	OPPOSR97	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 97	Sum of OPDOT97X from OPAT records with SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)	0	0	0.0000	0.0000	0.0000	0.0000
12.0	AMCHIR97	# CHIROPRACTR V S T S (OFF+OUTPAT), 1997	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	826	826	66334313.8069	66334313.8069	8.3179	8.3179
12.1	AMCTCH97	C H I R O AMBULATORY VISIT CHARGES 97	Sum of OBTC97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	826	826	3643195244.1427	3643181330.8471	456.8312	456.8295

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.2	AMCEXP97	TOTL AMBULTRY (OB+OP) CHIRO EXP 97	Sum of OBXP97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPEXP97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	794	794	2912578464.3721	2912529019.9250	379.0378	379.0313
12.3	AMCSLF97	CHIRO AMB VISITS - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF97X + OPDSF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	605	605	936160621.8237	936141772.3820	156.7367	156.7335
12.4	AMCMCR97	CHIRO AMB VISITS - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR97X + OPDMR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	57	57	86280906.2404	86263913.9364	135.6750	135.6483

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.5	AMCMCD97	CHIRO AMB VISITS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD97X + OPDMD97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	26	26	25571221.6331	25553009.4698	165.7933	165.6752
12.6	AMCPRV97	CHIRO AMB VISITS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV97X + OPDPV97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	367	367	994881702.1936	994874968.9751	274.9734	274.9716
12.7	AMCVA97	CHIRO AMB VISITS -VA AMT 97	Sum of OBVA97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA97X + OPDVA97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	98246.3553	95517.2899	18.0000	17.5000

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.8	AMCCHM97	CHIRO AMB V I S I T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFCH97X + OPDCH97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	4	4	8602713.6673	8601969.6142	595.1619	595.1104
12.9	AMCOFD97	CHIRO AMB VISITS -OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF97X + OPDOF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0.0000	0.0000	0.0000	0.0000
12.10	AMCSTL97	CHIRO AMB VISITS -OTH ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL97X + OPDSL97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0.0000	0.0000	0.0000	0.0000

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.11	AMCWCP97	CHIRO AMB VISITS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC97X + OPDWC97X) from OPAT records with and [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	34	34	414619412.8591	414598739.1420	1234.6670	1234.6054
12.12	AMCOPR97	CHIRO AMB VISITS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR97X + OPDOR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	23	23	48204137.4306	48204353.9873	250.1952	250.1964
12.13	AMCOPU97	CHIRO AMB VISITS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU97X + OPDOU97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	2274268.2917	2278193.4248	197.0000	197.3400

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.14	AMCOSR97	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT97X + OPDOT97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	49	49	395939914.4581	395916581.7035	772.8909	772.8454
13.0	AMNURS97	# A M B NURSE/PRCTITIO NR VSTS(OB+OP) 97	Count of MVIS records with [SEETLKPV= $(1 - 7, -8, or -9)$ and SEEDOC = $(2, -7, -8 or -9)$ and MEDPTYPE = 4] and OPAT records with [SEEDOC = $(2, -7, -8 or -9)$ and MEDPTYPE = 4]	3134	3134	94903282.6729	94903282.6729	3.3921	3.3921
13.1	AMNTCH97	N R S / P R A C AMBULATORY VISIT CHARGES 97	Sum of OBTC97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	3095	3095	15864908442.203	15864533540.687	574.6863	574.6727
13.2	AMNEXP97	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP97	Sum of OBXP97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPEXP97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2747	2747	6287889100.7549	6287525147.3341	253.3459	253.3313

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.3	AMNSLF97	NRS/PRAC AMB VSTS - SELF/FAMILY AMT97	Sum of OBSF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF97X + OPDSF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1383	1384	875705203.0317	875694853.1931	64.0010	63.9350
13.4	AMNMCR97	NRS/PRAC AMB VSTS -MEDICARE AMT 97	Sum of OBMR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR97X + OPDMR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	508	508	1374320729.1901	1374196056.6188	300.2772	300.2500
13.5	AMNMCD97	NRS/PRAC AMB VSTS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD97X + OPDMD97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	363	364	955500468.0375	955475992.3246	426.4770	426.0572

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.6	AMNPRV97	NRS/PRAC AMB VSTS -PRIV INS AMT 97	Sum of OBPV97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV97X + OPDPV97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1358	1358	2581228917.5179	2580941397.1498	192.2759	192.2545
13.7	AMNVA97	NRS/PRAC AMB VSTS-VA AMT 97	Sum of OBVA97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA97X + OPDVA97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	37	37	92642947.8468	92607107.4761	266.0781	265.9751
13.8	AMNCHM97	NRS/PRAC AMB V S T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFCH97X + OPDCH97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	13	13	8559540.7498	8573778.2033	69.8643	69.9805

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	AMNOFD97	NRS/PRAC AMB VSTS-OTHER FEDERAL AMT 97	Sum of OBOF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF97X + OPDOF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	36	36	23334483.8496	23309898.4458	62.7955	62.7294
13.10	AMNSTL97	NRS/PRAC AMB V S T S - O T H ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL97X + OPDSL97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	23	23	15264201.1261	15263380.6985	86.1091	86.1044
13.11	AMNWCP97	NRS/PRAC AMB VSTS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC97X + OPDWC97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	31	31	74153587.3971	74148108.3712	303.8290	303.8066

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.12	AMNOPR97	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR97X + OPDOR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	97	97	128834631.3676	128853445.2998	169.8232	169.8480
13.13	AMNOPU97	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU97X + OPDOU97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	8	8	1138752.5423	1134708.6018	32.7239	32.6077
13.14	AMNOSR97	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 97	Sum of OBOT97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT97X + OPDOT97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	219	219	157387404.8122	157326420.9512	94.1676	94.1311

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.0	AMOPTO97	# A M B OPTOMETRIST VSTS (OB+OP) 97	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1351	1351	14924972.6488	14924972.6488	1.2287	1.2287
14.1	AMETCH97	OPTOMETRIST AMBULATORY VISIT CHARGES 97	Sum of OBTC97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1347	1347	1639356852.3199	1639349627.4469	135.3658	135.3652
14.2	AMEEXP97	TOTL AMBULTRY (O B + O P) OPTOMETRIST EXP 97	Sum of OBXP97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPEXP97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1313	1313	1370371449.8425	1370329778.1967	115.9925	115.9890
14.3	AMESLF97	OPTMTRIST AMB VSTS - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF97X + OPDSF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	988	988	745581235.2911	745499768.0140	81.5429	81.5340

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.4	AMEMCR97	OPTMTRIST AMB VSTS -MEDICARE AMT 97	Sum of OBMR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR97X + OPDMR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	83	83	103045327.6147	103056632.6006	143.3492	143.3649
14.5	AMEMCD97	OPTMTRIST AMB VSTS -MEDICAID AMT 97	Sum of OBMD97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD97X + OPDMD97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	107	107	47842093.1832	47839436.2963	79.0046	79.0002
14.6	AMEPRV97	OPTMTRIST AMB VSTS -PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV97X + OPDPV97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	490	490	433651400.5703	433552140.3008	94.5853	94.5636

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.7	AMEVA97	OPTMTRIST AMB VSTS-VA AMT 97	Sum of OBVA97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA97X + OPDVA97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	7	7	4815667.4340	4815713.0473	72.2019	72.2025
14.8	AMECHM97	OPTMTRIST AMB V S T S - CHMPUS/CHMPV A AMT 97	Sum of OBCH97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFCH97X + OPDCH97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	0	0	0.0000	0.0000	0.0000	0.0000
14.9	AMEOFD97	OPTMTRIST AMB VSTS-OTHER FED AMT 97	Sum of OBOF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF97X + OPDOF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	3	3	2280703.6576	2279550.5028	154.4786	154.4004

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.10	AMESTL97	OPTMTRIST AMB V S T S - O T H ST/LOCAL AMT 97	Sum of OBSL97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL97X + OPDSL97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	9	9	6171040.1027	6151094.9539	51.6363	51.4694
14.11	AMEWCP97	OPTMTRIST AMB VSTS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC97X + OPDWC97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	2253809.5726	2253809.5726	86.4502	86.4502
14.12	AMEOPR97	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR97X + OPDOR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	16	16	9186165.6726	9181238.7633	98.3871	98.3343

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.13	AMEOPU97	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU97X + OPDOU97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	692058.4074	691304.0457	77.5472	77.4626
14.14	AMEOSR97	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 97	Sum of OBOT97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT97X + OPDOT97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	23	23	15013772.3572	15009090.0994	68.9933	68.9718
15.0	AMASST97	# PHYSICIAN ASS T V S T S (OFF+OUPAT), 1997	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	465	465	7409656.9393	7409656.9393	1.7076	1.7076
15.1	AMATCH97	PHYS ASS T AMBULATORY VISIT CHARGES 97	Sum of OBTC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	463	463	1091342789.0271	1091286408.4070	252.2021	252.1891

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.2	AMAEXP97	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 97	Sum of OBXP97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPEXP97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	434	434	680298011.6277	680280902.6817	166.8847	166.8805
15.3	AMASLF97	PHYS ASS T AMB V S T S - S E L F / F A M I L Y AMT 97	Sum of OBSF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF97X + OPDSF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	282	282	110010752.5638	110011085.9547	39.2486	39.2487
15.4	AMAMCR97	PHYS ASS T AMB VSTS-MEDICARE AMT 97	Sum of OBMR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR97X + OPDMR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	50	50	67478631.5482	67487528.5502	170.0941	170.1165

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.5	AMAMCD97	PHYS ASS T AMB VSTS-MEDICAID AMT 97	Sum of OBMD97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD97X + OPDMD97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	52	52	52270329.0600	52245667.0992	145.3225	145.2539
15.6	AMAPRV97	PHYS ASS T AMB VSTS-PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV97X + OPDPV97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	262	262	382611199.1715	382585878.0126	145.6209	145.6113
15.7	AMAVA97	PHYS ASS T AMB VSTS-VA AMT 97	Sum of OBVA97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA97X + OPDVA97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	10	10	2729628.3320	2715367.9675	37.5570	37.3608

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.8	AMACHM97	PHYS ASS T AMB V S T S - CHMPUS/CHMPV A AMT 97	Sum of OBCH97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFCH97X + OPDCH97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	4	4	1773259.9995	1766876.2043	44.4543	44.2942
15.9	AMAOFD97	PHYS ASS T AMB VSTS -OTHER FED AMT 97	Sum of OBOF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF97X + OPDOF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	11	11	5748396.9893	5733632.8845	68.7037	68.5272
15.10	AMASTL97	PHYS ASS T AMB V S T S - O T H ST/LOCL AMT 97	Sum of OBSL97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL97X + OPDSL97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	1	1	359600.7524	359446.0854	93.0000	92.9600

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.11	AMAWCP97	PHYS ASS T AMB VSTS-WRKERS COMP AMT 97	Sum of OBWC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC97X + OPDWC97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	6	6	40001184.2598	39998444.6840	843.3717	843.3139
15.12	AMAOPR97	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR97X + OPDOR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	6	6	1450367.0340	1448756.2247	34.1443	34.1064
15.13	AMAOPU97	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU97X + OPDOU97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	1	1	423511.7178	420421.2269	37.0000	36.7300

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.14	AMAOSR97	P A AMB VSTS- OTH UNCLASS SRCE AMT 97	Sum of OBOT97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT97X + OPDOT97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	12	12	15507787.7027	15507797.7877	170.4671	170.4672
16.0	AMTHER97	# AMB PT/OT THRPY VISITS (OB+OP) 97	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	754	754	71562032.3656	71562032.3656	11.0482	11.0482
16.1	AMTTCH97	PT/OC AMBULATORY VISIT CHARGES 97	Sum of OBTC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	749	749	12550835123.387	12550664118.550	1951.9238	1951.8972
16.2	AMTEXP97	TOTL AMBULTRY (OB+OP) PT/OT EXP 97	Sum of OBXP97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPEXP97X from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	735	735	8739039523.8288	8738996392.9414	1379.7159	1379.7091

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.3	AMTSLF97	PT/OT AMB V I S I T S - SELF/FAMILY AMT 97	Sum of OBSF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF97X + OPDSF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	313	313	847084275.0632	847123239.1569	280.0561	280.0690
16.4	AMTMCR97	PT/OT AMB V I S I T S - MEDICARE AMT 97	Sum of OBMR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR97X + OPDMR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	153	153	1368629377.4508	1368614720.8737	1125.8020	1125.7899
16.5	AMTMCD97	PT/OT AMB VISITS-MEDICAID AMT 97	Sum of OBMD97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD97X + OPDMD97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	88	88	336884960.9409	336882618.4430	588.2739	588.2698

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.6	AMTPRV97	PT/OT AMB VISITS-PRIVATE INS AMT 97	Sum of OBPV97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV97X + OPDPV97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	466	468	3979929224.8748	3979866844.4790	936.0880	934.2179
16.7	AMTVA97	PT/OT AMB VISITS-VA AMT 97	Sum of OBVA97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA97X + OPDVA97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	19	19	155090915.1386	155060906.6401	1127.8157	1127.5975
16.8	AMTCHM97	PT/OT AMB V I S I T S - CHAMPUS/CHAM PVA AMT 97	Sum of OBCH97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFCH97X + OPDCH97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	5	5	9990692.1083	9987932.5861	308.5574	308.4722

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.9	AMTOFD97	PT/OT AMB VISITS -OTHER FED AMT 97	Sum of OBOF97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF97X + OPDOF97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	17	17	61955622.2103	61933292.0587	452.6586	452.4955
16.10	AMTSTL97	PT/OT AMB VISITS-OTH ST/LOCLAMT97	Sum of OBSL97X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL97X + OPDSL97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	3	3	8968904.5186	8970151.1930	517.5024	517.5743
16.11	AMTWCP97	PT/OT AMB VISITS-WORKERS COMP AMT 97	Sum of OBWC97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC97X + OPDWC97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	113	113	1273256031.9473	1273261199.8765	1329.9593	1329.9647

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.12	AMTOPR97	PT/OT AMB VISITS - OTH PRIVATE AMT 97	Sum of OBOR97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR97X + OPDOR97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	43	43	450479998.8688	450493368.8441	1396.2846	1396.3261
16.13	AMTOPU97	PT/OT AMB VISITS-OTH PUBLIC AMT 97	Sum of OBOU97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU97X + OPDOU97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	4	4	646576.5224	643976.7646	20.9875	20.9032
16.14	AMTOSR97	PT/OT AMB VSTS- OTH UNCLAS SRCE AMT 97	Sum of OBOT97X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT97X + OPDOT97X) from OPAT records with [SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	33	33	246172967.8251	246158142.0257	903.6213	903.5669
17.0	AMTOTC97	# CALLS W/OFFICE & OUPAT DEPTS, 1997	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records	5873	5873	161717031.5378	161717031.5378	3.0757	3.0757

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
18.0	AMDRC97	#CALLSW/OFF& OUTPAT PHYSICIANS, 1997	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEEDOC = 1	3660	3660	66729728.4617	66729728.4617	2.0568	2.0568
19.0	ERTOT97	# EMERGENCY ROOM VISITS, 1997	Count of EROM records	4140	4140	44920483.7789	44920483.7789	1.3535	1.3535
19.1	ERFTCH97	ER FACILITY VISIT CHARGES 97	Sum of ERFTC97X from EROM records	4052	4052	22803440914.719	22802496495.496	701.7468	701.7178
19.2	ERFEXP97	TOTAL ER FACILITY EXP 97	Sum of ERFXP97X from EROM records	3717	3717	14350218095.753	14349899296.717	476.0149	476.0043
19.3	ERFSLF97	ER-SELF/FAMILY AMT - FAC 97	Sum of ERFSF97X from EROM records	1513	1522	2629926260.8370	2629872822.1668	196.9661	195.7710
19.4	ERFMCR97	ER-MEDICARE AMT - FAC 97	Sum of ERFMR97X from EROM records	630	630	1945140981.5664	1945026875.7400	407.9313	407.9073
19.5	ERFMCD97	ER-MEDICAID AMT - FAC 97	Sum of ERFMD97X from EROM records	846	846	1065322678.8376	1065262710.4082	224.5866	224.5740
19.6	ERFPRV97	ER-PRIVATE INS AMT - FAC 97	Sum of ERFPV97X from EROM records	1811	1811	7049609230.1064	7049447474.9813	419.8346	419.8250
19.7	ERFVA97	ER-VA AMT - FAC 97	Sum of ERFVA97X from EROM records	61	61	202798750.8843	202773280.7451	466.8116	466.7530
19.8	ERFCHM97	E R - CHAMPUS/CHAM PVA AMT - FAC 97	Sum of ERFCH97X from EROM records	27	27	74127579.1121	74107434.3914	405.9252	405.8149
19.9	ERFOFD97	E R - O T H E R FEDERAL AMT - FAC 97	Sum of ERFOF97X from EROM records	57	57	164779473.3070	164775343.8825	418.8131	418.8026
19.10	ERFSTL97	E R - O T H ST/LOCAL AMT - FAC 97	Sum of ERFSL97X from EROM records	16	16	23379694.8484	23372972.7231	196.6406	196.5840

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.11	ERFWCP97	ER-WORKERS COMP AMT - FAC 97	Sum of ERFWC97X from EROM records	128	128	482850362.9360	482804754.2132	396.9066	396.8691
19.12	ERFOPR97	E R - O T H E R PRIVATE AMT - FAC 97	Sum of ERFOR97X from EROM records	140	140	394375891.4816	394379655.2227	369.8237	369.8273
19.13	ERFOPU97	ER-OTHER PUBLICAMT- FAC97	Sum of ERFOU97X from EROM records	25	25	27436836.9806	27437771.5491	217.3377	217.3451
19.14	ERFOSR97	E R - O T H UNCLASS SRCE AMT - FAC 97	Sum of ERFOT97X from EROM records	106	106	290637525.0390	290638200.6936	309.4272	309.4279
19.15	ERDEXP97	TOTAL EMERGENCY ROOMDREXP97	Sum of ERDXP97X from EROM records	1967	1967	3498205699.8393	3498041942.4262	221.8361	221.8257
19.16	ERDTCH97	ER DOCTOR VISIT CHARGES 97	Sum of ERDTC97X from EROM records	2328	2328	6573372591.0468	6573044911.0441	358.5875	358.5696
19.17	ERDSLF97	ER-SELF/FAMILY AMT - DR 97	Sum of ERDSF97X from EROM records	607	607	487958349.8705	488040809.2757	96.3569	96.3731
19.18	ERDMCR97	ER-MEDICARE AMT - DR 97	Sum of ERDMR97X from EROM records	414	414	447873633.0875	447807072.6694	143.7111	143.6897
19.19	ERDMCD97	ER-MEDICAID AMT-DR97	Sum of ERDMD97X from EROM records	457	457	249881467.3343	249656396.4221	85.4598	85.3829
19.20	ERDPRV97	ER-PRIVATE INS AMT - DR 97	Sum of ERDPV97X from EROM records	930	930	1707006946.3536	1706920666.1687	195.8490	195.8391
19.21	ERDVA97	ER-VA AMT - DR 97	Sum of ERDVA97X from EROM records	10	10	3598274.6990	3562053.3737	39.9148	39.5130
19.22	ERDCHM97	E R - CHAMPUS/CHAM PVA AMT - DR 97	Sum of ERDCH97X from EROM records	16	16	35608818.0151	35612568.4691	221.2929	221.3162
19.23	ERDOFD97	ER-OTHER FED AMT - DR 97	Sum of ERDOF97X from EROM records	11	11	6397448.3201	6357946.8621	69.6866	69.2563

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.24	ERDSTL97	E R - O T H ST/LOCAL AMT - DR 97	Sum of ERDSL97X from EROM records	8	8	795216.0932	789128.9470	11.2091	11.1233
19.25	ERDWCP97	ER-WORKERS COMP AMT - DR 97	Sum of ERDWC97X from EROM records	59	59	86949135.4608	86960750.1356	168.7354	168.7580
19.26	ERDOPR97	ER - OTHER PRIVATE AMT - DR 97	Sum of ERDOR97X from EROM records	348	348	452287171.0650	452298977.1884	201.8595	201.8648
19.27	ERDOPU97	ER - OTHER PUBLIC AMT - DR 97	Sum of ERDOU97X from EROM records	35	35	16137850.3982	16091959.5930	73.3438	73.1352
19.28	ERDOSR97	E R - O T H UNCLASS SRCE AMT - DR 97	Sum of ERDOT97X from EROM records	2	2	3943613.3213	3943613.3213	291.5797	291.5797
20.0	IPZERO97	# ZERO-NIGHT HOSPITAL STAYS 97	Count of STAZ records with NUMNIGHX = 0	161	161	1409702.5411	1409702.5411	1.0888	1.0888
20.1	ZIFTCH97	ZERO-NITE IP STAY CHARGES - FAC 97	Sum of IPFTC97X from STAZ records with NUMNIGHX = 0	161	161	5214815005.8275	5214820855.8254	4027.6632	4027.6677
20.2	ZIFEXP97	TOTAL ZERO- NITE STAYS FAC EXP 97	Sum of IPFXP97X from STAZ records with NUMNIGHX=0	150	150	3200363979.6263	3200345147.0673	2640.3555	2640.3400
20.3	ZIFSLF97	ZERO-NITE IP STAZ -SELF/FAM AMT-FAC 97	Sum of IPFSF97X from STAZ records with NUMNIGHX = 0	42	42	125642449.4176	125636513.0560	295.0235	295.0095
20.4	ZIFMCR97	ZERO-NITE IP STAZ-MEDICARE AMT-FAC 97	Sum of IPFMR97X from STAZ records with NUMNIGHX = 0	36	36	507392858.5368	507377434.0071	1758.8555	1758.8021
20.5	ZIFMCD97	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 97	Sum of IPFMD97X from STAZ records with NUMNIGHX = 0	29	29	160592872.5399	160599197.6218	986.3043	986.3432

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.6	ZIFPRV97	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 97	Sum of IPFPV97X from STAZ records with NUMNIGHX = 0	80	80	1127968449.8699	1127962248.6756	1602.6390	1602.6302
20.7	ZIFVA97	ZERO-NITE IP STAZ-VA AMT- FAC 97	Sum of IPFVA97X from STAZ records with NUMNIGHX = 0	3	3	36532684.9313	36525470.8987	1394.2637	1393.9884
20.8	ZIFCHM97	ZERO-NITE IP S T A Z - CHPUS/CHPVA AMT-FAC 97	Sum of IPFCH97X from STAZ records with NUMNIGHX = 0	2	2	1977070.7508	1979505.2427	193.2831	193.5211
20.9	ZIFOFD97	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 97	Sum of IPFOF97X from STAZ records with NUMNIGHX = 0	3	3	36532684.9313	36525470.8987	1394.2637	1393.9884
20.10	ZIFSTL97	ZERO-NITE IP S T A Z - O T H ST/LOC AMT-FAC 97	Sum of IPFSL97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
20.11	ZIFWCP97	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 97	Sum of IPFWC97X from STAZ records with NUMNIGHX = 0	5	5	1090172343.8837	1090186785.4003	26192.7104	26193.0574
20.12	ZIFOPR97	ZERO-NITE IP S T A Z - O T H PRIVATE AMT- FAC 97	Sum of IPFOR97X from STAZ records with NUMNIGHX = 0	6	6	71246383.8944	71240611.8373	1583.7241	1583.5958
20.13	ZIFOPU97	ZERO-NITE IP S T A Z - O T H PUBLIC AMT-FAC 97	Sum of IPFOU97X from STAZ records with NUMNIGHX = 0	1	1	435821.9795	436404.7647	172.0000	172.2300
20.14	ZIFOSR97	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 97	Sum of IPFOT97X from STAZ records with NUMNIGHX = 0	8	8	41887559.3420	41875504.6643	846.8517	846.6080

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.15	ZIDEXP97	TOTAL ZERO- NITE STAZ DR 97	Sum of IPDXP97X from STAZ records with NUMNIGHX = 0	137	137	894580854.1663	894482669.2361	833.5060	833.4145
20.16	ZIDTCH97	ZERO-NITE IP STAY CHARGES - DR 97	Sum of IPDTC97X from STAZ records with NUMNIGHX=0	141	141	1853891711.4011	1853861489.2334	1697.1153	1697.0877
20.17	ZIDSLF97	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 97	Sum of IPDSF97X from STAZ records with NUMNIGHX = 0	45	45	61661141.7223	61635514.3415	167.9757	167.9059
20.18	ZIDMCR97	ZERO-NITE IP STAZ-MEDICARE AMT-DR 97	Sum of IPDMR97X from STAZ records with NUMNIGHX = 0	46	46	143803913.2138	143819880.1811	406.3531	406.3982
20.19	ZIDMCD97	ZERO-NITE IP STAZ-MEDICAID AMT-DR 97	Sum of IPDMD97X from STAZ records with NUMNIGHX = 0	40	40	36126192.3823	36118291.2842	135.7334	135.7037
20.20	ZIDPRV97	ZERO-NITE IP STAZ-PRIV INS AMT-DR 97	Sum of IPDPV97X from STAZ records with NUMNIGHX = 0	76	76	413565418.7057	413530431.3472	618.5560	618.5037
20.21	ZIDVA97	ZERO-NITE IP STAZ-VA AMT-DR 97	Sum of IPDVA97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
20.22	ZIDCHM97	ZERO-NITE IP S T A Z - CHPUS/CHPVA AMT-DR 97	Sum of IPDCH97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
20.23	ZIDOFD97	ZERO-NITE IP STAZ-OTHER FED AMT-DR 97	Sum of IPDOF97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
20.24	ZIDSTL97	ZERO-NITE IP S T A Z - O T H ST/LOC AMT-DR 97	Sum of IPDSL97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
20.25	ZIDWCP97	ZERO-NITE IP STAZ-WRKERS COMPAMT-DR 97	Sum of IPDWC97X from STAZ records with NUMNIGHX = 0	15	15	181835233.4342	181832188.8161	1592.9939	1592.9673

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.26	ZIDOPR97	ZERO-NITE IP S T A Z - O T H PRIVATE AMT-DR 97	Sum of IPDOR97X from STAZ records with NUMNIGHX = 0	12	12	53162926.0507	53167831.9766	795.5001	795.5735
20.27	ZIDOPU97	ZERO-NITE IP S T A Z - O T H PUBLIC AMT-DR 97	Sum of IPDOU97X from STAZ records with NUMNIGHX = 0	5	5	4380332.9933	4378531.2895	125.1935	125.1420
20.28	ZIDOSR97	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 97	Sum of IPDOT97X from STAZ records with NUMNIGHX = 0	0	0	0.0000	0.0000	0.0000	0.0000
21.0	IPDIS97	# HOSPITAL DISCHARGES, 1997	Count of STAZ records	2623	2623	27912168.5261	27912168.5261	1.3519	1.3519
21.1	IPFTCH97	IP HOSP STAY CHARGES - FAC 97	Sum of IPFTC97X from STAZ records	2623	2623	343360860718.27	343360209319.47	16630.4512	16630.4196
21.2	IPFEXP97	TOT HOSP IP FACILITY EXP-INC 0 NITES 97	Sum of IPFXP97X from STAZ records	2504	2504	187266525192.57	187266141148.28	9453.8687	9453.8493
21.3	IPFSLF97	IP HOSP STAZ- SELF/FAMILY AMT-FAC 97	Sum of IPFSF97X from STAZ records	709	710	4376183448.3959	4376149299.3171	730.5854	729.7342
21.4	IPFMCR97	IP HOSP STAZ- MEDICARE AMT- FAC 97	Sum of IPFMR97X from STAZ records	836	836	71254092086.701	71253965880.419	10754.9405	10754.9214
21.5	IPFMCD97	IP HOSP STAZ- MEDICAID AMT- FAC 97	Sum of IPFMD97X from STAZ records	607	607	13499441892.767	13499566609.019	3859.8867	3859.9223
21.6	IPFPRV97	IP HOSP STAZ- PRIV INS AMT- FAC 97	Sum of IPFPV97X from STAZ records	1286	1286	75792849928.306	75792643381.873	6501.8057	6501.7880
21.7	IPFVA97	IP HOSP STAZ-VA AMT-FAC 97	Sum of IPFVA97X from STAZ records	58	58	5828639334.2666	5828604038.6559	12271.8759	12271.8016

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.8	IPFCHM97	IP HOSP STAZ- CHAMPUS/CHAM PVA AMT-FAC 97	Sum of IPFCH97X from STAZ records	23	23	2202070489.4595	2202031231.9754	9732.3780	9732.2045
21.9	IPFOFD97	IP HOSP STAZ- OTHER FED AMT- FAC 97	Sum of IPFOF97X from STAZ records	52	52	3020855218.9842	3020827318.5242	7155.0189	7154.9528
21.10	IPFSTL97	IP HOSP STAZ- OTH ST/LOCAL AMT-FAC 97	Sum of IPFSL97X from STAZ records	6	6	134132046.8499	134132053.9022	4260.0780	4260.0782
21.11	IPFWCP97	IP HOSP STAZ- WORKERS COMP AMT-FAC 97	Sum of IPFWC97X from STAZ records	33	33	2653770387.4478	2653801095.1253	10455.5552	10455.6762
21.12	IPFOPR97	IP HOSP STAZ - OTH PRIVATE AMT-FAC 97	Sum of IPFOR97X from STAZ records	146	146	5617791739.0420	5617813797.5114	4891.6777	4891.6969
21.13	IPFOPU97	IP HOSP STAZ - OTH PUBLIC AMT- FAC 97	Sum of IPFOU97X from STAZ records	47	47	1034432006.3268	1034436999.4496	3844.0192	3844.0377
21.14	IPFOSR97	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 97	Sum of IPFOT97X from STAZ records	44	44	1852213981.6556	1852169442.5120	5735.0922	5734.9543
21.15	IPDEXP97	TOTL HOSP STAZ DR EXP 97	Sum of IPDXP97X from STAZ records	2060	2060	26263842186.547	26263323984.385	1611.5732	1611.5414
21.16	IPDTCH97	IP HOSP STAY CHARGES - DR 97	Sum of IPDTC97X from STAZ records	2169	2169	52485666059.211	52484981603.093	3081.9889	3081.9488
21.17	IPDSLF97	IP HOSP STAZ- SELF/FAMILY AMT-DR 97	Sum of IPDSF97X from STAZ records	714	714	1192488737.1178	1192615819.0212	198.8172	198.8384
21.18	IPDMCR97	IP HOSP STAZ- MEDICARE AMT- DR 97	Sum of IPDMR97X from STAZ records	837	837	7355159755.3901	7355046571.9509	1086.9029	1086.8862
21.19	IPDMCD97	IP HOSP STAZ- MEDICAID AMT- DR 97	Sum of IPDMD97X from STAZ records	559	559	1158450533.1725	1158283067.7111	315.2175	315.1719

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.20	IPDPRV97	IP HOSP STAZ- PRIV INS AMT- DR 97	Sum of IPDPV97X from STAZ records	1101	1101	13778115751.335	13777836861.892	1379.6413	1379.6133
21.21	IPDVA97	IP HOSP STAZ-VA AMT-DR 97	Sum of IPDVA97X from STAZ records	33	33	79880482.8179	79819258.9101	233.9460	233.7667
21.22	IPDCHM97	IP HOSP STAZ- CHAMPUS/CHAM PVA AMT-DR 97	Sum of IPDCH97X from STAZ records	20	20	58921377.6973	58941412.9640	306.2306	306.3347
21.23	IPDOFD97	IP HOSP STAZ- OTHER FED AMT- DR 97	Sum of IPDOF97X from STAZ records	30	30	77474332.8495	77414500.9293	240.9306	240.7446
21.24	IPDSTL97	IP HOSP STAZ- OTH ST/LOCAL AMT-DR 97	Sum of IPDSL97X from STAZ records	6	6	24594234.6673	24594234.6673	374.9882	374.9882
21.25	IPDWCP97	IP HOSP STAZ- WORKERS COMP AMT-DR 97	Sum of IPDWC97X from STAZ records	66	66	598802295.5805	598813427.0872	1042.6487	1042.6681
21.26	IPDOPR97	IP HOSP STAZ - OTH PRIVATE AMT-DR 97	Sum of IPDOR97X from STAZ records	410	410	1830669637.9600	1830618305.5720	646.6827	646.6646
21.27	IPDOPU97	IP HOSP STAZ - OTH PUBLIC AMT- DR 97	Sum of IPDOU97X from STAZ records	66	66	107955735.1953	107948550.8094	248.0508	248.0343
21.28	IPDOSR97	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 97	Sum of IPDOT97X from STAZ records	1	1	1391972.8704	1391972.8704	197.0000	197.0000
21.29	IPNGTD97	# NIGHTS IN HOSP FOR DISCHARGES, 1997	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2515	2515	150281499.7488	150281499.7488	7.6221	7.6221

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.0	DVTOT97	# DENTAL CARE VISITS 97	Count of DVIS records	12245	12245	286891833.9854	286891833.9854	2.5304	2.5304
22.1	DVTTCH97	TOTAL DENTAL CARE VISIT CHARGES 97	Sum of DVTC97X from DVIS records	12126	12126	50680180160.242	50680260510.708	450.9468	450.9475
22.2	DVTEXP97	TOTAL DENTAL CARE EXP 97	Sum of DVXP97X from DVIS records	11832	11832	44500298076.430	44500161196.952	405.4134	405.4122
22.3	DVTSLF97	ALL DENTAL CARE - SELF/FAMILY AMT 97	Sum of DVSF97X from DVIS records	8095	8095	22746311369.472	22746242328.685	291.7850	291.7841
22.4	DVTMCR97	ALL DENTAL CARE -MEDICARE AMT 97	Sum of DVMR97X from DVIS records	115	115	180204658.4094	180144740.2459	179.1441	179.0846
22.5	DVTMCD97	ALL DENTAL CARE -MEDICAID AMT 97	Sum of DVMD97X from DVIS records	1267	1267	1350552372.4157	1350332487.9476	191.9549	191.9236
22.6	DVTPRV97	ALL DENTAL CARE -PRIVATE INS AMT 97	Sum of DVPV97X from DVIS records	6678	6678	18455108091.483	18454783479.066	279.2130	279.2081
22.7	DVTVA97	ALL DENTAL CARE-VA AMT 97	Sum of DVVA97X from DVIS records	90	90	141679933.2897	141530865.6263	141.3190	141.1703
22.8	DVTCHM97	ALL DENTAL C A R E - CHAMPUS/CHAM PVA AMT 97	Sum of DVCH97X from DVIS records	55	55	84025753.9054	83982706.2702	183.4933	183.3993
22.9	DVTOFD97	ALL DENTAL CARE -OTHER FEDRL AMT 97	Sum of DVOF97X from DVIS records	45	45	121555768.3652	121545505.1840	311.9656	311.9393
22.10	DVTSTL97	ALL DENTAL C A R E - O T H ST/LOCAL AMT 97	Sum of DVSL97X from DVIS records	35	35	72331957.0149	72321190.1673	294.4196	294.3758

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.11	DVTWCP97	ALL DENTAL CARE-WORKERS COMP AMT 97	Sum of DVWC97X from DVIS records	6	6	48682445.0770	48682445.0770	815.7389	815.7389
22.12	DVTOPR97	ALL DENTAL CARE - OTH PRIVATE AMT 97	Sum of DVOR97X from DVIS records	197	197	602705051.6602	602719602.7119	360.6698	360.6785
22.13	DVTOPU97	ALL DENTAL CARE - OTH PUBLIC AMT 97	Sum of DVOU97X from DVIS records	14	14	7607785.0388	7606157.2300	128.5293	128.5018
22.14	DVTOSR97	ALL DENT CARE- OT UNCLASS SRCE AMT 97	Sum of DVOT97X from DVIS records	311	314	690309230.3094	690269688.7410	255.5835	253.6846
23.0	DVGEN97	# GENERAL DENTIST VISITS 97	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	11227	11227	215725097.3257	215725097.3257	2.0703	2.0703
23.1	DVGTCH97	G E N E R A L DENTAL CARE VISIT CHARGES 97	Sum of DVTC97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11153	11153	35873046191.207	35873110169.115	346.4698	346.4704
23.2	DVGEXP97	TOTAL GENERAL DENTIST EXP 97	Sum of DVXP97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	10894	10894	31786715931.956	31786572459.862	313.6741	313.6727
23.3	DVGSLF97	GNRL DENTAL VISITS -SELF/FAM AMT 97	Sum of DVSF97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7250	7250	15486938295.441	15486848530.434	221.7462	221.7449
23.4	DVGMCR97	GNRL DENTAL VISITS - MEDICARE AMT 97	Sum of DVMR97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	105	105	148864993.5260	148808460.4096	163.5772	163.5150
23.5	DVGMCD97	GNRL DENTAL VISITS -MEDICAID AMT 97	Sum of DVMD97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1158	1158	1017139976.3511	1016942020.6884	157.5928	157.5621

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.6	DVGPRV97	GNRL DENTAL VISITS -PRIVATE INS AMT 97	Sum of DVPV97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6107	6107	13858181060.455	13857888131.122	228.7476	228.7428
23.7	DVGVA97	GNRL DENTAL VISITS -VA AMT 97	Sum of DVVA97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	78	78	122134265.1363	121982892.1734	140.5805	140.4063
23.8	DVGCHM97	GNRL DENTAL VISITS- CHMPUS/CHMPV A AMT 97	Sum of DVCH97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	48	48	74033883.5207	74001883.6374	183.1379	183.0587
23.9	DVGOFD97	GNRL DENTAL VISITS- OTHER FED AMT 97	Sum of DVOF97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	38	38	70047184.9867	70036921.8055	198.8061	198.7769
23.10	DVGSTL97	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 97	Sum of DVSL97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	29	29	67994639.9240	67983873.0765	310.4424	310.3933
23.11	DVGWCP97	GNRL DENTAL VISITS - WORKERS COMP AMT 97	Sum of DVWC97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	4	4	44969366.0049	44969366.0049	915.9112	915.9112
23.12	DVGOPR97	GNRL DENTAL VISITS - OTH PRIVATE AMT 97	Sum of DVOR97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	166	166	344089499.7189	344104050.7706	243.5320	243.5423
23.13	DVGOPU97	GNRL DENTAL VISITS - OTH PUBLIC AMT 97	Sum of DVOR97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	13	13	7105876.7680	7105361.7803	124.1993	124.1903
23.14	DVGOSR97	GNRL DENT VSTS - OT UNCLASS SRCE AMT 97	Sum of DVOT97X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	272	275	545929560.5760	545900967.9597	229.1043	227.1797

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.0	DVORTH97	# ORTHODONTIST VISITS 97	Count of DVIS records with ORTHODNT = 1	861	861	35733407.1837	35733407.1837	4.5376	4.5376
24.1	DVOTCH97	ORTHODONTIST VISIT CHARGES 97	Sum of DVTC97X from DVIS records with ORTHODNT = 1	660	660	7909063604.0387	7909074092.6164	1330.3516	1330.3533
24.2	DVOEXP97	T O T A L ORTHODONTIST EXP 97	Sum of DVXP97X from DVIS records with ORTHODNT = 1	590	590	6501044902.2646	6501048869.5745	1249.0268	1249.0276
24.3	DVOSLF97	ORTHODONTIST VISITS - SELF/FAMILY AMT 97	Sum of DVSF97X from DVIS records with ORTHODNT = 1	438	438	3880949698.2501	3880953163.9550	984.1130	984.1138
24.4	DVOMCR97	ORTHODONTIST VISITS - MEDICARE AMT 97	Sum of DVMR97X from DVIS records with ORTHODNT = 1	0	0	0.0000	0.0000	0.0000	0.0000
24.5	DVOMCD97	ORTHODONTIST VISITS -MEDICAID AMT 97	Sum of DVMD97X from DVIS records with ORTHODNT = 1	56	56	208478566.0679	208472776.0214	691.9896	691.9703
24.6	DVOPRV97	ORTHODONTIST VISITS -PRIVATE INS AMT 97	Sum of DVPV97X from DVIS records with ORTHODNT = 1	285	285	2126248455.9194	2126239139.0261	753.7141	753.7108
24.7	DVOVA97	ORTHODONTIST VISITS-VA AMT 97	Sum of DVVA97X from DVIS records with ORTHODNT = 1	1	1	630969.8669	627384.8109	88.0000	87.5000
24.8	DVOCHM97	ORTHODONTIST VISITS- CHMPUS/CHMPV A AMT 97	Sum of DVCH97X from DVIS records with ORTHODNT = 1	2	2	2076173.1481	2076173.1481	123.1683	123.1683
24.9	DVOOFD97	ORTHODONTIST VISITS-OTHR FED AMT 97	Sum of DVOF97X from DVIS records with ORTHODNT = 1	2	2	43223823.4807	43220411.9145	2483.3327	2483.1367

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.10	DVOSTL97	ORTHODONTIST VISITS-OTHR ST/LOCALAMT97	Sum of DVSL97X from DVIS records with ORTHODNT = 1	3	3	3528417.5090	3528417.5090	188.0377	188.0377
24.11	DVOWCP97	ORTHODONTIST VISITS-WORKERS COMP AMT 97	Sum of DVWC97X from DVIS records with ORTHODNT = 1	1	1	657520.7416	657520.7416	120.0000	120.0000
24.12	DVOOPR97	ORTHODONTIST VISITS-OTHR PRIVATE AMT 97	Sum of DVOR97X from DVIS records with ORTHODNT = 1	11	11	159553878.5417	159553878.5417	1519.8725	1519.8725
24.13	DVOOPU97	ORTHODONTIST VISITS-OTHR PUBLIC AMT 97	Sum of DVOU97X from DVIS records with ORTHODNT = 1	0	0	0.0000	0.0000	0.0000	0.0000
24.14	DVOOSR97	ORTHODONT VSTS - OT UNCLASS SRCE AMT 97	Sum of DVOT97X from DVIS records with ORTHODNT = 1	19	19	75728603.2797	75720003.9063	677.7867	677.7098
25.1	HHTOTD97	# HOME HEALTH PROVIDER DAYS, 1997	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	968	968	530971686.9638	530971686.9638	73.4409	73.4409
26.1	HHAGD97	# AGENCY HOME H E A L T H PROVIDER DAYS, 1997	Sum of HHDAYS from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	769	769	340236174.5713	340236174.5713	60.3050	60.3050

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.2	HHATCH97	HOME HEALTH AGENCY VISIT CHARGES 97	Sum of HHTC97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	824	824	36138484127.773	36138542465.952	5925.5863	5925.5959
26.3	HHAEXP97	TOTAL HOME HEALTH AGENCY EXP 97	Sum of HHXP97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	786	786	25732755993.572	25732673008.922	4442.8769	4442.8626
26.4	HHASLF97	HOME HLTH AGENCY - SELF/FAMILY AMT 97	Sum of HHSF97X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	131	131	2098336545.8731	2098300109.4172	1834.3690	1834.3371
26.5	HHAMCR97	HOME HLTH AGENCY - MEDICARE AMT 97	Sum of HHMR97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	489	489	14533438551.624	14533376971.258	4164.0653	4164.0477
26.6	HHAMCD97	HOME HLTH AGENCY - MEDICAID AMT 97	Sum of HHMD97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	228	228	5992900749.9756	5992884390.4171	4385.2762	4385.2643
26.7	HHAPRV97	HOME HLTH AGENCY - PRIVATE INS AMT 97	Sum of HHPV97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	107	107	1595520120.0846	1595466824.1905	1668.9093	1668.8536
26.8	HHAVA97	HOME HLTH AGENCY-VA AMT 97	Sum of HHVA97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	1	1	259963.9017	265436.8260	19.0000	19.4000
26.9	HHACHM97	HOME HLTH A G E N C Y - CHAMPUS/CHAM PVA AMT 97	Sum of HHCH97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	0	0	0.0000	0.0000	0.0000	0.0000

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.10	HHAOFD97	HOME HLTH AGENCY-OTHER FED AMT 97	Sum of HHOF97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	29	29	59777198.9989	59761908.3461	282.0424	281.9703
26.11	HHASTL97	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 97	Sum of HHSL97X from HVIS records with SELFAGEN = (1, -7, -8, or -9) AND HHTYPE = 4	122	122	1152056463.4695	1152039602.8491	1388.5411	1388.5207
26.12	HHAWCP97	HOME HLTH A G E N C Y - WORKERS COMP AMT 97	Sum of HHWC97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	2	2	18483583.5473	18483583.5473	595.0000	595.0000
26.13	HHAOPR97	HOME HLTH AGENCY - OTH PRIVATE AMT 97	Sum of HHOR97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	37	37	204212703.1086	204202387.3215	816.5305	816.4893
26.14	HHAOPU97	HOME HLTH AGENCY - OTH PUBLIC AMT 97	Sum of HHOU97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	5	5	77883355.6896	77891794.7489	2653.0242	2653.3117
26.15	HHAOSR97	H HLTH AGENCY - OT UNCLASS SRCE AMT 97	Sum of HHOT97X from HVIS records with SELFAGEN = (1, -7, -8, or - 9) AND HHTYPE = 4	0	0	0.0000	0.0000	0.0000	0.0000
27.1	HHINDD97	# NON-AGENCY HOME HEALTH PROVIDR DAYS 97	Sum of HHDAYS from HVIS records with SELFAGEN = 2. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	115	115	74004160.2320	74004160.2320	84.0990	84.0990

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.2	HHNTCH97	HOME HEALTH NON-AGENCY VISIT CHARGES 97	Sum of HHTC97X from HVIS records with SELFAGEN = 2	133	133	3860639520.4677	3860637521.7826	3606.0691	3606.0672
27.3	HHNEXP97	TOTAL HOME HEALTH NON- AGNCY EXP 97	Sum of HHXP97X from HVIS records with SELFAGEN = 2	127	127	3476751499.0891	3476754900.5032	3511.0765	3511.0799
27.4	HHNSLF97	HOME HLTH NON- A G N C Y - SELF/FAM AMT 97	Sum of HHSF97X from HVIS records with SELFAGEN = 2	100	100	2442236152.4099	2442236152.4099	2925.4643	2925.4643
27.5	HHNMCR97	HOME HLTH NON- A G N C Y - MEDICARE AMT 97	Sum of HHMR97X from HVIS records with SELFAGEN = 2	9	9	137118617.0702	137115824.6952	2186.5339	2186.4893
27.6	HHNMCD97	HOME HLTH NON- A G N C Y - MEDICAID AMT 97	Sum of HHMD97X from HVIS records with SELFAGEN = 2	16	16	509436005.3598	509442385.2537	5148.4829	5148.5474
27.7	HHNPRV97	HOME HLTH NON- AGNCY -PRIV INS AMT 97	Sum of HHPV97X from HVIS records with SELFAGEN = 2	18	18	334643226.2678	334643040.1630	2634.6093	2634.6078
27.8	HHNVA97	HOME HLTH NON- AGNCY-VA AMT 97	Sum of HHVA97X from HVIS records with SELFAGEN = 2	0	0	0.0000	0.0000	0.0000	0.0000
27.9	HHNCHM97	HOME HLTH NON- A G N C Y - CHMPUS/CHMPV A AMT 97	Sum of HHCH97X from HVIS records with SELFAGEN = 2	0	0	0.0000	0.0000	0.0000	0.0000
27.10	HHNOFD97	HOME HLTH NON- A G N C Y - O T H R FED AMT 97	Sum of HHOF97X from HVIS records with SELFAGEN = 2	0	0	0.0000	0.0000	0.0000	0.0000
27.11	HHNSTL97	HOME HLTH NON- A G N C Y - O T H R ST/LOCL AMT 97	Sum of HHSL97X from HVIS records with SELFAGEN = 2	6	6	1686948.9197	1686948.9197	54.7207	54.7207

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.12	HHNWCP97	HOME HLTH NON- A G N C Y - WORKERS COMP AMT 97	Sum of HHWC97X from HVIS records with SELFAGEN = 2	1	1	596142.0468	596142.0468	80.0000	80.0000
27.13	HHNOPR97	HOME HLTH NON- A G N C Y - O T H PRIVATE AMT 97	Sum of HHOR97X from HVIS records with SELFAGEN = 2	2	2	50931448.3842	50931448.3842	1701.4167	1701.4167
27.14	HHNOPU97	HOME HLTH NON- A G N C Y - O T H PUBLIC AMT 97	Sum of HHOU97X from HVIS records with SELFAGEN = 2	0	0	0.0000	0.0000	0.0000	0.0000
27.15	HHNOSR97	H HLTH NON- A G N C Y - O T UNCLASS SRCE AMT 97	Sum of HHOT97X from HVIS records with SELFAGEN = 2	1	1	102958.6308	102958.6308	24.0000	24.0000
28.1	HHINFD97	# INFORMAL HOME HEALTH PROV DAYS, 1997	Sum of HHDAYS from HVIS records with HHTYPE = (1, 2, 3 or 5). NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	196	196	116731352.1606	116731352.1606	80.2949	80.2949
29.0	VISTCH97	GLASSES/CONTA CT LENSES CHARGES 97	Sum of OMTC97X from OMED records with OMTYPEX = 1	4194	4194	7266934920.0045	7266929546.1432	192.7197	192.7196
29.1	VISEXP97	T O T A L GLASSES/CONTA CT LENS EXPN 97	Sum of OMXP97X from OMED records with OMTYPEX = 1	4126	4126	6909866046.2098	6909830895.5653	185.8350	185.8341
29.2	VISSLF97	GLASSES/CNTCT LENSES - SELF/FAM AMT 97	Sum of OMSF97X from OMED records with OMTYPEX = 1	3518	3518	5369367504.5763	5369343361.3978	163.5458	163.5450
29.3	VISMCR97	GLASSES/CNTCT L E N S E S - MEDICARE AMT 97	Sum of OMMR97X from OMED records with OMTYPEX = 1	105	105	109517525.2326	109511128.5772	124.6983	124.6911

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.4	VISMCD97	GLASSES/CNTCT L E N S E S - MEDICAID AMT 97	Sum of OMMD97X from OMED records with OMTYPEX = 1	350	350	269793608.1667	269760906.6688	141.6137	141.5966
29.5	VISPRV97	GLASSES/CNTCT LENSES-PRIV INS AMT 97	Sum of OMPV97X from OMED records with OMTYPEX = 1	818	818	1001754456.6483	1001674429.7174	128.2743	128.2641
29.6	VISVA97	GLASSES/CNTCT LENSES-VA AMT 97	Sum of OMVA97X from OMED records with OMTYPEX = 1	9	9	6413047.3335	6413047.3335	112.7610	112.7610
29.7	VISCHM97	GLASSES/LENSE S - CHAMPUS/CHAM PVA AMT 97	Sum of OMCH97X from OMED records with OMTYPEX = 1	1	1	923020.6696	923020.6696	144.0000	144.0000
29.8	VISOFD97	GLASSES/CNTCT LENSES-OTHR FED AMT 97	Sum of OMOF97X from OMED records with OMTYPEX = 1	8	8	6288021.6166	6288021.6166	158.1243	158.1243
29.9	VISSTL97	GLASSES/CNTCT LENSES-OTH ST/LOCLAMT97	Sum of OMSL97X from OMED records with OMTYPEX = 1	18	18	25947791.7755	25921084.2760	138.3838	138.2414
29.10	VISWCP97	GLASSES/CNTCT L E N S E S - WORKERS COMP AMT 97	Sum of OMWC97X from OMED records with OMTYPEX = 1	3	3	3203785.8444	3203785.8444	140.8990	140.8990
29.11	VISOPR97	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 97	Sum of OMOR97X from OMED records with OMTYPEX = 1	37	37	43843063.4998	43839608.2566	145.5181	145.5067
29.12	VISOPU97	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 97	Sum of OMOU97X from OMED records with OMTYPEX = 1	4	4	1153842.3479	1157102.0877	61.6791	61.8534
29.13	VISOSR97	GLASES/CNTCT L E N S E - O T UNCLAS SRCE AMT 97	Sum of OMOT97X from OMED records with OMTYPEX = 1	56	56	71815239.8853	71795399.1197	162.5423	162.4974

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.0	OTHTCH97	O T H E R EQUP/SUPPLIES CHARGES 97	Sum of OMTC97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1625	1625	10458164086.468	10458150592.015	761.4588	761.4578
30.	OTHEXP97	TOT OTH EQUIP/SPLY (EXCLDIAB) EXP 97	Sum of OMXP97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1544	1544	9650001237.5492	9649898890.5785	732.4616	732.4538
30.2	OTHSLF97	O T H E R EQUP/SUPPLIES - SELF/FAM AMT 97	Sum of OMSF97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	904	904	4003098992.6500	4003100828.9442	484.9118	484.9120
30.3	OTHMCR97	O T H E R EQUP/SUPPLIES- MEDICARE AMT 97	Sum of OMMR97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	152	152	1285290477.4161	1285234330.8219	955.2158	955.1741
30.4	OTHMCD97	O T H E R EQUP/SUPPLIES- MEDICAID AMT 97	Sum of OMMD97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	254	254	522551743.0193	522466853.6543	369.9070	369.8469
30.5	OTHPRV97	O T H E R EQUP/SUPPLIES- PRIV INS AMT 97	Sum of OMPV97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	482	482	2985008109.9121	2984880675.4350	674.1936	674.1648
30.6	OTHVA97	O T H E R EQUP/SUPPLY-VA AMT 97	Sum of OMVA97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	28	28	458028876.7825	457981316.0417	1777.7664	1777.5818
30.7	OTHCHM97	O T H E R EQUP/SUPPLY- CHAMPUS/CHAM PVA AMT 97	Sum of OMCH97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	7	7	4058893.2835	4053778.8408	71.4695	71.3794

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.8	OTHOFD97	O T H E R EQUP/SUPPLIES- OTHR FEDRL AMT 97	Sum of OMOF97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	2	2	2350499.0811	2350499.0811	145.3034	145.3034
30.9	OTHSTL97	O T H E R EQUP/SUPPLY- OTHR ST/LOCAL AMT 97	Sum of OMSL97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	3	3	85388128.4732	85388128.4732	3798.0287	3798.0287
30.10	OTHWCP97	O T H E R EQUP/SUPPLY - WORKERS COMP AMT 97	Sum of OMWC97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	17	17	62249569.2887	62241349.1157	411.8934	411.8390
30.11	OTHOPR97	O T H E R EQUP/SUPPLY- OTH PRIVATE AMT 97	Sum of OMOR97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	28	28	87601307.2927	87599732.2310	409.3912	409.3839
30.12	OTHOPU97	O T H E R EQUP/SUPPLY - OTH PUBLIC AMT 97	Sum of OMOU97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	4	4	6963976.4724	6957983.4355	264.1334	263.9061
30.13	OTHOSR97	OTH EQUP/SUPLY -OT UNCLASS SRCE AMT 97	Sum of OMOT97X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	20	20	147651709.4207	147643414.5041	755.2082	755.1658
31.0	RXTOT97	# PRESC MEDS INCL REFILLS 97	Count of PMED records	19833	19833	1873742048.0107	1873742048.0107	11.1193	11.1193
31.1	RXEXP97	TOTAL RX-EXP 97	Sum of RXXP97X from PMED records	19827	19833	72254407967.316	72255293827.015	428.8670	428.7819
31.2	RXSLF97	TOTAL RX- SELF/FAMILY AMT 97	Sum of RXSF97X from PMED records	18396	18412	34092378144.407	34092078770.294	213.1151	212.9793
31.3	RXMCR97	TOTAL RX MEDICARE AMT 97	Sum of RXMR97X from PMED records	901	903	2620988256.3825	2620958255.3123	350.0293	349.0737

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
31.4	RXMCD97	TOTAL RX- MEDICAID AMT 97	Sum of RXMD97X from PMED records	3501	3508	7534063312.4212	7534183453.6783	376.0014	375.5877
31.5	RXPRV97	TOTAL RX- PRIVATE INS AMT 97	Sum of RXPV97X from PMED records	9155	9186	25786354178.905	25786534235.370	290.4381	289.5069
31.6	RXVA97	TOTAL RX-VA AMT 97	Sum of RXVA97X from PMED records	264	264	976270440.6071	976243540.6315	330.9499	330.9408
31.7	RXCHM97	TOTAL RX- CHAMPUS/CHAM PVA AMT 97	Sum of RXCH97X from PMED records	182	182	453676056.2187	453695643.8249	303.8517	303.8649
31.8	RXOFD97	TOTAL RX-OTHER FED AMT 97	Sum of RXOF97X from PMED records	35	35	66412281.3564	66387469.0801	283.3743	283.2685
31.9	RXSTL97	TOTAL RX-OTHER ST/LOCAL AMT 97	Sum of RXSL97X from PMED records	133	133	257859473.0716	257849314.6870	243.7096	243.7000
31.10	RXWCP97	TOTAL RX- WORKERS COMP AMT 97	Sum of RXWC97X from PMED records	23	23	53221319.2271	53235480.1359	252.9218	252.9891
31.11	RXOPR97	TOTAL RX - OTH PRIVATE AMT 97	Sum of RXOR97X from PMED records	232	232	317749867.5735	317707589.2933	173.2329	173.2099
31.12	RXOPU97	TOTAL RX - OTH PUBLIC AMT 97	Sum of RXOU97X from PMED records	32	32	40288432.5071	40298466.2491	188.8024	188.8495
31.13	RXOSR97	TOT RX-OTH UNCLASS SRCE AMT 97	Sum of RXOT97X from PMED records	34	34	56127904.7303	56121608.4586	173.0967	173.0773

COMPARISON OF MEPS 97 HEALTH CARE EXPENDITURE ESTIMATES FROM THE FY 97 PERSON-LEVEL FILE (HC-20) AND THE FY 97 EVENT FILES (HC-16A THROUGH HC-16H) WEIGHT = WTDPER97

ABBREVIATIONS USED IN TABLE:

- PMED = PRESCRIBED MEDICINES FILE, HC-016A
- DVIS = DENTAL VISITS FILE, HC-016B
- OMED = OTHER MEDICAL EXPENSES FILE, HC-016C
- STAZ = HOSPITAL INPATIENT STAYS FILE, HC-016D
- EROM = EMERGENCY ROOM VISITS FILE, HC-016E
- **OPAT = OUTPATIENT VISITS FILE, HC-016F**
- MVIS = MEDICAL PROVIDER VISITS FILE, HC-016G
- HVIS = HOME HEALTH VISITS FILE, HC-016H

TABLE NOTES:

(A) EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.