



Health Care Expenses: Poor, Near Poor, and Low income People in the United States Civilian  
Noninstitutionalized Population, 2002  
Diana Wobus and Gary Olin  
July 2005

### **ABSTRACT**

This report provides estimates of health care expenditures for poor, near poor, and low income people in the United States; i.e., people whose income is less than 200 percent of the Federal Poverty Line. It highlights the characteristics of poor or near poor and low income persons and their expenditures for health care. The estimates are from the 2002 Medical Expenditure Panel Survey (MEPS) and cover the U.S. civilian noninstitutionalized population. While providing an overview of total health care expenses for the population, the report focuses on estimates of expenses for hospital services, office-based medical provider services, and prescription medicines. Detailed comparisons are made by type of service, source of payment, and selected demographic characteristics of the population. All differences between estimates discussed in the text are statistically significant at the 0.05 level.

Diana Wobus, Ph.D.  
Westat  
1650 Research Blvd.  
Rockville, MD 20850  
WOBUSD@Westat.com

Gary Olin, Ph.D.  
Center for Financing, Access, and Cost Trends  
Agency for Healthcare Research and Quality  
540 Gaither Road  
Rockville, MD 20850  
E-mail: golin@ahrq.gov

## **Introduction**

This report uses the 2002 Medical Expenditure Panel Survey (MEPS) to provide estimates of health care expenditures for the United States civilian noninstitutionalized population stratified by income level and selected demographic characteristics. The population is divided into three income groups according to the Federal Poverty Line (FPL): the poor or near poor (at or below 125 percent of FPL), the low income (125 percent to 200 percent of FPL), and the middle or high income (above 200 percent of FPL). The primary focus is on comparisons of hospital services, office-based medical provider services, and prescription medicines received by the poor or near poor and the low income.

Expenditures for these services, which are defined as direct payments for health services and care received during the year, include out-of-pocket payments by individuals and payments by private insurance, Medicare, Medicaid, and other sources. Hospital expenses include both facility charges and physician fees. Ambulatory care (outpatient, emergency room, or office-based services) includes expenses for physician and non-physician services. Payments for over-the-counter drugs are not included in the estimates. All mean and median expenses are estimated at the person level for persons with expenses. All differences between estimates discussed in the text are statistically significant at the 0.05 level.

Table 1 of the report shows the distribution of the U.S. civilian noninstitutionalized population by income group and selected demographic characteristics. Tables 2-4 contain estimates of health care use and expenditures by income group and type of service. These tables show that use and expenditures by the poor or near poor and low income groups are often substantially different from those for the middle or high income group. For that reason, tables 5-

7 highlight the characteristics of the combined population of poor, near poor, and low income persons and their health care expenditures.

### **Selected Population Characteristics**

Table 1 shows the distribution of the population by income and selected demographic characteristics. Of the 288 million civilian noninstitutionalized people in 2002, over 88 million were poor or near poor (48 million) or low income (40 million). People characterized as poor, near poor, or low income constituted 30.6 percent of the total population. In comparison to the middle or high income group, the poor or near poor and low income groups had higher representations of children and elderly, females, racial and ethnic minorities, uninsured and public-only insured persons, and persons in poor or fair health.

Children under 6 represented 8.1 percent of the population, but the poor or near poor and the low income groups had higher proportions of children in this age group (12.5 percent and 9.6 percent). Children age 6 to 17 represented 17.2 percent of the population but had higher representation in the poor or near group (21.8 percent) and the low income group (19.5 percent). At the upper end of the age continuum, the elderly (age 65 and over) represented 12.6 percent of the population, but had higher representation in the low income group (18.5 percent).

Females representing 51.1 percent of the total population had higher representation in the poor or near poor (55.5 percent) and low income (53.9 percent) groups. Hispanics (of any race) represented 13.8 percent of the total population, but had higher representation in the poor or near (24.5 percent) and the low income (22.0 percent) groups. Blacks, single race, also had higher representation in the poor or near poor (22.2 percent) and the low income (15.2 percent) groups than they did in the total population (12.1 percent).

Nearly three quarters of the non-elderly population had private insurance (72.9 percent) for all or part of the year, with the rest split between uninsured all year (13.4 percent) or public-only insurance for all or part of the year (13.8 percent). Compared to all non-elderly persons, the poor or near poor and low income groups had high proportions of people with public-only insurance (49.8 percent and 22.7 percent) and uninsured people (24.2 percent and 24.9 percent).

Medicare beneficiaries in the 65 and over age group included 29.2 percent with Medicare only, 59.9 percent with supplemental private insurance, and 10.9 percent with other public insurance. Medicare only coverage was more common among people in the poor or near poor and low income groups (33.8 percent and 33.7 percent) than it was among people in the middle or high income group (26.5 percent). In addition, compared to the middle or high income group, the poor or near poor and low income groups had higher proportions of beneficiaries with other public insurance and lower proportions with supplemental private insurance.

Self-reported health status also varied by income group. Overall, 10.8 percent of the population reported being in poor or fair health, but the percentage was higher in the poor or near poor and low income groups (19.7 percent and 14.9 percent).

### **Total Health Care Expenses**

Table 2 shows, by age and income group, health care expenditures for all types of health care, including hospital services, office-based services, home health care, dental services, prescription medicines, and medical supplies, and the distribution of payments by source. In 2002, 85.2 percent of the total population had health care expenses. This group spent \$810.7 billion on health care, with a median expense of \$960 and a mean expense of \$3,302 per person

with an expense. Median expenses were substantially lower than mean expenses because a small proportion of the population had a large proportion of the total expenses.

The proportion of persons with an expense was larger in the middle or high income group (87.8 percent) than it was in the other two income groups (78.9 percent for the poor or near poor and 79.5 percent for the low income group). However, variation in the proportion of persons with an expense was confined to the income groups containing people under the age of 65. The proportion of persons age 65 and over with an expense was the same in each of the three income groups (approximately 96 percent).

Table 2 also shows the percent of expenses paid by source. In the aggregate, 19.1 percent of all health care expenses were paid out of pocket, 39.7 percent by private insurance, 22.0 percent by Medicare, 10.8 by Medicaid, and 8.3 percent by other sources. Within the 0-64 year-old age group, the poor or near poor and low income groups paid relatively less out of pocket (14.4 percent and 15.7 percent) compared to the middle or high income group (22.5 percent). Medicaid paid the largest share of expenses for poor or near poor persons (43.4 percent), while private insurance paid the largest share for middle or high income persons (62.7 percent).

Within the 65 and older age group, Medicare paid the largest share of expenses regardless of income (54.9 to 57.7 percent of total expenses), but other payment shares varied by income group and source. Low income people paid about the same share out of pocket (13.2 percent) as Medicaid paid for them (12.7 percent). Middle or high income people paid about the same share out of pocket (17.7 percent) as private insurance paid for them (19.0 percent).

### **Core Service Use by Type of Service and Income**

Table 3 shows the proportion of people with expenses for hospital inpatient, outpatient, or emergency room services, office-based medical provider services, and prescription medicines. These services accounted for approximately 85 percent of all health expenditures in 2002, but the proportion of people with an expense varied by income group and type of care. The poor or near poor and low income groups had a higher proportion of people with hospital inpatient expenses (10.2 percent and 9.3 percent) than the middle or high income group (6.5 percent), and a higher proportion of the poor or near poor group (18.5 percent) and the low income group (15.8 percent) had emergency room expenses compared to the middle or high income group (11.7 percent).

However, the proportion of the poor or near poor group (65.7 percent) and the low income group (66.9 percent) with office-based doctor expenses was less than that of the middle or high income group (74.9 percent). Similarly, the proportion with prescription medicine expenses was lower in the poor or near poor group (59.0 percent) and the low income group (60.2 percent) than it was in the middle or high income group (66.5 percent). The poor or near poor group also was less likely than the middle or high income group to have expenses for hospital outpatient services (14.4 percent versus 17.3 percent).

### **Core Service Expenses by Type of Service and Income**

Table 4 shows, by income group, expenses for inpatient hospital services, ambulatory care services, and prescribed medicines. Median and mean expenses for persons with outpatient and emergency room expenses varied by income group. For outpatient services, the low income group had a lower mean expense per person with an expense (\$1,345) than the poor or near poor (\$1,647) and the middle or high income (\$1,697) groups, while the middle or high income group

had higher median expense per person with an expense (\$639) than the poor or near poor (\$467) and the low income (\$451) groups. For emergency room services, the mean expense per person with an expense was higher for the middle or high income group (\$787) than for the poor or near poor (\$582) and the low income (\$686) groups. The median expense per person with an expense was also substantially higher for the middle or high income group (\$426) than that for the poor or near poor (\$278) and the low income (\$340) groups.

Expenses for people with office-based provider services and prescription medicines also varied across the income groups. The median expense per person with an expense for office-based health care was higher for the middle or high income group (\$308) than for the other two income groups (\$275 for the poor or near poor group and \$287 for the low income group). For persons with prescription medicine expenses, the middle or high income group had lower mean expense (\$755) than both the poor or near poor (\$980) and the low income (\$928) groups.

### **A Closer Look at the Poor, Near Poor and Low Income**

Tables 2 to 4 provide estimates of health care use and expenses by income group. The estimates for the poor or near poor and low income groups are often substantially different from those for the middle or high income group. Although insurance coverage can vary substantially between the poor or near poor and the low income groups, the remainder of this report focuses on health expenditures for the combined population of poor, near poor, and low income people stratified by selected demographic characteristics.



## **Hospital Inpatient Expenses**

Nearly 10 percent of the poor, near poor and low income people had hospital inpatient expenses in 2002 (Table 5). The total inpatient expense for this group was \$104.1 billion, and the median and mean were \$5,616 and \$12,066 for persons with expenses. Among adults, a higher proportion of elderly people age 65 and over (22.3 percent) had inpatient expenses than did 45-64 year-olds (12.8 percent) or 18-44 year-olds (8.9 percent). Median inpatient expenses per person with an expense were higher for the elderly (\$7,848) and 45-64 year-olds (\$6,369) than for 18-44 year-olds (\$4,359). Mean expenses per person with an expense also were higher for the elderly (\$14,797) and 45-64 year-olds (\$15,361) than for 18-44 year-olds (\$7,935).

A higher proportion of females (11.7 percent) had inpatient expenses than males (7.5 percent). However, among people with expenses, median and mean expenses were higher for males (\$6,873 and \$14,599) than for females (\$5,226 and \$10,731).

Hispanics (of any race) were less likely to have inpatient expenses than non-Hispanics (6.2 percent versus 10.9 percent). Median and mean expenses per person with an expense were lower for Hispanics (\$4,172 and \$9,014) than for non-Hispanics (\$5,912 and \$12,593). Whites, single race, were more likely than Blacks, single race, to have inpatient expenses (11.9 percent versus 9.7 percent). Whites, single race, also had higher mean expenses per person with an expense than Blacks, single race (\$13,429 versus \$10,604).

Among people under age 65, the public-only insurance group (primarily Medicaid) was most likely to have inpatient expenses (10.5 percent), followed by the privately insured (7.1 percent) and the uninsured (3.3 percent). The median expense per person with expenses was lower for the uninsured (\$2,789) than for the privately insured (\$5,164) and the publicly insured

(\$4,426), but the mean expense per person with expenses was the same for all three insurance categories.

People in excellent health were least likely to have inpatient expenses (3.7 percent), while those in poor health were most likely (35.0 percent). Median and mean expenses per person with an expense also were higher for those in poor health than for those in excellent or very good health.

### **Ambulatory Care Expenses**

Over 70 percent of the poor, near poor, and low income people had ambulatory care expenses, totaling more than \$81 billion with a median expense of \$387 and a mean expense of \$1,311 for persons with expenses (Table 6). Among adults age 18 and over, 91.2 percent of the elderly had ambulatory care expenses, followed by 77.0 percent of the 45-64 year-olds and 60.9 percent of the 18-44 year-olds. Among children, the 0-5 year-olds were more likely to have ambulatory care expenses (79.2 percent) than the 6-17 year-olds (61.0 percent).

The mean expense per person with an expense was highest for the elderly (\$2,170), followed by 45-64 year-old adults (\$1,947) and 18-44 year-old adults (\$1,179). Children had the lowest mean expense (\$526 to \$529).

Females were more likely to have ambulatory care expenses (77.0 percent) than males (61.9 percent). The median expense per person with an expense also was higher for females (\$427) than for males (\$324).

Hispanics (of any race) were less likely to have ambulatory care expenses than non-Hispanics (58.5 percent versus 73.7 percent). Median and mean expenses per person with an expense also were lower for Hispanics (\$238 and \$969) than they were for non-Hispanics (\$437

and \$1,394). Among non-Hispanics, Whites, single race, had the highest proportion of people with expenses (78.0 percent) and Asians, single race, had the lowest proportion (56.4 percent). Whites, single race, and Other Races had higher median expenses per person with an expense (\$515 and \$401) compared to Blacks, single race, and Asians, single race (\$296 and \$261).

For people under 65, the uninsured were less likely to have ambulatory care expenses (43.0 percent) than the publicly insured (75.1 percent) and the privately insured (72.6 percent). In addition, uninsured people with expenses had lower median and mean expenses compared to both publicly and privately insured people.

People in poor health were mostly like to have ambulatory care expense (94.1 percent), while those in excellent health were least likely (61.6 percent). Median and mean expenses per person with an expense also were highest for those in poor health (\$1,309 and \$3,172) and lowest for those in excellent health (\$221 and \$591).

### **Prescription Medicine Expenses**

Prescription medicine expenses for poor, near poor, and low income people were more than \$50 billion in 2002, with a a median expense of \$265 and a mean expense of \$956 per person with an expense (Table 7). The elderly were most likely to have prescription medicine expenses (89.5 percent), while 6-17 year-old children were least likely (43.0 percent). The median expense for the elderly (\$1,131) was higher than that for 45-64 year-olds (\$752), and the mean expense for persons with expenses was highest for 45-64 year-olds (\$1,584) and the elderly (\$1,697).

Females were more likely than males to have prescription medicine expenses (67.0 percent versus 50.5 percent). In addition, the median expense per person with an expense was higher for females (\$316) than for males (\$203).

Hispanics (of any race) were less likely than non-Hispanics to have prescription medicine expenses (42.5 percent versus 63.9 percent). The median and mean expenses per person with an expense were higher for non-Hispanics (\$332 and \$1,037) than for Hispanics (\$96 and \$583). Whites, single race, were most likely to have prescription medicine expenses (70.0 percent), while Hispanics and Asians, single race, were least likely (45.2 percent and 40.6 percent). Median and mean expenses per person with an expense were highest for Whites, single race (\$390 and \$1,104) and lowest for Asians, single race (\$94 and \$428).

The proportion of people under the age of 65 with prescription medicine expenses was higher for the privately insured (60.8 percent) and the publicly insured (58.6 percent) than for the uninsured (36.4 percent). The mean expense per person with an expense was higher among those with public insurance (\$963) than for the privately insured (\$583) or the uninsured (\$525). Elderly Medicare beneficiaries with other public insurance also had high mean and median expenses per person with an expense compared to other elderly Medicare beneficiaries.

Prescription drug expenditures tracked inpatient and ambulatory care expenditures by health status. Those in poor health were mostly like to have a prescription expense (91.6 percent) and those in excellent health were least likely (44.1 percent). Median and mean prescription medicine expenditures also were notably higher for people in poor health (\$1,958 and \$2,661) than they were for people in excellent health (\$81 and \$313).

## Summary

In 2002, nearly 31 percent of the U.S. civilian noninstitutionalized population was poor, near poor, or low income. This group included 44 million people with an income below 125 percent of Federal poverty threshold (the poor and near poor) and another 40 million people with an income at 125 to 200 percent of Federal poverty threshold (the low income). Compared to the middle or high income population, the poor or near poor and low income groups had larger proportions of children, women, Hispanics (of any race) and Blacks (single race), uninsured people, and people in fair or poor health.

Poor or near poor and low income people were more likely to have hospital inpatient and emergency room expenses than middle or high income people. They were less likely to have hospital outpatient and office-based doctor expenses and prescription medicine expenses. In addition, expenditures per person with an expense tended to vary by income. Comparisons of total health care expenditures among people under age 65, for example, showed that the poor or near poor had a lower median expense per person with an expense and a higher mean expense per person with an expense than those in the middle or high income group.

Health care expenditures also varied within the combined population of poor, near poor, and low income people. Non-Hispanics (as a group) always had higher mean and median expenses per person with an expense than Hispanics had for hospital and ambulatory care services and prescription medicines. In the non-Hispanic group, Whites, single race, had higher mean inpatient expenses per person with an expense than Blacks, single race. In addition, differences in median and mean expenses per person with an expense were observed within the poor, near poor, and low income population when it was stratified by characteristics such as gender, health insurance status, or health status.

## References

Cohen J. Design and methods of the Medical Expenditure Panel Survey Household Component.

Rockville (MD):Agency for Health Care Policy and Research; 1997. MEPS Methodology Report No. 1. AHCPR Pub. No. 97-0026.

Cohen SB. Sample design of the 1997 Medical Expenditure Panel Survey Household

Component. Rockville (MD):Agency for Healthcare Research and Quality; 2000. MEPS Methodology Report No. 11. AHRQ Pub. No. 01-0001.

Cohen SB. Design strategies and innovations in the Medical Expenditure Panel Survey. *Medical Care* 2003; 41(7):5-12.

Ezzati-Rice, T. M., et al. (2004). Health care expenses in the United States, 2000. *Research Findings #21*. Rockville (MD): Agency for Healthcare Research and Quality.

Selden TM, Levit KR, Cohen JW, et al. Reconciling medical expenditure estimates from the Medical Expenditure Panel Survey and the NHA, 1996. *Health Care Financing Review* 2001 Fall; 23(1):161-78.

Zuvekas SH, Cohen JW. A guide to comparing health care expenditures in the 1996 MEPS to the 1987 NMES. *Inquiry* 2002 Spring; 39(1):76-86.

**Table 1. Distribution of the civilian community population by selected demographic characteristics and income: United States, 2002**

| <b>Population characteristics</b>          | <b>All incomes</b> | <b>Percent of population by income<sup>a</sup></b> |                   |                              |
|--|--------------------|--|-------------------|------------------------------|
|  |                    | <b>Poor or near poor</b>                           | <b>Low income</b> | <b>Middle or high income</b> |
| Total population (in thousands)            | 288,182            | 48,086   | 40,170            | 199,926                      |
| Population as a Percentage of Column Total |                    |  |                   |                              |
| <b>Age</b>                                 |                    |  |                   |                              |
| 5 and under                                | 8.1                | 12.5   | 9.6               | 6.7                          |
| 6 to 17                                    | 17.2               | 21.8   | 19.5              | 15.6                         |
| 18 to 44                                   | 38.6               | 36.8   | 37.1              | 39.3                         |
| 45 to 64                                   | 23.6               | 15.8   | 15.3              | 27.1                         |
| 65 and over                                | 12.6               | 13.1   | 18.5              | 11.3                         |
| <b>Gender</b>                              |                    |  |                   |                              |
| Male                                       | 48.9               | 44.5   | 46.1              | 50.5                         |
| Female                                     | 51.1               | 55.5   | 53.9              | 49.5                         |
| <b>Race/ethnicity</b>                      |                    |  |                   |                              |
| Hispanic or Latino (any race)              | 13.8               | 24.5   | 22.0              | 9.5                          |
| Non-Hispanic or Latino                     | 86.2               | 75.5   | 78.0              | 90.5                         |
| White, single race                         | 67.8               | 47.4   | 56.1              | 75.1                         |
| Black, single race                         | 12.1               | 22.2   | 15.2              | 9.1                          |
| Asian, single race                         | 4.0                | 2.5  | 3.8               | 4.4                          |
| Other single/multiple races                | 2.3                | 3.3  | 3.1               | 1.9                          |
| <b>Health insurance status<sup>b</sup></b> |                    |  |                   |                              |
| Under 65                                   |                    |  |                   |                              |
| Any private                                | 72.9               | 26.0   | 52.4              | 87.7                         |
| Public only                                | 13.8               | 49.8   | 22.7              | 3.7                          |
| Uninsured                                  | 13.4               | 24.2   | 24.9              | 8.7                          |
| 65 and over                                |                    |  |                   |                              |
| Medicare only                              | 29.2               | 33.8   | 33.7              | 26.5                         |
| Medicare and private                       | 59.9               | 39.6   | 52.0              | 68.2                         |
| Medicare and other public                  | 10.9               | 26.6   | 14.3              | 5.3                          |
| <b>Health Status<sup>c</sup></b>           |                    |  |                   |                              |
| Excellent                                  | 30.9               | 24.2   | 24.7              | 33.8                         |
| Very Good                                  | 33.1               | 25.8   | 30.6              | 35.3                         |
| Good                                       | 25.2               | 30.3   | 29.8              | 23.1                         |
| Fair                                       | 7.8                | 13.7   | 10.8              | 5.8                          |
| Poor                                       | 3.0                | 6.0  | 4.1               | 2.0                          |

<sup>a</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>b</sup> Uninsured refers to persons uninsured for the entire year. Public and private health insurance categories refer to individuals with public or private insurance at any time during the period; individuals with both public and private insurance and those with TRICARE (Armed Forces-related coverage) are classified as having private insurance. Counts may not add up to the total population because data on this variable were not available for some sampled persons.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table 2. Total health care expenditures<sup>a</sup> and median and mean expenditures per person with expense by age, income and source of payment: United States, 2002**

| Age and income <sup>b</sup> | Persons<br>(in thous) | Percent<br>with an<br>expense | Total<br>expenses<br>(in millions) | Distribution of expenses<br>for persons with an expense <sup>c</sup> |       | Percent distribution of expenses by source |                                   |          |          |                    |
|-----------------------------|-----------------------|-------------------------------|------------------------------------|--|-------|--|-----------------------------------|----------|----------|--------------------|
|                             |                       |                               |                                    | Median   | Mean  | Out of<br>Pocket                           | Private<br>insurance <sup>d</sup> | Medicare | Medicaid | Other <sup>e</sup> |
| <b>All ages</b>             | 288,182               | 85.2                          | 810,724                            | 960  | 3,302 | 19.1                                       | 39.7                              | 22.0     | 10.8     | 8.3                |
| Poor or near poor           | 48,086                | 78.9                          | 144,314                            | 804  | 3,802 | 14.0                                       | 13.7                              | 29.4     | 32.3     | 10.7               |
| Low income                  | 40,170                | 79.5                          | 123,397                            | 845  | 3,863 | 16.7                                       | 27.0                              | 30.5     | 13.6     | 12.2               |
| Middle or high income       | 199,926               | 87.8                          | 543,013                            | 1,004  | 3,092 | 21.1                                       | 49.6                              | 18.2     | 4.5      | 6.8                |
| <b>0 to 64</b>              |                       |                               |                                    |  |       |  |                                   |          |          |                    |
| Poor or near poor           | 41,771                | 76.4                          | 91,857                             | 565  | 2,879 | 14.4                                       | 17.0                              | 13.2     | 43.4     | 12.1               |
| Low income                  | 32,743                | 75.9                          | 66,905                             | 530  | 2,691 | 15.7                                       | 40.6                              | 8.6      | 20.8     | 14.3               |
| Middle or high income       | 177,412               | 86.7                          | 379,696                            | 838  | 2,469 | 22.5                                       | 62.7                              | 2.4      | 5.2      | 7.2                |
| <b>65 and over</b>          |                       |                               |                                    |  |       |  |                                   |          |          |                    |
| Poor or near poor           | 6,315                 | 95.8                          | 52,456                             | 3,824  | 8,666 | 13.2                                       | 8.0                               | 57.7     | 12.7     | 8.2                |
| Low income                  | 7,427                 | 95.4                          | 56,493                             | 3,697  | 7,973 | 17.9                                       | 10.8                              | 56.5     | 5.1      | 9.7                |
| Middle or high income       | 22,514                | 96.8                          | 163,317                            | 3,389  | 7,498 | 17.7                                       | 19.0                              | 54.9     | 2.7      | 5.8                |

<sup>a</sup> Total includes expenditures for hospital services, office-based provider services, home health care, dental services, prescription medicines, and medical supplies.

<sup>b</sup> Poor or Near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> All expense distribution, including means and medians, are based on persons with an expense.

<sup>d</sup> Private insurance includes TRICARE (Armed Forces-related coverage).

<sup>e</sup> Other includes payments from the Department of Veterans Affairs (except TRICARE); other Federal sources (Indian Health Service, military treatment facilities, and other care provided by the Federal Government); various state and local sources (community and neighborhood clinics, state and local health departments, and State programs other than Medicaid); Worker's Compensation; various unclassified sources (e.g., automobile, homeowner's, or other liability insurance, and other miscellaneous or unknown sources); Medicaid payments reported for persons who were not reported as enrolled in the Medicaid program at any time during the year; and private insurance payments reported for persons without any reported private health insurance coverage during the year.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.



**Table 3. Distribution of people with health care expenditures for core services<sup>a</sup> by type of service and income: United States, 2002**

| <b>Type of service</b>                                      | <b>All incomes</b> | <b>Income groups<sup>b</sup></b> |                   |                              |
|---|--------------------|----------------------------------|-------------------|------------------------------|
|   |                    | <b>Poor or near poor</b>         | <b>Low income</b> | <b>Middle or high income</b> |
| <b>Total population (in thousands)</b>                      | 288,182            | 48,086                           | 40,170            | 199,926                      |
| <b>People with expenses as a percentage of column total</b> |                    |                                  |                   |                              |
| <b>Inpatient hospital stays<sup>c</sup></b>                 | 7.5                | 10.2                             | 9.3               | 6.5                          |
| <b>Ambulatory care<sup>d</sup></b>                          | 70.8               | 69.9                             | 70.5              | 76.9                         |
| Outpatient visits   | 16.7               | 14.4                             | 16.1              | 17.3                         |
| Emergency room visits <sup>e</sup>                          | 13.4               | 18.5                             | 15.8              | 11.7                         |
| Office-based doctor visits <sup>f</sup>                     | 72.2               | 65.7                             | 66.9              | 74.9                         |
| <b>Prescription medicines</b>                               | 64.4               | 59.0                             | 60.2              | 66.5                         |

<sup>a</sup> Core services include hospital services, office-based provider services, and prescription medicines.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Inpatient stays include hospitalizations with and without an overnight stay.

<sup>d</sup> Ambulatory care visits include visits to physician or nonphysician providers in hospital outpatient departments or emergency rooms or doctor's offices.

<sup>e</sup> Does not include emergency room visits leading to a hospital inpatient stay.

<sup>f</sup> Office-based doctor visits includes visits to physician or nonphysician providers.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table 4. Core service<sup>a</sup> expenditures and median and mean expenses per person with expenditures by type of service and income: United States, 2002**

| Type of service                             | Distribution of total, median, and mean expenses <sup>b</sup> by income <sup>c</sup> |        |        |                   |        |        |                |        |        |                       |        |        |
|---|--|--------|--------|-------------------|--------|--------|----------------|--------|--------|-----------------------|--------|--------|
|   | All incomes  |        |        | Poor or near poor |        |        | Low income     |        |        | Middle or high income |        |        |
|   | Total<br>(mil)   | Median | Mean   | Total<br>(mil)    | Median | Mean   | Total<br>(mil) | Median | Mean   | Total<br>(mil)        | Median | Mean   |
| <b>Inpatient hospital stays<sup>d</sup></b> | 256,059  | 5,734  | 11,855 | 54,594            | 5,299  | 11,118 | 49,495         | 5,907  | 13,317 | 151,970               | 5,852  | 11,715 |
| <b>Ambulatory care<sup>e</sup></b>          | 286,799  | 411    | 1,330  | 44,902            | 373    | 1,336  | 36,288         | 404    | 1,281  | 205,609               | 422    | 1,337  |
| Outpatient visits                           | 78,915   | 581    | 1,642  | 11,434            | 467    | 1,647  | 8,684          | 451    | 1,345  | 58,798                | 639    | 1,697  |
| Emergency room visits <sup>f</sup>          | 27,879   | 377    | 723    | 5,166             | 278    | 582    | 4,347          | 340    | 686    | 18,367                | 426    | 787    |
| Office-based provider visits <sup>g</sup>   | 180,004  | 299    | 865    | 28,302            | 275    | 896    | 23,258         | 287    | 865    | 128,444               | 308    | 858    |
| <b>Prescription medicines</b>               | 150,616  | 271    | 812    | 27,784            | 256    | 980    | 22,452         | 281    | 928    | 100,381               | 273    | 755    |

<sup>a</sup> The core services include hospital services, office-based provider services, and prescription medicines.

<sup>b</sup> Mean and median expenses are for persons with expenses.

<sup>c</sup> Poor or near poor—persons in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>d</sup> Hospital inpatient, outpatient, and emergency room expenses include facility charges and separately billing doctor fees.

<sup>e</sup> Ambulatory care expenses include expenses for outpatient, emergency room, or office-based doctor services.

<sup>f</sup> Emergency room expenses exclude expenses associated with visits leading to a hospital inpatient stay.

<sup>g</sup> Office-based provider expenses include expenses for visits to physician and nonphysician providers.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table 5. Hospital inpatient expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**

| Population Characteristics                 | Persons (in thousands) | Percent with an expense | Expenses for persons with an expense |        |        |
|--|------------------------|-------------------------|--------------------------------------|--------|--------|
|  |                        |                         | Total (in millions)                  | Median | Mean   |
| <b>Total</b>                               | 88,256                 | 9.8                     | 104,089                              | 5,616  | 12,066 |
| <b>Age</b>                                 |                        |                         |                                      |        |        |
| 5 and under                                | 9,892                  | 4.9                     | —                                    | —      | —      |
| 6 to 17                                    | 18,299                 | 2.2                     | —                                    | —      | —      |
| 18 to 44                                   | 32,612                 | 8.9                     | 23,095                               | 4,359  | 7,935  |
| 45 to 64                                   | 13,712                 | 12.8                    | 26,910                               | 6,369  | 15,361 |
| 65 and over                                | 13,742                 | 22.3                    | 45,425                               | 7,848  | 14,797 |
| <b>Gender</b>                              |                        |                         |                                      |        |        |
| Male                                       | 39,882                 | 7.5                     | 43,439                               | 6,873  | 14,599 |
| Female                                     | 48,374                 | 11.7                    | 60,650                               | 5,226  | 10,731 |
| <b>Race/ethnicity</b>                      |                        |                         |                                      |        |        |
| Hispanic or Latino (of any race)           | 20,602                 | 6.2                     | 11,466                               | 4,172  | 9,014  |
| Non-Hispanic or Latino                     | 67,654                 | 10.9                    | 92,623                               | 5,912  | 12,593 |
| White, single race                         | 45,327                 | 11.9                    | 72,263                               | 5,978  | 13,429 |
| Black, single race                         | 16,768                 | 9.7                     | 17,328                               | 5,797  | 10,604 |
| Asian, single race                         | 2,729                  | 3.9                     | —                                    | —      | —      |
| Other races/multiple races                 | 2,830                  | 8.2                     | —                                    | —      | —      |
| <b>Health Insurance Status<sup>c</sup></b> |                        |                         |                                      |        |        |
| Under 65                                   |                        |                         |                                      |        |        |
| any private                                | 28,044                 | 7.1                     | 25,795                               | 5,164  | 12,902 |
| public only                                | 28,203                 | 10.5                    | 27,663                               | 4,426  | 9,359  |
| uninsured                                  | 18,267                 | *3.3                    | 5,206                                | 2,789  | 8,648  |
| 65 and over                                |                        |                         |                                      |        |        |
| Medicare only                              | 4,603                  | 23.9                    | 17,230                               | 8,436  | 15,681 |
| Medicare and private                       | 6,319                  | 21.0                    | 18,557                               | 6,950  | 13,989 |
| Medicare and other public                  | 2,724                  | 23.4                    | 9,599                                | 8,681  | 15,042 |
| <b>Health Status<sup>c</sup></b>           |                        |                         |                                      |        |        |
| Excellent                                  | 21,463                 | 3.7                     | 4,881                                | 4,112  | 6,110  |
| Very Good                                  | 24,643                 | 6.0                     | 10,609                               | 4,446  | 7,205  |
| Good                                       | 26,468                 | 9.8                     | 36,268                               | 5,462  | 14,041 |
| Fair                                       | 10,921                 | 19.0                    | 25,934                               | 6,307  | 12,513 |
| Poor                                       | 4,515                  | 35.0                    | 22,906                               | 7,336  | 14,485 |

<sup>a</sup> Expenses for Inpatient services include room and board and all hospital diagnostic and laboratory expenses associated with the basic facility charge and payments for separately billed physician inpatient services. Median and mean expenses are for persons with expenses.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

— Less than 100 sample cases.

\* Relative standard error equal to or greater than 30 percent.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table 6. Ambulatory care expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**

| Population characteristics                 | Person<br>(in thousands) | Percent with<br>an expense | Expense for persons<br>with an expense |        |       |
|--|--------------------------|----------------------------|--|--------|-------|
|  |                          |                            | Total<br>(in millions)                 | Median | Mean  |
| <b>Total</b>                               | 88,256                   | 70.2                       | 81,190                                 | 387    | 1,311 |
| <b>Age</b>                                 |                          |                            |  |        |       |
| 5 and under                                | 9,892                    | 79.2                       | 4,116                                  | 237    | 526   |
| 6 to 17                                    | 18,299                   | 61.0                       | 5,902                                  | 159    | 529   |
| 18 to 44                                   | 32,612                   | 60.9                       | 23,404                                 | 333    | 1,179 |
| 45 to 64                                   | 13,712                   | 77.0                       | 20,566                                 | 646    | 1,947 |
| 65 and over                                | 13,742                   | 91.2                       | 27,203                                 | 968    | 2,170 |
| <b>Gender</b>                              |                          |                            |  |        |       |
| Male                                       | 39,882                   | 61.9                       | 29,674                                 | 324    | 1,203 |
| Female                                     | 48,374                   | 77.0                       | 51,516                                 | 427    | 1,383 |
| <b>Race/ethnicity</b>                      |                          |                            |  |        |       |
| Hispanic or Latino (of any race)           | 20,602                   | 58.5                       | 11,679                                 | 238    | 969   |
| Non-Hispanic or Latino                     | 67,654                   | 73.7                       | 69,511                                 | 437    | 1,394 |
| White, single race                         | 45,327                   | 78.0                       | 50,888                                 | 515    | 1,440 |
| Black, single race                         | 16,768                   | 65.6                       | 14,627                                 | 296    | 1,329 |
| Asian, single race                         | 2,729                    | 56.4                       | 1,782                                  | 261    | 1,158 |
| Other races/multiple races                 | 2,830                    | 70.4                       | 2,214                                  | 401    | 1,111 |
| <b>Health Insurance Status<sup>c</sup></b> |                          |                            |  |        |       |
| Under 65                                   |                          |                            |  |        |       |
| any private                                | 28,044                   | 72.6                       | 21,982                                 | 326    | 1,079 |
| public only                                | 28,203                   | 75.1                       | 26,928                                 | 324    | 1,271 |
| uninsured                                  | 18,267                   | 43.0                       | 5,078                                  | 199    | 647   |
| 65 and over                                |                          |                            |  |        |       |
| Medicare only                              | 4,603                    | 91.1                       | 8,470                                  | 973    | 2,021 |
| Medicare and private                       | 6,319                    | 92.3                       | 13,612                                 | 1,041  | 2,334 |
| Medicare and other public                  | 2,724                    | 90.7                       | 5,102                                  | 930    | 2,065 |
| <b>Health Status<sup>c</sup></b>           |                          |                            |  |        |       |
| Excellent                                  | 21,463                   | 61.6                       | 7,813                                  | 221    | 591   |
| Very Good                                  | 24,643                   | 65.3                       | 16,559                                 | 306    | 1,030 |
| Good                                       | 26,468                   | 71.3                       | 24,803                                 | 388    | 1,315 |
| Fair                                       | 10,921                   | 86.0                       | 18,461                                 | 798    | 1,966 |
| Poor                                       | 4,515                    | 94.1                       | 13,470                                 | 1,309  | 3,172 |

<sup>a</sup> Ambulatory care expenses are for visits to physician or nonphysician providers seen in office-based settings or clinics, hospital outpatient departments, hospital emergency rooms and clinics owned and operated by hospitals. The hospital expenses include facility charges and separately billing doctor charges. Median and mean expenses are for persons with expenses.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table 7. Prescription medicines expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**

| Population Characteristics                 | Person<br>(in thousands) | Percent with<br>an expense | Expense for persons with an<br>expense |        |       |
|--|--------------------------|----------------------------|--|--------|-------|
|  |                          |                            | Total<br>(in millions)                 | Median | Mean  |
| <b>Total</b>                               | 88,256                   | 59.5                       | 50,236                                 | 265    | 956   |
| <b>Age</b>                                 |                          |                            |  |        |       |
| 5 and under                                | 9,892                    | 52.1                       | 711                                    | 41     | 138   |
| 6 to 17                                    | 18,299                   | 43.0                       | 2,322                                  | 64     | 295   |
| 18 to 44                                   | 32,612                   | 52.4                       | 10,281                                 | 150    | 602   |
| 45 to 64                                   | 13,712                   | 73.9                       | 16,042                                 | 752    | 1,584 |
| 65 and over                                | 13,742                   | 89.5                       | 20,880                                 | 1,131  | 1,697 |
| <b>Gender</b>                              |                          |                            |  |        |       |
| Male                                       | 39,882                   | 50.5                       | 19,048                                 | 203    | 946   |
| Female                                     | 48,374                   | 67.0                       | 31,188                                 | 316    | 962   |
| <b>Race/ethnicity</b>                      |                          |                            |  |        |       |
| Hispanic or Latino (of any race)           | 20,602                   | 45.2                       | 5,431                                  | 96     | 583   |
| Non-Hispanic or Latino                     | 67,654                   | 63.9                       | 44,805                                 | 332    | 1,037 |
| White, single race                         | 45,327                   | 70.0                       | 35,016                                 | 390    | 1,104 |
| Black, single race                         | 16,768                   | 51.8                       | 7,753                                  | 204    | 893   |
| Asian, single race                         | 2,729                    | 40.6                       | 474                                    | 94     | 428   |
| Other races/multiple races                 | 2,830                    | 60.6                       | 1,562                                  | 218    | 911   |
| <b>Health Insurance Status<sup>c</sup></b> |                          |                            |  |        |       |
| Under 65                                   |                          |                            |  |        |       |
| any private                                | 28,044                   | 60.8                       | 9,939                                  | 158    | 583   |
| public only                                | 28,203                   | 58.6                       | 15,932                                 | 148    | 963   |
| uninsured                                  | 18,267                   | 36.4                       | 3,485                                  | 129    | 525   |
| 65 and over                                |                          |                            |  |        |       |
| Medicare only                              | 4,603                    | 89.7                       | 6,137                                  | 1,028  | 1,487 |
| Medicare and private                       | 6,319                    | 91.0                       | 9,181                                  | 1,114  | 1,598 |
| Medicare and other public                  | 2,724                    | 87.6                       | 5,537                                  | 1,560  | 2,320 |
| <b>Health Status<sup>c</sup></b>           |                          |                            |  |        |       |
| Excellent                                  | 21,463                   | 44.1                       | 2,966                                  | 81     | 313   |
| Very Good                                  | 24,643                   | 53.7                       | 7,149                                  | 141    | 540   |
| Good                                       | 26,468                   | 62.7                       | 14,006                                 | 294    | 844   |
| Fair                                       | 10,921                   | 82.7                       | 15,078                                 | 892    | 1,669 |
| Poor                                       | 4,515                    | 91.6                       | 11,001                                 | 1,958  | 2,661 |

<sup>a</sup> Expenses for all prescribed medicines initially purchased or otherwise obtained during the year, as well as any refills, are included. Median and mean expenses are for persons with expenses

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

## Technical Appendix

The data source for this report is the Medical Expenditure Panel Survey (MEPS), an ongoing annual survey of the civilian noninstitutionalized population that collects detailed information on health care use and expenditures (including sources of payment), health insurance, health status, access, and quality. MEPS also collects detailed demographic and economic information on the people in the households surveyed. Expenditure data in MEPS are obtained from both the household interview and the Medical Provider Component, which collects data from a sample of respondents' hospitals, physicians, home health care providers, and pharmacies. (See the section "MEPS Expenditures Methodology" in this appendix for more details.)

More information about MEPS can be found at <http://www.meps.ahrq.gov>. Detailed descriptions of the survey and its methodology have been previously published (Cohen JW, 1997; Cohen SB, 2000; Cohen SB, 2003).

### Definitions

*Expenditures.* Expenditures in this report refer to what is actually paid for health care services. More specifically, in MEPS, expenditures are defined as the sum of direct payments for care received, including out-of-pocket payments for care received and payments made by private insurance, Medicare, Medicaid, and other sources. Payments for over-the-counter drugs and alternative care services are not included in MEPS total expenditures. Indirect payments not related to specific medical events, such as Medicaid Disproportionate Share and Medicare Direct Medical Education subsidies, are also not included.

This definition of expenditures differs somewhat from that used in predecessor surveys, the 1987 National Medical Expenditure Survey and the 1977 National Medical Care Expenditure Survey, in which charges rather than payments were used to measure medical expenditures. Users who wish to compare the expenditure data presented in this report with data from the 1987 survey should consult Zuvekas and Cohen (2002).

*Types of services.* The expenditures for total health services (Table 2) represent all types of services defined in MEPS, including hospital, office-based, home health, dental services, prescription medicines, and medical supplies. The expenditures for the core services presented in this report represent a subset of the services, including the following:

- *Hospital inpatient services.* This category includes room and board and all hospital diagnostic and laboratory expenses associated with the basic facility charge, payments for separately billed physician inpatient services, and emergency room expenses incurred immediately prior to inpatient stays. Expenses for reported hospital stays with the same admission and discharge dates are also included. Expenses for newborns who left the hospital on the same day as the mother are included in the mother's record.
- *Hospital outpatient services.* This category includes expenses for visits to both physicians and other medical providers seen in hospital outpatient departments, including payments for services covered under the basic facility charge and those for separately billed physician services.

- *Emergency room services.* This category includes expenses for visits to medical providers seen in emergency rooms (except visits resulting in a hospital admission). These expenses include payments for services covered under the basic facility charge and those for separately billed physician services.

- *Office-based medical provider services.* This category includes expenses for visits to medical providers seen in office-based settings or clinics.

- *Prescription medicines.* This category includes expenses for all prescribed medications initially purchased or otherwise obtained during 2000, as well as any refills.

*Sources of payment.* Estimates of sources of payment presented in this report represent the percentage of the total sum of expenditures paid for by each source. Sources of payment are classified as follows:

- *Out of pocket by user or family.*

- *Private insurance*-Includes payments made by insurance plans covering hospital and medical care (excluding payments from Medicare, Medicaid, and other public sources). Payments from Medigap plans or TRICARE (Armed-Forces-related coverage) are also included. Payments from plans that provide coverage for a single service only, such as dental or vision coverage, are not included.



- *Medicare*-A federally financed health insurance plan for the elderly, persons receiving Social Security disability payments, and most persons with end-stage renal disease.

Medicare Part A, which provides hospital insurance, is automatically given to those who are eligible for Social Security. Medicare Part B provides supplementary medical insurance that pays for medical expenses and can be purchased for a monthly premium.

- *Medicaid*-A means-tested government program jointly financed by Federal and State funds that provides health care to those who are eligible. Program eligibility criteria vary significantly by State, but the program is designed to provide health coverage to families and individuals who are unable to afford necessary medical care.

- *Other*-Includes payments from the Department of Veterans Affairs (except TRICARE); other Federal sources (Indian Health Service, military treatment facilities, and other care provided by the Federal Government); various State and local sources (community and neighborhood clinics, State and local health departments, and State programs other than Medicaid); Workers' Compensation; various unclassified sources (e.g., automobile, homeowner's, or other liability insurance, and other miscellaneous or unknown sources); Medicaid payments reported for persons who were not reported as enrolled in the Medicaid program at any time during the year; and private insurance payments reported for persons without any reported private health insurance coverage during the year.

*Age.* The respondent was asked to report the age of each family member as of the date of each interview. In this report, age is based on the sampled person's age as of December 31st of the reported year. If data were not collected at the end of the year because the sampled person was out of scope (e.g., deceased or institutionalized), then age at the time of the last in-scope interview(s) was used.

*Race/ethnicity.* New standards for racial and ethnic classifications were used by the U.S. Census Bureau in the 2000 decennial census. All other Federal programs adopted the new standards by 2003. These changes conform to the revisions of the standards for the classification of Federal data on race and ethnicity promulgated by the Office of Management and Budget (OMB) in October 1997. For 1996 through 2002, racial and ethnic classifications were Hispanic, white non-Hispanic, black non-Hispanic, and other non-Hispanic. As of 2003, the racial and ethnic classifications are Hispanic or Latino, white non-Hispanic or Latino single race, black non-Hispanic or Latino single race, and other single race/multiple race non-Hispanic or Latino.

*Health insurance status.* Individuals under age 65 were classified into the following three insurance categories based on household responses to health insurance status questions administered during Rounds 1-3 of the MEPS Household Component.

- *Any private health insurance*-Individuals who, at any time during the year, had insurance that provides coverage for hospital and physician care (other than Medicare, Medicaid, or other public hospital/physician coverage) are classified as having private insurance. Coverage by TRICARE (Armed-Forces-related coverage) is also included as private health insurance.

Insurance that provides coverage for a single service only, such as dental or vision coverage, is not included.

- *Public coverage only*-Individuals are considered to have public coverage only if they met both of the following criteria:

- They were not covered by private insurance at any time during the year.
- They were covered by one of the following public programs at any point during the year: Medicare, Medicaid, or other public hospital/physician coverage.

- *Uninsured*-The uninsured are defined as people not covered by Medicare, TRICARE, Medicaid, other public hospital/physician programs, or private hospital/physician insurance at any time during the entire year or period of eligibility for the survey. Individuals covered only by noncomprehensive State-specific programs (e.g., Maryland Kidney Disease Program, Colorado Child Health Plan) or private single-service plans (e.g., coverage for dental or vision care only, coverage for accidents or specific diseases) are not considered to be insured.

Individuals age 65 and over were classified into the following three insurance categories:

- *Medicare only.*
- *Medicare and private.*
- *Medicare and other public.*

*Income.* Each year persons were classified according to their family's income. In this report, income is expressed in terms of poverty status, the ratio of the family's income to the Federal poverty thresholds, which control for the size of the family and the age of the head of the family. In this report, the following classification was used.

- *Poor or Near Poor*-Persons in families with income less than 125 percent of the poverty line, including those whose losses exceeded their earnings, resulting in negative income.

- *Low income*-Persons in families with income from 125 percent to less than 200 percent of the poverty line.

- *Middle or High income*-Persons in families with income at or over 200 percent of the poverty line.

In MEPS, personal income from each household member was summed to create family income. Potential income sources asked about in the survey interview include annual earnings from wages, salaries, bonuses, tips, and commissions; business and farm gains and losses; unemployment and Workers' Compensation payments; interests and dividends; alimony, child support, and other private cash transfers; private pensions; individual retirement account (IRA) withdrawals; Social Security and Department of Veterans Affairs payments; Supplemental Security Income and cash welfare payments from public assistance; TANF (Temporary Assistance for Needy Families, formerly known as Aid to Families with Dependent Children or AFDC); gains or losses from estates, trusts, partnerships, C corporations, rent, and royalties; and a small amount of other income.

*Perceived health status.* In every round of MEPS, the respondent was asked to rate the health of every member of the family. The exact wording of the question is as follows: “In general, compared to other people of (PERSON)’s age, would you say that (PERSON)’s health is excellent, very good, good, fair, or poor?” In the tables, this variable usually reflects responses to the last interview for the calendar year (Round 3 or Round 5). However, if no response was obtained from that interview, then reported health status was based on the most recent of the prior two interviews. A small proportion of persons had no valid response for health status on any of the three interviews.

## **Sample Design**

Each year, the MEPS Household Component (HC) sample is drawn from those households that completed the prior year’s National Health Interview Survey (NHIS). For example, households selected for participation in MEPS Panel 7 (beginning in 2002) completed interviews in the 2001 NHIS, the sample for MEPS Panel 6 (beginning in 2001) was drawn from the 2000 NHIS, and so on. Because NHIS is used as a sampling frame, the MEPS design is not only nationally representative of the civilian noninstitutionalized population, but also includes an oversampling of Hispanics and blacks. NHIS is conducted by the National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention.

MEPS collects data via an overlapping panel design. Each household completes five interviews (“rounds” of data collection) over a period of 2 1/2 years, providing data for two full calendar years. Data from Rounds 1, 2, and 3 provide information for the first year of estimation, and data from Rounds 3, 4, and 5 provide data for the second year of estimates. The estimates in

this report for calendar year 2002 were based on data collected from Rounds 3, 4, and 5 of MEPS Panel 6 and Rounds 1, 2, and 3 of MEPS Panel 7. (Note that the reference period for Round 3 of a MEPS panel overlaps two calendar years.) In MEPS, a single respondent provides most of the information on the health care experience of the entire family via computer-assisted personal interviewing (CAPI).

The MEPS response rate reflects response to both MEPS and NHIS. The overall response rate for MEPS Panel 6 in 2001, including the NHIS response rate, was 64.0 percent. The overall response rate for Panel 7 in 2002, including the NHIS response rate, was 65.6 percent. The response rate for 2002 MEPS annual estimates after combining both panels was 64.7 percent.

### **Accuracy of Estimates**

The estimates of total expenditures in each table are based on 37,418 sampled persons. They were weighted to develop population estimates for a total of 288,181,763 persons who were in the U.S. civilian noninstitutionalized population for part or all of 2002. All expenditures for persons who were in the target population for the full year, from January 1 through December 31, 2002, were included in the estimates. People with part-year information include newborns; people who died during the year; and people who resided in an institution, were in the military, or lived outside the country for part of the year. Expenditures for deceased persons were measured for the period from January 1 through the date of death, while those for newborns were measured from the date of birth through December 31. Expenses incurred during periods of full-time active-duty military service, institutionalization, or residency outside the country were not included.

Tests of statistical significance were used to determine whether the differences between populations exist at specified levels of confidence or whether they occurred by chance. Differences were tested using Z-scores having asymptotic normal properties at the 0.05 level of significance. Only statistically significant differences between estimates are discussed in the text. However, it should be noted that each individual significance test was conducted at the 0.05 level, which does not control the error rate for all significance tests conducted simultaneously at the 0.05 level.

The statistics presented in this report are affected by both sampling error and sources of nonsampling error, which include nonresponse bias, respondent reporting errors (response errors), interviewer effects, and data processing misspecifications. The nonsampling errors, such as response errors, are difficult to measure, but every effort is made to minimize such errors at each step of the MEPS operation. The sampling error, however, can be measured by the variance of the estimator. A Taylor-series approach in SUDAAN is used to produce appropriate standard errors for weighted estimates from MEPS with its complex survey design. Standard errors for the MEPS estimates in this report are shown in Tables A-G. The MEPS person-level estimation weights include nonresponse adjustments and poststratification adjustments to population estimates derived from the Current Population Survey based on cross-classifications by region, MSA status, age, race/ethnicity, and sex. For a detailed description of the MEPS survey design, sample design, estimation strategies, and methods used to minimize sources of nonsampling error, see JW Cohen (1997), SB Cohen (1997), and SB Cohen (2003).

Estimates presented in the tables are rounded as follows:

- Percentages are rounded to the nearest 0.1 percentage point.
- Mean and median expenditures are rounded to the nearest dollar.
- Total expenditures are rounded to the nearest million dollar unit.

Some of the estimates for population totals of subgroups presented in the tables will not add exactly to the overall estimated population total as a consequence of rounding.

### **MEPS Expenditures Methodology**

Expenditure estimates in this report are based on the sum of total payments for medical events in 2002 reported in the MEPS HC. The HC collected annual data on the use of and associated expenditures for office- and hospital-based care, emergency room services, home health care, dental services, prescription medicines, and vision aids and other medical equipment and services. In addition, the MEPS Medical Provider Component (MPC) collected expenditure data from a sample of medical and pharmaceutical providers that provided care and medicines to sample people in 2002. Expenditure data collected in the MPC are generally regarded as more accurate than comparable data collected in the HC and were used to improve the overall quality of MEPS expenditure data in this report. For a more detailed description of the MPC, see Machlin and Taylor (2000).

Expenditure data were imputed to replace missing data, provide estimates for care delivered under capitated reimbursement arrangements, and adjust household-reported insurance payments because respondents were often unaware that their insurer paid a discounted amount to the provider. This section contains a general description of the approaches used for these three situations. A more detailed description of the editing and imputation procedures is provided in



the documentation for the MEPS event-level files, which are available through the AHRQ Web site at <http://www.meps.ahrq.gov/>. For more information on the approach used to impute missing expenditure data on prescription medicines, see Moeller, Stagnitti, Horan, et al. (2001).

Missing data on expenditures were imputed using a weighted sequential hot-deck procedure for most medical visits and services. In general, this procedure imputes data from events with complete information to events with missing information but similar characteristics. For each event type, selected predictor variables with known values (e.g., total charge; demographic characteristics; region; provider type; and characteristics of the event of care, such as whether it involved surgery) were used to form groups of donor events with known data on expenditures, as well as identical groups of recipient events with missing data. Within such groups, data were assigned from donors to recipients, taking into account the weights associated with the complex MEPS survey design. Only MPC data were used as donors for hospital-based events, while data from both the HC and MPC were used as donors for office-based physician visits.

Because payments for medical care provided under capitated reimbursement arrangements and through public clinics and Department of Veterans Affairs (VA) hospitals are not tied to particular medical events, expenditures for events covered under those types of arrangements and settings were also imputed. Events covered under capitated arrangements were imputed from events covered under managed care arrangements that were paid based on a discounted fee-for-service method, while imputations for visits to public clinics and VA hospitals were based on similar events that were paid on a fee-for-service basis. As for other events, selected predictor variables were used to form groups of donor and recipient events for the imputations.

An adjustment also was applied to some HC-reported expenditure data because an evaluation of matched HC/MPC data showed that respondents who reported that charges and payments were equal were often unaware that insurance payments for the care had been based on a discounted charge. To compensate for this systematic reporting error, a weighted sequential hot-deck imputation procedure was implemented to determine an adjustment factor for HC-reported insurance payments when charges and payments were reported to be equal. As for the other imputations, selected predictor variables were used to form groups of donor and recipient events for the imputation process.

In some situations, it was reported that one charge covered multiple contacts between a sampled person and a medical provider (e.g., obstetrical services, orthodontia). In these situations, total payments for the fee (sometimes called a flat or global fee) were included if the initial service was provided in 2002. For example, all payments for an orthodontist's fee that covered multiple visits over 3 years were included if the initial visit occurred in 2002. However, if a 2002 visit to an orthodontist was part of a flat fee for which the initial visit occurred in 2001, then none of the payments for the flat fee were included. Most of the expenditures for medical care reported by MEPS participants were associated with medical events that were not part of a flat-fee arrangement.

Sample respondents sometimes reported medical events for which no payments actually were made. This situation could occur for several reasons, including when free care or a free sample of medicine was provided, bad debt was incurred, no charge was made for a followup visit (e.g., after a surgical procedure), or care was covered under a flat-fee arrangement beginning in an earlier year. These types of events were treated as valid \$0 payments when developing the estimates contained in this report.

Because of methodological differences, caution should be used when comparing the estimates in this report with data from other sources. National health care expenditures from MEPS, for example, are lower than the expenditures for personal health care typically cited from the National Health Accounts (NHA) of the Centers for Medicare & Medicaid Services. The primary reasons for the differences are that the NHA include a wider variety of expenses and also include expenses for people who are not part of the community population. A comparison of MEPS and NHA estimates for comparable expenditures and population has been previously published (Selden, Levit, Cohen, et al., 2001).

**Table A. Standard errors for distribution of the civilian community population by selected demographic characteristics and income: United States, 2002**

*Corresponds to Table 1*

| Population characteristics                 | All income | Percent of population by income <sup>a</sup> |            |                       |
|--|------------|--|------------|-----------------------|
|  |            | Poor or near poor                            | Low income | Middle or high income |
| Standard error                             |            |  |            |                       |
| <b>Total population (in millions)</b>      | 5,848      | 1,594  | 1,369      | 4,545                 |
| <b>Age</b>                                 |            |  |            |                       |
| 5 and under                                | 0.19       | 0.50   | 0.50       | 0.22                  |
| 6 to 17                                    | 0.26       | 0.66   | 0.67       | 0.30                  |
| 18 to 44                                   | 0.33       | 0.66   | 0.79       | 0.40                  |
| 45 to 64                                   | 0.33       | 0.60   | 0.60       | 0.42                  |
| 65 and over                                | 0.36       | 0.69   | 1.03       | 0.38                  |
| <b>Sex</b>                                 |            |  |            |                       |
| Male                                       | 0.26       | 0.66   | 0.78       | 0.28                  |
| Female                                     | 0.26       | 0.66   | 0.78       | 0.28                  |
| <b>Race/ethnicity</b>                      |            |  |            |                       |
| Hispanic or Latino (of any race)           | 0.65       | 1.37   | 1.34       | 0.50                  |
| Non-Hispanic or Latino                     | 0.65       | 1.37   | 1.34       | 0.50                  |
| White, single race                         | 0.85       | 1.63   | 1.49       | 0.72                  |
| Black, single race                         | 0.55       | 1.25   | 1.06       | 0.46                  |
| Asian, single race                         | 0.30       | 0.48   | 0.71       | 0.35                  |
| Other single/multiple races                | 0.23       | 0.53   | 0.43       | 0.19                  |
| <b>Health insurance status<sup>b</sup></b> |            |  |            |                       |
| Under 65                                   |            |  |            |                       |
| Any private                                | 0.65       | 0.85   | 1.40       | 0.44                  |
| Public only                                | 0.49       | 1.11   | 1.01       | 0.22                  |
| Uninsured                                  | 0.37       | 0.87   | 1.10       | 0.35                  |
| 65 and over                                |            |  |            |                       |
| Medicare only                              | 1.10       | 2.19   | 2.12       | 1.37                  |
| Medicare and private                       | 1.22       | 2.37   | 2.39       | 1.44                  |
| Medicare and other public                  | 0.67       | 2.19   | 1.57       | 0.49                  |
| <b>Health status<sup>c</sup></b>           |            |  |            |                       |
| Excellent                                  | 0.50       | 0.86   | 0.95       | 0.60                  |
| Very Good                                  | 0.41       | 0.87   | 1.11       | 0.49                  |
| Good                                       | 0.39       | 0.84   | 0.93       | 0.41                  |
| Fair                                       | 0.19       | 0.50   | 0.54       | 0.20                  |
| Poor                                       | 0.13       | 0.35   | 0.38       | 0.11                  |

<sup>a</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>b</sup> Uninsured refers to persons uninsured for the entire year. Public and private health insurance categories refer to individuals with public or private insurance at any time during the period; individuals with both public and private insurance and those with TRICARE (Armed Forces-related coverage) are classified as having private insurance. Counts may not add up to the total population because data on this variable were not available for some sampled persons.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table B. Standard errors for total health care expenditures<sup>a</sup> and median and mean expenditures per person with expense by age, income and source of payment: United States, 2002**  
**Corresponds to Table 2**

| Income <sup>b</sup> and Age | Percent with an expense | Total expenses | Distribution of expenses for persons with an expense <sup>c</sup> |      | Percent distribution of expenses by source |                                |          |          |                    |  |
|-----------------------------|-------------------------|----------------|---|------|--|--------------------------------|----------|----------|--------------------|--|
|                             |                         |                | Median  | Mean | Out of Pocket                              | Private insurance <sup>d</sup> | Medicare | Medicaid | Other <sup>e</sup> |  |
| <b>Standard error</b>       |                         |                |   |      |  |                                |          |          |                    |  |
| <b>All ages</b>             | 0.32                    | 21,307         | 20  | 67   | 0.43                                       | 0.90                           | 0.85     | 0.70     | 0.43               |  |
| Poor or Near Poor           | 0.70                    | 8,149          | 47  | 195  | 0.78                                       | 1.86                           | 1.89     | 1.95     | 0.91               |  |
| Low Income                  | 0.74                    | 7,951          | 55  | 224  | 1.00                                       | 2.78                           | 2.67     | 1.58     | 1.60               |  |
| Middle or High Income       | 0.31                    | 15,460         | 22  | 65   | 0.50                                       | 1.01                           | 1.00     | 0.77     | 0.41               |  |
| <b>0 to 64</b>              |                         |                |   |      |  |                                |          |          |                    |  |
| Poor or Near Poor           | 0.78                    | 5,666          | 30  | 161  | 1.04                                       | 3.00                           | 2.32     | 2.38     | 1.24               |  |
| Low Income                  | 0.89                    | 5,888          | 22  | 213  | 1.13                                       | 3.89                           | 1.80     | 2.47     | 2.15               |  |
| Middle or High Income       | 0.33                    | 11,428         | 17  | 52   | 0.59                                       | 1.04                           | 0.40     | 1.08     | 0.49               |  |
| <b>65 and over</b>          |                         |                |   |      |  |                                |          |          |                    |  |
| Poor or Near Poor           | 0.75                    | 4,521          | 241   | 596  | 1.00                                       | 0.95                           | 2.46     | 1.82     | 1.42               |  |
| Low Income                  | 0.84                    | 5,299          | 191   | 614  | 1.59                                       | 2.24                           | 3.42     | 1.07     | 2.46               |  |
| Middle or High Income       | 0.40                    | 8,652          | 95  | 282  | 0.94                                       | 1.08                           | 1.61     | 0.54     | 0.65               |  |

<sup>a</sup> Total includes expenditures for hospital services, office-based provider services, home health care, dental services, prescription medicines, and medical supplies.

<sup>b</sup> Poor or Near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> All expense distribution, including means and medians, are based on persons with an expense.

<sup>d</sup> Private insurance includes TRICARE (Armed Forces-related coverage).

<sup>e</sup> Other includes payments from the Department of Veterans Affairs (except TRICARE); other Federal sources (Indian Health Service, military treatment facilities, and other care provided by the Federal Government); various state and local sources (community and neighborhood clinics, state and local health departments, and State programs other than Medicaid); Worker's Compensation; various unclassified sources (e.g., automobile, homeowner's, or other liability insurance, and other miscellaneous or unknown sources); Medicaid payments reported for persons who were not reported as enrolled in the Medicaid program at any time during the year; and private insurance payments reported for persons without any reported private health insurance coverage during the year.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table C. Standard errors for distribution of people with health care expenditures for core services<sup>a</sup> by type of service and income: United States, 2002**  
**Corresponds to Table 3**

| Type of service                             | All incomes | Income groups <sup>b</sup> |            |                       |
|---|-------------|----------------------------|------------|-----------------------|
|   |             | Poor or near poor          | Low income | Middle or high income |
| Standard error                              |             |                            |            |                       |
| <b>Total population (in millions)</b>       | 5,848       | 1,594                      | 1,369      | 4,545                 |
| <b>Inpatient hospital stays<sup>c</sup></b> | 0.18        | 0.43                       | 0.52       | 0.19                  |
| <b>Ambulatory care<sup>d</sup></b>          | 0.39        | 0.86                       | 0.90       | 0.43                  |
| Outpatient visits                           | 0.37        | 0.62                       | 0.78       | 0.41                  |
| Emergency Room visits <sup>e</sup>          | 0.25        | 0.67                       | 0.68       | 0.25                  |
| Office-based doctor visits <sup>f</sup>     | 0.41        | 0.88                       | 0.92       | 0.44                  |
| <b>Prescription medicines</b>               | 0.43        | 0.91                       | 0.93       | 0.46                  |

<sup>a</sup> Core services include hospital services, office-based provider services, and prescription medicines.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Inpatient stays include hospitalizations with and without an overnight stay.

<sup>d</sup> Ambulatory care visits include visits to physician or nonphysician providers in hospital outpatient departments or emergency rooms or doctor's offices.

<sup>e</sup> Does not include emergency room visits leading to a hospital inpatient stay.

<sup>f</sup> Office-based doctor visits includes visits to physician or nonphysician providers.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table D. Standard errors for core service<sup>a</sup> expenditures and median and mean expenditures per person with expense by type of service and income: United States, 2002**

*Corresponds to Table 4*

| <u>expenses by income<sup>c</sup></u>       | <u>Distribution of total, median, and mean</u> |             |                          |             |                   |             |                       |
|---|--|-------------|--------------------------|-------------|-------------------|-------------|-----------------------|
|   | <u>All income</u>                              |             | <u>Poor or near poor</u> |             | <u>Low income</u> |             | <u>Middle or high</u> |
| <u>Type of service</u>                      | <u>Median</u>                                  | <u>Mean</u> | <u>Median</u>            | <u>Mean</u> | <u>Median</u>     | <u>Mean</u> | <u>Median</u>         |
| <u>Standard error</u>                       |  |             |                          |             |                   |             |                       |
| <b>Inpatient hospital stays<sup>d</sup></b> | 155  | 451         | 266                      | 1044        | 448               | 1381        | 209                   |
| <b>Ambulatory care<sup>e</sup></b>          | 7  | 23          | 16                       | 59          | 20                | 58          | 8                     |
| Emergency Room visits <sup>f</sup>          | 8  | 22          | 11                       | 39          | 25                | 50          | 11                    |
| Office-based provider visits <sup>g</sup>   | 5  | 15          | 9                        | 39          | 13                | 42          | 5                     |
| <b>Prescription medicines</b>               | 7  | 16          | 18                       | 40          | 21                | 44          | 8                     |

<sup>a</sup> The core services include hospital services, office-based provider services, and prescription medicines.

<sup>b</sup> Mean and median expenses are for persons with expenses.

<sup>c</sup> Poor or near poor—persons in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>d</sup> Hospital inpatient, outpatient, and emergency room expenses include facility charges and separately billing doctor fees.

<sup>e</sup> Ambulatory care expenses include expenses for outpatient, emergency room, or office-based doctor services.

<sup>f</sup> Emergency room expenses exclude expenses associated with visits leading to a hospital inpatient stay.

<sup>g</sup> Office-based provider expenses include expenses for visits to physician and nonphysician providers.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table E. Standard errors for hospital inpatient expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**

*Corresponds to Table 5*

| Population characteristics                 | Percent with an expense | Expense for persons with an expense |        |       |
|--|-------------------------|-------------------------------------|--------|-------|
|  |                         | Total                               | Median | Mean  |
|  |                         | (in millions)                       |        |       |
|  | Standard error          |                                     |        |       |
| <b>Total</b>                               | 0.37                    | 8,793                               | 231    | 842   |
| <b>Age</b>                                 |                         |                                     |        |       |
| 5 and under                                | 0.65                    | —                                   | —      | —     |
| 6 to 17                                    | 0.32                    | —                                   | —      | —     |
| 18 to 44                                   | 0.47                    | 2,646                               | 259    | 789   |
| 45 to 64                                   | 0.95                    | 4,539                               | 750    | 2,310 |
| 65 and over                                | 1.15                    | 5,362                               | 574    | 1,299 |
| <b>Gender</b>                              |                         |                                     |        |       |
| Male                                       | 0.45                    | 5,951                               | 702    | 1,678 |
| Female                                     | 0.51                    | 5,891                               | 183    | 870   |
| <b>Race/ethnicity</b>                      |                         |                                     |        |       |
| Hispanic or Latino (of any race)           | 0.45                    | 1,905                               | 297    | 1,161 |
| Non-Hispanic or Latino                     | 0.45                    | 8,492                               | 319    | 945   |
| White, single race                         | 0.58                    | 8,011                               | 375    | 1,194 |
| Black, single race                         | 0.73                    | 2,234                               | 551    | 1,224 |
| Asian, single race                         | 1.24                    | —                                   | —      | —     |
| Other races/multiple races                 | 1.38                    | —                                   | —      | —     |
| <b>Health Insurance Status<sup>c</sup></b> |                         |                                     |        |       |
| Under 65                                   |                         |                                     |        |       |
| any private                                | 0.53                    | 5,121                               | 344    | 2,293 |
| public only                                | 0.61                    | 3,021                               | 337    | 852   |
| uninsured                                  | *0.49                   | 1,576                               | 573    | 2,354 |
| 65 and over                                |                         |                                     |        |       |
| Medicare only                              | 2.10                    | 3,250                               | 1,332  | 2,141 |
| Medicare and private                       | 1.80                    | 3,427                               | 819    | 1,892 |
| Medicare and other public                  | 2.22                    | 1,592                               | 1,015  | 2,119 |
| <b>Health Status<sup>c</sup></b>           |                         |                                     |        |       |
| Excellent                                  | 0.44                    | 907                                 | 409    | 782   |
| Very Good                                  | 0.49                    | 1,346                               | 405    | 747   |
| Good                                       | 0.60                    | 6,179                               | 461    | 2,038 |
| Fair                                       | 1.17                    | 3,322                               | 560    | 1,431 |
| Poor                                       | 2.52                    | 3,037                               | 943    | 1,404 |

<sup>a</sup> Expenses for Inpatient services include room and board and all hospital diagnostic and laboratory expenses associated with the basic facility charge and payments for separately billed physician inpatient services. Median and mean expenses are for persons with expenses.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

— Less than 100 sample cases.

\* Relative standard error equal to or greater than 30 percent.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.



**Table F. Standard errors for ambulatory care expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**

*Corresponds to Table 6*

| Population characteristics                 | Percent with use | Total expenses in millions | Expenses for persons with an expense |      |
|--|------------------|----------------------------|--------------------------------------|------|
|  |                  |                            | Median                               | Mean |
| <b>Standard error</b>                      |                  |                            |                                      |      |
| <b>Total</b>                               | 0.69             | 3,293                      | 13                                   | 44   |
| <b>Age</b>                                 |                  |                            |                                      |      |
| 5 and under                                | 1.39             | 306                        | 11                                   | 33   |
| 6 to 17                                    | 1.33             | 592                        | 8                                    | 49   |
| 18 to 44                                   | 0.91             | 1,498                      | 16                                   | 65   |
| 45 to 64                                   | 1.09             | 1,448                      | 45                                   | 121  |
| 65 and over                                | 0.84             | 1,971                      | 58                                   | 114  |
| <b>Gender</b>                              |                  |                            |                                      |      |
| Male                                       | 0.86             | 1,873                      | 14                                   | 66   |
| Female                                     | 0.66             | 2,191                      | 16                                   | 49   |
| <b>Race/ethnicity</b>                      |                  |                            |                                      |      |
| Hispanic or Latino (of any race)           | 1.23             | 1,180                      | 11                                   | 71   |
| Non-Hispanic or Latino                     | 0.73             | 3,160                      | 17                                   | 53   |
| White, single race                         | 0.79             | 2,484                      | 23                                   | 54   |
| Black, single race                         | 1.54             | 1,654                      | 22                                   | 133  |
| Asian, single race                         | 4.04             | 517                        | 45                                   | 303  |
| Other races/multiple races                 | 3.75             | 416                        | 53                                   | 110  |
| <b>Health Insurance Status<sup>c</sup></b> |                  |                            |                                      |      |
| Under 65                                   |                  |                            |                                      |      |
| any private                                | 1.02             | 1,406                      | 16                                   | 58   |
| public only                                | 1.03             | 1,837                      | 14                                   | 74   |
| uninsured                                  | 1.28             | 476                        | 12                                   | 53   |
| 65 and over                                |                  |                            |                                      |      |
| Medicare only                              | 1.27             | 1,091                      | 84                                   | 208  |
| Medicare and private                       | 1.33             | 1,338                      | 108                                  | 171  |
| Medicare and other public                  | 1.76             | 696                        | 81                                   | 208  |
| <b>Health Status<sup>c</sup></b>           |                  |                            |                                      |      |
| Excellent                                  | 1.33             | 562                        | 10                                   | 34   |
| Very Good                                  | 1.03             | 1,250                      | 16                                   | 66   |
| Good                                       | 1.10             | 1,837                      | 26                                   | 89   |
| Fair                                       | 1.18             | 1,390                      | 46                                   | 124  |
| Poor                                       | 0.91             | 1,364                      | 106                                  | 286  |

<sup>a</sup> Expenses for ambulatory services include visits to physician or nonphysician providers seen in office-based settings or clinics, hospital outpatient departments, hospital emergency rooms (including visits resulting in an overnight hospital stay), and clinics owned and operated by hospitals.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.

**Table G. Standard errors for prescription medicines expenditures<sup>a</sup> for poor, near poor, and low-income populations<sup>b</sup> by selected demographic characteristics: United States, 2002**  
**Corresponds to Table 7**

| Population Characteristics                 | Percent with use | Total expenses in millions | Expenses for persons with an expense |      |
|--|------------------|----------------------------|--------------------------------------|------|
|  |                  |                            | Median                               | Mean |
| <b>Standard Error</b>                      |                  |                            |                                      |      |
| <b>Total</b>                               | 0.70             | 2,183                      | 15                                   | 33   |
| <b>Age</b>                                 |                  |                            |                                      |      |
| 5 and under                                | 1.72             | 96                         | 4                                    | 16   |
| 6 to 17                                    | 1.26             | 368                        | 5                                    | 44   |
| 18 to 44                                   | 0.97             | 761                        | 9                                    | 37   |
| 45 to 64                                   | 1.12             | 1,011                      | 49                                   | 77   |
| 65 and over                                | 0.91             | 1,349                      | 61                                   | 69   |
| <b>Gender</b>                              |                  |                            |                                      |      |
| Male                                       | 0.92             | 1,216                      | 16                                   | 51   |
| Female                                     | 0.75             | 1,393                      | 18                                   | 35   |
| <b>Race/ethnicity</b>                      |                  |                            |                                      |      |
| Hispanic or Latino (of any race)           | 1.23             | 556                        | 6                                    | 46   |
| Non-Hispanic or Latino                     | 0.77             | 2,117                      | 19                                   | 38   |
| White, single race                         | 0.82             | 1,887                      | 24                                   | 44   |
| Black, single race                         | 1.53             | 713                        | 23                                   | 62   |
| Asian, single race                         | 3.81             | 107                        | 28                                   | 80   |
| Other races/multiple races                 | 3.52             | 301                        | 64                                   | 99   |
| <b>Health Insurance Status<sup>c</sup></b> |                  |                            |                                      |      |
| Under 65                                   |                  |                            |                                      |      |
| any private                                | 1.07             | 716                        | 10                                   | 37   |
| public only                                | 1.14             | 1,089                      | 12                                   | 57   |
| uninsured                                  | 1.29             | 369                        | 14                                   | 47   |
| 65 and over                                |                  |                            |                                      |      |
| Medicare only                              | 1.27             | 560                        | 89                                   | 92   |
| Medicare and private                       | 1.26             | 742                        | 85                                   | 71   |
| Medicare and other public                  | 2.15             | 698                        | 151                                  | 217  |
| <b>Health Status<sup>c</sup></b>           |                  |                            |                                      |      |
| Excellent                                  | 1.19             | 263                        | 6                                    | 26   |
| Very Good                                  | 1.15             | 440                        | 10                                   | 27   |
| Good                                       | 1.05             | 847                        | 22                                   | 42   |
| Fair                                       | 1.17             | 1,058                      | 62                                   | 88   |
| Poor                                       | 1.45             | 921                        | 97                                   | 139  |

<sup>a</sup> Expenses for all prescribed medicines initially purchased or otherwise obtained during the year, as well as any refills, are included. Free samples are included in the estimate of percentage of persons with any expense.

<sup>b</sup> Poor or near poor—person in families with income less than 125 percent of the poverty line; low income—persons in families with income from 125 percent to less than 200 percent of the poverty line; middle or high income—persons in families with income at or over 200 percent of the poverty line.

<sup>c</sup> Counts may not add up to the total population because data on this variable were not available for some sampled persons.

Note: Restricted to civilian noninstitutionalized population. Percents may not add to 100 because of rounding.

Source: Center for Financing, Access, and Cost Trends (CFACT), Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey, 2002.