

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH04	TOTAL HEALTH CARE CHARGES 04, EXCL. RX	Sum of (DVTC04X from DVIS records) + (OMTC04X from OMED records) + (OPFTC04X + OPDTC04X from OPAT records) + (ERFTC04X + ERDTTC04X from EROM records) + (IPFTC04X + IPDTC04X from STAZ records) + (HPTC04X + HATC04X from HVIS records) + (OBTC04X from MVIS records)	26095	26095	1594980013934.20	1594974137359.60	6520.0648	6520.0408

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.2	TOTEXP04X	TOTAL HEALTH CARE EXP 04	Sum of (DVXP04X from DVIS records) + (OMXP04X from OMED records) + (OPFXP04X + OPDXP04X from OPAT records) + (ERFXP04X + ERDXP04X from EROM records) + (IPFXP04X + IPDXP04X from STAZ records) + (HPXP04X + HAXP04X from HVIS records) + (OBXP04X from MVIS records) + (RXXP04X from PMED records)	26507	26508	963882049580.80	963877725849.29	3879.0245	3878.9231
0.3	TOTSLF04	TOTAL AMT PAID BY SELF/FAMILY 04	Sum of (DVSF04X from DVIS records) + (OMSF04X from OMED records) + (OPFSF04X + OPDSF04X from OPAT records) + (ERFSF04X + ERDSF04X from EROM records) + (IPFSF04X + IPDSF04X from STAZ records) + (HPSF04X + HASF04X from HVIS records) + (OBSF04X from MVIS records) + (RXSF04X from PMED records)	23005	23020	182758940834.19	182755241954.91	806.0512	805.7472

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.4	TOTMCR04	TOTAL AMT PAID BY MEDICARE 04	Sum of (DVMR04X from DVIS records) + (OMMR04X from OMED records) + (OPFMR04X + OPDMR04X from OPAT records) + (ERFMR04X + ERDMR04X from EROM records) + (IPFMR04X + IPDMR04X from STAZ records) + (HPMR04X + HAMR04X from HVIS records) + (OBMR04X from MVIS records) + (RXMR04X from PMED records)	4174	4176	201565786159.03	201565296631.29	5055.4898	5054.1952
0.5	TOTMCD04	TOTAL AMT PAID BY MEDICAID 04	Sum of (DVMD04X from DVIS records) + (OMMD04X from OMED records) + (OPFMD04X + OPDM04X from OPAT records) + (ERFMD04X + ERDMD04X from EROM records) + (IPFMD04X + IPDMD04X from STAZ records) + (HPMD04X + HAMD04X from HVIS records) + (OBMD04X from MVIS records) + (RXMD04X from PMED records)	6885	6886	102158710077.41	102157984390.60	2560.5589	2560.0319

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.6	TOTPRV04	TOTAL AMT PAID BY PRIVATE INS 04	Sum of (DVPV04X from DVIS records) + (OMPV04X from OMED records) + (OPFPV04X + OPDPV04X from OPAT records) + (ERFPV04X + ERDPV04X from EROM records) + (IPFPV04X + IPDPV04X from STAZ records) + (HPPV04X + HAPV04X from HVIS records) + (OBPV04X from MVIS records) + (RXPV04X from PMED records)	15079	15083	404496611628.87	404493793238.22	2394.7786	2394.343
0.7	TOTVA04	TOTL AMT PAID BY VA 04	Sum of (DVVA04X from DVIS records) + (OMVA04X from OMED records) + (OPFVA04X + OPDVA04X from OPAT records) + (ERFVA04X + ERDVA04X from EROM records) + (IPFVA04X + IPDVA04X from STAZ records) + (HPVA04X + HAVA04X from HVIS records) + (OBVA04X from MVIS records) + (RXVA04X from PMED records)	1240	1242	19755578487.12	19755235913.26	1472.8564	1467.8629

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.8	TOTTRI04	TOTL AMT PAID BY TRICARE	Sum of (DVTR04X from DVIS records) + (OMTR04X from OMED records) + (OPFTR04X + OPDTR04X from OPAT records) + (ERFTR04X + ERDTR04X from EROM records) + (IPPTR04X + IPDTR04X from STAZ records) + (HPTTR04X + HATR04X from HVIS records) + (OBTR04X from MVIS records) + (RXTR04X from PMED records)	492	492	8429408778.85	8429350532.23	1602.013	1602.0019
0.9	TOTOFD04	TOTL AMT PAID BY OTHER FEDERAL 04	Sum of (DVOF04X from DVIS records) + (OMOF04X from OMED records) + (OPFOF04X + OPDOF04X from OPAT records) + (ERFOF04X + ERDOF04X from EROM records) + (IPFOF04X + IPDOF04X from STAZ records) + (HPOF04X + HAOF04X from HVIS records) + (OBOF04X from MVIS records) + (RXOF04X from PMED records)	285	285	2157270729.88	2157202119.13	797.5783	797.5529

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.10	TOTSTL04	TOTL AMT PAID BY OTH ST/LOCAL 04	Sum of (DVSL04X from DVIS records) + (OMSL04X from OMED records) + (OPFSL04X + OPDSL04X from OPAT records) + (ERFSL04X + ERDSL04X from EROM records) + (IPFSL04X + IPDSL04X from STAZ records) + (HPSL04X + HASL04X from HVIS records) + (OBSL04X from MVIS records) + (RXSL04X from PMED records)	642	642	5292388325.45	5292321777.08	1094.749	1094.7353
0.11	TOTWCP04	TOTL AMT PAID BY WORKERS COMP 04	Sum of (DVWC04X from DVIS records) + (OMWC04X from OMED records) + (OPFWC04X + OPDWC04X from OPAT records) + (ERFWC04X + ERDWC04X from EROM records) + (IPFWC04X + IPDWC04X from STAZ records) + (HPWC04X + HAWC04X from HVIS records) + (OBWC04X from MVIS records) + (RXWC04X from PMED records)	512	512	9270057561.02	9270001187.70	1834.5372	1834.5261

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.12	TOTOPR04	TOTL AMT PAID BY OTHER PRIVATE 04	Sum of (DVOR04X from DVIS records) + (OMOR04X from OMED records) + (OPFOR04X + OPDOR04X from OPAT records) + (ERFOR04X + ERDOR04X from EROM records) + (IPFOR04X + IPDOR04X from STAZ records) + (HPOR04X + HAOR04X from HVIS records) + (OBOR04X from MVIS records) + (RXOR04X from PMED records)	1672	1672	16298340660.28	16297977313.30	1093.3633	1093.3389
0.13	TOTOPU04	TOTL AMT PAID BY OTHER PUBLIC 04	Sum of (DVOU04X from DVIS records) + (OMOU04X from OMED records) + (OPFOU04X + OPDOU04X from OPAT records) + (ERFOU04X + ERDOU04X from EROM records) + (IPFOU04X + IPDOU04X from STAZ records) + (HPOU04X + HAOU04X from HVIS records) + (OBOU04X from MVIS records) + (RXOU04X from PMED records)	392	392	2797505644.09	2797520984.35	1190.5832	1190.5898

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.14	TOTOSR04	TOTL AMT PAID OTHR UNCLASS SOURCES 04	Sum of (DVOT04X from DVIS records) + (OMOT04X from OMED records) + (OPFOT04X + OPDOT04X from OPAT records) + (ERFOT04X + ERDOT04X from EROM records) + (IPFOT04X + IPDOT04X from STAZ records) + (HPOT04X + HAOT04X from HVIS records) + (OBOT04X from MVIS records) + (RXOT04X from PMED records)	1423	1423	8906039248.04	8905799807.22	709.5985	709.5795
1.0	OBTOTV04	# OFFICE-BASED PROVIDER VISITS 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	22415	22415	1531872476.20	1531872476.20	7.2289	7.2289
1.1	OBVTCH04	OFFICE-BASED PROVIDER VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22396	22396	394054980302.76	394052057952.51	1860.9295	1860.9157
1.2	OBVEXP04	TOTAL OFFICE-BASED EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22071	22071	218766795515.60	218765659565.75	1045.9755	1045.9701
1.3	OBVSLF04	ALL OFFICE VISITS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	15530	15535	34852119934.91	34851023258.27	213.1435	213.1034

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.4	OBVMCR04	ALL OFFICE VISITS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3823	3824	45581804994.50	45581319313.65	1239.5384	1239.4269
1.5	OBVMCD04	ALL OFFICE VISITS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	5333	5334	14837745080.62	14837550492.62	492.6934	492.6416
1.6	OBVPRV04	ALL OFFICE VISITS - PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	12393	12398	101008658335.05	101007572098.08	720.4581	720.0145
1.7	OBVVA04	ALL OFFICE VISITS-VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	683	684	5048227893.44	5048087712.11	690.7794	689.733
1.8	OBVTRI04	ALL OFFICE VISITS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	345	345	1476081485.77	1476161968.48	408.7536	408.7759
1.9	OBVOFD04	ALL OFFICE VISITS-OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	193	193	862798101.42	862737658.58	440.1821	440.1513
1.10	OBVSTL04	ALL OFFICE VISITS-OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	308	308	1413872212.03	1413843481.94	668.7581	668.7445
1.11	OBVWCP04	ALL OFFICE VISITS - WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	387	387	4049130499.22	4049088877.93	1079.5606	1079.5495

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.12	OBVOPR04	ALL OFFICE VISITS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	1165	1165	5422769162.50	5422562471.15	500.8695	500.8504
1.13	OBVOPU04	ALL OFFICE VISITS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	245	245	335136862.20	335129092.31	248.1747	248.169
1.14	OBVOSR04	ALL OFF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	926	926	3880690957.61	3880583140.65	520.5262	520.5117
2.0	OBDRV04	# OFFICE-BASED PHYSICIAN VISITS, 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20964	20964	982612950.97	982612950.97	4.9758	4.9758
2.1	OBDTCH04	OFFICE-BASED PHYSICIAN CHARGES 04 VISIT	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20937	20937	282104594493.63	282101667934.76	1430.3929	1430.3781
2.2	OBDEXP04	TOTAL OFF-BASED DR EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20663	20663	151959883791.30	151958728532.39	778.8326	778.8267
2.3	OBDSLFO4	DR OFFICE VISITS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14131	14136	21387784916.64	21386974368.90	143.7573	143.727

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.4	OBDMCR04	DR OFFICE VISITS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3696	3697	31968630762.63	31968206891.85	901.6012	901.5151
2.5	OBDMCD04	DR OFFICE VISITS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	5018	5019	10595673302.43	10595320684.38	377.3579	377.3081
2.6	OBDPRV04	DR OFFICE VISITS - PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	11656	11663	73627298311.64	73626447389.48	559.6729	559.2048
2.7	OBDVA04	DR OFFICE VISITS -VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	539	540	3221524233.02	3221506411.06	571.2471	570.1437
2.8	OBDTRI04	DR OFFICE VISITS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	319	319	1033308025.75	1033311358.07	309.9782	309.9792
2.9	OBDOFD04	DR OFFICE VISITS - OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	167	167	566215232.59	566171627.67	338.4093	338.3833
2.10	OBDSTL04	DR OFFICE VISITS -OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	264	264	840814820.19	840761412.71	488.1868	488.1558

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.11	OBDWCP04	DR OFFICE VISITS - WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	344	344	2524371745.17	2524325501.30	764.3925	764.3785
2.12	OBDOPR04	DR OFFICE VISITS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	1072	1072	3904654336.41	3904606572.69	387.7615	387.7568
2.13	OBDOPU04	DR OFFICE VISITS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	214	214	237242518.66	237232154.71	213.5919	213.5826
2.14	OBDOSR04	DR OFF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	698	698	2053917029.43	2053864159.58	384.2155	384.2056
3.0	OBOTHV04	# OFFICE-BASED NON-PHYSICAN VISITS 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8805	8805	538437332.74	538437332.74	5.768	5.768
3.1	OBOTCH04	OFFICE-BASED NON-DR VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8791	8791	109988208480.63	109987337140.74	1180.6604	1180.6511

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.2	OBOEXP04	TOTAL OFF-BASED NON-DR EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, - 8 or -9) and MEDPTYPE > 0)]	8449	8449	65734131975.42	65733659748.39	730.3838	730.3785
3.3	OBOSLF04	NON-DR OFF VISTS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, - 8 or -9) and MEDPTYPE > 0)]	5174	5174	13227935249.55	13227479184.24	224.2329	224.2252
3.4	OBOMCR04	NON-DR OFF VISTS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or - 9) and MEDPTYPE > 0)]	1538	1538	13348459181.86	13348337278.18	822.9957	822.9882
3.5	OBOMCD04	NON-DR OFF VISTS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or - 9) and MEDPTYPE > 0)]	1285	1287	4136988442.29	4137056895.60	522.1415	520.9825

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.6	OBOPRV04	NON-DR OFF VISTS - PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4724	4724	27086948527.54	27086212780.73	478.0413	478.0283
3.7	OBOVA04	NON-DR OFF VISTS -VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	276	276	1804387360.13	1804145081.62	565.5355	565.4595
3.8	OBOTRI04	NON-DR OFF VISTS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	146	146	435713066.00	435658221.16	283.1491	283.1134
3.9	OBOOFD04	NON-DR OFF VISTS - OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	56	56	295621997.04	295629370.78	503.5568	503.5693
3.10	OBOSTL04	NON-DR OFF VISTS - OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	68	68	572800902.71	572797083.60	984.0121	984.0055

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.11	OBOWCP04	NON-DR OFF VISTS - WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	137	137	1520323600.34	1520251931.76	1098.1072	1098.0555
3.12	OBOOPR04	NON-DR OFF VISTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	322	322	1498160839.56	1498096290.66	443.2175	443.1984
3.13	OBOOPU04	NON-DR OFF VISTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	58	58	94964384.17	94957516.99	234.3791	234.3622
3.14	OBOOSR04	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	330	330	1713123289.69	1713038113.07	558.2256	558.1978

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.0	OBCHIR04	# OFFICE-BASED CHIROPRACTOR VISITS 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1111	1111	111866610.07	111866610.07	8.4667	8.4667
4.1	OBCTCH04	OFFICE-BASED CHIRO VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1108	1108	6974835241.50	6974822187.60	529.5247	529.5237
4.2	OBCEXP04	TOTAL OFF-BASED CHIRO EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1074	1074	6018395736.33	6018427659.30	469.6258	469.6283
4.3	OBCSLF04	CHIRO OFF VISITS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	837	837	2271171063.51	2271174880.35	225.2872	225.2875
4.4	OBCMCR04	CHIRO OFF VISITS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	127	127	498149486.05	498120874.42	353.5934	353.5731

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.5	OBCMCD04	CHIRO OFF VISITS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	40	40	66056298.21	66054051.63	262.1618	262.1529
4.6	OBCPRV04	CHIRO OFF VISITS - PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	575	575	2108121627.91	2108090778.29	284.8292	284.825
4.7	OBCVA04	CHIRO OFF VISITS -VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	18	18	17408653.39	17388613.61	76.0709	75.9833
4.8	OBCTRI04	CHIRO OFF VISITS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	4	4	2594481.69	2581126.18	43.8598	43.634
4.9	OBCOFD04	CHIRO OFF VISITS - OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	5484074.50	5484074.50	321	321

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.10	OBCSTL04	CHIRO OFF VISITS -OTH ST/LOCAL AMT 04	Sum of OBL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	1754237.59	1754237.59	176	176
4.11	OBCWCP04	CHIRO OFF VISITS - WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	32	32	259610175.75	259597884.84	785.0738	785.0366
4.12	OBCOPR04	CHIRO OFF VISTS - OTHR PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	39	39	213588277.33	213567207.18	442.9852	442.9415
4.13	OBCOPU04	CHIRO OFF VISTS - OTHR PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	.	.	0	0
4.14	OBCOSR04	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	68	68	574624194.22	574613930.72	778.0845	778.0706

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.0	OBNURS04	# OFF-BASED NURSE/PRACTITIONER VISITS 04	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2560	2560	78778584.44	78778584.44	3.0446	3.0446
5.1	OBNTCH04	OFFICE-BASED NURSE/PRAC VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2548	2548	22734218842.63	22734046491.62	884.5016	884.4949
5.2	OBNEXP04	TOTAL OFF-BASED NURSE/PRAC 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2367	2367	10667875163.18	10667845627.18	443.1065	443.1052
5.3	OBNSLF04	NURSE/PRAC OFF VISITS-SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1221	1221	971062960.64	970944170.70	71.9706	71.9618
5.4	OBNMCR04	NURSE/PRAC OFF VISITS -MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	521	521	4388086329.71	4388127944.29	803.5731	803.5807

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.5	OBNMCD04	NURSE/PRAC OFF VSTS -MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	421	422	932125438.18	932134255.88	361.8508	359.7041
5.6	OBNPRV04	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1181	1181	3382987809.25	3382909255.62	242.1855	242.1799
5.7	OBNVA04	NURSE/PRAC OFF VSTS-VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	67	67	236869928.73	236891966.94	341.0256	341.0574
5.8	OBNTRI04	NURSE/PRAC OFF VSTS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	30	30	64874714.36	64900522.37	233.6645	233.7575
5.9	OBNOFD04	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	23	23	66202287.57	66223539.90	276.8991	276.988

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.10	OBNSTL04	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 04	Sum of OBL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	21	21	30732749.54	30746679.52	164.6796	164.7543
5.11	OBNWCP04	NURSE/PRAC OFF VSTS-WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	8	8	25827189.64	25813524.35	294.6626	294.5067
5.12	OBNOOPR04	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	86	86	494121524.81	494087638.55	560.0253	559.9869
5.13	OBNOUPU04	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	27	27	20870918.89	20880028.95	126.3879	126.4431
5.14	OBNOSR04	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	106	106	54197522.14	54186100.11	64.6456	64.632

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.0	OBOPTO04	# OFFICE-BASED OPTOMETRIST VISITS, 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1889	1889	25208060.78	25208060.78	1.2207	1.2207
6.1	OBETCH04	OFFICE-BASED OPTOMTRIST VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1887	1887	3180620826.06	3180692084.91	154.2151	154.2186
6.2	OBEEEXP04	TOTAL OFF-BASED OPOTMETRIST EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1837	1837	2706250759.57	2706233804.01	134.963	134.9621
6.3	OBESLF04	OPTOMETRIST OFF VSTS -SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1330	1330	1331968074.52	1331842790.87	87.828	87.8198
6.4	OBEMCR04	OPTOMETRIST OFF VSTS -MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	114	114	158318154.42	158339697.26	128.3205	128.338

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.5	OBEMCD04	OPTOMETRIST OFF VSTS -MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	212	212	104742607.09	104741906.51	78.9692	78.9687
6.6	OBEPRV04	OPTOMETRIST OFF VSTS -PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	767	767	981863999.81	981758997.84	107.2045	107.1931
6.7	OBEVA04	OPTOMETRIST OFF VSTS -VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	29	29	32394360.79	32388381.88	110.6409	110.6205
6.8	OBETRI04	OPTOMETRIST OFF VSTS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	16	16	13327471.62	13319614.35	86.9773	86.926
6.9	OBEOF04	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	3895172.91	3888385.35	185.8569	185.533

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.10	OBESTL04	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 04	Sum of OBL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	7	7	8758500.37	8758500.37	183.6661	183.6661
6.11	OBEWCP04	OPTOMETRIST OFF VSTS-WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	5603351.56	5603379.75	505.7139	505.7164
6.12	OBEOPR04	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	26	26	28432284.13	28428924.29	106.9464	106.9338
6.13	OBEOPU04	OPTOMETRIST OFF VSTS-OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	8	8	22858097.74	22850917.29	247.0682	246.9906
6.14	OBEOSR04	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	15	15	14312308.26	14312308.26	100.7077	100.7077

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.0	OBASST04	# OFF-BASED PHYSICIAN ASS T VSTS, 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	641	641	12855089.30	12855089.30	1.8171	1.8171
7.1	OBATCH04	OFFICE-BASED PHYS ASST VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	638	638	3576620191.75	3576585735.43	508.4207	508.4158
7.2	OBAEXP04	TOTAL OFF-BASED PHYS ASS T EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	625	625	2077955661.00	2077926120.59	300.835	300.8307
7.3	OBASLF04	PHYS ASS T OFF VSTS-SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	414	414	237130516.07	237053163.13	47.8773	47.8617
7.4	OBAMCR04	PHYS ASS T OFF VSTS-MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	94	94	686964486.98	686961070.29	718.7521	718.7485

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.5	OBAMCD04	PHYS ASS T OFF VSTS-MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	92	92	97147805.57	97139362.61	173.4222	173.4071
7.6	OBAPRV04	PHYS ASS T OFF VSTS-PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	376	377	819801758.53	819779893.68	173.5748	173.1779
7.7	OBAVA04	PHYS ASS T OFF VSTS-VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	15	15	55620666.10	55599497.62	451.0648	450.8931
7.8	OBATRI04	PHYS ASS T OFF VSTS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	8	8	26315719.32	26316374.98	340.8536	340.8621

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.9	OBAOFD04	PHYS ASS T OFF VSTS - OTHER FED AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	39097038.85	39080368.45	787.8197	787.4838
7.10	OBASTL04	PHYS ASS T OFF VSTS - OTH ST/LOCL AMT 04	Sum of OBL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	6	6	2172104.39	2170016.40	55.4979	55.4446
7.11	OBAWCP04	PHYS ASS T OFF VSTS- WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	9	9	45211077.77	45211817.36	452.3494	452.3568
7.12	OBAOPR04	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	26	26	34870009.87	34861035.71	147.9209	147.8828
7.13	OBAOPU04	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	3	3	23731360.33	23734941.79	543.8298	543.9119

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.14	OBAOSR04	P A OFF VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	14	14	10022490.51	10018578.56	88.6033	88.5688
8.0	OBTHER04	# OFF-BASED PHYSICL/OCC THRPY VSTS, 04	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	731	731	85253015.72	85253015.72	10.8146	10.8146
8.1	OBTTCH04	OFFICE-BASED PT/OC VISIT CHARGES 04	Sum of OBTC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	731	731	13999937811.88	13999890358.49	1775.9374	1775.9314
8.2	OBTEXP04	TOT OFF-BASED PT EXP 04	Sum of OBXP04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	713	713	9124893163.99	9124790721.75	1190.0698	1190.0565
8.3	OBTSLF04	PT/OT OFF VISITS-SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	355	355	1500691674.83	1500655136.73	361.5823	361.5735

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.4	OBTMCR04	PT/OT OFF VISITS-MEDICARE AMT 04	Sum of OBMR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	183	183	1546913131.33	1546882444.78	832.8454	832.8289
8.5	OBTMCD04	PT/OT OFF VISITS-MEDICAID AMT 04	Sum of OBMD04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	93	93	346514667.30	346500662.80	544.5465	544.5245
8.6	OBTPRV04	PT/OT OFF VISITS-PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	408	408	3995022985.14	3994908833.97	826.1616	826.138
8.7	OBTVVA04	PT/OT OFF VISITS-VA AMT 04	Sum of OBVA04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	17	17	170814902.76	170803701.19	771.0039	770.9534
8.8	OBTRRI04	PT/OT OFF VISITS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	14	14	47616320.22	47618975.03	298.9042	298.9209

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.9	OBTOFD04	PT/OT OFF VISITS - OTHER FED AMT 04	Sum of OBOF04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	2	2	1950094.95	1953096.49	97.4624	97.6124
8.10	OBTSTL04	PT/OT OFF VISITS-OTH ST/LOCL AMT 04	Sum of OBL04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	15025503.69	15022087.08	1979	1978.55
8.11	OBTWCP04	PT/OT OFF VISITS-WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	63	63	920557246.26	920521068.03	1497.2759	1497.217
8.12	OBTOPR04	PT/OT OFF VISITS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	29	29	198690305.90	198698465.59	640.8728	640.8992
8.13	OBTOPU04	PT/OT OFF VISITS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	1103389.08	1102838.58	461	460.77

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.14	OBTOSR04	PT/OT OF VSTS-OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	29	29	380158163.21	380123411.46	1161.2212	1161.115
9.0	OPTOTV04	# OUTPATIENT DEPT PROVIDER VISITS 04	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	4764	4764	150509498.12	150509498.12	3.1706	3.1706
9.1	OPFTCH04	OPD PROVIDER VISIT CHARGES - FAC 04	Sum of OPFTC04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4752	4752	159713316263.21	159712336197.58	3373.8338	3373.8131
9.2	OPFEXP04	TOTAL OUTPATIENT FACILITY EXP 04	Sum of OPFXP04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4627	4627	70831646641.33	70831637111.11	1533.7842	1533.7839
9.3	OPFSLF04	ALL OPD VISITS-SELF/FAMILY AMT-FAC 04	Sum of OPFSF04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1846	1849	4757790911.65	4757585260.55	236.8147	236.579
9.4	OPFMCR04	ALL OPD VISITS-MEDICARE AMT-FAC 04	Sum of OPFMR04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1282	1283	13722734831.57	13722713166.11	1073.6419	1072.0018
9.5	OPFMCD04	ALL OPD VISITS-MEDICAID AMT-FAC 04	Sum of OPFMD04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	841	841	4827689689.82	4827699420.27	955.1436	955.1455
9.6	OPFPRV04	ALL OPD VISITS-PRIV INS AMT-FAC 04	Sum of OPFPV04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2659	2660	41359892787.52	41359893102.99	1374.7071	1374.4376

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.7	OPFVA04	ALL OPD VISITS-VA AMT-FAC 04	Sum of OPFVA04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	150	151	1506890628.83	1506921597.54	975.6017	968.3876
9.8	OPFTRI04	ALL OPD VISITS-TRICARE AMT-FAC 04	Sum of OPFTR04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	81	81	478714424.84	478639620.43	560.2968	560.2093
9.9	OPFOFD04	ALL OPD VISITS-OTHER FED AMT-FAC 04	Sum of OPFOF04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	39	39	540327976.82	540312366.13	1481.9435	1481.9007
9.10	OPFSTL04	ALL OPD VISITS-OTH ST/LOCAL AMT-FAC 04	Sum of OPFSL04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	28	28	106983899.47	106966422.75	521.1396	521.0545
9.11	OPFWCP04	ALL OPD VISITS-WORKERS COMP AMT-FAC 04	Sum of OPFWC04X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	81	81	1711328628.14	1711363415.09	1930.2828	1930.3221
9.12	OPFOPR04	ALL OPD VISITS - OTH PRIVATE AMT-FAC 04	Sum of OPFOR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	230	230	1369608228.07	1369564105.83	620.7661	620.7461
9.13	OPFOPU04	ALL OPD VISITS - OTH PUBLIC AMT-FAC 04	Sum of OPFOU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	30	30	41260274.41	41266650.80	236.7608	236.7974
9.14	OPFOSR04	ALL OPD VSTS-OTH UNCLASS SRCE AMT-FAC 04	Sum of OPFOT04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	82	82	408711911.02	408711982.64	645.5835	645.5836

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.15	OPDEXP04	TOTAL OUTPATIENT PROVIDER EXP 04	Sum of OPDXP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2865	2865	16496877860.02	16496188836.26	558.0433	558.02
9.16	OPDTCH04	OPD PROVIDER VISIT CHARGES - DR 04	Sum of OPDTC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2955	2955	41187774735.37	41187384270.13	1356.7461	1356.7332
9.17	OPDSLF04	ALL OPD VISITS-SELF/FAMILY AMT-DR 04	Sum of OPDSF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	884	884	1249186897.93	1249021388.93	125.835	125.8183
9.18	OPDMCR04	ALL OPD VISITS-MEDICARE AMT -DR 04	Sum of OPDMR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	908	908	2836696772.64	2836606204.24	311.1644	311.1544
9.19	OPDMCD04	ALL OPD VISITS-MEDICAID AMT -DR 04	Sum of OPDMD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	458	461	702015875.17	701915248.25	239.2124	237.564
9.20	OPDPRV04	ALL OPD VISITS-PRIV INS AMT-DR 04	Sum of OPDPV04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1847	1847	10770932704.67	10770605621.10	511.4952	511.4796
9.21	OPDVA04	ALL OPD VISITS-VA AMT-DR 04	Sum of OPDVA04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	8	8	11686477.14	11671356.14	93.4997	93.3787
9.22	OPDTRI04	ALL OPD VISITS-TRICARE AMT-DR 04	Sum of OPDTR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	49	49	83075810.05	83091932.43	170.7511	170.7843

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.23	OPDOFD04	ALL OPD VISITS-OTHER FED AMT-DR 04	Sum of OPDOFD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	4	4	19325679.66	19329380.43	447.0515	447.1371
9.24	OPDSTL04	ALL OPD VISITS-OTH ST/LOCAL AMT-DR 04	Sum of OPDSL04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	4	4	2678995.46	2671461.79	133.7498	133.3737
9.25	OPDWCP04	ALL OPD VISITS-WORKERS COMP AMT-DR 04	Sum of OPDWCP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	42	42	528000808.01	527980046.97	1422.8114	1422.7554
9.26	OPDOPR04	ALL OPD VISITS - OTH PRIVATE AMT-DR 04	Sum of OPDOPR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	187	187	265467402.52	265457990.41	155.4873	155.4818
9.27	OPDOPU04	ALL OPD VISITS-OTH PUBLIC AMT-DR 04	Sum of OPDOPU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	20	20	26058969.09	26042350.72	131.6277	131.5438
9.28	OPDOSR04	ALL OPD VSTS-OTH UNCLASS SRCE AMT-DR 04	Sum of OPDOSR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	3	3	1797908.57	1795854.86	93.8143	93.7072
10.0	OPDRV04	# OUTPATIENT DEPT - DR VISITS 04	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2618	2618	53037411.25	53037411.25	2.1245	2.1245
10.1	OPVTCH04	OPD PHYSICIAN VISIT CHARGES - FAC 04	Sum of OPFTC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2608	2608	98978083083.35	98977470327.18	3980.4678	3980.4431

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.2	OPVEXP04	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 04	Sum of OPFXP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2537	2537	42911792741.11	42911479671.94	1774.5659	1774.5529
10.3	OPVSLF04	OPD DR VISITS-SELF/FAMILY AMT-FAC 04	Sum of OPFSF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1009	1010	3018012077.17	3017861610.56	281.7203	281.5496
10.4	OPVMCR04	OPD DR VISITS-MEDICARE AMT-FAC 04	Sum of OPFMR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	645	646	7840534688.97	7840573807.83	1255.2715	1251.3641
10.5	OPVMCD04	OPD DR VISITS-MEDICAID AMT-FAC 04	Sum of OPFMD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	535	535	2826324412.08	2826292558.89	936.8828	936.8723
10.6	OPVPRV04	OPD DR VISITS-PRIV INS AMT-FAC 04	Sum of OPFPV04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1386	1386	25721480014.33	25721289464.65	1672.6007	1672.5883
10.7	OPVVA04	OPD DR VISITS-VA AMT-FAC 04	Sum of OPFVA04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	104	104	897236748.30	897200731.27	879.8959	879.8605
10.8	OPVTRI04	OPD DR VISITS-TRICARE AMT-FAC 04	Sum of OPFTR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	45	45	321065572.09	321015327.91	721.7151	721.6021

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.9	OPVOFD04	OPD DR VISITS-OTHER FED AMT-FAC 04	Sum of OPFOF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	25	25	427765687.21	427758603.44	1697.8118	1697.7837
10.10	OPVSTL04	OPD DR VISITS-OTH ST/LOCAL AMT-FAC 04	Sum of OPFSL04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	10	10	12091127.96	12080613.61	199.8178	199.6441
10.11	OPVWCP04	OPD DR VISITS-WORKERS COMP AMT-FAC 04	Sum of OPFWC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	43	43	906888664.18	906932661.61	2193.2646	2193.371
10.12	OPVOPR04	OPD DR VISITS - OTH PRIVATE AMT-FAC 04	Sum of OPFOR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	114	114	691986558.89	691946726.55	675.4859	675.447
10.13	OPVOPU04	OPD DR VISITS-OTH PUBLIC AMT-FAC 04	Sum of OPFOU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	19	19	38251655.11	38260507.89	307.0202	307.0913
10.14	OPVOSR04	OPD DR VSTS-OTH UNCLASS SRCE AMT-FAC 04	Sum of OPFOT04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	42	42	210283434.05	210267057.73	713.2224	713.1669
10.15	OPSEXP04	TOTAL OUTPATIENT PHYSICIAN - DR EXP 04	Sum of OPDXP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1581	1581	12686830776.96	12686287372.49	801.9614	801.9271

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.16	OPSTCH04	OPD PHYSICIAN VISIT CHARGES - DR 04	Sum of OPDTC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1622	1622	32007977298.96	32007688619.68	1981.6575	1981.6396
10.17	OPSSLF04	OPD DR VISITS-SELF/FAMILY AMT-DR 04	Sum of OPDSF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	500	500	967994132.00	967949194.38	174.6489	174.6408
10.18	OPSMCR04	OPD DR VISITS-MEDICARE AMT-DR 04	Sum of OPDMR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	477	477	1975967054.05	1975923658.76	415.5617	415.5525
10.19	OPSMCD04	OPD DR VISITS-MEDICAID AMT-DR 04	Sum of OPDMD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	302	303	497335971.52	497289135.11	265.9716	264.5975
10.20	OPSPRV04	OPD DR VISITS-PRIV INS AMT-DR 04	Sum of OPDPV04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1000	1000	8460686577.42	8460387276.15	750.6323	750.6058
10.21	OPSVA04	OPD DR VISITS-VA AMT-DR 04	Sum of OPDVA04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	7	7	9864400.13	9844984.24	88.0949	87.9215
10.22	OPSTRI04	OPD DR VISITS-TRICARE AMT-DR 04	Sum of OPDTR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	30	30	77346093.70	77353739.53	260.8265	260.8523

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.23	OPSOFD04	OPD DR VISITS-OTHER FED AMT-DR 04	Sum of OPDOF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1	1	5277438.05	5277438.05	1960	1960
10.24	OPSSTL04	OPD DR VISITS-OTH ST/LOCAL AMT-DR 04	Sum of OPDSL04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2	2	2188131.20	2187230.83	323.5304	323.3973
10.25	OPSWCP04	OPD DR VISITS-WORKERS COMP AMT-DR 04	Sum of OPDWCP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	31	31	461489737.96	461479622.59	1619.4522	1619.4168
10.26	OPSOPR04	OPD DR VISITS - OTH PRIVATE AMT-DR 04	Sum of OPDOR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	106	106	220905919.29	220930398.46	238.4144	238.4408
10.27	OPSOPU04	OPD DR VISITS-OTH PUBLIC AMT-DR 04	Sum of OPDOU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	10	10	6007587.63	6011695.69	66.5598	66.6054
10.28	OPSOSR04	OPD DR VSTS-OTH UNCLASS SRCE AMT-DR 04	Sum of OPDOT04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2	2	1655052.39	1652998.69	109.7301	109.594

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.0	OPOTHV04	# OUTPATIENT DEPT NON-DR VISITS 04	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2913	2913	94861835.07	94861835.07	3.0875	3.0875
11.1	OPOTCH04	OPD NON-PHYS VISIT CHARGES - FAC 04	Sum of OPFTC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2907	2907	58862176642.21	58861255770.02	1920.9995	1920.9695
11.2	OPOEXP04	TOTAL OUTPATIENT NON-DR - FAC EXP 04	Sum of OPFXP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2832	2832	27127944141.44	27127695601.44	905.9286	905.9203
11.3	OPOSLF04	OPD NON-DR VISITS- SELF/FAM AMT-FAC 04	Sum of OPFSF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	996	998	1649240509.67	1649096900.73	144.7436	144.5636

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.4	OPOMCR04	OPD NON-DR VISITS-MEDICARE AMT-FAC 04	Sum of OPFMR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	862	863	5724848654.70	5724814384.69	641.5407	640.1821
11.5	OPOMCD04	OPD NON-DR VISITS-MEDICAID AMT-FAC 04	Sum of OPFMD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	405	405	1911625526.67	1911674252.09	723.8895	723.908
11.6	OPOPRV04	OPD NON-DR VISITS-PRIV INS AMT-FAC 04	Sum of OPFPV04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1712	1714	15218995152.53	15219006106.36	768.4279	767.9913
11.7	OPOVA04	OPD NON-DR VISITS-VA AMT-FAC 04	Sum of OPFVA04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	71	71	596226743.83	596269820.35	762.8979	762.953

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.8	OPOTRI04	OPD NON-DR VISITS-TRICARE AMT-FAC 04	Sum of OPFTR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	45	45	141909911.78	141893832.87	282.768	282.736
11.9	OPOOFD04	OPD NON-DR VISITS-OTHER FED AMT-FAC 04	Sum of OPFOF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	19	19	112139329.47	112140147.34	608.9322	608.9367
11.10	OPOSTL04	OPD NON-DR VISITS-OTH ST/LOC AMT-FAC 04	Sum of OPFSL04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	21	21	94892771.51	94885809.14	573.0265	572.9845
11.11	OPOWCP04	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 04	Sum of OPFWC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	42	42	804423681.61	804430753.48	1555.2267	1555.2403

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.12	OPOOPR04	OPD NON-DR VISITS-OTH PRIVATE AMT-FAC 04	Sum of OPFOR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	149	149	674341887.98	674342301.25	440.2574	440.2577
11.13	OPOOPU04	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 04	Sum of OPFOU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	11	11	3008619.31	3006142.90	60.5602	60.5103
11.14	OPOOSR04	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 04	Sum of OPFOT04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	42	42	196126105.99	196135150.23	526.3963	526.4206
11.15	OPPEXP04	TOTAL OUTPATIENT NON-DR - DR EXP 04	Sum of OPDXP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1590	1590	3686640580.20	3686355390.05	215.7403	215.7236

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.16	OPPTCH04	OPD NON-PHYS VISIT CHARGES - DR 04	Sum of OPDTC04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1645	1645	8814242250.07	8814077872.95	500.2917	500.2823
11.17	OPPSLF04	OPD NON-DR VISITS-SELF/FAM AMT-DR 04	Sum of OPDSF04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	429	429	269944682.87	269801164.71	54.1758	54.147
11.18	OPPMCR04	OPD NON-DR VISITS-MEDICARE AMT-DR 04	Sum of OPDMR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	543	543	834576686.30	834634992.45	150.4096	150.4201
11.19	OPPMCD04	OPD NON-DR VISITS-MEDICAID AMT-DR 04	Sum of OPDMD04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	184	186	170144631.61	170077630.94	138.0841	136.8739

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.20	OPPPRV04	OPD NON-DR VISITS- PRIV INS AMT-DR 04	Sum of OPDPV04X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or - 9 and MEDPTYPE > 0))	1056	1056	2264715755.49	2264473195.60	184.5549	184.5351
11.21	OPPVA04	OPD NON-DR VISITS-VA AMT-DR 04	Sum of OPDVA04X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or - 9 and MEDPTYPE > 0))	1	1	1822077.01	1826371.90	140	140.33
11.22	OPPTRI04	OPD NON-DR VISITS- TRICARE AMT-DR 04	Sum of OPDTR04X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or - 9 and MEDPTYPE > 0))	18	18	2681886.95	2688970.63	15.0106	15.0502
11.23	OPPOFD04	OPD NON-DR VISITS- OTHER FED AMT-DR 04	Sum of OPDOF04X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or - 9 and MEDPTYPE > 0))	3	3	14048241.61	14051942.38	346.5567	346.648

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.24	OPPSTL04	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 04	Sum of OPDSL04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	490864.27	484230.96	37	36.5
11.25	OPPWCP04	OPD NON-DR VISITS-WRKRS COMP AMT-DR 04	Sum of OPDWCP04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	13	13	66501464.72	66500424.38	613.826	613.8164
11.26	OPPOPR04	OPD NON-DR VISITS-OTH PRIVATE AMT-DR 04	Sum of OPDOR04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	94	94	41684683.23	41642954.89	45.4518	45.4063
11.27	OPPOPU04	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 04	Sum of OPDOU04X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	10	10	20051381.47	20030655.02	186.1498	185.9574

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.28	OPPOSR04	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 04	Sum of OPDOT04X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7,-8 or - 9 and MEDPTYPE > 0))	1	1	142856.17	142856.17	35	35
12.0	AMCHIR04	# CHIROPRACTR VSTS (OFF+OUTPAT), 04	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1115	1115	111927723.89	111927723.89	8.4403	8.4403
12.1	AMCTCH04	CHIRO AMBULATORY VISIT CHARGES 04	Sum of OBTC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC04X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1112	1112	7012355281.12	7012342394.62	530.4182	530.4172

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.2	AMCEXP04	TOTL AMBULTRY (OB+OP) CHIRO EXP 04	Sum of OBXP04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP04X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1079	1079	6025168717.08	6025200616.63	468.1513	468.1537
12.3	AMCSLF04	CHIRO AMB VISITS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF04X + OPDSF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	838	838	2272879898.04	2272881516.02	225.3163	225.3164

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.4	AMCMCR04	CHIRO AMB VISITS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMRO4X + OPDMR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	127	127	498149486.05	498120874.42	353.5934	353.5731
12.5	AMCMCD04	CHIRO AMB VISITS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD04X + OPDMD04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	42	42	67917613.40	67921071.67	249.292	249.3047

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.6	AMCPRV04	CHIRO AMB VISITS - PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV04X + OPDPV04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	576	576	2110295145.62	2110258344.70	284.6253	284.6204
12.7	AMCVA04	CHIRO AMB VISITS -VA AMT 04	Sum of OBVA04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA04X + OPDVA04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	19	19	17923310.05	17904481.22	73.4608	73.3836

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.8	AMCTRI04	CHIRO AMB VISITS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFTR04X + OPDTR04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	4	4	2594481.69	2581126.18	43.8598	43.634
12.9	AMCOFD04	CHIRO AMB VISITS - OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF04X + OPDOF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	2	2	5998731.15	5999942.11	186.1728	186.2104

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	
12.10	AMCSTL04	CHIRO AMB VISITS - OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL04X + OPDSL04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]		1	1	1754237.59	1754237.59	176	176
12.11	AMCWCP04	CHIRO AMB VISITS- WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC04X + OPDWC04X) from OPAT records with and [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	32	32	259610175.75	259597884.84	785.0738	785.0366	

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.12	AMCOPR04	CHIRO AMB VISITS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR04X + OPDOR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	39	39	213588277.33	213567207.18	442.9852	442.9415
12.13	AMCOPU04	CHIRO AMB VISITS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU04X + OPDOU04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.14	AMCOSR04	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 04	Sum of OBOT04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT04X + OPDOT04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	68	68	574624194.22	574613930.72	778.0845	778.0706
13.0	AMNURS04	# AMB NURSE/PRCTITIONR VSTS(OB+OP) 04	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	2789	2789	92461847.60	92461847.60	3.2678	3.2678
13.1	AMNTCH04	NRS/PRAC AMBULATORY CHARGES 04 VISIT	Sum of OBTC04X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2778	2778	31268357670.34	31268145383.91	1111.6864	1111.6789

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.2	AMNEXP04	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 04	Sum of OBXP04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2590	2590	14426262525.00	14426204027.88	545.7365	545.7343
13.3	AMNSLF04	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF04X + OPDSF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1320	1320	1128285975.84	1128128569.64	77.3013	77.2905

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.4	AMNMCR04	NRS/PRAC AMB VSTS - MEDICARE AMT 04	Sum of OBMR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMRO4X + OPDMR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	594	594	5892127151.81	5892124935.47	946.2108	946.2105
13.5	AMNMCD04	NRS/PRAC AMB VSTS - MEDICAID AMT 04	Sum of OBMD04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD04X + OPDM04X) from OPAT records [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	453	454	1166921577.37	1166947804.34	418.0206	415.7368

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.6	AMNPRV04	NRS/PRAC AMB VSTS - PRIV INS AMT 04	Sum of OBPV04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV04X + OPDPV04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1316	1316	4813117058.03	4812974769.11	310.0363	310.0272
13.7	AMNVA04	NRS/PRAC AMB VSTS- VA AMT 04	Sum of OBVA04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA04X + OPDVA04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	79	79	378369772.05	378435550.32	440.6653	440.7419

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.8	AMNTRI04	NRS/PRAC AMB VSTS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFTR04X + OPDTR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	32	32	66808690.49	66824658.93	221.7511	221.8041
13.9	AMNOFD04	NRS/PRAC AMB VSTS- OTHER FEDERAL AMT 04	Sum of OBOF04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF04X + OPDOF04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	28	28	83300878.77	83308230.52	287.669	287.6944

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.10	AMNSTL04	NRS/PRAC AMB VSTS-OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL04X + OPDSL04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	25	25	32847056.32	32858795.28	155.8642	155.9199
13.11	AMNWCP04	NRS/PRAC AMB VSTS-WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC04X + OPDWG04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	11	11	30347943.51	30344406.51	220.8954	220.8697

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.12	AMNOPR04	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR04X + OPDOR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	99	99	730920306.42	730859064.35	715.2076	715.1477
13.13	AMNOPU04	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU04X + OPDOU04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	29	29	22839651.51	22840728.53	123.4861	123.4919

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.14	AMNOSR04	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 04	Sum of OBOT04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT04X + OPDOT04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	110	110	80564448.12	80556514.88	92.4625	92.4534
14.0	AMOPTO04	# AMB OPTOMETRIST VSTS (OB+OP) 04	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1906	1906	25413027.99	25413027.99	1.2205	1.2205
14.1	AMETCH04	OPTOMETRIST AMBULATORY VISIT CHARGES 04	Sum of OBTC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC04X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1904	1904	3240485995.83	3240558660.78	155.826	155.8295

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	AMEEXP04	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 04	Sum of OBXP04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP04X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1854	1854	2734737840.22	2734686549.48	135.2306	135.2281
14.3	AMESLF04	OPTMTRIST AMB VSTS -SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF04X + OPDSF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1343	1343	1336718505.39	1336585717.07	87.2853	87.2767

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.4	AMEMCR04	OPTMTRIST AMB VSTS -MEDICARE AMT 04	Sum of OBMR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMRO4X + OPDMR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	117	117	163256289.61	163285531.54	127.7418	127.7647
14.5	AMEMCD04	OPTMTRIST AMB VSTS -MEDICAID AMT 04	Sum of OBMD04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD04X + OPDMD04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	215	215	105273553.81	105272249.76	79.0235	79.0226

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.6	AMEPRV04	OPTMTRIST AMB VSTS -PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV04X + OPDPV04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	774	774	996109081.95	995987314.71	107.7486	107.7354
14.7	AMEVA04	OPTMTRIST AMB VSTS-VA AMT 04	Sum of OBVA04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA04X + OPDVA04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	30	30	36407415.71	36393706.74	117.7337	117.6894

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.8	AMETRI04	OPTMTRIST AMB VSTS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR04X + OPDTR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	16	16	13327471.62	13319614.35	86.9773	86.926
14.9	AMEOFD04	OPTMTRIST AMB VSTS- OTHER FED AMT 04	Sum of OBOF04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF04X + OPDOF04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	3895172.91	3888385.35	185.8569	185.533

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	
14.10	AMESTL04	OPTMTRIST AMB VSTS-OTH ST/LOCAL AMT 04	Sum of OBSL04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL04X + OPDSL04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]		7	7	8758500.37	8758500.37	183.6661	183.6661
14.11	AMEWCP04	OPTMTRIST AMB VSTS-WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC04X + OPDWC04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]		2	2	5603351.56	5603379.75	505.7139	505.7164

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.12	AMEOPR04	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR04X + OPDOR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	26	26	28432284.13	28428924.29	106.9464	106.9338
14.13	AMEOPU04	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU04X + OPDOU04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	8	8	22858097.74	22850917.29	247.0682	246.9906

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	AMEOSR04	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 04	Sum of OBOT04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT04X + OPDOT04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	15	15	14312308.26	14312308.26	100.7077	100.7077
15.0	AMASST04	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1049	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	659	659	13603203.82	13603203.82	1.8591	1.8591
15.1	AMATCH04	PHYS ASS T AMBULATORY VISIT CHARGES 04	Sum of OBTC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	655	655	3964743691.87	3964709305.66	546.7063	546.7016

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.2	AMAEEXP04	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 04	Sum of OBXP04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	641	641	2372633927.24	2372596319.87	333.2776	333.2724
15.3	AMASLF04	PHYS ASS T AMB VSTS- SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF04X + OPDSF04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	420	420	255826742.91	255743503.62	50.791	50.7744

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.4	AMAMCR04	PHYS ASS T AMB VSTS-MEDICARE AMT 04	Sum of OBMR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMRO4X + OPDMR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	96	96	777798628.04	777811033.75	797.758	797.7707
15.5	AMAMCD04	PHYS ASS T AMB VSTS-MEDICAID AMT 04	Sum of OBMD04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD04X + OPDMD04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	94	94	104734784.91	104725985.22	179.5729	179.5578

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.6	AMAPRV04	PHYS ASS T AMB VSTS- PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV04X + OPDPV04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	382	383	948400072.07	948375877.08	197.3586	196.9152
15.7	AMAVA04	PHYS ASS T AMB VSTS- VA AMT 04	Sum of OBVA04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA04X + OPDVA04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	18	18	59547650.75	59529754.16	355.1776	355.0708

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.8	AMATRI04	PHYS ASS T AMB VSTS-TRICARE AMT 04	Sum of OBTR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR04X + OPDTR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	9	9	26460446.81	26459365.74	313.3575	313.3447
15.9	AMAOFD04	PHYS ASS T AMB VSTS-OTHER FED AMT 04	Sum of OBOF04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF04X + OPDOF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	7	7	40680859.19	40669530.29	597.5549	597.3885

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	
15.10	AMASTL04	PHYS ASS T AMB VSTS-OTH ST/LOCL AMT 04	Sum of OBSL04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL04X + OPDSL04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]		6	6	2172104.39	2170016.40	55.4979	55.4446
15.11	AMAWCP04	PHYS ASS T AMB VSTS-WRKERS COMP AMT 04	Sum of OBWC04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC04X + OPDWC04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]		11	11	66153815.30	66154554.89	511.6874	511.6932

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.12	AMAOPR04	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR04X + OPDOR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	28	28	57214049.00	57203178.38	227.2903	227.2471
15.13	AMAOPU04	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU04X + OPDOU04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	3	3	23731360.33	23734941.79	543.8298	543.9119

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.14	AMAOSR04	P A AMB VSTS- OTH UNCLASS SRCE AMT04	Sum of OBOT04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT04X + OPDOT04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	14	14	10022490.51	10018578.56	88.6033	88.5688
16.0	AMTHER04	# AMB PT/OT THRPY VISITS (OB+OP) 04	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	876	876	103713830.79	103713830.79	11.0632	11.0632

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.1	AMTTCH04	PT/OC AMBULATORY VISIT CHARGES 04	Sum of OBTC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	876	876	19112524578.24	19112406262.74	2038.735	2038.7224
16.2	AMTEXP04	TOTL AMBULTRY (OB+OP) PT/OT EXP 04	Sum of OBXP04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP04X from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	856	856	12110507107.37	12110422976.50	1324.3491	1324.3399

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.3	AMTSLF04	PT/OT AMB VISITS- SELF/FAMILY AMT 04	Sum of OBSF04X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF04X + OPDSF04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	420	420	1706079986.02	1706014903.63	347.3526	347.3393
16.4	AMTMCR04	PT/OT AMB VISITS- MEDICARE AMT 04	Sum of OBMR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR04X + OPDMR04X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	226	226	1991215623.02	1991173279.44	893.7974	893.7784

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.5	AMTMCD04	PT/OT AMB VISITS-MEDICAID AMT 04	Sum of OBMD04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD04X + OPDMD04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	113	113	486862307.53	486839099.89	632.986	632.9559
16.6	AMTPRV04	PT/OT AMB VISITS-PRIVATE INS AMT 04	Sum of OBPV04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV04X + OPDPV04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	498	499	5516433005.85	5516315296.27	943.9394	942.9673

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.7	AMTVA04	PT/OT AMB VISITS-VA AMT 04	Sum of OBVA04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA04X + OPDVA04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	19	19	373364146.05	373352210.71	1591.4025	1591.3517
16.8	AMTTRI04	PT/OT AMB VISITS- TRICARE AMT 04	Sum of OBTR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR04X + OPDTR04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	19	19	66559487.82	66576973.30	321.4817	321.5662

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.9	AMTOFD04	PT/OT AMB VISITS - OTHER FED AMT 04	Sum of OBOF04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF04X + OPDOF04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	6640306.83	6642005.53	331.8712	331.9561
16.10	AMTSTL04	PT/OT AMB VISITS-OTH ST/LOCL AMT 04	Sum of OBSL04X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL04X + OPDSL04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	31734778.56	31735337.64	1674.5172	1674.5467

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.11	AMTWCP04	PT/OT AMB VISITS- WORKERS COMP AMT 04	Sum of OBWC04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC04X + OPDWC04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	72	72	1222188960.79	1222159554.90	1688.2503	1688.2096
16.12	AMTOPR04	PT/OT AMB VISITS - OTH PRIVATE AMT 04	Sum of OBOR04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR04X + OPDOR04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	42	42	294903142.23	294917818.39	657.1767	657.2095

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.13	AMTOPU04	PT/OT AMB VISITS-OTH PUBLIC AMT 04	Sum of OBOU04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU04X + OPDOU04X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	1669545.95	1668935.86	199.8735	199.8004
16.14	AMTOSR04	PT/OT AMB VSTS-OTH UNCLAS SRCE AMT 04	Sum of OBOT04X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT04X + OPDOT04X) from OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	32	32	413064763.78	413027560.96	1161.6145	1161.5099
17.0	AMTOTC04	# CALLS W/OFFICE & OUPAT DEPTS, 04	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2	891	891	15433767.41	15433767.41	1.5996	1.5996

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
18.0	AMDRC04	# CALLS W/OFF & OUTPAT PHYSICIANS, 04	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1	498	498	7875173.52	7875173.52	1.4625	1.4625
19.0	ERTOT04	# EMERGENCY ROOM VISITS, 04	Count of EROM records	4680	4680	56620638.58	56620638.58	1.3706	1.3706
19.1	ERFTCH04	ER FACILITY VISIT CHARGES 04	Sum of ERFTC04X from EROM records	4375	4375	65968177575.28	65967116965.10	1720.4051	1720.3774
19.2	ERFEXP04	TOTAL ER FACILITY EXP 04	Sum of ERFXP04X from EROM records	4024	4024	30510126218.73	30509722673.15	857.9357	857.9244
19.3	ERFSLF04	ER-SELF/FAMILY AMT - FAC 04	Sum of ERFSF04X from EROM records	1457	1457	3508287063.73	3508064878.45	231.1009	231.0862
19.4	ERFMCR04	ER-MEDICARE AMT - FAC 04	Sum of ERFMR04X from EROM records	738	738	3380330306.62	3380325739.86	504.4233	504.4227
19.5	ERFMCD04	ER-MEDICAID AMT - FAC 04	Sum of ERFMD04X from EROM records	1248	1248	2672714473.38	2672594255.96	381.068	381.0509
19.6	ERFPRV04	ER-PRIVATE INS AMT - FAC 04	Sum of ERFPV04X from EROM records	1752	1752	16533493936.11	16533144511.82	866.2045	866.1862
19.7	ERFVA04	ER-VA AMT - FAC 04	Sum of ERFVA04X from EROM records	68	68	517158021.05	517172295.15	773.5647	773.5861
19.8	ERFTRI04	ER-TRICARE AMT - FAC 04	Sum of ERFTR04X from EROM records	54	54	272883158.26	272863527.30	494.9837	494.9481
19.9	ERFOFD04	ER-OTHER FEDERAL AMT - FAC 04	Sum of ERFOF04X from EROM records	15	15	134997980.11	135011206.99	887.9785	888.0655
19.10	ERFSTL04	ER-OTH ST/LOCAL AMT - FAC 04	Sum of ERFSL04X from EROM records	22	22	79405589.03	79405311.78	430.159	430.1575
19.11	ERFWCP04	ER-WORKERS COMP AMT - FAC 04	Sum of ERFWC04X from EROM records	90	90	569913293.03	569935509.75	625.671	625.6954
19.12	ERFOPR04	ER-OTHER PRIVATE AMT - FAC 04	Sum of ERFOR04X from EROM records	167	167	1140423234.33	1140409312.65	682.0823	682.074

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.13	ERFOPU04	ER-OTHER PUBLIC AMT - FAC 04	Sum of ERFOU04X from EROM records	48	48	88792707.21	88770767.01	367.644	367.5531
19.14	ERFOSR04	ER-OTH UNCLASS SRCE AMT - FAC 04	Sum of ERFOT04X from EROM records	111	111	1612031908.72	1612025356.41	1577.4829	1577.4765
19.15	ERDEXP04	TOTAL EMERGENCY ROOM DR EXP 04	Sum of ERDXP04X from EROM records	3103	3103	6108769194.36	6108305823.95	218.8753	218.8587
19.16	ERDTCH04	ER DOCTOR VISIT CHARGES 04	Sum of ERDTC04X from EROM records	3426	3426	13949667605.58	13949297579.74	459.6227	459.6105
19.17	ERDSL04	ER-SELF/FAMILY AMT - DR 04	Sum of ERDSF04X from EROM records	736	736	797472152.03	797424006.49	107.3244	107.3179
19.18	ERDMCR04	ER-MEDICARE AMT - DR 04	Sum of ERDMR04X from EROM records	710	710	921734387.33	921437894.42	136.3338	136.2899
19.19	ERDMCD04	ER-MEDICAID AMT - DR 04	Sum of ERDMD04X from EROM records	909	915	515084684.80	515090992.86	96.0168	95.2153
19.20	ERDPRV04	ER-PRIVATE INS AMT - DR 04	Sum of ERDPV04X from EROM records	1403	1403	3258668114.80	3258172429.07	215.2453	215.2125
19.21	ERDVA04	ER-VA AMT - DR 04	Sum of ERDVA04X from EROM records	11	13	28924199.04	28907561.04	205.3458	155.2064
19.22	ERDTRI04	ER-TRICARE AMT - DR 04	Sum of ERDTR04X from EROM records	36	36	30317342.15	30342802.81	75.5557	75.6192
19.23	ERDOFD04	ER-OTHER FED AMT - DR 04	Sum of ERDOF04X from EROM records	0	0	.	.	0	0
19.24	ERDSTL04	ER-OTH ST/LOCAL AMT - DR 04	Sum of ERDSL04X from EROM records	15	15	16312225.16	16320769.12	175.2955	175.3873
19.25	ERDWCP04	ER-WORKERS COMP AMT - DR 04	Sum of ERDWCP04X from EROM records	81	81	141583868.89	141627651.03	166.8214	166.873
19.26	ERDOPR04	ER - OTHER PRIVATE AMT - DR 04	Sum of ERDOR04X from EROM records	248	248	285972857.38	286012777.19	129.3913	129.4094
19.27	ERDOPU04	ER - OTHER PUBLIC AMT - DR 04	Sum of ERDOU04X from EROM records	52	53	21299380.17	21317353.28	71.1	69.9966
19.28	ERDOSR04	ER-OTH UNCLASS SRCE AMT - DR 04	Sum of ERDOT04X from EROM records	29	29	91643145.71	91651586.63	258.1871	258.2109

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.0	IPZERO04	# ZERO-NIGHT HOSPITAL STAYS 04	Count of STAZ records with NUMNIGHX = 0	93	93	879764.73	879764.73	1.062	1.062
20.1	ZIFTCH04	ZERO-NITE IP STAY CHARGES - FAC 04	Sum of IPFTC04X from STAZ records with NUMNIGHX = 0	93	93	6119511094.76	6119489299.11	7386.8591	7386.8328
20.2	ZIFEXP04	TOTAL ZERO-NITE STAYS FAC EXP 04	Sum of IPFXP04X from STAZ records with NUMNIGHX=0	86	86	2832945452.22	2832904163.34	3679.5607	3679.5071
20.3	ZIFSLF04	ZERO-NITE IP STAZ - SELF/FAM AMT-FAC 04	Sum of IPFSF04X from STAZ records with NUMNIGHX = 0	25	25	93482739.38	93458536.79	357.3682	357.2757
20.4	ZIFMCR04	ZERO-NITE IP STAZ-MEDICARE AMT-FAC 04	Sum of IPFMR04X from STAZ records with NUMNIGHX = 0	22	22	698045993.08	698046346.88	4089.2596	4089.2617
20.5	ZIFMCD04	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 04	Sum of IPFMD04X from STAZ records with NUMNIGHX = 0	18	18	194561853.64	194546148.74	1990.7448	1990.5841
20.6	ZIFPRV04	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 04	Sum of IPPPV04X from STAZ records with NUMNIGHX = 0	48	48	1350844916.34	1350805248.73	2501.7021	2501.6287
20.7	ZIFVA04	ZERO-NITE IP STAZ-VA AMT-FAC 04	Sum of IPFVA04X from STAZ records with NUMNIGHX = 0	1	1	2109471.64	2109471.64	825	825
20.8	ZIFTRI04	ZERO-NITE IP STAZ-TRICARE AMT-FAC 04	Sum of IPPTR04X from STAZ records with NUMNIGHX = 0	1	1	331695887.64	331693994.09	24524	24523.86
20.9	ZIFOFD04	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 04	Sum of IPOFO4X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.10	ZIFSTL04	ZERO-NITE IP STAZ-OTH ST/LOC AMT-FAC 04	Sum of IPFSL04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.11	ZIFWCP04	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 04	Sum of IPFWC04X from STAZ records with NUMNIGHX = 0	2	2	114097920.48	114087859.36	4763	4762.58
20.12	ZIFOPR04	ZERO-NITE IP STAZ-OTH PRIVATE AMT-FAC 04	Sum of IPFOR04X from STAZ records with NUMNIGHX = 0	5	5	43690130.45	43692375.92	1115.1845	1115.2418
20.13	ZIFOPU04	ZERO-NITE IP STAZ-OTH PUBLIC AMT-FAC 04	Sum of IPFOU04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.14	ZIFOSR04	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 04	Sum of IPFOT04X from STAZ records with NUMNIGHX = 0	1	1	4458780.42	4464181.20	355	355.43
20.15	ZIDEXP04	TOTAL ZERO-NITE STAZ DR 04	Sum of IPDXP04X from STAZ records with NUMNIGHX = 0	75	75	564070444.55	564077857.92	814.0201	814.0308
20.16	ZIDTCH04	ZERO-NITE IP STAY CHARGES - DR 04	Sum of IPDTC04X from STAZ records with NUMNIGHX=0	80	80	1549686855.75	1549681675.10	2116.0363	2116.0293
20.17	ZIDSLF04	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 04	Sum of IPDSF04X from STAZ records with NUMNIGHX = 0	20	20	21826341.81	21825259.30	113.1609	113.1553
20.18	ZIDMCR04	ZERO-NITE IP STAZ-MEDICARE AMT-DR 04	Sum of IPDMR04X from STAZ records with NUMNIGHX = 0	22	22	74082218.59	74097561.65	381.9689	382.048
20.19	ZIDMCD04	ZERO-NITE IP STAZ-MEDICAID AMT-DR 04	Sum of IPDMD04X from STAZ records with NUMNIGHX = 0	16	16	29735985.83	29732878.05	328.7337	328.6994
20.20	ZIDPRV04	ZERO-NITE IP STAZ-PRIV INS AMT-DR 04	Sum of IPDPV04X from STAZ records with NUMNIGHX = 0	44	44	410481480.96	410514898.21	846.8644	846.9334
20.21	ZIDVA04	ZERO-NITE IP STAZ-VA AMT-DR 04	Sum of IPDVA04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.22	ZIDTRI04	ZERO-NITE IP STAZ-TRICARE AMT-DR 04	Sum of IPDTR04X from STAZ records with NUMNIGHX = 0	1	1	6018784.46	6023788.84	445	445.37
20.23	ZIDOFD04	ZERO-NITE IP STAZ-OTHER FED AMT-DR 04	Sum of IPDOF04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.24	ZIDSTL04	ZERO-NITE IP STAZ-OTH ST/LOC AMT-DR 04	Sum of IPDSL04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.25	ZIDWCP04	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 04	Sum of IPDWCP04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.26	ZIDOPR04	ZERO-NITE IP STAZ-OTH PRIVATE AMT-DR 04	Sum of IPDOR04X from STAZ records with NUMNIGHX = 0	8	8	21871615.96	21883471.87	403.8217	404.0406
20.27	ZIDOPU04	ZERO-NITE IP STAZ-OTH PUBLIC AMT-DR 04	Sum of IPDOU04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.28	ZIDOSR04	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 04	Sum of IPDOT04X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
21.0	IPDIS04	# HOSPITAL DISCHARGES, 04	Count of STAZ records	2468	2468	30194246.00	30194246.00	1.3508	1.3508
21.1	IPFTCH04	IP HOSP STAY CHARGES - FAC 04	Sum of IPFTC04X from STAZ records	2468	2468	675293553741.15	675293177945.77	30210.1505	30210.1337
21.2	IPFEXP04	TOT HOSP IP FACILITY EXP-INC 0 NITES 04	Sum of IPFXP04X from STAZ records	2380	2380	262061412618.88	262061084844.14	12109.3735	12109.3583
21.3	IPFSLF04	IP HOSP STAZ- SELF/FAMILY AMT-FAC 04	Sum of IPFSF04X from STAZ records	665	666	4641350271.82	4641281495.43	660.8542	659.3589
21.4	IPFMCR04	IP HOSP STAZ- MEDICARE AMT-FAC 04	Sum of IPFMR04X from STAZ records	854	854	105374359703.13	105374218082.77	13098.2295	13098.2119
21.5	IPFMC04	IP HOSP STAZ- MEDICAID AMT-FAC 04	Sum of IPFMD04X from STAZ records	675	675	26029550225.41	26029590359.48	6403.5966	6403.6065

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.6	IPFPRV04	IP HOSP STAZ-PRIV INS AMT-FAC 04	Sum of IPFPV04X from STAZ records	1106	1106	107987546057.37	107987546983.84	8700.0405	8700.0406
21.7	IPFVA04	IP HOSP STAZ-VA AMT-FAC 04	Sum of IPFVA04X from STAZ records	47	47	4654585934.34	4654586680.65	9941.6959	9941.6975
21.8	IPFTRI04	IP HOSP STAZ-TROCARE AMT-FAC 04	Sum of IPFTR04X from STAZ records	53	53	2799262415.50	2799263911.08	5333.3447	5333.3475
21.9	IPFOFD04	IP HOSP STAZ-OTHER FED AMT-FAC 04	Sum of IPFOF04X from STAZ records	5	5	274471342.05	274468280.39	6698.8086	6698.7338
21.10	IPFSTL04	IP HOSP STAZ-OTH ST/LOCAL AMT-FAC 04	Sum of IPFSL04X from STAZ records	8	8	502912679.21	502909875.44	8537.7217	8537.6741
21.11	IPFWCP04	IP HOSP STAZ-WORKERS COMP AMT-FAC 04	Sum of IPFWC04X from STAZ records	16	16	1637582174.14	1637549552.12	8978.0415	8977.8626
21.12	IPFOPR04	IP HOSP STAZ - OTH PRIVATE AMT-FAC 04	Sum of IPFOR04X from STAZ records	148	148	5149366831.27	5149334837.30	3587.9085	3587.8862
21.13	IPFOPU04	IP HOSP STAZ - OTH PUBLIC AMT-FAC 04	Sum of IPFOU04X from STAZ records	55	55	1823435893.98	1823421346.29	6453.8178	6453.7663
21.14	IPFOSR04	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 04	Sum of IPFOT04X from STAZ records	21	21	1186913491.31	1186913439.35	8143.6035	8143.6032
21.15	IPDEXP04	TOTL HOSP STAZ DR EXP 04	Sum of IPDXP04X from STAZ records	2242	2242	40782451764.02	40782071701.63	1994.2989	1994.2804
21.16	IPDTCH04	IP HOSP STAY CHARGES - DR 04	Sum of IPDTC04X from STAZ records	2287	2287	102926016053.43	102925787891.71	4958.3286	4958.3177
21.17	IPDSLF04	IP HOSP STAZ-SELF/FAMILY AMT-DR 04	Sum of IPDSF04X from STAZ records	597	597	2091277019.39	2091052126.60	337.0776	337.0414
21.18	IPDMCR04	IP HOSP STAZ-MEDICARE AMT- DR 04	Sum of IPDMR04X from STAZ records	885	887	11991934892.06	11991875863.68	1442.9457	1441.1844
21.19	IPDMCD04	IP HOSP STAZ-MEDICAID AMT-DR 04	Sum of IPDMD04X from STAZ records	678	678	3030812844.42	3030795721.79	738.6882	738.684
21.20	IPDPRV04	IP HOSP STAZ-PRIV INS AMT- DR 04	Sum of IPDPV04X from STAZ records	1102	1103	21151602910.52	21151324963.90	1716.3498	1714.6554

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.21	IPDVA04	IP HOSP STAZ-VA AMT-DR 04	Sum of IPDVA04X from STAZ records	20	20	468549613.19	468524377.42	2111.9267	2111.8129
21.22	IPDTRI04	IP HOSP STAZ-TRICARE AMT-DR 04	Sum of IPDTR04X from STAZ records	59	59	351652242.62	351628937.11	563.233	563.1957
21.23	IPDOFD04	IP HOSP STAZ-OTHER FED AMT-DR 04	Sum of IPDOF04X from STAZ records	1	1	1558291.03	1558291.03	250	250
21.24	IPDSTL04	IP HOSP STAZ-OTH ST/LOCAL AMT-DR 04	Sum of IPDSL04X from STAZ records	12	12	43258821.41	43262176.15	491.153	491.1911
21.25	IPDWCP04	IP HOSP STAZ-WORKERS COMP AMT-DR 04	Sum of IPDWC04X from STAZ records	14	14	381877852.86	381893795.27	2154.6425	2154.7325
21.26	IPDOPR04	IP HOSP STAZ - OTH PRIVATE AMT-DR 04	Sum of IPDOR04X from STAZ records	240	240	1049796286.36	1049744775.26	513.4856	513.4604
21.27	IPDOPU04	IP HOSP STAZ - OTH PUBLIC AMT-DR 04	Sum of IPDOU04X from STAZ records	68	68	216676031.63	216672981.28	490.231	490.2241
21.28	IPDOSR04	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 04	Sum of IPDOT04X from STAZ records	6	6	3734850.89	3737692.15	71.818	71.8727
21.29	IPNGTD04	# NIGHTS IN HOSP FOR DISCHARGES, 04	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2406	2406	166526262.11	166526262.11	7.6462	7.6462
22.0	DVTOT04	# DENTAL CARE VISITS 04	Count of DVIS records	12330	12330	315713161.15	315713161.15	2.4653	2.4653
22.1	DVTTCH04	TOTAL DENTAL CARE VISIT CHARGES 04	Sum of DVTC04X from DVIS records	12250	12250	81293980740.31	81293839936.23	638.915	638.9139
22.2	DVTEXP04	TOTAL DENTAL CARE EXP 04	Sum of DVXP04X from DVIS records	11976	11976	71774636625.83	71774157293.92	574.8378	574.834

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.3	DVTSLF04	ALL DENTAL CARE - SELF/FAMILY AMT 04	Sum of DVSF04X from DVIS records	7765	7765	34464543865.45	34464491259.40	396.7228	396.7222
22.4	DVTMCR04	ALL DENTAL CARE - MEDICARE AMT 04	Sum of DVMR04X from DVIS records	74	74	327789060.54	327766962.91	438.2567	438.2271
22.5	DVTMCD04	ALL DENTAL CARE - MEDICAID AMT 04	Sum of DVMD04X from DVIS records	2041	2041	3022678248.89	3022446516.04	267.0857	267.0652
22.6	DVTPRV04	ALL DENTAL CARE - PRIVATE INS AMT 04	Sum of DVPV04X from DVIS records	6551	6551	30736726955.31	30736196880.21	395.8852	395.8783
22.7	DVTVA04	ALL DENTAL CARE-VA AMT 04	Sum of DVVA04X from DVIS records	88	88	265313457.08	265238419.34	292.762	292.6792
22.8	DVTTRI04	ALL DENTAL CARE- TRICARE AMT 04	Sum of DVTR04X from DVIS records	70	70	107623960.54	107595064.05	150.8696	150.8291
22.9	DVTOFD04	ALL DENTAL CARE - OTHER FEDRL AMT 04	Sum of DVOF04X from DVIS records	27	27	61291680.95	61276325.45	261.5623	261.4967
22.10	DVTSTL04	ALL DENTAL CARE-OTH ST/LOCAL AMT 04	Sum of DVSL04X from DVIS records	57	57	281347660.66	281320140.39	557.9519	557.8973
22.11	DVTWCP04	ALL DENTAL CARE- WORKERS COMP AMT 04	Sum of DVWC04X from DVIS records	13	13	54511097.57	54509905.95	376.1918	376.1836
22.12	DVTOPR04	ALL DENTAL CARE - OTH PRIVATE AMT 04	Sum of DVOR04X from DVIS records	166	166	871692116.23	871678468.12	496.0457	496.0379
22.13	DVTOPU04	ALL DENTAL CARE - OTH PUBLIC AMT 04	Sum of DVOU04X from DVIS records	20	20	20059513.76	20066176.92	213.7936	213.8646
22.14	DVTOSR04	ALL DENT CARE-OT UNCLASS SRCE AMT 04	Sum of DVOT04X from DVIS records	384	384	1561691156.05	1561571175.15	382.7859	382.7565
23.0	DVGGEN04	# GENERAL DENTIST VISITS 04	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	11525	11525	242761730.54	242761730.54	2.0229	2.0229
23.1	DVGTCH04	GENERAL DENTAL CARE VISIT CHARGES 04	Sum of DVTC04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11482	11482	57165256167.89	57165082109.96	478.0659	478.0645

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.2	DVGEXP04	TOTAL GENERAL DENTIST EXP 04	Sum of DVXP04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11223	11223	51213199516.44	51212743539.46	436.6781	436.6742
23.3	DVGSLF04	GNRL DENTAL VISITS - SELF/FAM AMT 04	Sum of DVSF04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7029	7029	22716738379.32	22716715327.10	288.1752	288.1749
23.4	DVGMCR04	GNRL DENTAL VISITS - MEDICARE AMT 04	Sum of DVMR04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	65	65	266917845.40	266903753.24	416.4621	416.4401
23.5	DVGMC04	GNRL DENTAL VISITS - MEDICAID AMT 04	Sum of DVMD04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1911	1911	2474202139.00	2474013728.54	233.8729	233.855
23.6	DVGPRV04	GNRL DENTAL VISITS - PRIVATE INS AMT 04	Sum of DVPV04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6153	6153	23137414475.89	23136913852.07	316.8609	316.854
23.7	DVGVA04	GNRL DENTAL VISITS - VA AMT 04	Sum of DVVA04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	80	80	216215353.09	216135535.48	270.5073	270.4074
23.8	DVGTRI04	GNRL DENTAL VISITS- TRICARE AMT 04	Sum of DVTR04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	65	65	92078968.00	92045285.80	140.8994	140.8478
23.9	DVGOFD04	GNRL DENTAL VISITS- OTHER FED AMT 04	Sum of DVOF04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	23	23	38989876.53	38969735.32	203.9059	203.8006

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.10	DVGSTL04	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 04	Sum of DVSL04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	51	51	195588927.22	195561406.95	424.9811	424.9213
23.11	DVGWCP04	GNRL DENTAL VISITS - WORKERS COMP AMT 04	Sum of DVWC04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	12	12	50072760.64	50071569.01	356.4809	356.4724
23.12	DVGOPR04	GNRL DENTAL VISITS - OTH PRIVATE AMT 04	Sum of DVOR04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	146	146	732581815.40	732568167.29	482.9026	482.8936
23.13	DVGOPU04	GNRL DENTAL VISITS - OTH PUBLIC AMT 04	Sum of DVOR04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	18	18	15424680.18	15422996.95	170.9583	170.9396
23.14	DVGOSR04	GNRL DENT VSTS - OT UNCLASS SRCE AMT 04	Sum of DVOT04X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	349	349	1277524545.15	1277422181.72	343.8195	343.792
24.0	DVORTH04	# ORTHODONTIST VISITS 04	Count of DVIS records with ORTHODNT = 1	883	883	41766339.08	41766339.08	4.3251	4.3251
24.1	DVOTCH04	ORTHOdontist VISIT CHARGES 04	Sum of DVTC04X from DVIS records with ORTHODNT = 1	697	697	14645892887.78	14645890227.11	1964.036	1964.0357
24.2	DVOEXP04	TOTAL ORTHODONTIST EXP 04	Sum of DVXP04X from DVIS records with ORTHODNT = 1	619	619	12136105111.69	12136101408.66	1865.8645	1865.8639
24.3	DVOSLF04	ORTHOdontist VISITS -SELF/FAMILY AMT 04	Sum of DVSF04X from DVIS records with ORTHODNT = 1	488	488	7236197032.44	7236168876.59	1341.6745	1341.6692
24.4	DVOMCR04	ORTHOdontist VISITS -MEDICARE AMT 04	Sum of DVMR04X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.5	DVOMCD04	ORTHODONTIST VISITS -MEDICAID AMT 04	Sum of DVMD04X from DVIS records with ORTHODNT = 1	77	77	301325822.24	301330649.92	723.1247	723.1363
24.6	DVOPRV04	ORTHODONTIST VISITS -PRIVATE INS AMT 04	Sum of DVPV04X from DVIS records with ORTHODNT = 1	282	282	4355321156.85	4355291687.59	1367.8073	1367.798
24.7	DVOVA04	ORTHODONTIST VISITS-VA AMT 04	Sum of DVVA04X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.8	DVOTRI04	ORTHODONTIST VISITS-TRICARE AMT 04	Sum of DVTR04X from DVIS records with ORTHODNT = 1	1	1	774049.58	774049.58	140	140
24.9	DVOOFD04	ORTHODONTIST VISITS-OTHR FED AMT 04	Sum of DVOF04X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.10	DVOSTL04	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 04	Sum of DVSL04X from DVIS records with ORTHODNT = 1	6	6	67250639.37	67250639.37	1280.0355	1280.0355
24.11	DVOWCP04	ORTHODONTIST VISITS-WORKERS COMP AMT 04	Sum of DVWC04X from DVIS records with ORTHODNT = 1	1	1	4438336.94	4438336.94	1000	1000
24.12	DVOOPR04	ORTHODONTIST VISITS-OTHR PRIVATE AMT 04	Sum of DVOR04X from DVIS records with ORTHODNT = 1	6	6	67607351.23	67607351.23	926.9231	926.9231
24.13	DVOOPU04	ORTHODONTIST VISITS-OTHR PUBLIC AMT 04	Sum of DVOU04X from DVIS records with ORTHODNT = 1	2	2	3760974.93	3758312.82	660.5552	660.0876
24.14	DVOOSR04	ORTHODONT VSTS - OT UNCLASS SRCE AMT04	Sum of DVOT04X from DVIS records with ORTHODNT = 1	8	8	99502206.56	99481504.61	1117.3652	1117.1327

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
25.1	HHTOTD04	# HOME HEALTH PROVIDER DAYS, 04	Sum of HH_DAYS from HVIS records. NOTE: If person has at least one HVIS record with HH_DAYS = -9, then HH_DAYS not counted from ANY HVIS records for that person.	742	742	444116710.57	444116710.57	69.0381	69.0381
26.1	HHAGD04	# AGENCY HOME HEALTH PROVIDER DAYS, 04	Sum of HH_DAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HH_DAYS = -9) then HH_DAYS not counted from ANY HVIS records for that person.	593	593	271596726.62	271596726.62	53.9924	53.9924
26.2	HHATCH04	HOME AGENCY VISIT CHARGES 04	Sum of HHTC04X from HVIS records with MPCELIG = 1.	620	620	34371390401.10	34371250052.82	6534.452	6534.4253
26.3	HHAEXP04	TOTAL HOME AGENCY EXP 04	Sum of HHXP04X from HVIS records with MPCELIG = 1.	602	602	32186076447.70	32186027767.62	6304.4158	6304.4062
26.4	HHASLF04	HOME HLTH AGENCY - SELF/FAMILY AMT 04	Sum of HHSF04X from HVIS records with MPCELIG = 1.	102	102	930522317.50	930498034.52	926.2712	926.2471
26.5	HHAMCR04	HOME HLTH AGENCY - MEDICARE AMT 04	Sum of HHMR04X from HVIS records with MPCELIG = 1.	309	309	10438990324.88	10439023112.80	3682.3497	3682.3613
26.6	HHAMCD04	HOME HLTH AGENCY - MEDICAID AMT 04	Sum of HHMD04X from HVIS records with MPCELIG = 1.	238	238	17168946927.81	17168929433.96	11692.9084	11692.8965

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.7	HHAPRV04	HOME HLTH AGENCY - PRIVATE INS AMT 04	Sum of HHAPRV04X from HVIS records with MPCELIG = 1.	65	65	1168550274.55	1168562343.40	1433.7368	1433.7516
26.8	HHAVA04	HOME HLTH AGENCY-VA AMT 04	Sum of HHAVA04X from HVIS records with MPCELIG = 1.	22	22	477151499.85	477139868.17	2414.291	2414.2321
26.9	HHATRI04	HOME HLTH AGENCY-TRICARE AMT 04	Sum of HHATRI04X from HVIS records with MPCELIG = 1.	1	1	3892925.44	3890056.97	285	284.79
26.10	HHAOFD04	HOME HLTH AGENCY-OTHER FED AMT 04	Sum of HHAOFD04X from HVIS records with MPCELIG = 1.	21	21	53042829.58	53037717.42	375.2349	375.1987
26.11	HHASTL04	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 04	Sum of HHASTL04X from HVIS records with MPCELIG = 1.	127	127	1880059376.48	1880070445.59	1941.664	1941.6754
26.12	HHAWCP04	HOME HLTH AGENCY-WORKERS COMP AMT 04	Sum of HHAWCP04X from HVIS records with MPCELIG = 1.	0	0	.	.	0	0
26.13	HHAOPR04	HOME HLTH AGENCY - OTH PRIVATE AMT 04	Sum of HHAOPR04X from HVIS records with MPCELIG = 1.	8	8	57208234.12	57207232.58	689.6116	689.5995
26.14	HHAOPU04	HOME HLTH AGENCY - OTH PUBLIC AMT 04	Sum of HHAOPU04X from HVIS records with MPCELIG = 1.	6	6	7668115.56	7669522.22	182.0871	182.1205
26.15	HHAOSR04	H HLTH AGENCY - OT UNCLASS SRCE AMT 04	Sum of HHAOSR04X from HVIS records with MPCELIG = 1.	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.1	HHINDD04	# NON-AGENCY HOME HEALTH PROVIDR DAYS 04	Sum of HH_DAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HH_DAYS = -9), then HH_DAYS not counted from ANY HVIS records for that person.	85	85	54537456.62	54537456.62	58.8446	58.8446
27.2	HHNTCH04	HOME HEALTH NON- AGENCY VISIT CHARGES 04	Sum of HHTC04X from HVIS records with MPCELIG = 2	88	88	3683965905.02	3683965000.95	3888.9416	3888.9406
27.3	HHNEXP04	TOTAL HOME HEALTH NON-AGNCY EXP 04	Sum of HHXP04X from HVIS records with MPCELIG = 2	79	79	3427182373.10	3427178541.34	4046.7502	4046.7457
27.4	HHNSLF04	HOME HLTH NON- AGNCY -SELF/FAM AMT 04	Sum of HHSF04X from HVIS records with MPCELIG = 2	56	56	2765247904.11	2765247904.11	3914.3633	3914.3633
27.5	HHNMCR04	HOME HLTH NON- AGNCY -MEDICARE AMT 04	Sum of HHMR04X from HVIS records with MPCELIG = 2	1	1	7738376.42	7738376.42	800	800
27.6	HHNMCD04	HOME HLTH NON- AGNCY -MEDICAID AMT 04	Sum of HHMD04X from HVIS records with MPCELIG = 2	22	22	521307521.64	521303689.88	3990.1593	3990.13
27.7	HHNPRV04	HOME HLTH NON- AGNCY -PRIV INS AMT 04	Sum of HHPV04X from HVIS records with MPCELIG = 2	3	3	50692833.50	50692833.50	1743.6798	1743.6798
27.8	HHNVA04	HOME HLTH NON- AGNCY-VA AMT 04	Sum of HHVA04X from HVIS records with MPCELIG = 2	1	1	201884.58	201884.58	40	40
27.9	HHNTRI04	HOME HLTH NON- AGNCY-TRICARE AMT 04	Sum of HHTR04X from HVIS records with MPCELIG = 2	0	0	.	.	0	0

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.10	HHNOFD04	HOME HLTH NON-AGNCY-OTHR FED AMT 04	Sum of HHOF04X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.11	HHNSTL04	HOME HLTH NON-AGNCY-OTHR ST/LOCL AMT 04	Sum of HHSLO4X from HVIS records with MPCELIG = 2	2	2	68549010.39	68549010.39	5251.1497	5251.1497
27.12	HHNWCP04	HOME HLTH NON-AGNCY-WORKERS COMP AMT 04	Sum of HHWC04X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.13	HHNOPR04	HOME HLTH NON-AGNCY-OTH PRIVATE AMT 04	Sum of HHOR04X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.14	HHNOPU04	HOME HLTH NON-AGNCY-OTH PUBLIC AMT 04	Sum of HHOU04X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.15	HHNOSR04	H HLTH NON-AGNCY-OT UNCLASS SRCE AMT 04	Sum of HHOT04X from HVIS records with MPCELIG = 2	1	1	13444842.46	13444842.46	3500	3500
28.1	HHINFD04	# INFORMAL HOME HEALTH PROV DAYS, 1049	Sum of HH_DAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HH_DAYS = -9), then HH_DAYS not counted from ANY HVIS records for that person.	148	148	125806325.08	125806325.08	93.4599	93.4599
29.0	VISTCH04	GLASSES/CONTACT LENSES CHARGES 04	Sum of OMTC04X from OMED records with OMTYPEX = 1	4674	4674	11522371750.24	11522345301.33	242.359	242.3584
29.1	VISEXP04	TOTAL GLASSES/CONTACT LENS EXPN 04	Sum of OMXP04X from OMED records with OMTYPEX = 1	4605	4605	11130771321.21	11130719954.51	237.9414	237.9403

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.2	VISSLF04	GLASSES/CNTCT LENSES -SELF/FAM AMT 04	Sum of OMSF04X from OMED records with OMTYPEX = 1	3852	3852	7948692907.09	7948684244.10	193.3137	193.3135
29.3	VISMCR04	GLASSES/CNTCT LENSES-MEDICARE AMT 04	Sum of OMMR04X from OMED records with OMTYPEX = 1	96	96	156060312.14	156034049.30	146.3452	146.3206
29.4	VISMCD04	GLASSES/CNTCT LENSES-MEDICAID AMT 04	Sum of OMMD04X from OMED records with OMTYPEX = 1	535	535	508164831.42	508116158.69	166.6632	166.6473
29.5	VISPRV04	GLASSES/CNTCT LENSES-PRIV INS AMT 04	Sum of OMPV04X from OMED records with OMTYPEX = 1	1045	1045	2241927895.07	2241823957.42	188.436	188.4272
29.6	VISVA04	GLASSES/CNTCT LENSES-VA AMT 04	Sum of OMVA04X from OMED records with OMTYPEX = 1	37	37	71002671.80	70986595.17	223.8086	223.758
29.7	VISTR04	GLASSES/LENSES- TRICARE AMT 04	Sum of OMTR04X from OMED records with OMTYPEX = 1	9	9	8755395.13	8755395.13	97.7024	97.7024
29.8	VISOFD04	GLASSES/CNTCT LENSES-OTHR FED AMT 04	Sum of OMOF04X from OMED records with OMTYPEX = 1	8	8	12219800.64	12217320.08	190.7691	190.7304
29.9	VISSTL04	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 04	Sum of OMSL04X from OMED records with OMTYPEX = 1	19	19	61716708.35	61703438.13	297.6711	297.6071
29.10	VISWCP04	GLASSES/CNTCT LENSES-WORKERS COMP AMT 04	Sum of OMWC04X from OMED records with OMTYPEX = 1	2	2	1632752.05	1628928.64	131.4429	131.1351
29.11	VISOPR04	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 04	Sum of OMOR04X from OMED records with OMTYPEX = 1	32	32	70702446.47	70702446.47	208.5757	208.5757
29.12	VISOPU04	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 04	Sum of OMOU04X from OMED records with OMTYPEX = 1	9	9	6053955.37	6060895.37	128.5466	128.694

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.13	VISOSR04	GLASES/CNTCT LENSE-OT UNCLAS SRCE AMT 04	Sum of OMOT04X from OMED records with OMTYPEX = 1	22	22	44011201.40	44006525.97	193.4128	193.3923
30.0	OTHTCH04	OTHER EQUP/SUPPLIES CHARGES 04	Sum of OMTC04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1469	1469	11015614584.25	11015578265.71	750.5875	750.585
30.1	OTHEXP04	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 04	Sum of OMXP04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1340	1340	8833485794.23	8833463740.71	663.5272	663.5255
30.2	OTHSLF04	OTHER EQUP/SUPPLIES SELF/FAM AMT 04	Sum of OMSF04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	795	795	4222666682.79	4222620001.38	494.0498	494.0443
30.3	OTHMCR04	OTHER EQUP/SUPPLIES- MEDICARE AMT 04	Sum of OMMR04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	169	169	1155373071.52	1155347342.42	689.8598	689.8444
30.4	OTHMCD04	OTHER EQUP/SUPPLIES- MEDICAID AMT 04	Sum of OMMD04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	283	283	1256291489.15	1256264225.55	658.3423	658.328
30.5	OTHPRV04	OTHER EQUP/SUPPLIES-PRIV INS AMT 04	Sum of OMPV04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	351	351	1432533518.19	1432451435.67	358.861	358.8405
30.6	OTHVA04	OTHER EQUP/SUPPLY- VA AMT 04	Sum of OMVA04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	60	60	233053609.02	233051821.77	381.3739	381.371
30.7	OTHTRI04	OTHER EQUP/SUPPLY- TRICARE AMT 04	Sum of OMTR04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	18	18	90630570.91	90640963.60	490.0237	490.0799

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.8	OTHOFD04	OTHER EQUP/SUPPLIES-OTHR FEDRL AMT 04	Sum of OMOF04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	3	3	2788542.35	2788542.35	100	100
30.9	OTHSTL04	OTHER EQUP/SUPPLY-OTHR ST/LOCAL AMT 04	Sum of OMSL04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	4	4	167366782.23	167357537.22	2261.3058	2261.1809
30.10	OTHWCP04	OTHER EQUP/SUPPLY-WORKERS COMP AMT 04	Sum of OMWC04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	12	12	120738166.58	120728921.56	751.4009	751.3434
30.11	OTHOPR04	OTHER EQUP/SUPPLY-OTH PRIVATE AMT 04	Sum of OMOR04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	16	16	78797433.92	78767917.21	436.4125	436.249
30.12	OTHOPU04	OTHER EQUP/SUPPLY-OTH PUBLIC AMT 04	Sum of OMOU04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	5	5	5919751.75	5918875.52	268.548	268.5083
30.13	OTHOSR04	OTH EQUP/SUPPLY -OT UNCLASS SRCE AMT 04	Sum of OMOT04X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	23	23	67531612.76	67526156.48	276.4428	276.4204
31.0	RXTOT04	# PRESC MEDS INCL REFILLS 04	Count of PMED records	19383	19383	2936055908.89	2936055908.89	15.9444	15.9444
31.1	RXEXP04	TOTAL RX-EXP 04	Sum of RXXP04X from PMED records	19381	19383	190973430400.09	190971507995.21	1037.166	1037.0835
31.2	RXSLF04	TOTAL RX-SELF/FAMILY AMT 04	Sum of RXSF04X from PMED records	17582	17603	80529802538.98	80528248096.70	464.0161	463.6634
31.3	RXMCR04	TOTAL RX-MEDICARE AMT 04	Sum of RXMR04X from PMED records	833	833	5670690851.24	5670890522.71	698.9971	699.0217
31.4	RXMCD04	TOTAL RX-MEDICAID AMT 04	Sum of RXMD04X from PMED records	4382	4382	27065954399.00	27065687875.25	1090.3328	1090.322

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
31.5	RXPRV04	TOTAL RX-PRIVATE INS AMT 04	Sum of RXPV04X from PMED records	9347	9390	66796575063.48	66795806077.22	628.9945	626.5837
31.6	RXVA04	TOTAL RX-VA AMT 04	Sum of RXVA04X from PMED records	771	771	6472807823.70	6472745744.17	756.8615	756.8542
31.7	RXTRI04	TOTAL RX-TRICARE AMT 04	Sum of RXTR04X from PMED records	340	340	2726483815.83	2726476352.86	760.7954	760.7933
31.8	RXOFD04	TOTAL RX-OTHER FED AMT 04	Sum of RXOF04X from PMED records	32	32	194448505.28	194465030.27	631.4268	631.4805
31.9	RXSTL04	TOTAL RX-OTHER ST/LOCAL AMT 04	Sum of RXSL04X from PMED records	105	105	667924365.56	667941706.39	840.123	840.1448
31.10	RXWCP04	TOTAL RX-WORKERS COMP AMT 04	Sum of RXWC04X from PMED records	26	26	73702771.91	73694583.38	327.9931	327.9567
31.11	RXOPR04	TOTAL RX - OTH PRIVATE AMT 04	Sum of RXOR04X from PMED records	131	131	536595008.25	536534979.14	446.0456	445.9957
31.12	RXOPU04	TOTAL RX - OTH PUBLIC AMT 04	Sum of RXOU04X from PMED records	26	26	205190156.30	205184972.64	1069.0235	1068.9965
31.13	RXOSR04	TOT RX-OTH UNCLASS SRCE AMT 04	Sum of RXOT04X from PMED records	16	16	33824037.42	33832054.48	285.7889	285.8567

TABLE H85IT2
COMPARISON OF MEPS 2004 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 04 PERSON-LEVEL FILE (HC-089) AND THE FY 04 EVENT FILES (HC-085A THROUGH HC-085H)
WEIGHT = PERWT04F

ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-085A
DVIS = DENTAL VISITS FILE, HC-085B
OMED = OTHER MEDICAL EXPENSES FILE, HC-085C
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-085D
EROM = EMERGENCY ROOM VISITS FILE, HC-085E
OPAT = OUTPATIENT VISITS FILE, HC-085F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-085G
HVIS = HOME HEALTH VISITS FILE, HC-085H

NOTE: EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.