

Pregnancy Detail (PG) Section

BOX_01
=====

```

-----
| IF LOOPING ON 'PREVIOUS ROUND PREGNANCY' OR |
| 'PREGNANCY 1' (FROM CURRENT ROUND), CONTINUE WITH |
| PG01 |
-----
| OTHERWISE, GO TO PG02 |
-----

```

PG01
=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{We recorded that (PERSON) (were/was) pregnant at the time of
our last interview on {PREV RD INTV DATE}.}
{(Are/Is)/(Were/Was)} (PERSON) {currently} pregnant {with that
pregnancy} {on December 31, 2007}?
{CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT AT LAST
INTERVIEW.}
  YES ..... 1
  NO ..... 2
  {NOT PREGNANT AT LAST INTERVIEW ..... 3 {BOX_02}}
  REF ..... -7 {BOX_02}
  DK ..... -8 {BOX_02}
                                [Code One]

```

```

-----
| DISPLAY 'We recorded that (PERSON) (were/was) |
| pregnant at the time of our last interview on |
| {PREV RD INTV DATE}.'; 'with that pregnancy'; |
| 'CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT |
| AT LAST INTERVIEW.'; AND 'NOT PREGNANT AT LAST |
| INTERVIEW ..... 3 {BOX_02}' IF PERSON CODED AS |
| 'STILL PREGNANT' AT LAST INTERVIEW AND LOOPING ON |
| 'PREVIOUS ROUND PREGNANCY' FOR THIS PERSON. |
| OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY |
| '(Were/Was)' IF ROUND 5. |
| |
| DISPLAY 'currently' IF NOT ROUND 5. OTHERWISE, |
| USE A NULL DISPLAY. |
| |
| DISPLAY 'on December 31, 2007' IF ROUND 5. |
| OTHERWISE, USE A NULL DISPLAY. |
-----

```

```

-----
| IF CODED '3' (NOT PREGNANT AT LAST INTERVIEW), |
| FLAG ITEM FOR EVENT CLEANUP. |
-----

```

BOX_01A
=====

```

-----
| IF ROUND 3, CONTINUE WITH PG01A |
-----

```

```
-----
| OTHERWISE, GO TO BOX_01B |
|-----
```

PG01A
=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
(Were/Was) (PERSON) pregnant on December 31, 2006?
YES ..... 1
NO ..... 2
REF ..... -7
DK ..... -8
```

BOX_01B
=====

```
-----
| IF PERSON CURRENTLY PREGNANT (PG01 = 1), GO TO |
| PG03 |
|-----
```

```
-----
| IF PERSON NOT CURRENTLY PREGNANT (PG01 = 2), |
| CONTINUE WITH PG02 |
|-----
```

PG02
=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Did (PERSON)'s {most recent pregnancy/next most recent
pregnancy/pregnancy that we talked about last time} end
in a live birth?
{IF MORE THAN ONE PREGNANCY SINCE (START DATE), PROBE FOR
OUTCOME OF (NEXT) MOST RECENT PREGNANCY.}
IF RESPONDENT VOLUNTEERS STILLBIRTH, MISCARRIAGE, OR ABORTION,
CODE AS APPROPRIATE.
DO NOT PROBE A 'NO' RESPONSE. CODE 5, 'NO, OUTCOME NOT
VOLUNTEERED.'
YES, ENDED IN A LIVE BIRTH ..... 1
NO, ENDED IN MISCARRIAGE ..... 2 {BOX_02}
NO, ENDED IN STILLBIRTH ..... 3 {BOX_02}
NO, ENDED IN ABORTION ..... 4 {BOX_02}
NO, OUTCOME NOT VOLUNTEERED ..... 5 {BOX_02}
REF ..... -7 {BOX_02}
DK ..... -8 {BOX_02}
[Code One]
```

```
-----
| DISPLAY 'most recent pregnancy' IF LOOPING ON |
| FIRST PREGNANCY OF CURRENT REFERENCE PERIOD. |
|-----
| DISPLAY 'next most recent pregnancy' IF LOOPING ON |
| ANY PREGNANCY, AFTER THE FIRST PREGNANCY, OF |
| CURRENT REFERENCE PERIOD. |
|-----
| DISPLAY 'pregnancy that we talked about last time' |
| IF LOOPING ON PREGNANCY FROM PREVIOUS ROUND. |
|-----
| DISPLAY 'IF MORE THAN ONE PREGNANCY SINCE (START |
| DATE), PROBE FOR OUTCOME OF (NEXT) MOST RECENT |
|-----
```

| PREGNANCY.' IF NOT LOOPING ON FIRST PREGNANCY OF |
 | CURRENT ROUND OR PREGNANCY FROM PREVIOUS ROUND. |

PG03
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
 {END-DT}

SHOW CARD PG-1.

Looking at this card, which of these complications, if any,
 did (PERSON) experience during this pregnancy?

CODE ALL THAT APPLY.

- HIGH BLOOD PRESSURE, TOXEMIA,
 PRE-ECLAMPSIA, OR ECLAMPSIA 1
- ANEMIA 2
- DIABETES, GESTATIONAL DIABETES, OR
 HIGH BLOOD SUGAR 3
- LOW LYING PLACENTA (PLACENTA PREVIA) .. 4
- VAGINAL BLEEDING 5
- PREMATURE LABOR 6
- NONE OF THESE COMPLICATIONS 95
- REF -7
- DK -8

[Code All That Apply]

PRESS F1 FOR DEFINITION OF SELECTED CONDITIONS.

| NOTE: CODE '95' (NONE OF THESE COMPLICATIONS) |
 | WILL NOT APPEAR ON THE SHOW CARD. |

| IF PG01 IS CODED '1' (YES), GO TO PG11 |

| OTHERWISE, CONTINUE WITH PG04 |

PG04
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
 {END-DT}

How many babies did (PERSON) deliver?

- [Enter Small Number]
- REF -7
- DK -8

| NOTE: IF PG04 IS CODED '-7' (REFUSED) OR '-8' |
 | (DON'T KNOW), ASK ITEMS LOOP_01 TO END_LP01 ONCE. |

| SOFT RANGE CHECK: 1 TO 6 BABIES. |

| DISPLAY THE FOLLOWING MESSAGE: 'PLEASE BE SURE |
 | THE BABY/BABIES WERE ADDED TO THE RU. IF NOT, |
 | MAKE A COMMENT DESCRIBING THE SITUATION.' |

PG05
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Where was the delivery - in a hospital, a birthing center
separate from a hospital, at home, or some other place?
HOSPITAL 1 {PG06}
BIRTHING CENTER 2 {LOOP_01}
HOME 3 {LOOP_01}
SOME OTHER PLACE 91
REF -7 {LOOP_01}
DK -8 {LOOP_01}

[Code One]
PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

```

-----
| IF CODED '1' (HOSPITAL), '2' (BIRTHING CENTER), |
| '3' (HOME), OR '91' (SOME OTHER PLACE), DISPLAY |
| THE FOLLOWING MESSAGE: 'PLEASE BE SURE TO ENTER |
| THE APPROPRIATE EVENTS FOR BOTH MOTHER AND BABY.' |
-----
    
```

PG05OV
=====

ENTER OTHER:
[Enter Other Specify] {LOOP_01}
REF -7 {LOOP_01}
DK -8 {LOOP_01}

PG06
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
What kind of delivery did (PERSON) have? Was it a vaginal
delivery or a caesarean section?
VAGINAL DELIVERY 1
CESAREAN SECTION 2 {LOOP_01}
REF -7 {LOOP_01}
DK -8 {LOOP_01}

[Code One]
PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

PG07
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Were forceps used for the delivery?
YES 1
NO 2
REF -7
DK -8

PRESS F1 FOR DEFINITION OF FORCEPS.

PG08
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Did (PERSON) receive an epidural or a 'spinal' for pain?
YES 1
NO 2

REF -7
DK -8
PRESS F1 FOR DEFINITION OF EPIDURAL/SPINAL.

LOOP_01
=====

FOR EACH OF THE FOLLOWING:

BABY #1
BABY #2
BABY #3
BABY #4
BABY #5

ASK PG09-END_LP01

LOOP DEFINITION: LOOP_01 COLLECTS INFORMATION
ABOUT EACH BABY BORN AS A RESULT OF THE PREGNANCY
BEING ASKED ABOUT. THE NUMBER OF LOOP CYCLES IS
DETERMINED BY THE RESPONSE TO PG04. LOOP_01
CYCLES THE NUMBER OF TIMES AS THE NUMBER CODED IN
PG04. IF PG04 IS CODED '-7' (REFUSED) OR '-8'
(DON'T KNOW), TREAT AS A '1' RESPONSE TO PG04;
THAT IS, CYCLE THROUGH LOOP_01 ONCE.

PG09
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{BABY #{n}}
How much did the (first/next) baby weigh at birth?
POUNDS AND OUNCES 1 {PG09OV1}
GRAMS 2 {PG09OV3}
REF -7 {PG10}
DK -8 {PG10}
[Code One]

DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1',
'-7' (REFUSED), OR '-8' (DON'T KNOW).
DISPLAY THE NUMBER OF THE CURRENT LOOP CYCLE (FOR
LOOP_01) FOR 'n'.

RANGE CHECK: 2-15 FOR POUNDS; 0-15 FOR OUNCES;
500-6800 FOR GRAMS.

PG09OV1
=====

ENTER POUNDS:
[Enter Pounds]
REF -7 {PG10}
DK -8 {PG10}

PG09OV2

=====

PROBE FOR OUNCES IF NOT REPORTED.

ENTER OUNCES:

```

[Enter Ounces] .....
REF ..... -7
DK ..... -8

```

```

-----
| IF THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER |
| OF POUNDS AND PG09OV2 IS CODED '-7' (REFUSED) OR |
| '-8' (DON'T KNOW), GO TO PG10 |
|-----|

```

```

-----
| OTHERWISE, GO TO END_LP01 |
|-----|

```

PG09OV3

=====

ENTER GRAMS:

```

[Enter Grams] ..... {END_LP01}
REF ..... -7
DK ..... -8

```

PG10

=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{BABY #{n}}

```

Did the (first/next) baby weigh less than five and a half pounds (2500 grams), five and a half to nine pounds (2500 to 4100 grams), or more than 9 pounds (4100 grams)?

```

LESS THAN 5-1/2 POUNDS/2500 GRAMS ..... 1
5-1/2 TO 9 POUNDS/2500 TO 4100 GRAMS ... 2
MORE THAN 9 POUNDS/4100 GRAMS ..... 3
REF ..... -7
DK ..... -8

```

[Code One]

```

-----
| DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1', |
| '-7' (REFUSED), OR '-8' (DON'T KNOW). DISPLAY |
| THE NUMBER OF THE CURRENT LOOP CYCLE (FOR LOOP_01) |
| FOR 'n'. |
|-----|

```

```

-----
| EDIT: IF CODED '3' (MORE THAN 9 POUNDS/4100 GRAMS) |
| AND THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER |
| OF POUNDS, DISPLAY THE FOLLOWING MESSAGE: |
| 'CODE NOT AVAILABLE. R REPORTED BABY WEIGHED |
| 5 LBS. VERIFY AND RE-ENTER.' |
|-----|

```

END_LP01

=====

```

-----
| IF NUMBER OF BABIES DELIVERED (PG04) < NUMBER OF |
| LOOP CYCLES COMPLETED, THEN CYCLE ON NEXT BABY. |
|-----|

```

```

-----
| OTHERWISE, END LOOP_01 AND GO TO BOX_02 |
|-----|

```

PG11
=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{How/As of December 31, 2007, how} many weeks or months pregnant
{(are/is)/(were/was)} (PERSON)?
  [Enter Number of Weeks/Months] .....
  REF ..... -7 {PG12}
  DK ..... -8 {PG12}
-----
| DISPLAY 'How' AND '(are/is)' IF NOT ROUND 5. |
| DISPLAY 'As of December 31, 2007, how' AND |
| '(were/was)' IF ROUND 5. |
-----

```

PG110V
=====

```

ENTER UNIT:
  WEEKS ..... 1 {BOX_02}
  MONTHS ..... 2 {BOX_02}
  REF ..... -7
  DK ..... -8
                    [Code One]
-----
| EDIT CHECK: 1-42 FOR WEEKS; 1-10 FOR MONTHS. |
-----

```

PG12
=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{(Are/Is)/As of December 31, 2007, (were/was)} (PERSON) less
than 3 months pregnant, 3-6 months pregnant, or more than 6
months pregnant?
  LESS THAN 3 MONTHS ..... 1
  3 TO 6 MONTHS ..... 2
  MORE THAN 6 MONTHS ..... 3
  REF ..... -7
  DK ..... -8
                    [Code One]
-----
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY 'As |
| of December 31, 2007, (were/was)' IF ROUND 5. |
-----

```

BOX_02
=====

```

-----
| RETURN TO THE CE SECTION. |
-----

```

[Return to Top](#)