

Provider Roster (PV) Section

BOX_00

=====

```
-----  
| CONTEXT HEADER DISPLAY INSTRUCTIONS: |  
| DISPLAY PERS.FULLNAME AND EVNT.EVNTTYPE. |  
-----
```

BOX_00A

=====

```
-----  
| CAPI SETS PROV.PROVTYPE USING DATA FROM MULTIPLE |  
| QUESTIONS, NOT JUST PV01. ULTIMATELY, THE VALUES |  
| ARE AS FOLLOWS: |  
| 1 - FACILITY |  
| 2 - PERSON |  
| 3 - PERSON IN FACILITY |  
-----
```

PV01

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

{[What is the name of the person or place that provided health care to (PERSON)?]}

INTERVIEWER: IS THE PROVIDER {ASSOCIATED WITH THIS EVENT} A PERSON OR A FACILITY (INCLUDING GROUP PRACTICES AND HMOs)?

{IF FACILITY NAMED, PROBE: If (PERSON) usually (see/sees) a **particular** person at this place, please give me the name of that person **first**.}

PERSON 1
FACILITY 2 {BOX_01}

HELP AVAILABLE FOR DEFINITION OF PERSON/FACILITY.

| DISPLAY '[What is ... (PERSON)?]' AND 'ASSOCIATED |
| WITH THIS EVENT' IF THE PROVIDER ROSTER (PV) |
| SECTION WAS NOT CALLED FROM THE ACCESS TO CARE |
| (AC) SECTION. IF THE PV SECTION WAS CALLED FROM |
| THE AC SECTION, USE A NULL DISPLAY. |
|

| DISPLAY 'IF FACILITY NAMED, PROBE: ... person |
| **first.**' IF THE PV SECTION WAS CALLED FROM THE AC |
| SECTION. IF THE PV SECTION WAS NOT CALLED FROM |
THE AC SECTION, USE A NULL DISPLAY.

| IF CODED '1' (PERSON), SET PROVIDER TYPE TO |
'PERSON-TYPE-PROVIDER'.

| IF CODED '2' (FACILITY), SET PROVIDER TYPE TO |
'FACILITY-PROVIDER'.

| IF NO PERSON-PROVIDERS ON RU-MEDICAL-PROVIDERS- |
| ROSTER AND PV01 IS CODED '1', THEN CREATE A NEW |
PROV RECORD.

| IF CODED '1' (PERSON) AND NO PROVIDERS THAT ARE |
| TYPE 'PERSON-PROVIDER' ON RU-MEDICAL-PROVIDERS- |
ROSTER, GO TO PV04

| IF CODED '1' (PERSON) AND AT LEAST ONE PROVIDER |
| THAT IS TYPE 'PERSON-PROVIDER' ON RU-MEDICAL- |
PROVIDERS-ROSTER, CONTINUE WITH PV02

| HARD CHECK: IF EVENT TYPE IS HS, ER, OP, OR IC, |
| PV01 CANNOT BE CODED '1' (PERSON). IF PV01 IS |
| CODED '1' (PERSON) FOR AN HS, ER, OP, OR IC EVENT, |
| THE ERROR HANDLER WILL FORCE THE INTERVIEWER TO |
RECTIFY THE DATA.

PV02
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the person that {provided health care to (PERSON)/(PERSON) usually (go/goes) to if (PERSON) (is/are) sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} PROVIDER {ASSOCIATED WITH THE EVENT}.

ROSTER. PERSON-TYPE-PROVIDER	PV02_02. FACILITY	PV02_03. STREET
1. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
2. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
3. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

-----
| DISPLAY 'provided health care to (PERSON)' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '(PERSON) usually (go/goes) to if (PERSON) |
| (is/are) sick'. |
-----

```

```

-----
| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER |
| ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO |
| CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, USE A NULL |
| DISPLAY. |
| |
| DISPLAY AN 'ADD NEW PROVIDER' OPTION ON THIS |
| SCREEN. |
-----

```

IF 'ADD NEW PROVIDER' IS SELECTED, GO TO PV04

OTHERWISE, CONTINUE WITH PV03

| ROSTER DETAILS: |
| TITLE: RU_PROV_SELECTONE_1 |
| |
| COL # 1 HEADER: PERSON-TYPE-PROVIDER |
| INSTRUCTIONS: DISPLAY TRUNCATED PERSON-PROVIDER |
| NAME (PROV.DRFNAME (10), PROV.LORPNAME (15)) |
| |
| COL # 2 HEADER: FACILITY |
| INSTRUCTIONS: DISPLAY FACILITY-PROVIDER NAME |
| (PROV.PVASSOC (30)) (IF NO FACILITY, USE NULL |
| DISPLAY) |
| |
| COL # 3 HEADER: STREET |
| INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS |
(PROV.PVSTRT1, PROV.PVSTRT2 (15))

| ROSTER DEFINITION: |
| THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER |
FOR SELECTING ONE MEDICAL PROVIDER.

| ROSTER BEHAVIOR: |
| 1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE |
| FROM THE LISTED MEDICAL PROVIDERS. |
| |
| 2. MULTIPLE SELECT DISALLOWED. |
| |
| 3. ADD ALLOWED USING THE 'ADD NEW PROVIDER' |
| BUTTON. |
| |
| 4. DELETE AND EDIT ARE NOT ALLOWED. |
| |
| 5. IF PROVIDER IS A PERSON-PROVIDER NOT ASSOCIATED |
| WITH A FACILITY (PROV.PROVTYPE=2), THE FACILITY |
COLUMN IS EMPTY FOR THAT ROW.

```
-----  
| ROSTER FILTER: |  
| DISPLAY PERSON PROVIDERS (PROV.PROVTYPE = 2) |  
| AND PERSON-IN-FACILITY PROVIDERS (PROV.PROVTYPE = |  
| 3). |  
-----
```

PV03

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of (READ NAME AND ADDRESS OF PROVIDER BELOW)...

```
{PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}  
{FACILITY-PROVIDER ASSOC W/ PERSON-TYPE-PROVIDER}  
{PERSON-TYPE-PROVIDER STREET ADDRESS LINE1}  
{PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}  
  
ADDRESS {& FACILITY NAME} CORRECT ..... 1 {BOX_02}  
ADD NEW ADDRESS FOR PROVIDER ..... 2 {PV06}  
ADD NEW/DIFFERENT FACILITY FOR  
PROVIDER ..... 3 {BOX_01}  
SELECTED WRONG PROVIDER/ADDRESS ..... 5  
REF ..... -7 {BOX_02}  
DK ..... -8 {BOX_02}
```

[Code One]

```
-----  
| FOR {PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}, |  
| DISPLAY THE PERSON-TYPE-PROVIDER NAME SELECTED AT |  
| PV02. |  
| FOR {FACILITY-PROVIDER ASSOC W/ PERSON-TYPE- |  
| PROVIDER.}, DISPLAY THE FACILITY PROVIDER NAME |  
| ASSOCIATED WITH THE PERSON-PROVIDER SELECTED AT |  
| PV02. IF NO FACILITY ASSOCIATED WITH THIS |  
| PERSON PROVIDER, USE A NULL DISPLAY. |  
| FOR {PERSON-TYPE-PROVIDER STREET ADDRESS LINE1} |  
| AND {PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}, |  
| DISPLAY LINES 1 & 2 OF THE ADDRESS FOR THE PERSON |  
| PROVIDER SELECTED AT PV02. |  
| |  
| DISPLAY '& FACILITY NAME' IF THERE IS A FACILITY- |  
| PROVIDER NAME ASSOCIATED WITH THE PERSON PROVIDER |  
| SELECTED AT PV02. IF NO FACILITY ASSOCIATED WITH |  
| THIS PROVIDER, USE A NULL DISPLAY. |  
-----
```

| IF "ADD NEW ADDRESS FOR PROVIDER" SELECTED, CREATE |
| A NEW PROVIDER RECORD FOR THIS PROVIDER. SET |
| PROVIDER TYPE AS 'PERSON-TYPE-PROVIDER' |
(PROVTYPE=2).

| IF CODED '5' (SELECTED WRONG PROVIDER/ADDRESS), |
| CAPI REDISPLAYS PV02 TO ALLOW INTERVIEWER TO |
SELECT CORRECT PROVIDER.

PV04
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the first and last name of the person that {provided
health care to (PERSON)/(PERSON) usually (go/goes) to if
(PERSON) (is/are) sick}?

ENTER COMPLETE PROVIDER NAME {ASSOCIATED WITH THIS EVENT}
AND VERIFY SPELLING.

[Enter Provider Name-65] {PV05}

| DISPLAY 'provided health care to (PERSON)' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '(PERSON) usually (go/goes) to if (PERSON) |
(is/are) sick'.

| DISPLAY 'ASSOCIATED WITH THIS EVENT' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, USE A |
NULL DISPLAY.

| DISPLAY 'CLICK 'ADD PROVIDER' TO ADD A NEW |
PROVIDER.' IF THERE ARE NO RECORDS IN THE ROSTER.

| CREATE A NEW PERSON-PROVIDER ON THE RU-MEDICAL- |
PROVIDERS-ROSTER.

PV05
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE
PROVIDER.....} {EV}

Is (PROVIDER) in a group practice, that is, do other doctors
practice at the same office (or are part of an HMO)?

YES 1 {BOX_01}
NO 2 {PV06}
REF -7 {PV06}
DK -8 {PV06}

| IF CODED '1' (YES), FLAG PROVIDER AS 'PERSON-IN- |
FACILITY-PROVIDER' (PROVTYPE=3).

| IF CODED '2' (NO), FLAG PROVIDER AS 'PERSON- |
PROVIDER' (PROVTYPE=2).

PV06
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE
PROVIDER.....} {EV}

What is the {new} street address for (PROVIDER)?

ENTER STREET ADDRESS AND VERIFY SPELLING. IF PROVIDER HAS
MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED.

PROVIDER_STR1: [_____]
PROVIDER_STR2: [_____]

| DISPLAY 'new' IF PV03 IS CODED '2' (ADD NEW |
| ADDRESS FOR PROVIDER). OTHERWISE, USE A NULL |
DISPLAY.

| CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON EACH |
ADDRESS FIELD.

| IF PV04 WAS ASKED, ASSOCIATE ADDRESS WITH |
PERSON-TYPE-PROVIDER ENTERED AT PV04.

| IF PV03 WAS CODED '2' (ADD NEW ADDRESS PROVIDER), |
| RECORD ADDRESS IN THE NEW PROVIDER RECORD CREATED |
AT PV03.

| IF A FACILITY WAS DISPLAYED AS PART OF PROVIDER'S |
| ADDRESS AT PV03, ASSOCIATE THAT FACILITY WITH THE |
| NEW PROVIDER RECORD AND FLAG THE PERSON |
| PROVIDER AS A 'PERSON-IN-FACILITY-PROVIDER' |
(PROVTYPE=3).

GO TO BOX_02

PV07

=====

OMITTED.

BOX_01

=====

| IF NO PROVIDERS THAT ARE 'FACILITY-PROVIDER' |
| (PROVTYPE=1) ON RU-MEDICAL-PROVIDERS-ROSTER, GO |
TO PV10

OTHERWISE, CONTINUE WITH PV08

PV08
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the place that {provided health care to (PERSON)/(PERSON) usually (go/goes) to if (PERSON) (is/are) sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} {PROVIDER/FACILITY} {ASSOCIATED WITH THE EVENT}.

ROSTER. FACILITY-PROVIDERS	PV08 02. STREET
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

-----
| DISPLAY 'provided health care to (PERSON)' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '(PERSON) usually (go/goes) to if (PERSON) |
| (is/are) sick'. |
-----
    
```

```

-----
| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER |
| ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO |
| CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED |
| '2' (FACILITY). |
| |
| DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, USE A NULL |
| DISPLAY. |
| |
| DISPLAY AN 'ADD NEW PROVIDER' OR 'ADD NEW |
| FACILITY' OPTION ON THIS SCREEN. |
-----
    
```

| IF 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY' IS |
| SELECTED, GO TO PV10 (NOTE THAT PV10 IS ACTUALLY |
A POPUP ON PV08 AND PV09)

OTHERWISE, CONTINUE WITH PV09

| ROSTER DETAILS: |
| TITLE: RU_PROV_SELECTONE_2 |
| |
| COL # 1 HEADER: FACILITY-PROVIDER |
| INSTRUCTIONS: DISPLAY TRUNCATED FACILITY-PROVIDER |
| (PROV.LORPNAME) |
| |
| COL # 2 HEADER: STREET |
| INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS |
(PROV.PVSTRT1, PROV.PVSTRT2)

| ROSTER DEFINITION: |
| THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER |
FOR SELECTING ONE FACILITY TYPE MEDICAL PROVIDER.

| ROSTER BEHAVIOR: |
| 1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE |
| FROM THE LISTED MEDICAL PROVIDERS. |
| |
| 2. MULTIPLE SELECT DISALLOWED. |
| |
| 3. DELETE AND EDIT ARE NOT ALLOWED. |
| |
| 4. ADD ALLOWED. INTERVIEWER CAN SELECT THE 'ADD |
NEW PROVIDER' OR 'ADD NEW FACILITY BUTTON'.

| ROSTER FILTER: |
| DISPLAY FACILITY TYPE (PROV.PROVTYPE = 1) |
PROVIDERS.

PV09
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of (READ NAME AND ADDRESS OF
{PROVIDER/FACILITY}) BELOW...

{FACILITY NAME SELECTED AT PV08}
{FACILITY STREET ADDRESS LINE1}
{FACILITY STREET ADDRESS LINE2}

FACILITY NAME AND ADDRESS CORRECT 1 {BOX_02}
ADD NEW ADDRESS FOR FACILITY 2 {PV10}
SELECTED WRONG FACILITY/ADDRESS 4
REF -7 {BOX_02}
DK -8 {BOX_02}

[Code One]

| DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED |
| '2' (FACILITY). |
| |
| FOR: {FACILITY NAME SELECTED AT PV08}, DISPLAY |
| THE FACILITY-PROVIDER NAME SELECTED AT PV08. |
| FOR: {FACILITY STREET ADDRESS LINE1.} AND |
| {FACILITY STREET ADDRESS LINE2.}, DISPLAY LINES |
| 1 AND 2 OF THE ADDRESS FOR THE FACILITY-PROVIDER |
SELECTED AT PV08.

| IF CODED '1' (FACILITY NAME AND ADDRESS CORRECT) |
| AND PV01 IS CODED '1' (PERSON), LINK THE FACILITY |
| SELECTED AT PV08 TO THE PERSON PROVIDER FLAGGED |
AS 'PERSON-IN-FACILITY-PROVIDER'.

| IF FACILITY-PROVIDER WAS SELECTED AT PV08 AND |
| PV09 WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY), |
| CREATE ANOTHER RECORD FOR THE FACILITY-PROVIDER ON |
| THE RU-MEDICAL-PROVIDERS-ROSTER AND ASSOCIATE |
| ADDRESS THAT WILL BE ENTERED AT PV10 WITH THAT NEW |
| PROVIDER RECORD. FLAG NEW PROVIDER AS FACILITY |
(PROVTYPE=1).

| IF CODED '4' (SELECTED WRONG FACILITY/ADDRESS), |
| CAPI REDISPLAYS PV08 TO ALLOW INTERVIEWER TO |
SELECT CORRECT FACILITY.

PV10
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE
PROVIDER.....} {EV}

What is the {new} name and street address of the place that
{provided health care to (PERSON)/(PERSON) usually (go/goes)
to if (PERSON) (is/are) sick}?

ENTER {NAME AND} STREET ADDRESS AND VERIFY SPELLING. IF
({PROVIDER/FACILITY}) HAS MORE THAN ONE LOCATION, RECORD LOCATION
PERSON VISITED.

FACILITY_NAME (PV10_01): [_____]
FACILITY_STR1 (PV10_02): [_____] {BOX_02}
FACILITY_STR2 (PV10_03): [_____] {BOX_02}
REF -7 {BOX_02}
DK -8 {BOX_02}

| DISPLAY 'provided health care to (PERSON)' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '(PERSON) usually (go/goes) to if (PERSON) |
(is/are) sick'.

| DISPLAY 'new' IF PV09 IS CODED '2' (ADD NEW |
| ADDRESS FOR FACILITY). OTHERWISE, USE A NULL |
| DISPLAY. DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED '2' |
| (FACILITY). DISPLAY 'NAME AND' IF 'ADD PROVIDER' |
| WAS SELECTED AT PV08 OR PV08 WAS NOT ASKED. |
| IF 'ADD PROVIDER' WAS SELECTED AT PV08 OR |
| PV08 WAS NOT ASKED, THE CONTEXT HEADER WILL NOT |
| DISPLAY THE NAME OF THE MEDICAL CARE PROVIDER. |
| THE CONTEXT HEADER WILL DISPLAY THE NAME OF THE |
| PROVIDER(S) ASSOCIATED WITH THE EVENT ONLY IF PV09 |
WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY).

| CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON |
THE STREET ADDRESS FIELDS ONLY.

| IF PV09 IS CODED '2' (ADD NEW ADDRESS FOR |
| FACILITY), PV10 WILL NOT COLLECT THE FACILITY |
| NAME. THE NEW PROVIDER RECORD FOR THIS FACILITY |
| WAS ALREADY CREATED AT PV09 AND THE ADDRESS WILL |
BE RECORDED AT PV10.

| IF FACILITY-PROVIDER NOT SELECTED AT PV08 (I.E., |
| PV08 WAS NOT ASKED OR 'NONE OF THE ABOVE' WAS |
| SELECTED), ADD A FACILITY-PROVIDER TO THE |
| RU-MEDICAL-PROVIDERS-ROSTER. FLAG NEW PROVIDER AS |
| FACILITY (PROVTYPE=1). |
|

| IF PV01 IS CODED '1' (PERSON), LINK THE FACILITY |
| TO THE PERSON-TYPE-PROVIDER FLAGGED AS |
'PERSON-IN-FACILITY-PROVIDER'.

PV11
=====

OMITTED.

BOX_02
=====

| RETURN TO QUESTIONNAIRE SECTION FROM WHICH THE |
PROVIDER ROSTER (PV) SECTION WAS CALLED.