Prescribed Medicines (PM) Section

В	0	Χ		0	0
			_		
_	_	_	_	_	_

 	CONTEXT HEADER DISPLAY INSTRUCTIONS: DISPLAY PERS.FULLNAME, PRND.BEGREFMM, DD, YY AND PRND.ENDREFMM, DD, YY.
	MEDICINES ARE FLAGGED AS 'CREATED' ONLY ONCE (I.E., THE ROUND IN WHICH THE MEDICINE IS INITIALLY REPORTED). MEDICINES ARE FLAGGED AS 'SELECTED' WHEN CHOSEN IN SUBSEQUENT ROUNDS. THUS, FOR ONE ROUND, A MEDICINE CAN ONLY BE FLAGGED AS EITHER 'CREATED' OR 'SELECTED', BUT NOT BOTH.
	IF PERSON HAS NO MEDICINES CREATED OR SELECTED ON PERSON'S-PRESCRIBED-MEDICINES-ROSTER DURING THE CURRENT ROUND, GO TO PM04
	OTHERWISE, CONTINUE WITH PM02

PM01

OMITTED.

```
PM02
====
         {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
         {END-DT}
         While we were talking about {your/{PERSON}'s} medical care, we listed
         the following prescription(s) as purchased or received {since
         {START DATE}/between {START DATE} and {END DATE}}. (READ
         MEDICINES BELOW.)
         {NAME OF PRESCRIPTION MEDICINE}
         {NAME OF PRESCRIPTION MEDICINE}
         {NAME OF PRESCRIPTION MEDICINE}
             INFORMATION OKAY ..... 1 {PM04}
             AT LEAST ONE MEDICINE INCORRECT ..... 2
                           [Code One]
                _____
            | DISPLAY 'since {START DATE}' IF NOT ROUND 5. |
            | DISPLAY 'between {START DATE} and {END DATE}' IF |
            | ROUND 5.
            ______
             IF CODED '2' (AT LEAST ONE MEDICINE INCORRECT) AND
            THERE IS ONLY ONE MEDICINE ON PERSON'S-PRESCRIBED-
            | MEDICINES-ROSTER, SELECT THAT MEDICINE |
            AUTOMATICALLY BY CAPI AT PM03 AND GO TO PM04
              ______
            ______
             IF CODED '2' (AT LEAST ONE MEDICINE INCORRECT) AND
             THERE IS MORE THAN ONE MEDICINE ON PERSON'S-
            PRESCRIBED-MEDICINES-ROSTER, CONTINUE WITH PM03
            | ROSTER DETAILS:
            | Title: PERSON'S PRESCRIBED-MEDICINES 1
```

INSTRUCTIONS: DISPLAY NAME OF PRESCRIBED MEDICINE |

| COL #1 HEADER: DRUG NAME

(DRUG.DRUGNAME)

ROSTER DEFINITION: THIS ITEM DISPLAYS THE PERSON'S-PRESCRIBED- MEDICINES-ROSTER FOR DISPLAY.
ROSTER BEHAVIOR: 1. DISPLAY ONLY.
2. SELECT, ADD, DELETE, AND EDIT DISALLOWED.
ROSTER FILTER: DISPLAY ONLY THOSE PRESCRIBED MEDICINES THAT ARE FLAGGED AS EITHER 'CREATED' OR 'SELECTED' DURING THE CURRENT ROUND.
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}
SELECT MEDICINE(S) THAT WERE RECORDED INCORRECTLY.
<pre>[1. Prescribed Medicine] [2. Prescribed Medicine] [3. Prescribed Medicine]</pre>
FLAG SELECTED MEDICINES AS 'INCORRECT'. THESE MEDICINES WILL NOT BE ELIGIBLE FOR LOOP_01 (I.E., NOT 'CREATED' OR 'SELECTED' THIS ROUND).
GO TO PM04
ROSTER DETAILS: Title: PERSON'S_PRESCRIBED-MEDICINES_1
COL #1 HEADER: PRESCRIBED MEDICINE INSTRUCTIONS: DISPLAY NAME OF PRESCRIBED MEDICINE (DRUG.DRUGNAME)

ROSTER DEFINITION:
THIS ITEM DISPLAYS THE PERSON'S-PRESCRIBED-
MEDICINES-ROSTER FOR SELECTION.
L DOCMED DEHAVIOR.
ROSTER BEHAVIOR: 1. MULTIPLE SELECT ALLOWED.
i i
2. ADD, DELETE, AND EDIT DISALLOWED.
L DOCMED ELLMED.
ROSTER FILTER: DISPLAY ONLY THOSE PRESCRIBED MEDICINES THAT ARE
FLAGGED AS EITHER 'CREATED' OR 'SELECTED' DURING
THE CURRENT ROUND.
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{Since {START DATE}/Between {START DATE} and {END DATE}},
${\text{have/has}} {\text{you/{PERSON}}} $ obtained any medicines [we have not yet
talked about]? For example, {have/has} {you/he/she} had any new
prescriptions or a refill of a prescription?
Please include any on-line prescriptions.
[It would be very helpful if we could look at the bottles, containers, tubes, or bags for each of the medicines we will
be talking about.]
YES
REF7 {PM06}
DK8 {PM06}
HELD AVAILABLE BOD DESINESTON OF DESCRIPTIONS AND DESILES
HELP AVAILABLE FOR DEFINITION OF PRESCRIPTIONS AND REFILLS.
DISPLAY 'Since {START DATE}' IF NOT ROUND 5.
DISPLAY 'Between {START DATE} and {END DATE}' IF ROUND 5.

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

What were the names of these medicines?

PROBE: Any other medicines?

- [1. Prescribed Medicine]
- [2. Prescribed Medicine]
- [3. Prescribed Medicine]

FLAG ANY MEDICINE ADDED TO THE ROSTER AS 'CREATED' |

IN THIS ROUND.

FLAG ANY MEDICINE SELECTED FROM THE ROSTER AS 'SELECTED' IN THIS ROUND, IF THIS IS THE FIRST TIME THAT THE MEDICINE IS SELECTED IN CAPI IN THIS ROUND. FOR ANY ONE ROUND, A MEDICINE CAN BE FLAGGED ONLY AS 'CREATED' OR 'SELECTED', BUT NOT BOTH IN THAT SAME ROUND.

AT THIS ITEM, THE ROSTER WILL DISPLAY ALL MEDICINES IN PERSON'S-PRESCRIBED-MEDICINES-ROSTER. THAT DISPLAY WILL INCLUDE ALL MEDICINES CREATED IN | PREVIOUS ROUNDS AND IN THE CURRENT ROUND. WHEN A MEDICINE CREATED IN A PREVIOUS ROUND IS SELECTED, CREATE A NEW EVENT FOR THAT MEDICINE. FOR SUCH MEDICINES, (AND FOR ADDED MEDICINES), CAPI WILL ASK THE CP SECTION AND THE PHARMACY OF THE PURCHASE.

ANY MEDICINE ADDED TO THE ROSTER SHOULD BE FLAGGED

AS 'CREATED' THIS ROUND (WITH THE ROUND STATUS). ANY MEDICINE SELECTED AT THE ROSTER SHOULD BE FLAGGED AS 'SELECTED' THIS ROUND (WITH THE ROUND STATUS). THIS FLAGGING SHOULD OCCUR, AT EACH PERSON'S-PRESCRIBED-MEDICINES-ROSTER THROUGHOUT THE INSTRUMENT (UNLESS OTHERWISE SPECIFIED), THE FIRST TIME THE MEDICINE IS ADDED OR SELECTED DURING THE ROUND. FOR EXAMPLE, IF IT IS ROUND 1, ALL MEDICINES ON THE ROSTER WOULD HAVE THE FLAG 'CREATED - ROUND 1'. IF A MEDICINE IS CREATED IN HS, BUT SELECTED IN MV, ALL DURING ROUND 1, IT WOULD ONLY HAVE THE FLAG 'CREATED - ROUND 1'. THUS, | FOR ANY ONE ROUND, A MEDICINE CAN ONLY BE FLAGGED | AS 'CREATED' OR 'SELECTED'. IF IT IS ROUND 2 AND A | MEDICINE THAT WAS CREATED IN ROUND 1 IS SELECTED, | IT SHOULD BE FLAGGED AS 'SELECTED - ROUND 2'. THIS | FLAG IS IN ADDITION TO THE ORIGINAL 'CREATED -

ROUND 1' FLAG.

WHEN A MEDICINE FROM A PREVIOUS ROUND IS SELECTED, | CREATE A NEW EVENT SINCE IT INVOLVES A NEW PURCHASE. A NEW PURCHASE REQUIRES ASKING THE CHARGE/PAYMENT (CP) SECTION AND PHARMACY OF THE PURCHASE. THE REASON FOR INCLUDING ALL OF THE PRESCRIBED MEDICINES ON THE ROSTER IS SIMPLY TO AVOID THE INTERVIEWER HAVING TO TYPE THEM IN AGAIN | (IF THE PERSON IS GETTING REFILLS OF THE SAME | MEDICINE EVERY ROUND).

	GO TO PM06
-	
 	ROSTER DETAILS: TITLE: PERSON'S_PRESCRIBED-MEDICINES_1
 	COL # 1 HEADER: PRESCRIBED MEDICINE INSTRUCTIONS: DISPLAY NAME OF PRESCRIBED MEDICINE (DRUG.DRUGNAME)
- 	ROSTER DEFINITION: THIS ITEM DISPLAYS PERSON'S-PRESCRIBED-MEDICINES- ROSTER FOR SELECTION/ADDITION.
_	
	ROSTER BEHAVIOR: 1. MULTIPLE SELECT ALLOWED.
	2. MULTIPLE ADD ALLOWED.
	3. LIMITED DELETE ALLOWED. INTERVIEWER MAY DELETE A PMED ADDED ON THIS SCREEN AS LONG AS CAPI HAS NOT YET CREATED THE LINK BETWEEN THIS PMED AND THE EVENT.
 -	4. EDIT DISALLOWED.
_	
	ROSTER FILTER: DISPLAY ALL; NO FILTER.
-	DISTLAI ALL, NO FILIEK.

PM06 ====	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}
	{Since {START DATE}/Between {START DATE} and {END DATE}}, did {you/{PERSON}} get any free samples of prescribed medicines from a medical or dental provider that we have not yet talked about?
	YES 1 {PM07} NO 2 {BOX_01} REF -7 {BOX_01} DK -8 {BOX_01}
	HELP AVAILABLE FOR DEFINITION OF FREE SAMPLES.
	DISPLAY 'Since {START DATE}' IF NOT ROUND 5. DISPLAY 'Between {START DATE} and {END DATE}' IF ROUND 5.
PM07	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}
	What are the names of the medicines {you/{PERSON}} got as free samples?
	PROBE: Any other free samples?
	<pre>[1. Prescribed Medicine] [2. Prescribed Medicine] [3. Prescribed Medicine]</pre>
	FLAG MEDICINES AS 'FREE SAMPLE' ON IF MEDICINE WAS CREATED AT PM07 DURING THE CURRENT ROUND.
	GO TO BOX_01

ROSTER BEHAVIOR:

- 1. MULTIPLE SELECT ALLOWED.
- 2. MULTIPLE ADD ALLOWED.
- 3. LIMITED DELETE ALLOWED. INTERVIEWER MAY DELETE | A PMED ADDED ON THIS SCREEN AS LONG AS CAPI HAS | NOT YET CREATED THE LINK BETWEEN THIS PMED AND | THE EVENT.
- 4. EDIT DISALLOWED.
- 5. ANY MEDICINE ADDED TO THE ROSTER SHOULD BE FLAGGED AS 'CREATED' THIS ROUND (WITH THE ROUND) STATUS). ANY MEDICINE SELECTED AT THE ROSTER | SHOULD BE FLAGGED AS 'SELECTED' THIS ROUND (WITH THE ROUND STATUS). THIS FLAGGING SHOULD OCCUR, AT EACH PERSON'S-PRESCRIBED-MEDICINES- | ROSTER THROUGHOUT THE INSTRUMENT (UNLESS OTHERWISE SPECIFIED), THE FIRST TIME THE MEDICINE IS ADDED OR SELECTED DURING THE ROUND. FOR EXAMPLE, IF IT IS ROUND 1, ALL MEDICINES | ON THE ROSTER WOULD HAVE THE FLAG 'CREATED -ROUND 1'. IF A MEDICINE IS CREATED IN HS, BUT | SELECTED IN MV, ALL DURING ROUND 1, IT WOULD ONLY HAVE THE FLAG 'CREATED - ROUND 1'. THUS, | FOR ANY ONE ROUND, A MEDICINE CAN ONLY BE FLAGGED AS 'CREATED' OR 'SELECTED'. IF IT IS ROUND 2 AND A MEDICINE THAT WAS CREATED IN ROUND 1 IS SELECTED, IT SHOULD BE FLAGGED AS 'SELECTED - ROUND 2'. THIS FLAG IS IN ADDITION| TO THE ORIGINAL 'CREATED - ROUND 1' FLAG.
- 6. WHEN A MEDICINE FROM A PREVIOUS ROUND IS

 SELECTED, A NEW EVENT IS CREATED SINCE IT

 INVOLVES A NEW PURCHASE. A NEW PURCHASE

 REQUIRES ASKING THE CHARGE/PAYMENT (CP) SECTION|

 AND THE PHARMACY OF THE PURCHASE. THE REASON |

 FOR INCLUDING ALL OF THE PRESCRIBED MEDICINES |

 ON THE ROSTER IS SIMPLY TO AVOID THE

 INTERVIEWER HAVING TO TYPE THEM IN AGAIN (IF

 THE PERSON IS GETTING REFILLS OF THE SAME |

 MEDICINE EVERY ROUND).

ROSTER FILTER:

| DISPLAY ALL; NO FILTER.

	IF NO MEDICINES FLAGGED AS 'CREATED' OR 'SELECTE DURING THE CURRENT ROUND, GO TO BOX_06
	OTHERWISE, CONTINUE WITH LOOP_01
_01	
	•
	FOR EACH ELEMENT IN PERSON'S-PRESCRIBED-MEDICINI ROSTER, ASK NAV_PM01 - END_LP01
	FOR EACH ELEMENT IN PERSON'S-PRESCRIBED-MEDICINE ROSTER, ASK NAV_PM01 - END_LP01 LOOP DEFINITION: LOOP_01 COLLECTS INFORMATION ABOUT EACH PRESCRIBED MEDICINE CREATED OR SELECT DURING THE CURRENT ROUND. THIS LOOP CYCLES ON PRESCRIBED MEDICINES THAT MEET ONE OF THE FOLLOWING CONDITIONS:
	ROSTER, ASK NAV_PM01 - END_LP01 LOOP DEFINITION: LOOP_01 COLLECTS INFORMATION ABOUT EACH PRESCRIBED MEDICINE CREATED OR SELECT DURING THE CURRENT ROUND. THIS LOOP CYCLES ON PRESCRIBED MEDICINES THAT MEET ONE OF THE

NAV_PM01

SERIES: Medicine Detail (e.g., for what condition, date first taken, number of times obtained)

USE THE LINKS BELOW TO COMPLETE ALL QUESTIONS WITHIN THIS SERIES.

WHEN ALL LINKS ARE MARKED "DONE," USE [Continue Interview] TO GO PAST THIS SERIES.

IF NEEDED, [Previous Page] WILL TAKE YOU TO QUESTIONS $\underline{\text{BEFORE}}$ THIS SERIES.

Prescribed Medicine

	[1. Person's Prescribed Medicine-30] [Status- [2. Person's Prescribed Medicine-30] [Status- [3. Person's Prescribed Medicine-30] [Status-	-25]
 	ROSTER DETAILS: COL # 1 HEADER: PRESCRIBED MEDICINE INSTRUCTIONS: DISPLAY PERSON'S PRESCRIBED MEDICINE COL # 2 HEADER: EMPTY INSTRUCTIONS: DISPLAY THE MOST CURRENT NAVIGATOR STATUS FOR EACH MEDICINE EACH TIME THE NAVIGATOR IS PRESENTED	
 	ROSTER DEFINITION: THIS ITEM DISPLAYS PERSON'S-PRESCRIBED-MEDICINES- ROSTER FOR SELECTION.	 -
 	ROSTER BEHAVIOR: 1. SELECT ALLOWED. 2. MULTIPLE SELECT, ADD, DELETE, AND EDIT DISALLOWED.	

	ROSTER FILTER: DISPLAY EACH MEDICINE IN PERSON'S-PRESCRIBED- MEDICINES-ROSTER THAT MEETS THE FOLLOWING
	CONDITIONS: - PRESCRIBED MEDICINE IS FLAGGED AS 'CREATED' DURING THE CURRENT ROUND. OR
	- PRESCRIBED MEDICINE IS FLAGGED AS 'SELECTED' DURING THE CURRENT ROUND.
	CONTINUE WITH BOX_01A FOR SELECTED MEDICINE.
BOX_01A ======	
	IF ROUND 5, CONTINUE WITH PM07A
	OTHERWISE, GO TO PM08
PM07A ====	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}
	Now, let's talk about {MEDICINE}.
	<pre>Was {MEDICINE} purchased or obtained sometime between {START DATE} and {END DATE}?</pre>
	YES 1 {PM08} NO 2 {END_LP01} REF -7 {PM08} DK -8 {PM08}

```
| IF CODED '2' (NO), FLAG MEDICINE AS 'INCORRECT'. |
  | THIS MEDICINE SHOULD NOT BE FLAGGED AS 'CREATED' |
  OR 'SELECTED' FOR ROUND 5 AND THE ROUND 5 RECORDS |
  | SHOULD BE DELETED.
{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION
MEDICINE.} {STR-DT}
{END-DT}
{Now, let's talk about {MEDICINE}.}
Is {MEDICINE} used for a specific health problem?
    YES ..... 1 {PM09}
    NO ..... 2 {BOX 02A}
    REF ..... -7 {BOX 02A}
    DK ..... -8 {BOX 02A}
   _____
  | DISPLAY 'Now let's talk about {MEDICINE}.' IF NOT |
  ROUND 5. IF ROUND 5, USE A NULL DISPLAY.
{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION
MEDICINE.} {STR-DT}
{END-DT}
What health problem is {MEDICINE} prescribed for?
PROBE: Any other health problems?
IF CONDITION IS ALREADY LISTED, SELECT ENTRY ON ROSTER.
    [1. Medical Condition]
    [2. Medical Condition]
    [3. Medical Condition]
```

GO TO BOX_02A	
DISPLAY 'ADD CONDITION' AS AN OPTION ON THIS SCREEN.	
ROSTER DETAILS: Title: PERS_COND_1	
COL #1 HEADER: MEDICAL CONDITION INSTRUCTIONS: DISPLAY NAME OF MEDICAL CONDITION (COND.CONDNAM)	
ROSTER DEFINITION: DISPLAY THE PERSON-MEDICAL-CONDITIONS-ROSTER FOR THE SELECTION AND ADDITION OF ONE OR MANY MEDICAL CONDITION(S) ASSOCIATED WITH THIS EVENT.	
ROSTER BEHAVIOR: 1. MULTIPLE SELECT ALLOWED. SELECTION SHOULD NOT IMPACT THE ROUND FLAG OF THE CONDITION.	
2. MULTIPLE ADD ALLOWED. INTERVIEWER SHOULD RECORD CONDITION NAME.	ו (
3. LIMITED DELETE ALLOWED. INTERVIEWER MAY DELETE A CONDITION ADDED ON THIS SCREEN AS LONG AS CAPI HAS NOT YET CREATED THE LINK BETWEEN THIS CONDITION AND THE EVENT.	
4. LIMITED EDIT ALLOWED. INTERVIEWER MAY EDIT A CONDITION NAME NEWLY ADDED ON THIS SCREEN AS LONG AS CAPI HAS NOT YET CREATED THE LINK BETWEEN THIS CONDITION AND THE EVENT.	
ROSTER FILTER: DISPLAY ALL CONDITIONS ON PERSON'S ROSTER; NO FILTER.	

	IF MEDICINE BEING ASKED ABOUT IS FLAGGED AS `SELECTED' DURING THE CURRENT ROUND, GO TO PM10
	IF MEDICINE BEING ASKED ABOUT IS FLAGGED AS `CREATED' DURING THE CURRENT ROUND, CONTINUE WITH PM11
M11 ===	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION
	MEDICINE.) {STR-DT} {END-DT}
	<pre>MEDICINE.} {STR-DT} {END-DT} In what year did {you/{PERSON}} first use {MEDICINE}?</pre>
	MEDICINE.} {STR-DT} {END-DT}
	<pre>MEDICINE.} {STR-DT} {END-DT} In what year did {you/{PERSON}} first use {MEDICINE}?</pre>
	MEDICINE.} {STR-DT} {END-DT} In what year did {you/{PERSON}} first use {MEDICINE}? XXXX HAS NOT YET TAKEN/USED [Enter Year-4]

OTHERWISE, GO TO PM10

PM110V1

PM110V2

MONTH:
[Enter Month-2] -7 REF -8
FOR SPECIFICATIONS PURPOSES ONLY (CAPI HANDLES AUTOMATICALLY): ALLOWABLE VALUES FOR MONTH ARE 1-12.
IF YEAR IS REFERENCE YEAR, CONTINUE WITH PM110V2 OTHERWISE, GO TO PM10
DAY: [Enter Day-2]
HARD CHECK:
ENTRIES FOR DAY MUST CORRESPOND TO CALENDAR MONTHS AND DAYS. THAT IS, - ALLOWABLE VALUES = 01 - 31 IF MONTH CODED '01', '03', '05', '07', '08', '10', '12';

	THE COMPLETE DATE CANNOT BE BEFORE THE PERSON'S DATE OF BIRTH OR AFTER THE REFERENCE PERIOD END DATE FOR THIS PERSON.
PM10	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}
	<pre>How many times was {MEDICINE} obtained or purchased for {you/{PERSON}} {since {START DATE}/between {START DATE} and {END DATE}}?</pre>
	[Enter Number of Times] {BOX_02B} REF -7 {BOX_02B} DK -8 {BOX_02B}
	DISPLAY 'since {START DATE}' IF NOT ROUND 5. DISPLAY 'between {START DATE} and {END DATE}' IF ROUND 5.
BOX_02B ======	
	IF ROUND 3 AND PM10 IS NOT -7 OR -8, CONTINUE WITH PM10A
	OTHERWISE, GO TO BOX_02

PM10A

BOX_02 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}
NUMBER OF TIMES OBTAINED/PURCHASED SINCE {START DATE}: {NUMBER OF TIMES}
Of these times, how many were in {YEAR}?
[Enter Number of Times] {BOX_02} REF -7 {BOX_02} DK -8 {BOX_02}
FOR 'NUMBER OF TIMES,' DISPLAY THE NUMBER ENTERED AT PM10.
FOR SPECIFICATIONS PURPOSES ONLY (CAPI HANDLES AUTOMATICALLY): FOR 'YEAR', DISPLAY THE YEAR THAT IS THE FIRST YEAR OF THE GIVEN PANEL.
HARD CHECK: NUMBER OF TIMES MUST BE <= NUMBER OF TIMES OBTAINED/PURCHASED AT PM10.
IF THE CHARGE/PAYMENT (CP) SECTION HAS NOT BEEN ASKED FOR THIS MEDICINE, ASK THE CHARGE/PAYMENT (CP) SECTION
OTHERWISE, CONTINUE WITH END_LP01

END LP01	
======	
•	CYCLE ON NEXT MEDICINE IN PERSON'S-PRESCRIBED- MEDICINES-ROSTER THAT MEETS THE CONDITIONS STATED
	IN THE LOOP DEFINITION.
 	IF NO OTHER MEDICINES MEET THE STATED CONDITIONS, END LOOP_01 AND CONTINUE WITH BOX_03
BOX_03	
=====	
I	IF ALL PRESCRIBED MEDICINES FOR THIS PERSON ARE
 	FLAGGED AS 'FREE SAMPLES' (IN BOTH PM AND CP) DURING THE CURRENT ROUND, GO TO BOX_06
I	OTHERWISE, CONTINUE WITH LOOP_02
LOOP_02	
=====	
	FOR EACH OF THE FOLLOWING:
	PHARMACY 1
i	PHARMACY 2
1	PHARMACY 3
	PHARMACY 4
	ASK BOX_04A-END_LP02

_____ | LOOP DEFINITION: LOOP 02 ENUMERATES PHARMACIES | | USED BY PERSON FOR PRESCRIBED MEDICINES THAT WERE | | CREATED OR SELECTED DURING THE CURRENT ROUND. | THE RESPONSE TO PM17 DETERMINES IF THE LOOP CYCLES | AGAIN. IF PM17 IS CODED '1' (YES), THE LOOP CYCLES| TO COLLECT THE NEXT PHARMACY USED BY PERSON. | IF PM17 IS CODED '2' (NO), '-7' (REFUSED), OR '-8'| | (DON'T KNOW), THE LOOP ENDS. | _____ AS A PHARMACY IS ENTERED OR SELECTED, FLAG THE PERSON-PHARMACY PAIR WITH THE CURRENT ROUND (I.E., | THE MOST RECENT ROUND IT WAS ENTERED/SELECTED). | THIS ROUND FLAG IS USED TO DETERMINE WHETHER THE | PHARMACY IS ELIGIBLE FOR PHARMACY PERMISSION FORM | | COLLECTION FOR THIS RU MEMBER. _____ IF THERE ARE NO PHARMACIES ON THE RU-PHARMACIES-| ROSTER, GO TO PM14 _____ _____ OTHERWISE, CONTINUE WITH PM12

BOX 04A

BOX_04

```
PM12
```

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
What is the name of the (next) pharmacy that filled the
prescription(s) for {you/{PERSON}}?
    [1. Pharmacy] [STREET ADDRESS] [CITY]
    [2. Pharmacy] [STREET ADDRESS] [CITY]
    [3. Pharmacy] [STREET ADDRESS] [CITY]
    REF ..... -7
    DK ..... -8
    DISPLAY 'ADD PHARMACY' AND 'DELETE PHARMACY'
  BUTTONS AS OPTIONS ON THIS SCREEN.
  | IF 'ADD PHARMACY' IS SELECTED, GO TO PM14
  (NOTE THAT PM14 IS ACTUALLY A POPUP ON PM12).
    _____
  OTHERWISE, CONTINUE WITH PM13
   ______
  | ROSTER DETAILS:
    Title: RU PHAR 1
  | COL #1 HEADER: PHARMACY
    INSTRUCTIONS: DISPLAY PHARMACY NAME
    (PHAR.PHARNAME)
  | COL #2 HEADER: STREET ADDRESS
    INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS
    (PHAR.PHARADR1)
  | COL #3 HEADER: CITY
    INSTRUCTIONS: DISPLAY TRUNCATED CITY
    (PHAR.PHARCITY)
  ROSTER DEFINITION:
  THIS ITEM DISPLAYS THE RU-PHARMACIES-ROSTER FOR |
  | SELECTION/ADDITION.
```

1. SELECT ONE ALLOWED. INTERVIEWER MUST SELECT ONE ONLY FROM THE LIST OF PROVIDERS OR MAY SELECT 'ADD PHARMACY' 2. ADD ALLOWED. 3. EDITS ARE NOT ALLOWED. 4. LIMITED DELETE ALLOWED. ROSTER FILTER: DISPLAY ALL; NO FILTER. ON'S FIRST MIDDLE AND LAST NAME) {STR-DT} DT} DE address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHARMACY CITY,ST,ZIPCODE} ADDRESS AND TELEPHONE CORRECT		STER BEHAVIOR:	
3. EDITS ARE NOT ALLOWED. 4. LIMITED DELETE ALLOWED. ROSTER FILTER: DISPLAY ALL; NO FILTER. ON'S FIRST MIDDLE AND LAST NAME} {STR-DT} DT} de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT	1.	ONE ONLY FROM THE LIST OF PROVIDERS OR 1	
4. LIMITED DELETE ALLOWED. ROSTER FILTER: DISPLAY ALL; NO FILTER. ON'S FIRST MIDDLE AND LAST NAME} {STR-DT} DT} e address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF 7 {BOX_05} DK 8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	2.	ADD ALLOWED.	
ROSTER FILTER: DISPLAY ALL; NO FILTER. CON'S FIRST MIDDLE AND LAST NAME} {STR-DT} DT} DE address of (READ NAME AND ADDRESS OF PHARMACY BELE {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF 7 {BOX_05} DK 8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	3.	EDITS ARE NOT ALLOWED.	
ON'S FIRST MIDDLE AND LAST NAME } {STR-DT} ON'S FIRST MIDDLE AND LAST NAME } {STR-DT} DT} e address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12 } {PHARMACY STREET ADDRESS LINE1. } {PHARMACY STREET ADDRESS LINE2. } {PHARMACY CITY,ST,ZIPCODE } {PHRM PHONE } ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF7 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	4.	LIMITED DELETE ALLOWED.	
ON'S FIRST MIDDLE AND LAST NAME STR-DT OT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
de address of (READ NAME AND ADDRESS OF PHARMACY BEL {PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT			
{PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF7 {BOX_05} DK8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	ом':	S FIRST MIDDLE AND LAST NAME} {STR-DT}	
{PHARMACY NAME SELECTED AT PM12} {PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF7 {BOX_05} DK8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),		S FIRST MIDDLE AND LAST NAME} {STR-DT}	
{PHARMACY STREET ADDRESS LINE1.} {PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF7 {BOX_05} DK8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT}		
{PHARMACY STREET ADDRESS LINE2.} {PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT	DT}		MACY BEL
{PHARMACY CITY,ST,ZIPCODE} {PHRM PHONE} ADDRESS AND TELEPHONE CORRECT 1 {BOX_05} ADD NEW ADDRESS FOR PHARMACY 2 {PM14} ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION 3 {PM15} SELECTED WRONG PHARMACY/ADDRESS 4 REF7 {BOX_05} DK8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT}	ddress of (READ NAME AND ADDRESS OF PHARI	MACY BEI
<pre>{PHRM PHONE} ADDRESS AND TELEPHONE CORRECT</pre>	DT	ddress of (READ NAME AND ADDRESS OF PHARI	MACY BEI
ADDRESS AND TELEPHONE CORRECT	DT } e a « { PH. { PH. { PH.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12) ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.}	MACY BEI
ADD NEW ADDRESS FOR PHARMACY	DT } e a { PH; { PH; { PH; { PH;	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12) ARMACY STREET ADDRESS LINE1.) ARMACY STREET ADDRESS LINE2.) ARMACY CITY,ST,ZIPCODE)	MACY BEI
ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION	DT } e a { PH; { PH; { PH; { PH;	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12) ARMACY STREET ADDRESS LINE1.) ARMACY STREET ADDRESS LINE2.) ARMACY CITY,ST,ZIPCODE)	MACY BEI
CORRECTION	DT } e a { PH; } PH; }	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12) ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE}	{BOX_05}
SELECTED WRONG PHARMACY/ADDRESS 4 REF	DT } e a { PH. { PH. { PH. { PH. { PH. { PH. } ADD	ddress of (READ NAME AND ADDRESS OF PHARMACY NAME SELECTED AT PM12) ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT	{BOX_05}
DK8 {BOX_05} [Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT } e ac { PH. { PH. { PH. { PH. { PH. ADD: ADD ABO	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT	{BOX_05} {PM14}
[Code One] IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT) e a {PH. {PH. {PH. } {PH. ADD. ADD.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT	{BOX_05} {PM14}
IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT) e ac {PH. {PH. {PH. } {PH. ADD: ADD: ABO' COR.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 4 7	{BOX_05} {PM14} {PM15} {BOX_05}
IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS),	DT) e ac {PH. {PH. {PH. } {PH. ADD: ADD: ABO' COR.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 4 7	{BOX_05} {PM14} {PM15} {BOX_05}
	DT) e ac {PH. {PH. {PH. } {PH. ADD: ADD: ABO' COR.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 478	{BOX_05} {PM14} {PM15} {BOX_05}
	DT) e ac {PH. {PH. {PH. } {PH. ADD: ADD: ABO' COR.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 478	{BOX_05} {PM14} {PM15} {BOX_05}
	DT) e ac {PH. {PH. {PH. } {PH. ADD: ADD: ABO' COR.	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 478	{BOX_05} {PM14} {PM15} {BOX_05}
	DT) e a({PH; {PH; {PH; ADD; ADD; COR; SEL; REF	ddress of (READ NAME AND ADDRESS OF PHARMARMACY NAME SELECTED AT PM12} ARMACY STREET ADDRESS LINE1.} ARMACY STREET ADDRESS LINE2.} ARMACY CITY,ST,ZIPCODE} RM PHONE} RESS AND TELEPHONE CORRECT 1 NEW ADDRESS FOR PHARMACY 2 VE ADDRESS/TELEPHONE NEEDS RECTION 3 ECTED WRONG PHARMACY/ADDRESS 478 [Code One]	{BOX_05} {PM14} {PM15} {BOX_05} {BOX_05}

PM14	
====	

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

What is the name and address of the (next) pharmacy that filled the prescription(s) for $\{you/\{PERSON\}\}$?

ENTER COMPLETE (NAME AND) ADDRESS AND VERIFY SPELLING. IF PHARMACY HAS MORE THAN ONE LOCATION, RECORD LOCATION WHERE PERSON HAD PRESCRIPTION FILLED.

ENTER WEB ADDRESS ON STREET ADDRESS LINE(S).

PHARMACY_NAME: [] PHARMACY_STR1: [] PHARMACY_STR2: [] PHARMACY_CITY: [] PHARMACY_STATE: [] PHARMACY_ZIPCDE: [] PHARMACY_PHONE: [] REF -7 {BOX_05} DK -8 {BOX_05}
USE HELP TO VIEW LIST OF STATE ABBREVIATIONS. IF PM13 IS CODED '2' (ADD NEW ADDRESS FOR PHARMACY), PM14 WILL NOT COLLECT THE PHARMACY NAME, PM14_01 WILL DISPLAY THE PHARMACY NAME AND CANNOT BE EDITED.
CODES '-7' (REFUSED) AND '-8' (DON'T KNOW) ARE ALLOWED ON EACH FORM ITEM EXCEPT FOR PHARMACY NAME (PM14_01).
HARD CHECK: CHECK THAT STATE ABBREVIATION IS VALID.

PM15	
	{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}
	CORRECT ADDRESS OR TELEPHONE FOR: {PHARMACY NAME W/WRONG ADDRESS.}
	TO VERIFY CURRENT INFORMATION PRESS ENTER. TO CORRECT OR ENTER INFORMATION, TYPE ENTIRE FIELD.
	PHARMACY_STR1: [] BOX_05} PHARMACY_STR2: [] PHARMACY_CITY: [] PHARMACY_STATE: [] PHARMACY_ZIPCDE: [] PHARMACY_PHONE: [] RF
	ADDRESS FIELDS CONTAIN PREVIOUSLY COLLECTED INFORMATION WHICH CAN BE UPDATED.
	HARD CHECK: EDIT: CHECK THAT STATE ABBREVIATION IS VALID.
BOX_05 =====	
	IF THE NAME OR ADDRESS FIELDS WERE COMPLETED IN PM14 FOR THE PHARMACY BEING ASKED ABOUT (THAT IS, THE PHARMACY WAS ADDED TO THE RU-PHARMACIES- ROSTER OR A NEW ADDRESS WAS ENTERED FOR AN EXISTING PHARMACY), CONTINUE WITH PM16

| OTHERWISE, GO TO PM17

PM16

{PERSON'S FIRST MIDDLE AND LAST NAME}{PHARMACY NAME} {STR-DT} {END-DT}

What type of pharmacy is that? Is it a mail-order pharmacy; a pharmacy located in another store such as a grocery or department store; a pharmacy located in an HMO, clinic, or hospital; a drug store that is not located within another facility; or is it an on-line pharmacy?

MAIL-ORDER 1	{ PM17 }
IN ANOTHER STORE 2	{ PM17 }
IN HMO/CLINIC/HOSPITAL 3	{ PM17 }
DRUG STORE 4	{ PM17 }
ON-LINE 5	{ PM17 }
REF7	{ PM17 }
DK8	{ PM17 }

HELP AVAILABLE FOR DEFINITIONS OF ANSWER CATEGORIES.

[Code One]

PM17

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

Did $\{you/\{PERSON\}\}\$ use another pharmacy $\{since \{START DATE\}\$ and $\{END DATE\}\}$?

FOR CHAIN ESTABLISHMENTS, PLEASE RECORD ALL PHARMACY LOCATIONS USED (I.E., THOSE WITH THE SAME NAME BUT DIFFERENT ADDRESS).

YES	1	{END_LP02}
NO	2	{END_LP02}
REF	7	{END_LP02}
DK	8	{END_LP02}

DIGDLAY Asings (CHART DAME)/ TE MOT DOUND F

| DISPLAY 'since {START DATE}' IF NOT ROUND 5. |
| DISPLAY 'between {START DATE} and {END DATE}' IF |
| ROUND 5. |

END_LP02 ======	
	IF PM17 IS CODED '1' (YES), CYCLE TO COLLECT INFORMATION ABOUT THE NEXT PHARMACY USED BY PERSON.
	IF PM17 IS CODED '2' (NO), '-7 (REFUSED), OR '-8' (DON'T KNOW), END LOOP_02 AND CONTINUE WITH BOX_06
BOX_06 =====	
	GO TO NEXT QUESTIONNAIRE SECTION