## Provider Roster (PV) Section

BOX_00 =====		
	CONTEXT HEADER DISPLAY INSTRUCTIONS:     DISPLAY PERS.FULLNAME AND EVNT.EVNTTYPE.	
BOX_00A =====		
	CAPI SETS PROV.PROVTYPE USING DATA FROM MULTIPLE   QUESTIONS, NOT JUST PV01. ULTIMATELY, THE VALUES   ARE AS FOLLOWS:   1 - FACILITY   2 - PERSON   3 - PERSON IN FACILITY	
PV01 ====		
	{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}	
	{[What is the name of the person or place that provided heal care to {you/{PERSON}}?]}	
	INTERVIEWER: IS THE PROVIDER {ASSOCIATED WITH THIS EVENT} A PERSON OR A FACILITY (INCLUDING GROUP PRACTICES AND HMOs)?	
	{IF FACILITY NAMED, PROBE: If {you/{PERSON}} usually {see/sees a particular person at this place, please give me the name of that person first.}	
	PERSON	
	HELP AVAILABLE FOR DEFINITION OF PERSON/FACILITY.	

-----DISPLAY '[What is ... {you/{PERSON}}?]' AND 'ASSOCIATED WITH THIS EVENT' IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM THE ACCESS| TO CARE (AC) SECTION. IF THE PV SECTION WAS CALLED FROM THE AC SECTION, USE A NULL DISPLAY. | DISPLAY 'IF FACILITY NAMED, PROBE: ... person first.' IF THE PV SECTION WAS CALLED FROM THE AC SECTION. IF THE PV SECTION WAS NOT CALLED FROM THE AC SECTION, USE A NULL DISPLAY. | IF CODED '1' (PERSON), SET PROVIDER TYPE TO 'PERSON-TYPE-PROVIDER'. IF CODED '2' (FACILITY), SET PROVIDER TYPE TO 'FACILITY-PROVIDER'. IF NO PERSON-PROVIDERS ON RU-MEDICAL-PROVIDERS-| ROSTER AND PV01 IS CODED '1', THEN CREATE A NEW | PROV RECORD. | IF CODED '1' (PERSON) AND NO PROVIDERS THAT ARE | TYPE 'PERSON-PROVIDER' ON RU-MEDICAL-PROVIDERS-| ROSTER, GO TO PV04 \_\_\_\_\_ IF CODED '1' (PERSON) AND AT LEAST ONE PROVIDER | THAT IS TYPE 'PERSON-PROVIDER' ON RU-MEDICAL-PROVIDERS-ROSTER, CONTINUE WITH PV02 -----| HARD CHECK: IF EVENT TYPE IS HS, ER, OP, OR IC, | PV01 CANNOT BE CODED '1' (PERSON). IF PV01 IS CODED '1' (PERSON) FOR AN HS, ER, OP, OR IC EVENT, | | THE ERROR HANDLER WILL FORCE THE INTERVIEWER TO | | RECTIFY THE DATA.

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the person that {provided health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if {you/he/she} {are/is} sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} PROVIDER {ASSOCIATED WITH THE EVENT}.

ROSTER.		PV02_02. FACILITY	PV02_03. STREET
PE	RSON-TYPE-PROVIDER	_	
1.	[Display Truncated	[Display Truncated	[Display Truncated
	Person-Provider-25]	Facility-Provider-30]	Street Address-15]
2.	[Display Truncated	[Display Truncated	[Display Truncated
	Person-Provider-25]	Facility-Provider-30]	Street Address-15]
3.	[Display Truncated	[Display Truncated	[Display Truncated
	Person-Provider-25]	Facility-Provider-30]	Street Address-15]

| DISPLAY 'provided health care to {you/{PERSON}}' |
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED|
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |
| she} (are/is) sick'.

\_\_\_\_\_

| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER | ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO | CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY.

| DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE | PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM | THE ACCESS TO CARE (AC) SECTION. IF THE PV | SECTION WAS CALLED FROM THE AC SECTION, USE A NULL| DISPLAY.

| DISPLAY AN 'ADD NEW PROVIDER' OPTION ON THIS

-----

| IF 'ADD NEW PROVIDER' IS SELECTED, GO TO PV04

OTHERWISE, CONTINUE WITH PV03 ROSTER DETAILS: TITLE: RU\_PROV\_SELECTONE\_1 | COL # 1 HEADER: PERSON-TYPE-PROVIDER INSTRUCTIONS: DISPLAY TRUNCATED PERSON-PROVIDER NAME (PROV.DRFNAME (10), PROV.LORPNAME (15)) | COL # 2 HEADER: FACILITY INSTRUCTIONS: DISPLAY FACILITY-PROVIDER NAME (PROV.PVASSOC (30)) (IF NO FACILITY, USE NULL DISPLAY) COL # 3 HEADER: STREET INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS (PROV.PVSTRT1, PROV.PVSTRT2 (15)) | ROSTER DEFINITION: THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER | FOR SELECTING ONE MEDICAL PROVIDER. ROSTER BEHAVIOR: 1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE FROM THE LISTED MEDICAL PROVIDERS. 2. MULTIPLE SELECT DISALLOWED. 3. ADD ALLOWED USING THE 'ADD NEW PROVIDER' BUTTON. 4. DELETE AND EDIT ARE NOT ALLOWED. 5. IF PROVIDER IS A PERSON-PROVIDER NOT ASSOCIATED WITH A FACILITY (PROV.PROVTYPE=2), THE FACILITY COLUMN IS EMPTY FOR THAT ROW. \_\_\_\_\_ ROSTER FILTER: DISPLAY PERSON PROVIDERS (PROV.PROVTYPE = 2) AND PERSON-IN-FACILITY PROVIDERS (PROV.PROVTYPE = | \_\_\_\_\_

```
PV03
```

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}
Is the address of (READ NAME AND ADDRESS OF PROVIDER BELOW)...
     {PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}
     {FACILITY-PROVIDER ASSOC W/ PERSON-TYPE-PROVIDER}
     {PERSON-TYPE-PROVIDER STREET ADDRESS LINE1}
     {PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}
TO MAKE CORRECTIONS OR ADDITIONS TO ADDRESS, MAKE A COMMENT.
    ADDRESS {& FACILITY NAME} CORRECT ..... 1 {BOX 02}
    ADD NEW ADDRESS (2ND LOCATION) FOR
      PROVIDER ABOVE..... 2 {PV06}
    ADD NEW/DIFFERENT FACILITY (GROUP
      PRACTICE) FOR PROVIDER ABOVE ..... 3 {BOX_01}
    SELECTED WRONG PROVIDER/ADDRESS ..... 5
    REF ..... -7 {BOX 02}
    DK ..... -8 {BOX 02}
                     [Code One]
    FOR {PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}, |
     DISPLAY THE PERSON-TYPE-PROVIDER NAME SELECTED AT |
    PV02.
     FOR {FACILITY-PROVIDER ASSOC W/ PERSON-TYPE-
     PROVIDER. }, DISPLAY THE FACILITY PROVIDER NAME
     ASSOCIATED WITH THE PERSON-PROVIDER SELECTED AT
     PV02. IF NO FACILITY ASSOCIATED WITH THIS
     PERSON PROVIDER, USE A NULL DISPLAY.
     FOR {PERSON-TYPE-PROVIDER STREET ADDRESS LINE1} |
     AND {PERSON-TYPE-PROVIDER STREET ADDRESS LINE2},
     DISPLAY LINES 1 & 2 OF THE ADDRESS FOR THE PERSON |
     PROVIDER SELECTED AT PV02.
    DISPLAY '& FACILITY NAME' IF THERE IS A FACILITY- |
    PROVIDER NAME ASSOCIATED WITH THE PERSON PROVIDER |
     SELECTED AT PV02. IF NO FACILITY ASSOCIATED WITH |
    THIS PROVIDER, USE A NULL DISPLAY.
    IF "ADD NEW ADDRESS FOR PROVIDER" SELECTED, CREATE |
   A NEW PROVIDER RECORD FOR THIS PROVIDER. SET
    PROVIDER TYPE AS 'PERSON-TYPE-PROVIDER'
   | (PROVTYPE=2).
```

IF CODED '5' (SELECTED WRONG PROVIDER/ADDRESS), | CAPI REDISPLAYS PV02 TO ALLOW INTERVIEWER TO | SELECT CORRECT PROVIDER. {PERSON'S FIRST MIDDLE AND LAST NAME} {EV} What is the first and last name of the person that {provided health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if {you/he/she} {are/is} sick}? ENTER COMPLETE PROVIDER NAME {ASSOCIATED WITH THIS EVENT} AND VERIFY SPELLING. [Enter Provider Name-65] ...... {PV05} \_\_\_\_\_ | DISPLAY 'provided health care to {you/{PERSON}}' | IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED | FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV | | SECTION WAS CALLED FROM THE AC SECTION, DISPLAY | '{you/{PERSON}} usually {go/goes} to if {you/he/ | | she } {are/is } sick'. | DISPLAY 'ASSOCIATED WITH THIS EVENT' IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM | THE ACCESS TO CARE (AC) SECTION. IF THE PV | SECTION WAS CALLED FROM THE AC SECTION, USE A | NULL DISPLAY. DISPLAY 'CLICK 'ADD PROVIDER' TO ADD A NEW PROVIDER.' IF THERE ARE NO RECORDS IN THE ROSTER. | | CREATE A NEW PERSON-PROVIDER ON THE RU-MEDICAL-| PROVIDERS-ROSTER.

PV05		
====		
	{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EV}	
	Is {PROVIDER} in a group practice, that is, do other doctor practice at the same office (or are part of an HMO)?	
	YES	
	IF CODED '1' (YES), FLAG PROVIDER AS 'PERSON-IN-     FACILITY-PROVIDER' (PROVTYPE=3).	
	IF CODED '2' (NO), FLAG PROVIDER AS 'PERSON-     PROVIDER' (PROVTYPE=2).	
PV06 ====		
	{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EV}	
	What is the {new} street address for {PROVIDER}?	
	ENTER STREET ADDRESS AND VERIFY SPELLING. IF PROVIDER HAS MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED.	
	PROVIDER_STR1: [] PROVIDER_STR2: []	

| DISPLAY 'new' IF PV03 IS CODED '2' (ADD NEW | ADDRESS FOR PROVIDER). OTHERWISE, USE A NULL |

\_\_\_\_\_

| DISPLAY.

MEPS P18R5/P19R3/P20R1 Provider Roster (PV) Section November 12, 2014

PV07

BOX\_01 =====

	CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON EACH ADDRESS FIELD.
	IF PV04 WAS ASKED, ASSOCIATE ADDRESS WITH PERSON-TYPE-PROVIDER ENTERED AT PV04.
     	IF PV03 WAS CODED '2' (ADD NEW ADDRESS PROVIDER), RECORD ADDRESS IN THE NEW PROVIDER RECORD CREATED AT PV03.
 	IF A FACILITY WAS DISPLAYED AS PART OF PROVIDER'S ADDRESS AT PV03, ASSOCIATE THAT FACILITY WITH THE NEW PROVIDER RECORD AND FLAG THE PERSON PROVIDER AS A 'PERSON-IN-FACILITY-PROVIDER' (PROVTYPE=3).
 I	GO TO BOX_02
OMITTE	ED.
     	IF NO PROVIDERS THAT ARE 'FACILITY-PROVIDER' (PROVTYPE=1) ON RU-MEDICAL-PROVIDERS-ROSTER, GO TO PV10
   	OTHERWISE, CONTINUE WITH PV08

## {PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the place that {provided health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if {you/he/she} {are/is} sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} {PROVIDER/FACILITY} {ASSOCIATED WITH THE EVENT}.

ROSTER. FACILITY-PROVIDERS	PV08_02. STREET
[Display Truncated	[Display Truncated
Facility-Provider-30]	Street Address-15]
[Display Truncated	[Display Truncated
Facility-Provider-30]	Street Address-15]
[Display Truncated	[Display Truncated
Facility-Provider-30]	Street Address-15]

-----

| DISPLAY 'provided health care to {you/{PERSON}}' |
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED|
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |
| she} {are/is} sick'.

-----

\_\_\_\_\_

| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER | ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO | CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY.|

| DISPLAY 'PROVIDER' IF PV01 IS CODED '1' | (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED | '2' (FACILITY).

DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV SECTION WAS CALLED FROM THE AC SECTION, USE A NULL DISPLAY.

| DISPLAY AN 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY' OPTION ON THIS SCREEN.

\_\_\_\_\_\_

MEPS P18R5/P19R3/P20R1 Provider Roster (PV) Section November 12, 2014

IF 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY' IS   SELECTED, GO TO PV10 (NOTE THAT PV10 IS ACTUALLY   A POPUP ON PV08 AND PV09)
OTHERWISE, CONTINUE WITH PV09
ROSTER DETAILS:   TITLE: RU_PROV_SELECTONE_2
COL # 1 HEADER: FACILITY-PROVIDER INSTRUCTIONS: DISPLAY TRUNCATED FACILITY-PROVIDER (PROV.LORPNAME)
COL # 2 HEADER: STREET INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS (PROV.PVSTRT1, PROV.PVSTRT2)
ROSTER DEFINITION:   THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER   FOR SELECTING ONE FACILITY TYPE MEDICAL PROVIDER.
ROSTER BEHAVIOR:   1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE   FROM THE LISTED MEDICAL PROVIDERS.
2. MULTIPLE SELECT DISALLOWED.
3. DELETE AND EDIT ARE NOT ALLOWED.
4. ADD ALLOWED. INTERVIEWER CAN SELECT THE 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY BUTTON'.
ROSTER FILTER:   DISPLAY FACILITY TYPE (PROV.PROVTYPE = 1)   PROVIDERS.

```
PV09
```

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}
Is the address of (READ NAME AND ADDRESS OF
({PROVIDER/FACILITY}) BELOW)...
    {FACILITY NAME SELECTED AT PV08}
    {FACILITY STREET ADDRESS LINE1}
    {FACILITY STREET ADDRESS LINE2}
TO MAKE CORRECTIONS OR ADDITIONS TO ADDRESS, MAKE A COMMENT.
    FACILITY NAME AND ADDRESS CORRECT ..... 1 {BOX 02}
    ADD NEW ADDRESS FOR FACILITY ..... 2 {PV10A}
    SELECTED WRONG FACILITY/ADDRESS ..... 4
    REF ..... -7 {BOX 02}
    DK ..... -8 {BOX_02}
                    [Code One]
      _____
    DISPLAY 'PROVIDER' IF PV01 IS CODED '1'
     (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED
    '2' (FACILITY).
    FOR: {FACILITY NAME SELECTED AT PV08}, DISPLAY
    THE FACILITY-PROVIDER NAME SELECTED AT PV08.
  | FOR: {FACILITY STREET ADDRESS LINE1.} AND
    {FACILITY STREET ADDRESS LINE2.}, DISPLAY LINES
     1 AND 2 OF THE ADDRESS FOR THE FACILITY-PROVIDER
   | SELECTED AT PV08.
   | IF CODED '1' (FACILITY NAME AND ADDRESS CORRECT) |
   | AND PV01 IS CODED '1' (PERSON), LINK THE FACILITY |
    SELECTED AT PV08 TO THE PERSON PROVIDER FLAGGED |
   AS 'PERSON-IN-FACILITY-PROVIDER'.
    IF FACILITY-PROVIDER WAS SELECTED AT PV08 AND
    PV09 WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY), |
  | CREATE ANOTHER RECORD FOR THE FACILITY-PROVIDER ON|
    THE RU-MEDICAL-PROVIDERS-ROSTER AND ASSOCIATE
   ADDRESS THAT WILL BE ENTERED AT PV10A WITH THAT
  NEW PROVIDER RECORD. FLAG NEW PROVIDER AS
  | FACILITY (PROVTYPE=1).
```

IF CODED '4' (SELECTED WRONG FACILITY/ADDRESS), | CAPI REDISPLAYS PV08 TO ALLOW INTERVIEWER TO | SELECT CORRECT FACILITY. {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER..... {EV} What is the {new} name and street address of the place that {provided health care to {you/{PERSON}}}{you/{PERSON}}} usually {go/goes} to if {you/he/she} {are/is} sick}? ENTER {NAME AND} STREET ADDRESS AND VERIFY SPELLING. IF ({PROVIDER/FACILITY}) HAS MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED. FACILITY\_NAME (PV10\_01): [\_\_\_\_] FACILITY\_STR1 (PV10\_02): [\_\_\_\_\_] {BOX\_02} FACILITY\_STR2 (PV10\_03): [\_\_\_\_\_] {BOX\_02} REF ..... -7 {BOX 02} DK ..... -8 {BOX 02} \_\_\_\_\_\_ DISPLAY 'provided health care to {you/{PERSON}}' | | IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV | SECTION WAS CALLED FROM THE AC SECTION, DISPLAY | '{you/{PERSON}} usually {go/goes} to if {you/he/ | | she} {are/is} sick'. DISPLAY 'new' IF PV09 IS CODED '2' (ADD NEW ADDRESS FOR FACILITY). OTHERWISE, USE A NULL | DISPLAY. DISPLAY 'PROVIDER' IF PV01 IS CODED '1' | (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED '2' (FACILITY). DISPLAY 'NAME AND' IF 'ADD PROVIDER' | | WAS SELECTED AT PV08 OR PV08 WAS NOT ASKED. | IF 'ADD PROVIDER' WAS SELECTED AT PV08 OR PV08 WAS NOT ASKED, THE CONTEXT HEADER WILL NOT DISPLAY THE NAME OF THE MEDICAL CARE PROVIDER. THE CONTEXT HEADER WILL DISPLAY THE NAME OF THE

| PROVIDER(S) ASSOCIATED WITH THE EVENT ONLY IF PV09| | WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY). |

	DISPLAY AN 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY' OPTION ON THIS SCREEN.	 
     	CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON THE STREET ADDRESS FIELDS ONLY.	
	IF FACILITY-PROVIDER NOT SELECTED AT PV08 (I.E., PV08 WAS NOT ASKED OR 'NONE OF THE ABOVE' WAS SELECTED), ADD A FACILITY-PROVIDER TO THE RU-MEDICAL-PROVIDERS-ROSTER. FLAG NEW PROVIDER AS FACILITY (PROVTYPE=1).	 
	IF PV01 IS CODED '1' (PERSON), LINK THE FACILITY TO THE PERSON-TYPE-PROVIDER FLAGGED AS 'PERSON-IN-FACILITY-PROVIDER'.	
_		
	SON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL	CARE
{prov	is the {new} name and street address of the place trided health care to {you/{PERSON}}/{you/{PERSON}} upoes} to if {you/he/she} {are/is} sick}?	
	R STREET ADDRESS AND VERIFY SPELLING. IF ({PROVIDER MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISIT	
	FACILITY_STR1 (PV10a): [] {BOX_02} FACILITY_STR2 (PV10b): [] {BOX_02} REF	

PV10A =====

BOX\_02

DISPLAY 'provided health care to {you/{PERSON}}' | IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV | | SECTION WAS CALLED FROM THE AC SECTION, DISPLAY | '{you/{PERSON}} usually {go/goes} to if {you/he/ | | she} {are/is} sick'. DISPLAY 'new' IF PV09 IS CODED '2' (ADD NEW | ADDRESS FOR FACILITY). OTHERWISE, USE A NULL | DISPLAY. DISPLAY 'PROVIDER' IF PV01 IS CODED '1' | (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED '2' (FACILITY). THE CONTEXT HEADER DISPLAYS THE NAME | OF THE PROVIDER(S) ASSOCIATED WITH THE EVENT IF PV09 WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY). -----CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON THE STREET ADDRESS FIELDS ONLY. \_\_\_\_\_ NOTE: PV10A DOES NOT COLLECT THE FACILITY NAME BUT COLLECTS ONLY NEW ADDRESSES ASSOCIATED WITH | | EXISTING FACILITY NAMES. THE NEW PROVIDER RECORD| | FOR THIS FACILITY WAS ALREADY CREATED AT PV09. | OMITTED. RETURN TO QUESTIONNAIRE SECTION FROM WHICH THE PROVIDER ROSTER (PV) SECTION WAS CALLED.

-----