

Pregnancy Detail (PG) Section

BOX\_01

=====

-----  
| IF LOOPING ON 'PREVIOUS ROUND PREGNANCY' OR |  
| 'PREGNANCY 1' (FROM CURRENT ROUND), CONTINUE WITH |  
PG01

-----  
OTHERWISE, GO TO PG02

PG01  
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
 {END-DT}

{We recorded that (PERSON) (were/was) pregnant at the time of  
 our last interview on {PREV RD INTV DATE}.}

{(Are/Is)/(Were/Was)} (PERSON) {currently} pregnant {with **that**  
 pregnancy} {on December 31, 2002}?

{CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT AT LAST  
 INTERVIEW.}

YES ..... 1  
 NO ..... 2  
 {NOT PREGNANT AT LAST INTERVIEW ..... 3 {BOX\_02}}  
 REF ..... -7 {BOX\_02}  
 DK ..... -8 {BOX\_02}

[Code One]

```

-----
| DISPLAY 'We recorded that (PERSON) (were/was)
| pregnant at the time of our last interview on
| {PREV RD INTV DATE}.'; 'with that pregnancy';
| 'CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT
| AT LAST INTERVIEW.'; AND 'NOT PREGNANT AT LAST
| INTERVIEW ..... 3 {BOX_02}' IF PERSON CODED AS
| 'STILL PREGNANT' AT LAST INTERVIEW AND LOOPING ON
| 'PREVIOUS ROUND PREGNANCY' FOR THIS PERSON.
| OTHERWISE, USE A NULL DISPLAY.
|
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY
| '(Were/Was)' IF ROUND 5.
|
| DISPLAY 'currently' IF NOT ROUND 5. OTHERWISE,
| USE A NULL DISPLAY.
|
| DISPLAY 'on December 31, 2002' IF ROUND 5.
| OTHERWISE, USE A NULL DISPLAY.
|
-----
    
```

```

-----
| IF CODED '3' (NOT PREGNANT AT LAST INTERVIEW),
| FLAG ITEM FOR EVENT CLEANUP.
|
-----
    
```

BOX\_01A  
=====

-----  
IF ROUND 3, CONTINUE WITH PG01A
-----  
OTHERWISE, GO TO BOX\_01B

PG01A  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

(Were/Was) (PERSON) pregnant on December 31, 2002?

YES ..... 1  
NO ..... 2  
REF ..... -7  
DK ..... -8

BOX\_01B  
=====

-----  
| IF PERSON CURRENTLY PREGNANT (PG01 = 1), GO TO |  
PG03
-----  
| IF PERSON NOT CURRENTLY PREGNANT (PG01 = 2), |  
CONTINUE WITH PG02

PG02  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

Did (PERSON)'s {most recent pregnancy/next most recent pregnancy/pregnancy that we talked about last time} end in a live birth?

{IF MORE THAN ONE PREGNANCY SINCE (START DATE), PROBE FOR OUTCOME OF (NEXT) MOST RECENT PREGNANCY.}  
IF RESPONDENT VOLUNTEERS STILLBIRTH, MISCARRIAGE, OR ABORTION, CODE AS APPROPRIATE.

DO **NOT** PROBE A 'NO' RESPONSE. CODE 5, 'NO, OUTCOME NOT VOLUNTEERED.'

YES, ENDED IN A LIVE BIRTH .....	1
NO, ENDED IN MISCARRIAGE .....	2 {BOX_02}
NO, ENDED IN STILLBIRTH .....	3 {BOX_02}
NO, ENDED IN ABORTION .....	4 {BOX_02}
NO, OUTCOME NOT VOLUNTEERED .....	5 {BOX_02}
REF .....	-7 {BOX_02}
DK .....	-8 {BOX_02}

[Code One]

-----  
| DISPLAY 'most recent pregnancy' IF LOOPING ON |  
| FIRST PREGNANCY OF CURRENT REFERENCE PERIOD. |  
|  
| DISPLAY 'next most recent pregnancy' IF LOOPING ON |  
| ANY PREGNANCY, AFTER THE FIRST PREGNANCY, OF |  
| CURRENT REFERENCE PERIOD. |  
|  
| DISPLAY 'pregnancy that we talked about last time' |  
| IF LOOPING ON PREGNANCY FROM PREVIOUS ROUND. |  
|  
| DISPLAY 'IF MORE THAN ONE PREGNANCY SINCE (START |  
| DATE), PROBE FOR OUTCOME OF (NEXT) MOST RECENT |  
| PREGNANCY.' IF NOT LOOPING ON FIRST PREGNANCY OF |  
| CURRENT ROUND OR PREGNANCY FROM PREVIOUS ROUND. |  
|  
|-----

PG03  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

SHOW CARD PG-1.

Looking at this card, which of these complications, if any,  
did (PERSON) experience during this pregnancy?

CODE ALL THAT APPLY.

HIGH BLOOD PRESSURE, TOXEMIA, PRE-ECLAMPSIA, OR ECLAMPSIA .....	1
ANEMIA .....	2
DIABETES, GESTATIONAL DIABETES, OR HIGH BLOOD SUGAR .....	3
LOW LYING PLACENTA (PLACENTA PREVIA) ..	4
VAGINAL BLEEDING .....	5
PREMATURE LABOR .....	6
NONE OF THESE COMPLICATIONS .....	95
REF .....	-7
DK .....	-8

[Code All That Apply]

PRESS F1 FOR DEFINITION OF SELECTED CONDITIONS.

-----  
| NOTE: CODE '95' (NONE OF THESE COMPLICATIONS) |  
WILL NOT APPEAR ON THE SHOW CARD.

-----  
IF PG01 IS CODED '1' (YES), GO TO PG11

-----  
OTHERWISE, CONTINUE WITH PG04

PG04  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

How many babies did (PERSON) deliver?

[Enter Small Number] .....  
REF ..... -7  
DK ..... -8

-----  
| NOTE: IF PG04 IS CODED '-7' (REFUSED) OR '-8' |  
(DON'T KNOW), ASK ITEMS LOOP\_01 TO END\_LP01 ONCE.

-----  
SOFT RANGE CHECK: 1 TO 6 BABIES.

-----  
| DISPLAY THE FOLLOWING MESSAGE: 'PLEASE BE SURE |  
| THE BABY/BABIES WERE ADDED TO THE RU. IF NOT, |  
MAKE A COMMENT DESCRIBING THE SITUATION.'

PG05  
====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

Where was the delivery - in a hospital, a birthing center  
separate from a hospital, at home, or some other place?

HOSPITAL .....	1	{PG06}
BIRTHING CENTER .....	2	{LOOP_01}
HOME .....	3	{LOOP_01}
SOME OTHER PLACE .....	91	
REF .....	-7	{LOOP_01}
DK .....	-8	{LOOP_01}

[Code One]

PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

-----  
| IF CODED '1' (HOSPITAL), '2' (BIRTHING CENTER), |  
| '3' (HOME), OR '91' (SOME OTHER PLACE), DISPLAY |  
| THE FOLLOWING MESSAGE: 'PLEASE BE SURE TO ENTER |  
THE APPROPRIATE EVENTS FOR BOTH MOTHER AND BABY.'

PG05OV  
=====

ENTER OTHER:

[Enter Other Specify] ..... {LOOP\_01}  
REF ..... -7 {LOOP\_01}  
DK ..... -8 {LOOP\_01}

PG06  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

What kind of delivery did (PERSON) have? Was it a vaginal  
delivery or a caesarean section?

VAGINAL DELIVERY ..... 1  
CAESAREAN SECTION ..... 2 {LOOP\_01}  
REF ..... -7 {LOOP\_01}  
DK ..... -8 {LOOP\_01}

[Code One]

PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

PG07  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

Were forceps used for the delivery?

YES ..... 1  
NO ..... 2  
REF ..... -7  
DK ..... -8

PRESS F1 FOR DEFINITION OF FORCEPS.



PG08  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

Did (PERSON) receive an epidural or a 'spinal' for pain?

YES ..... 1  
NO ..... 2  
REF ..... -7  
DK ..... -8

PRESS F1 FOR DEFINITION OF EPIDURAL/SPINAL.

LOOP\_01  
=====

-----  
| FOR EACH OF THE FOLLOWING: |  
| |  
| BABY #1 |  
| BABY #2 |  
| BABY #3 |  
| BABY #4 |  
| BABY #5 |  
| |  
| ASK PG09-END\_LP01 |  

-----  
| LOOP DEFINITION: LOOP\_01 COLLECTS INFORMATION |  
| ABOUT EACH BABY BORN AS A RESULT OF THE PREGNANCY |  
| BEING ASKED ABOUT. THE NUMBER OF LOOP CYCLES IS |  
| DETERMINED BY THE RESPONSE TO PG04. LOOP\_01 |  
| CYCLES THE NUMBER OF TIMES AS THE NUMBER CODED IN |  
| PG04. IF PG04 IS CODED '-7' (REFUSED) OR '-8' |  
| (DON'T KNOW), TREAT AS A '1' RESPONSE TO PG04; |  
THAT IS, CYCLE THROUGH LOOP\_01 ONCE.

PG09  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

{BABY #{n}}

How much did the (first/next) baby weigh at birth?

POUNDS AND OUNCES ..... 1 {PG09OV1}  
GRAMS ..... 2 {PG09OV3}  
REF ..... -7 {PG10}  
DK ..... -8 {PG10}

[Code One]

-----  
| DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1', |  
| '-7' (REFUSED), OR '-8' (DON'T KNOW). |  
| DISPLAY THE NUMBER OF THE CURRENT LOOP CYCLE (FOR |  
LOOP\_01) FOR 'n'.

-----  
| RANGE CHECK: 2-15 FOR POUNDS; 0-15 FOR OUNCES; |  
500-6800 FOR GRAMS.

PG09OV1  
=====

ENTER POUNDS:

[Enter Pounds] .....  
REF ..... -7 {PG10}  
DK ..... -8 {PG10}

PG09OV2  
=====

PROBE FOR OUNCES IF NOT REPORTED.

ENTER OUNCES:

[Enter Ounces] .....  
REF ..... -7  
DK ..... -8

-----  
| IF THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER |  
| OF POUNDS AND PG09OV2 IS CODED '-7' (REFUSED) OR |  
'-8' (DON'T KNOW), GO TO PG10

-----  
OTHERWISE, GO TO END\_LP01

PG09OV3  
=====

ENTER GRAMS:

[Enter Grams] ..... {END\_LP01}  
REF ..... -7  
DK ..... -8

PG10  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

{BABY #{n}}

Did the (first/next) baby weigh less than five and a half pounds (2500 grams), five and a half to nine pounds (2500 to 4100 grams), or more than 9 pounds (4100 grams)?

LESS THAN 5-1/2 POUNDS/2500 GRAMS	.....	1
5-1/2 TO 9 POUNDS/2500 TO 4100 GRAMS	...	2
MORE THAN 9 POUNDS/4100 GRAMS	.....	3
REF	.....	-7
DK	.....	-8

[Code One]

-----  
| DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1',  
| '-7' (REFUSED), OR '-8' (DON'T KNOW). DISPLAY  
| THE NUMBER OF THE CURRENT LOOP CYCLE (FOR LOOP\_01)  
FOR 'n'.

-----  
| EDIT: IF CODED '3' (MORE THAN 9 POUNDS/4100 GRAMS)  
| AND THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER  
| OF POUNDS, DISPLAY THE FOLLOWING MESSAGE:  
| 'CODE NOT AVAILABLE. R REPORTED BABY WEIGHED  
5 LBS. VERIFY AND RE-ENTER.'

END\_LP01  
=====

-----  
| IF NUMBER OF BABIES DELIVERED (PG04) < NUMBER OF  
LOOP CYCLES COMPLETED, THEN CYCLE ON NEXT BABY.

-----  
OTHERWISE, END LOOP\_01 AND GO TO BOX\_02

PG11  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

{How/As of December 31, 2003, how} many weeks or months pregnant  
{(are/is)/(were/was)} (PERSON)?

[Enter Number of Weeks/Months] .....  
REF ..... -7 {PG12}  
DK ..... -8 {PG12}

-----  
| DISPLAY 'How' AND '(are/is)' IF NOT ROUND 5. |  
| DISPLAY 'As of December 31, 2003, how' AND |  
'(were/was)' IF ROUND 5.

PG110V  
=====

ENTER UNIT:

WEEKS ..... 1 {BOX\_02}  
MONTHS ..... 2 {BOX\_02}  
REF ..... -7  
DK ..... -8

[Code One]

-----  
EDIT CHECK: 1-42 FOR WEEKS; 1-10 FOR MONTHS.

PG12  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}

{(Are/Is)/As of December 31, 2003, (were/was)} (PERSON) less  
than 3 months pregnant, 3-6 months pregnant, or more than 6  
months pregnant?

LESS THAN 3 MONTHS .....	1
3 TO 6 MONTHS .....	2
MORE THAN 6 MONTHS .....	3
REF .....	-7
DK .....	-8

[Code One]

-----  
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY 'As |  
of December 31, 2003, (were/was)' IF ROUND 5.

BOX\_02  
=====

-----  
RETURN TO THE CE SECTION.