

Quality (Priority Conditions) Supplement (PC) Section

BOX_00A

=====

| THE PC SECTION IS ASKED IN ROUNDS 1, 3 AND 5 ONLY. |
| IF IT IS ROUND 2 OR 4, CONTINUE TO THE NEXT |
SECTION.

BOX_00

=====

| CONTEXT HEADER DISPLAY INSTRUCTIONS: |
DISPLAY PERS.FULLNAME

BOX_01

=====

| NOTE: CURRENTLY THE QUALITY SUPPLEMENT CONTAINS |
| QUESTIONS FOR PERSONS FOR WHOM DIABETES OR ASTHMA |
| WAS REPORTED IN THE PRIORITY CONDITION |
| ENUMERATION (PE) SECTION DURING ROUNDS 3 AND 5. |
| THE DISTRIBUTION OF THE CANCER SAQ OCCURS DURING |
| ROUNDS 1 AND 3. OTHER QUALITY QUESTIONS ARE |
| LOCATED IN THE PREVENTIVE CARE (AP) SECTION. |
| HOWEVER, THE QUALITY SECTION COULD INCLUDE |
| QUESTIONS FOR THE OTHER PRIORITY CONDITIONS AS |
THEY ARE NEEDED IN FUTURE PANELS.

BOX_02

=====

| IF ROUNDS 3 OR 5 AND PERSON IS => 18 YEARS OF AGE |
| OR IN AGE CATEGORIES 4-9 AND IF PERSON IS A KEY |
| RU MEMBER AND IF 'DIABETES' ON PERSON'S-MEDICAL- |
| CONDITIONS-ROSTER AND FLAGGED AS CREATED IN THE |
PE SECTION (IN ANY ROUND), CONTINUE WITH BOX_03

OTHERWISE, GO TO BOX_04

BOX_03
=====

| IF PERSON BEING ASKED ABOUT IS FLAGGED AS |
'DECEASED' FOR THE CURRENT ROUND, GO TO BOX_04

OTHERWISE, CONTINUE WITH PC02A

PC02A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

{During an earlier interview, it/It} was mentioned that {you/{PERSON}}
{have/has} diabetes. To obtain more information on the care of **adults**
with diabetes, we have a short questionnaire for {you/him/her}.

SELECT 'CONTINUE' UNLESS RESPONDENT VOLUNTEERS DIABETES REPORTED
IN ERROR.

CONTINUE 1 {PC03}
{PERSON} DOES **NOT** HAVE DIABETES 2 {BOX_04}

[Code One]

| DISPLAY 'During an earlier interview, it' IF |
| DIABETES WAS NOT CREATED DURING THE CURRENT ROUND. |
| DISPLAY 'It' IF DIABETES CREATED DURING THE |
CURRENT ROUND.

```
-----  
| DISPLAY 'NOT' IN BOLD IN THE ANSWER TEXT. |  
| | |  
| IF 'PERSON DOES NOT HAVE DIABETES' IS SELECTED, |  
| THIS DOES NOT RE-SET THE DATA FROM THE PE SECTION |  
| (PRND.PCDIABET). THE RESPONSE TO PC02A WILL |  
| DETERMINE WHETHER PC03 IS ASKED AND WHETHER THERE |  
| IS DCS FOLLOW-UP FOR THIS PERSON IN THE CL |  
| SECTION |  
-----
```

PC03

=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

DOB: {MM/DD/YYYY} PID: {PID} RU ID: {RUID-7}
STATUS: {CURRENT/INSTITUTIONALIZED}

DETERMINE IF SELF OR PROXY DIABETES CARE SUPPLEMENT (DCS)
SHOULD BE DISTRIBUTED:

SELF DCS: FOR ANY CURRENT RU MEMBER (18 YEARS OR OLDER) WHO HAS
DIABETES.

PROXY DCS: FOR ANY CURRENT RU MEMBER (18 OR OLDER) WHO IS
INSTITUTIONALIZED OR OTHERWISE INCAPACITATED.

CODE TYPE OF DCS DISTRIBUTED FOR {PERSON}.

SELF 1 {PC03A}
PROXY 2 {PC03OV1}

[Code One]

```
-----  
| DISPLAY PID OF PERSON BEING ASKED ABOUT FOR 'PID'. |  
| | |  
| DISPLAY DATE OF BIRTH FOR PERSON BEING ASKED |  
| ABOUT FOR 'MM/DD/YYYY'. |  
| | |  
| DISPLAY THE RU ID FOR THE CURRENT CASE FOR |  
| 'RUID-7'. |  
| | |  
| DISPLAY 'CURRENT' IF PERSON BEING ASKED ABOUT IS |  
| A CURRENT RU MEMBER AND IS NOT DECEASED OR |  
| INSTITUTIONALIZED. DISPLAY 'INSTITUTIONALIZED' IF |  
| PERSON BEING ASKED ABOUT IS FLAGGED AS |  
| 'INSTITUTIONALIZED' FOR THE CURRENT ROUND. |  
-----
```

| FLAG ALL PERSONS WHO ARE ASKED PC03 FOR DCS |
FOLLOW-UP IN THE CLOSING (CL) SECTION.

PC03OV1
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

DOB: {MM/DD/YYYY} PID: {PID} RU ID: {RUID-7}
STATUS: {CURRENT/INSTITUTIONALIZED}

CODE REASON FOR PROXY DCS.

INSTITUTIONALIZED 2 {PC03A}
OTHER 3 {PC03OV2}

[Code One]

| THIS ITEM IS A SEPARATE SCREEN RATHER THAN AN |
OVERLAY AS IMPLIED BY THE ITEM NAME.

PC03OV2
=====

SPECIFY OTHER REASON FOR PROXY DCS.

[Enter Other Specify] {PC03A}

PC03A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

DOB: {MM/DD/YYYY} PID: {PID} RU ID: {RUID-7}

PREPARE {SELF/PROXY} DIABETES CARE SUPPLEMENT (DCS): WRITE IN
PERSON NAME, PID, DATE OF BIRTH, AND RUID.

HAND PREPARED {SELF/PROXY} DCS TO RESPONDENT AND SAY:

We hope that {you/{PERSON}}/you or someone else in the family} would
be able to fill out this short questionnaire on the care {you/{PERSON}}
{get/gets} for diabetes. {You/He/She} can give it to me before I leave
today, or I can pick it up later.

PRESS ENTER OR SELECT NEXT PAGE TO CONTINUE.

| DISPLAY 'SELF' AND '{you/{PERSON}}' IF PC03 IS |
| CODED '1' (SELF). DISPLAY 'PROXY' AND 'you or |
| someone else in the family' IF PC03 IS CODED '2' |
(PROXY)

| DISPLAY PID OF PERSON BEING ASKED ABOUT FOR 'PID'. |
| |
| DISPLAY DATE OF BIRTH FOR PERSON BEING ASKED |
| ABOUT FOR 'MM/DD/YYYY'. |
| |
| DISPLAY THE RU ID FOR THE CURRENT CASE FOR |
'RUID-7'.

BOX_04
=====

| IF PANEL 22 ROUND 1 OR PANEL 21 ROUND 3, CONTINUE |
WITH BOX_05

OTHERWISE, GO TO BOX_07

| NOTE: THE DISTRIBUTION AND COLLECTION OF THE |
| CANCER SAQ OCCURS ONLY DURING PANEL 16 ROUND 3, |
| PANEL 15 ROUND 5, PANEL 21 ROUND 1, PANEL 20 |
| ROUND 3, PANEL 22 ROUND 1, AND PANEL 21 ROUND 3 |
(BUT ONLY FOR NEWLY IDENTIFIED CANCER).

BOX_05

=====

| IF PERSON IS => 18 YEARS OF AGE OR IN AGE |
| CATEGORIES 4-9 AND IF PERSON IS A KEY RU MEMBER |
| AND 'CANCER - {ANY TYPE}' (CODED AT PE22 OR |
| PE22OV) ON PERSON'S-MEDICAL-CONDITIONS-ROSTER AND |
| FLAGGED AS CREATED IN THE PE SECTION (IN ROUND 1 |
| IF PANEL 22 OR IN ROUNDS 2 OR 3 IF PANEL 21), |
CONTINUE WITH BOX_06

OTHERWISE, GO TO BOX_07

BOX_06

=====

| IF PERSON BEING ASKED ABOUT IS FLAGGED AS |
| 'DECEASED' OR 'INSTITUTIONALIZED' FOR THE CURRENT |
ROUND, GO TO BOX_07

OTHERWISE, CONTINUE WITH PC04

PC04

====

{PERSON'S FIRST MIDDLE AND LAST NAME}

{During an earlier interview, it/It} was mentioned that {you/
{PERSON}} {(have/has)/had} cancer. To obtain more information
about experiences with cancer, we have a short questionnaire for
{you/{PERSON}}.

SELECT 'CONTINUE' UNLESS RESPONDENT VOLUNTEERS CANCER REPORTED IN
ERROR.

CONTINUE 1 {PC04A}
{PERSON} {DOES/DID} **NOT** HAVE CANCER 2 {BOX_07}

[Code One]

| DISPLAY 'During an earlier interview, it' IF |
| CANCER WAS NOT CREATED DURING THE CURRENT ROUND. |
| DISPLAY 'It' IF CANCER WAS CREATED DURING THE |
CURRENT ROUND.

| DISPLAY '(have/has)' AND 'DOES' IF PE25 IS CODED |
| '2' (NO) FOR THIS PERSON FOR AT LEAST ONE CANCER |
TYPE. OTHERWISE, DISPLAY 'had' AND 'DID'.

| DISPLAY 'PERSON' IN PURPLE IN THE ANSWER TEXT. |
| |
| DISPLAY 'NOT' IN BOLD IN THE ANSWER TEXT. |
| |
| IF 'PERSON DOES NOT HAVE CANCER' IS SELECTED, |
| THIS DOES NOT RE-SET THE DATA FROM THE PE SECTION |
| (PRND.CANCERML). THE RESPONSE TO PC04 WILL |
| DETERMINE WHETHER PC04A IS ASKED AND WHETHER |
| THERE IS CANCER SAQ FOLLOW-UP FOR THIS PERSON IN |
THE CL SECTION.

| NOTE: THE DISTRIBUTION AND COLLECTION OF THE |
| CANCER SAQ OCCURS ONLY DURING PANEL 16 ROUND 3, |
| PANEL 15 ROUND 5, PANEL 21 ROUND 1, PANEL 20 |
| ROUND 3, PANEL 22 ROUND 1, AND PANEL 21 ROUND 3 |
(BUT ONLY FOR NEWLY IDENTIFIED CANCER).

PC04A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

DOB: {MM/DD/YYYY} PID: {PID} RU ID: {RUID-7}

PREPARE 'YOUR EXPERIENCES WITH CANCER' (CANCER SAQ):
WRITE IN PERSON NAME, DATE OF BIRTH, PID, AND RUID.

HAND PREPARED CANCER SAQ TO RESPONDENT AND SAY:

We hope that {you/{PERSON}} would be able to fill out this short
questionnaire on {your/{PERSON}}'s experiences with cancer.
{You/He/She} can give it to me before I leave today, or I can
pick it up later.

PRESS ENTER OR SELECT NEXT PAGE TO CONTINUE.

| DISPLAY DATE OF BIRTH FOR PERSON BEING ASKED |
| ABOUT FOR 'MM/DD/YYYY' . |
| |
| DISPLAY PID OF PERSON BEING ASKED ABOUT FOR 'PID' . |
| |
| DISPLAY THE RU ID FOR THE CURRENT CASE FOR |
'RUID-7' .

| FLAG ALL PERSONS WHO ARE ASKED PC04A FOR CANCER |
SAQ FOLLOW-UP IN THE CLOSING (CL) SECTION.

CONTINUE WITH BOX_07

| NOTE: THE DISTRIBUTION AND COLLECTION OF THE |
| CANCER SAQ OCCURS ONLY DURING PANEL 16 ROUND 3, |
| PANEL 15 ROUND 5, PANEL 21 ROUND 1, PANEL 20 |
| ROUND 3, PANEL 22 ROUND 1, AND PANEL 21 ROUND 3 |
(BUT ONLY FOR NEWLY IDENTIFIED CANCER).

BOX_07
=====

```
-----  
| IF ROUNDS 3 OR 5 AND 'ASTHMA' ON PERSON'S-MEDICAL-|  
| CONDITIONS-ROSTER, AND FLAGGED AS CREATED IN THE |  
| PE SECTION (IN ANY ROUND), CONTINUE WITH PC04B |  
-----  
  
-----  
| OTHERWISE, GO TO BOX_08 |  
-----
```

PC04B
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

{During an earlier interview, it was mentioned that {you/{PERSON}}
{have/has} asthma.}

Now I would like to ask you a few questions about {your/{PERSON}'s}
asthma and the course of treatment {you/he/she} received.

SELECT 'CONTINUE' UNLESS RESPONDENT VOLUNTEERS ASTHMA REPORTED IN
ERROR.

CONTINUE 1 {PC05A}
{PERSON} DOES **NOT** HAVE ASTHMA 2 {BOX_08}

[Code One]

```
-----  
| DISPLAY 'During an earlier interview....' IF |  
| ASTHMA WAS NOT CREATED DURING THE CURRENT ROUND. |  
| IF ASTHMA WAS CREATED DURING THE CURRENT ROUND, |  
| USE A NULL DISPLAY. |  
-----
```

```
-----  
| DISPLAY 'NOT' IN BOLD IN THE ANSWER TEXT. |  
| |  
| IF 'PERSON DOES NOT HAVE ASTHMA' IS SELECTED, |  
| THIS DOES NOT RE-SET THE DATA AS RECORDED IN THE |  
| PE SECTION (PRND.PCASTHMA). THE RESPONSE TO PC04B |  
| WILL DETERMINE WHETHER SUBSEQUENT DETAILED ASTHMA |  
| QUESTIONS ARE ASKED IN THIS PC SECTION. |  
-----
```

PC05A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

I am going to ask you about two different kinds of **asthma** medicine. One is for quick relief. The other does not give quick relief but protects your lungs **and prevents symptoms over the long term.**

During the past 3 months, {have/has} {you/{PERSON}} used the kind of **prescription inhaler that you breathe in through your mouth** that gives **quick** relief from asthma symptoms?

YES	1	{PC05B}
NO	2	{PC06A}
REF	-7	{PC06A}
DK	-8	{PC06A}

PC05B
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

During the past 3 months, did {you/{PERSON}} use more than three canisters of this type of inhaler?

YES	1	{PC06A}
NO	2	{PC06A}
REF	-7	{PC06A}
DK	-8	{PC06A}

PC06A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

{Have/Has} {you/{PERSON}} ever taken the preventive kind of **asthma** medicine used every day to protect your lungs and keep you from having attacks? Include both oral medicine and inhalers. This is different from inhalers used for quick relief.

YES	1	{PC06B}
NO	2	{PC08}
REF	-7	{PC08}
DK	-8	{PC08}

PC06B
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

{Are/Is} {you/{PERSON}} **now** taking this medication (that protects the lungs) daily or almost daily?

YES	1	{PC08}
NO	2	{PC08}
REF	-7	{PC08}
DK	-8	{PC08}

PC08
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

A peak flow meter measures how hard you can blow air out of your lungs. {Do/Does} {you/{PERSON}} currently have a peak flow meter at home?

YES	1	{PC08A}
NO	2	{BOX_08}
REF	-7	{BOX_08}
DK	-8	{BOX_08}

PC08A
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

Did {you/{PERSON}} ever use the peak flow meter?

YES	1	{PC08B}
NO	2	{BOX_08}
REF	-7	{BOX_08}
DK	-8	{BOX_08}

PC08B
=====

{PERSON'S FIRST MIDDLE AND LAST NAME}

SHOW CARD PC-1.

When did {you/{PERSON}} last use the peak flow meter? Was it within the last seven days, more than seven days ago but within the last thirty days, or more than thirty days ago?

- WITHIN LAST 7 DAYS 1 {BOX_08}
- MORE THAN 7, BUT WITHIN LAST 30 DAYS ... 2 {BOX_08}
- MORE THAN 30 DAYS AGO 3 {BOX_08}
- REF -7 {BOX_08}
- DK -8 {BOX_08}

[Code One]

BOX_08
=====

GO TO NEXT QUESTIONNAIRE SECTION