



**LOOP 10**      **(AC1015)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in the RU-members-roster, ask AC10 - END\_LP10.

Loop definition: LOOP\_10 collects the name of the usual source of care provider, if any, for each current RU member. This loop cycles on persons who meet the following conditions:

- Person is a current RU member (included in person array)
- Person is not deceased (PersRndStatus ≠ Deceased)
- Person is not institutionalized (PersRndStatus ≠ Institutionalized)

<b>AC10</b>	<b>(AC1020)</b>	<b>BLAISE NAME:</b> HaveUSC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THAVE_USC	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (USCHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is there a particular doctor's office, clinic, health center, or other place that {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?

HELP: F1

<b>Responses:</b>	YES	.....	1	AC30	(AC1030)
	NO	.....	2	AC40	(AC1035)
	MORE THAN ONE PLACE	.....	3	AC20	(AC1025)
	REFUSED	.....	RF	END_LP10	(AC1120)
	DON'T KNOW	.....	DK	END_LP10	(AC1120)

**Display Instructions:**



**Display Instructions:**

Display 'see' if asking about the respondent. Otherwise, display 'sees'

For response 1 "OWN PRACTICE, NOT PART OF GROUP/FACILITY", display the word "NOT" with an underline.

<b>AC40</b>	<b>(AC1035)</b>	<b>BLAISE NAME:</b> WhyNoUSC		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TY_NO_USC	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (USCHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

What is the main reason {you/{PERSON}} {do/does} not have a usual source of health care?

HELP: F1

<b>Responses:</b>	SELDOM OR NEVER GETS SICK .....	1	END_LP10	(AC1120)
	RECENTLY MOVED INTO AREA .....	2	END_LP10	(AC1120)
	JUST CHANGED INSURANCE PLANS .....	3	END_LP10	(AC1120)
	NO HEALTH INSURANCE, OTHER .....	4	END_LP10	(AC1120)
	INSURANCE RELATED REASON			
	DON'T KNOW WHERE TO GO FOR CARE ....	5	END_LP10	(AC1120)
	USUAL SOURCE OF MEDICAL CARE IN .....	6	END_LP10	(AC1120)
	THIS AREA IS NO LONGER AVAILABLE			
	LIKES TO GO TO DIFFERENT PLACES .....	7	END_LP10	(AC1120)
	FOR DIFFERENT HEALTH NEEDS			
	DON'T USE DOCTORS/TREAT MYSELF .....	8	END_LP10	(AC1120)
	COST OF MEDICAL CARE .....	9	END_LP10	(AC1120)
	OTHER REASON .....	91	END_LP10	(AC1120)
	REFUSED .....	RF	END_LP10	(AC1120)
	DON'T KNOW .....	DK	END_LP10	(AC1120)





**AC60**                      **(AC1065)**                      **BLAISE NAME:** TimeProv  
**Item Type:**              Question                      **Field kind:** Datafield      **ArrayMin:**              **Min value:**  
**Type Class:**            Enumerated                      **Field Size:**  
**Answer Type:**          TGETTOTAK                      **Answers allowed:** 1      **ArrayMax:**              **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**        {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

How long does it usually take {you/{PERSON}} to get to {PROVIDER}?

**Responses:**              LESS THAN 15 MINUTES        ..... 1    BOX\_50                      (AC1070)  
                                 16 TO 30 MINUTES                ..... 2    BOX\_50                      (AC1070)  
                                 31 TO 60 MINUTES (1 HOUR)        ..... 3    BOX\_50                      (AC1070)  
                                 61 TO 90 MINUTES                ..... 4    BOX\_50                      (AC1070)  
                                 91 TO 120 MINUTES (2 HOURS)        ..... 5    BOX\_50                      (AC1070)  
                                 MORE THAN 120 MINUTES (2 HOURS)        ..... 6    BOX\_50                      (AC1070)  
                                 REFUSED                                ..... RF    BOX\_50                      (AC1070)  
                                 DON'T KNOW                                ..... DK    BOX\_50                      (AC1070)

**Display Instructions:**

**BOX 50**

**(AC1070)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If this USC provider is a 'PERSON-TYPE-PROVIDER' OR 'PERSON IN FACILITY-TYPE-PROVIDER' **and**

- If (Round 2) and (AC70 was not asked for this USC provider in an earlier loop)  
or
- If (Round 4) and (AC70 was not asked in Round 2 for this USC provider [Preload.ProvDoc = empty]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)  
or
- If (Round 4) and (AC70 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = RF, DK]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)  
or
- If (Round 4) and (AC70 was coded '1' (YES) and AC90 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = Yes and Preload.ProvSpecIt=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)  
or
- If (Round 4) and (AC70 was coded '2' (NO) and AC80 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = No and Preload.ProvOthType=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4), continue with AC70.

Otherwise, go to BOX\_60.



Full Detail Spec

AC70

(AC1075)

BLAISE NAME: ProvDoc

Item Type: Question      Field kind: Datafield      ArrayMin:      Min value:  
 Type Class: Enumerated      Field Size:  
 Answer Type: TYESNO      Answers allowed: 1      ArrayMax:      Max value:

---

Help Available (MDDOTypes)       Show Card ( )       Look Up File ( )

Context Header:      {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Is {PROVIDER} a medical doctor?

HELP: F1

Responses:      YES      ..... 1      AC90      (AC1090)  
                  NO      ..... 2      AC80      (AC1080)  
                  REFUSED      ..... RF      AC100      (AC1100)  
                  DON'T KNOW      ..... DK      AC100      (AC1100)

Display Instructions:

<b>AC80</b>	<b>(AC1080)</b>	<b>BLAISE NAME:</b> ProvOthType		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TOTHTYPE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (ProvOthTypeHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**        {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

Is {PROVIDER} a nurse, nurse practitioner, physician's assistant, midwife, or some other kind of person?

SELECT 'CHIROPRACTOR' IF CHIROPRACTOR VOLUNTEERED AS TYPE OF MEDICAL PERSON.

HELP: F1

<b>Responses:</b>	NURSE .....	1	BOX_60	(AC1096)
	NURSE PRACTITIONER .....	2	BOX_60	(AC1096)
	PHYSICIAN'S ASSISTANT .....	3	BOX_60	(AC1096)
	MIDWIFE .....	4	BOX_60	(AC1096)
	CHIROPRACTOR .....	5	BOX_60	(AC1096)
	OTHER .....	91	AC800S	(AC1085)
	REFUSED .....	RF	BOX_60	(AC1096)
	DON'T KNOW .....	DK	BOX_60	(AC1096)

**Display Instructions:**        Display AC80 and AC800S on the same form pane.



<b>AC90</b>	<b>(AC1090)</b>	<b>BLAISE NAME:</b> ProvSpeclt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TMDSPECLT	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

What is {PROVIDER}'s specialty?

<b>Responses:</b>	GENERAL/FAMILY PRACTICE .....	1	BOX_60	(AC1096)
	INTERNAL MEDICINE .....	2	BOX_60	(AC1096)
	PEDIATRICS .....	3	BOX_60	(AC1096)
	OB/GYN .....	4	BOX_60	(AC1096)
	SURGERY .....	5	BOX_60	(AC1096)
	CHIROPRACTOR .....	6	BOX_60	(AC1096)
	CARDIOLOGIST .....	7	BOX_60	(AC1096)
	DOCTOR OF OSTEOPATHY .....	8	BOX_60	(AC1096)
	OTHER .....	91	AC900S	(AC1095)
	REFUSED .....	RF	BOX_60	(AC1096)
	DON'T KNOW .....	DK	BOX_60	(AC1096)

**Display Instructions:**     Display AC90 and AC900S on the same form pane.





Full Detail Spec

<b>AC110</b>	<b>(AC1110)</b>	<b>BLAISE NAME:</b> ProvRace		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	Tbw_AC19	<b>Answers allowed:</b> 6	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card (AC-1)                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}  
                                   {NAME OF FACILITY}

**Question Text:**

📖 AC-1.

What is {PROVIDER}'s race?

ENTER ALL THAT APPLY.

**Responses:**

WHITE .....	1	BOX_80	(AC1111)
BLACK/AFRICAN AMERICAN .....	2	BOX_80	(AC1111)
ASIAN .....	3	BOX_80	(AC1111)
INDIAN/NATIVE AMERICAN/ALASKA NATIVE .....	4	BOX_80	(AC1111)
OTHER PACIFIC ISLANDER .....	5	BOX_80	(AC1111)
SOME OTHER RACE .....	91	BOX_80	(AC1111)
REFUSED .....	RF	BOX_80	(AC1111)
DON'T KNOW .....	DK	BOX_80	(AC1111)

**Display Instructions:**

<b>BOX_80</b>	<b>(AC1111)</b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
---------------	-----------------	-------------------------	----------------------------

**Route Details:**     If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and (AC120 not already answered this round for this same USC provider in an earlier cycle) or (if round 4 and Preload.ProvGender=DK, RF, or EMPTY (i.e., AC120 never asked in round2) for this same USC provider)], go to AC120.

Otherwise, go to END\_LP10.





**BOX 90**      **(AC1121)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one provider was selected or added as a 'USC provider' on the RU- medical-providers-roster, continue with LOOP\_20.

Otherwise, go to AC210.

**LOOP 20**      **(AC1130)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each element in the RU-medical-providers-roster, ask AC140 - END\_LP20.

Loop definition: LOOP\_20 collects detailed information on each unique usual source of care provider identified for this RU. This loop cycles on providers who meet the following condition:

-Provider was selected or added as 'USC provider' during the current round for a current RU member.

Note: if the USC provider being looped on is a 'PERSON IN FACILITY-TYPE-PROVIDER' the context header in LOOP\_20 will display the name of facility selected or added at PV30LU. if the USC provider being looped on is a 'FACILITY- TYPE- PROVIDER', the context header in LOOP\_20 will display the facility-provider name. If the USC provider being looped on is 'PERSON-TYPE PROVIDER' the context header in LOOP\_20 will display the person-provider name.

For 'PROVIDER' in the question text, display the name of the facility if the USC type is a FACILITY TYPE PROVIDER, display the name of the person provider, if the USC type is a PERSON TYPE PROVIDER, and display the name entered at PV70, if the USC type is PERSON IN FACILITY TYPE PROVIDER.

<b>AC140</b>	<b>(AC1140)</b>	<b>BLAISE NAME:</b> PhoneDfclt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TAPPDIF	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card (AC-2)                       Look Up File ( )

**Context Header:**     {NAME OF MEDICAL CARE PROVIDER.....}  
                              {NAME OF FACILITY}

**Question Text:**

📖AC-2.

The next few questions ask about the experience {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},} {PERSON N},} {or their parents} {have had/has had} with {PROVIDER} . Please think about their overall experiences when answering the following questions.

How difficult is it to contact {a medical person at} {PROVIDER} during regular business hours over the telephone about a health problem?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

**Responses:**           VERY DIFFICULT ..... 1  
                              SOMEWHAT DIFFICULT ..... 2  
                              NOT TOO DIFFICULT ..... 3  
                              NOT AT ALL DIFFICULT ..... 4  
                              REFUSED ..... RF  
                              DON'T KNOW ..... DK

**Programmer Instructions:** If AC50 was coded '2' (HOSPITAL EMERGENCY ROOM) for this USC provider, go to AC160.

Otherwise, continue with AC150.

**Display Instructions:** Display 'a medical person at' if USC provider being looped on is a 'FACILITY-TYPE-PROVIDER'.

Otherwise, use a null display.

Display 'have had' if roster list displayed at the question text includes the respondent or includes more than 1 person. Otherwise, display 'has had'.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are  $\leq 17$  years old (or age category 1-3), otherwise, use a null display.



<b>AC160</b>	<b>(AC1150)</b>	<b>BLAISE NAME:</b> AfterHours		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TAPPDIF	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card (AC-2)                       Look Up File ( )

**Context Header:**     {NAME OF MEDICAL CARE PROVIDER.....}{NAME OF FACILITY}

**Question Text:**

 AC-2.

How difficult is it to contact {a medical person at} {PROVIDER} after their regular hours in case of urgent medical needs?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

<b>Responses:</b>	VERY DIFFICULT .....	1	AC170	(AC1155)
	SOMEWHAT DIFFICULT .....	2	AC170	(AC1155)
	NOT TOO DIFFICULT .....	3	AC170	(AC1155)
	NOT AT ALL DIFFICULT .....	4	AC170	(AC1155)
	REFUSED .....	RF	AC170	(AC1155)
	DON'T KNOW .....	DK	AC170	(AC1155)

**Display Instructions:**     Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. Otherwise, use a null display.

Full Detail Spec

AC170

(AC1155)

BLAISE NAME: OthTrtmt

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Context Header:** {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

Does {someone at} {PROVIDER} usually ask about prescription medications and treatments other doctors may give them?

<b>Responses:</b>	YES .....	1	AC180	(AC1160)
	NO .....	2	AC180	(AC1160)
	REFUSED .....	RF	AC180	(AC1160)
	DON'T KNOW .....	DK	AC180	(AC1160)

**Display**

**Instructions:**

Display 'someone at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'.  
Otherwise, use a null display.

**AC180**                      **(AC1160)**                      **BLAISE NAME:** AskChoose  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TALUSUALY                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card (AC-3)                       Look Up File ( )

**Context Header:**                      {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

 AC-3.

If there were a choice between treatments, how often would {a medical person at} {PROVIDER} ask {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},}{PERSON N},} {or their parents} to help make the decision?

Would you say never, sometimes, usually, or always?

<b>Responses:</b>	NEVER .....	1	AC190	(AC1165)
	SOMETIMES .....	2	AC190	(AC1165)
	USUALLY .....	3	AC190	(AC1165)
	ALWAYS .....	4	AC190	(AC1165)
	REFUSED .....	RF	AC190	(AC1165)
	DON'T KNOW .....	DK	AC190	(AC1165)





**Display  
Instructions:**

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE-

**BOX 100**

**(AC1166)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If at least one person who identified the USC provider currently being looped on as their USC provider AND RE1170\_09 was coded '3' (NOT WELL) or '4' (NOT AT ALL) in any round for that person (preload.EngCompLevel), continue with AC200.

Otherwise, go to END\_LP20.

<b>AC200</b>	<b>(AC1175)</b>	<b>BLAISE NAME:</b> LangPref		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

**Question Text:**

Does {someone at} {PROVIDER} speak the language {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},} {{and} PERSON N} {or their parents} prefer(s) or provide translator services for them?

**Responses:**

YES	.....	1	END_LP20	(AC1180)
NO	.....	2	END_LP20	(AC1180)
REFUSED	.....	RF	END_LP20	(AC1180)
DON'T KNOW	.....	DK	END_LP20	(AC1180)

**Display Instructions:**

Display 'someone at' if USC provider being looped on is a 'FACILITY-TYPE- PROVIDER.'  
Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName ). Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who:  
- Identified provider being asked about as person's USC provider for the current round and  
-Coded RE1170\_09 as '3' (NOT WELL) or '4' (NOT AT ALL) in any round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

END\_LP20      (AC1180)      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next provider in the RU-medical-providers-roster who meets the conditions stated in the loop definition.

If no other providers meet the stated conditions, end LOOP\_20 and continue with AC210.

AC210      (AC1185)      BLAISE NAME: DelayCare  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

The following questions are about the use of health care. Do not include dental care or prescription medicines.

Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed seeking medical care/Has medical care been delayed for anyone in the household} because of worry about the cost?

**Responses:**      YES      ..... 1      AC220      (AC1186)  
                      NO      ..... 2      AC230      (AC1187)  
                      REFUSED      ..... RF      AC230      (AC1187)  
                      DON'T KNOW      ..... DK      AC230      (AC1187)

**Programmer Instructions:** If coded '1' (YES) and a MULTI-PERSON RU, continue with AC220.  
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC220, and go to AC230.

**Display Instructions:** For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.

Display '{Have you/Has {PERSON}} delayed seeking medical care' if SINGLE-PERSON RU. Otherwise, display 'Has medical care been delayed for anyone in the household'.

<b>AC220</b>	<b>(AC1186)</b>	<b>BLAISE NAME:</b> DelayWho		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Who was that?

PROBE: Did anyone else delay seeking medical care because of worry about the cost?

ENTER ALL THAT APPLY.

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME}1	.....	1
{FIRST NAME [MIDDLE NAME] LAST NAME}2	.....	2
{FIRST NAME [MIDDLE NAME] LAST NAME}3	.....	3
{FIRST NAME [MIDDLE NAME] LAST NAME}4	.....	4
{FIRST NAME [MIDDLE NAME] LAST NAME}N	.....	5

**Programmer Instructions:** Go to AC230.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

<b>AC230</b>	<b>(AC1187)</b>	<b>BLAISE NAME:</b> AffrdCare			
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>	
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>			
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>	

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

In the last 12 months, was there any time when {{you/{PERSON}}}/anyone in the household} needed medical care, but did not get it because {{you/he/she}/they} couldn't afford it?

**Responses:**

YES	.....	1	AC240	(AC1188)
NO	.....	2	AC250	(AC1189)
REFUSED	.....	RF	AC250	(AC1189)
DON'T KNOW	.....	DK	AC250	(AC1189)

**Programmer Instructions:** If coded '1' (YES) and a MULTI-PERSON RU, continue with AC240.  
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC240, and go to AC250.

**Display Instructions:** Display '{you/{PERSON}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the household'.

---

<b>AC240</b>	<b>(AC1188)</b>	<b>BLAISE NAME:</b> AffrdWho		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who was that?

PROBE: Did anyone else need medical care but did not get it because they couldn't afford it?

ENTER ALL THAT APPLY.

**Responses:**            {FIRST NAME [MIDDLE NAME] LAST NAME}1            ..... 1  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}2            ..... 2  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}3            ..... 3  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}4            ..... 4  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}N            ..... 5

**Programmer Instructions:** Go to AC250.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

<b>AC250</b>	<b>(AC1189)</b>	<b>BLAISE NAME:</b> DelayCareDN		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Now please think only about dental care. In the last 12 months [that is, between {MONTH YEAR-1} and today], {have you/has {PERSON}} delayed seeking dental care (including check-ups)/has dental care (including check-ups) been delayed for anyone in the household} because of worry about the cost?

**Responses:**

YES	.....	1		
NO	.....	2	AC270	(AC1191)
REFUSED	.....	RF	AC270	(AC1191)
DON'T KNOW	.....	DK	AC270	(AC1191)

**Programmer Instructions:** If coded '1' (YES) and a MULTI-PERSON RU, continue with AC260.  
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC260, and go to AC270.

**Display Instructions:** For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.  
  
Display '{have you/Has {PERSON}} delayed seeking dental care (including check-ups)' if SINGLE-PERSON RU. Otherwise, display 'has dental care been delayed (including check-ups) for anyone in the household'.

<b>AC260</b>	<b>(AC1190)</b>	<b>BLAISE NAME:</b> DelayWhoDN		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who was that?

PROBE: Did anyone else delay seeking dental care (including check-ups) because of worry about the cost?

ENTER ALL THAT APPLY.

- Responses:**
- {FIRST NAME [MIDDLE NAME] LAST NAME}1 ..... 1
  - {FIRST NAME [MIDDLE NAME] LAST NAME}2 ..... 2
  - {FIRST NAME [MIDDLE NAME] LAST NAME}3 ..... 3
  - {FIRST NAME [MIDDLE NAME] LAST NAME}4 ..... 4
  - {FIRST NAME [MIDDLE NAME] LAST NAME}N ..... 5



**Programmer Instructions:** Go to AC270.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

<b>AC270</b>	<b>(AC1191)</b>	<b>BLAISE NAME:</b> AffrdCareDN		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

In the last 12 months, was there any time when {{you/{PERSON}}}/anyone in the household} needed dental care, but did not get it because {{you/he/she}/they} couldn't afford it?

**Responses:**

YES	.....	1		
NO	.....	2	AC290	(AC1193)
REFUSED	.....	RF	AC290	(AC1193)
DON'T KNOW	.....	DK	AC290	(AC1193)



**Programmer Instructions:** Go to AC290.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

<b>AC290</b>	<b>(AC1193)</b>	<b>BLAISE NAME:</b> DelayCarePM		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Please think about the last 12 months, that is, between {MONTH YEAR-1} and today. {{Have you/Has {PERSON}} delayed getting prescription medicines/Have prescription medicines been delayed for anyone in the household} because of worry about the cost?

**Responses:**

YES	.....	1		
NO	.....	2	AC310	(AC1195)
REFUSED	.....	RF	AC310	(AC1195)
DON'T KNOW	.....	DK	AC310	(AC1195)

**Programmer Instructions:** If coded '1' (YES) and a MULTI-PERSON RU, continue with AC300.  
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC300, and go to AC310.

**Display Instructions:** For 'MONTH YEAR-1' display the month of the current interview and the current interview year minus 1.

Display "Have you/Has {PERSON}} delayed getting prescription medicines" if SINGLE-PERSON RU. Otherwise, display "Have prescription medicines been delayed for anyone in the household".

<b>AC300</b>	<b>(AC1194)</b>	<b>BLAISE NAME:</b> DelayWhoPM		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who was that?

PROBE: Did anyone else delay getting prescription medicines because of worry about the cost?

ENTER ALL THAT APPLY.

**Responses:**            {FIRST NAME [MIDDLE NAME] LAST NAME}1            ..... 1  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}2            ..... 2  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}3            ..... 3  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}4            ..... 4  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}N            ..... 5

**Programmer Instructions:** Go to AC310.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

<b>AC310</b>	<b>(AC1195)</b>	<b>BLAISE NAME:</b> AffrdCarePM		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

In the last 12 months, was there any time when {{you/{PERSON}}}/anyone in the household} needed prescription medicines, but did not get it because {{you/he/she}/they} couldn't afford it?

**Responses:**

YES	.....	1		
NO	.....	2	BOX_110	(AC1215)
REFUSED	.....	RF	BOX_110	(AC1215)
DON'T KNOW	.....	DK	BOX_110	(AC1215)

**Programmer Instructions:** If coded '1' (YES) and a MULTI-PERSON RU, continue with AC320.  
If coded '1' (YES) and a SINGLE-PERSON RU, automatically code person at AC320 and go to BOX\_110.

**Display Instructions:** Display '{you/{PERSON}}' if SINGLE-PERSON RU. Otherwise, display 'anyone in the household'.

---

<b>AC320</b>	<b>(AC1196)</b>	<b>BLAISE NAME:</b> AffrdWhoPM		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 99	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who was that?

PROBE: Did anyone else need prescription medicines but did not get it because they couldn't afford it?

ENTER ALL THAT APPLY.

**Responses:**            {FIRST NAME [MIDDLE NAME] LAST NAME}1            ..... 1  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}2            ..... 2  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}3            ..... 3  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}4            ..... 4  
                              {FIRST NAME [MIDDLE NAME] LAST NAME}N            ..... 5

**Programmer Instructions:** Go to BOX\_110.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays RU members roster for selection. Display RU member's first, middle, and last name (Person.FullName).

Roster filter:  
No filter; display all.

---

**BOX 110**      **(AC1215)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Go to next questionnaire section.

[End of AC]