

BOX\_00      (REB1000)      Item Type: Route      Type Class: If Then

---

**Route Details:**

01 Box = BOX\_260, BOX\_270, BOX\_280, BOX\_290, BOX\_320, BOX\_330, BOX\_340, BOX\_350, BOX\_360, BOX\_370, BOX\_380, BOX\_390, BOX\_400, BOX\_405, BOX\_410, BOX\_420, BOX\_430, BOX\_440, BOX\_450, BOX\_460, BOX\_470

02 Loop = LOOP\_70, LOOP\_80, LOOP\_90, LOOP\_100, LOOP\_110, LOOP\_140

03 End Loop = END\_LP70, END\_LP80, END\_LP90, END\_LP100, END\_LP110, END\_LP120, END\_LP130, END\_LP140

04 Single Select = RE900, RE910, RE950, RE960, RE970, RE980, RE990, RE1000, RE1030, RE1055, RE1085, RE1100, RE1150, RE1170\_01, RE1170\_02, RE1170\_03, RE1170\_07, RE1170\_08, RE1170\_09, RE1170\_10, RE1180, RE1190, RE1200, RE1210

05 Single Select with Display Roster = RE880, RE1040, RE1070, RE1120, RE1270

06 Single Select with Fill in Answer Text = RE920

08 Multiple Select = RE1170\_04, RE1170\_05

10 Multiple Select with Fill in Answer Text = RE1050, RE1080, RE1130, RE1280

12 Address - Newly Collected = RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, RE1240\_06, RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, RE1260\_06

14 Regular Date Entry = RE1060\_01, RE1060\_02, RE1060\_03, RE1090\_01, RE1090\_02, RE1090\_03, RE1110\_01, RE1110\_02, RE1110\_03, RE1170\_11

19 Numeric Field = RE1170\_12

20 OS Text Field = RE1170\_06

24 Information Screen = RE890, RE930, RE940, RE1010, RE1020, RE1140, RE1160, RE1220, RE1230, RE1250

Grid 1 = RE1210

Grid 2 = RE1170\_01, RE1170\_02, RE1170\_03, RE1170\_04, RE1170\_05, RE1170\_06, RE1170\_07, RE1170\_08, RE1170\_09, RE1170\_10, RE1170\_11, RE1170\_12

Roster 2 = RE920, RE1050, RE1080, RE1130

**BOX 260**

**(REB1003)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:** Go to BOX\_270.

Note: The RU-Members-Roster has been updated throughout the ST and RE-A section as follows:

- New RU members have been added
- DU members selected have been merged
- RU members who meet any one of the following conditions have been set as movers:
  - Non-military persons identified as moving to a military facility or private residence within the U.S.
  - Full-time military persons identified as moving to a private residence within the U.S. or moving to a military facility within the U.S. with other non-military, key RU members
- RU members who have been set as student movers
- RU members who have been identified as out of scope and will not have data collected
- RU members who have been identified as not being in the RU on the interview date, but have partial eligibility and will have data collected for them
- RU members who have returned to this RU from being previously institutionalized in a health care facility

**BOX 270**      **(REB1005)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If student RU (RUType = Student RU or New Student RU) and RE110 is coded '1' (YES), go to BOX\_470.

                                 If student RU (RUtype = Student RU or New Student RU) and RE110 is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), and RE90=EMPTY, go to RE1170\_01.

                                 If student RU (Rutype = Student RU or New Student RU) and RE110 is coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), and RE90<>EMPTY go to RE1170\_03

                                 Else if standard or new RU (RUType = Standard RU or New Standard RU)  
                                 AND  
                                 All persons are set as out-of-scope [RemovedAtRE180 = YES or MoveratLoop10 = NO or RemovedAtRE330 = YES or MoverAtLoop20 = No or MoverAtLoop30 = NO], go to BOX\_470.

                                 Else if standard or new RU (RUType = Standard RU or New Standard RU)  
                                 AND  
                                 At least one person is a student that was present in the DU at the time of the NHIS [(StudentMoverAtLoop20 = YES or StudentMoverAtLoop30 = YES) and OrigRnd = 0]  
                                 AND  
                                 All other persons are set as out-of-scope [RemovedAtRE180 = YES or MoverAtLoop10 = NO or RemovedAtRE330 = YES or MoverAtLoop20 = NO or MoverAtLoop30 = NO], go to BOX\_330.

                                 Else if standard or new RU (RUType = Standard RU or New Standard RU)  
                                 AND  
                                 At least one person is a student that was identified for the first time in this round [(StudentMoverAtLoop20 = YES or StudentMoverAtLoop30 = YES) and (RE\_Person.PERSID <> any PL\_Person.PERSID)]  
                                 AND  
                                 All other persons are set as out-of-scope [RemovedAtRE180 = YES or MoverAtLoop10 = No or RemovedAtRE330 = YES or MoverAtLoop20 = No or MoverAtLoop30 = NO], go to RE1170\_03.

                                 Else if standard or new RU (RUType = Standard RU or New Standard RU)  
                                 AND  
                                 At least one person is a mover [MoverAtLoop10 = YES or MoverAtLoop20 = YES or MoverAtLoop30 = YES]  
                                 AND  
                                 All other persons are set as out-of-scope [RemovedAtRE180 = YES or MoverAtLoop10 = NO or RemovedAtRE330 = YES or MoverAtLoop20 = NO or MoverAtLoop30 = NO], go to RE1020.

                                 If exactly one person on RE\_Person Array where MostRecentRU = RUUnit where CtrlCurrHere\_AtBOX270 = YES  
                                 AND  
                                 No person on RE\_Person Array where MostRecentRU = RUUnit is a new student [StudentMoverAtLoop20 = NO or empty and StudentMoverAtLoop30 = NO or empty], go to BOX\_330.

                                 Otherwise, continue with BOX\_280.

**BOX 280**

**(REB1010)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If Round 1

OR

Any new persons have been merged this round (RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU <> RUUnit AND RE\_Person[].MostRecentRU = RUUnit)

OR

Any new persons have been added this round (RE\_Person[].PreloadOrd = EMPTY AND RE\_Person[].MostRecentRU = RUUnit)

OR

Any relationships are coded 'RF' (REFUSED), 'DK' (DON'T KNOW), or missing from the previous round (preloaded RelCode = RF, DK or empty)

Go to RE890

Otherwise, continue with RE880



**Programmer  
Instructions:**

Roster Behavior:

1. The column heading 'MEMBER NAME' should display the respondent or the reference person if proxy respondent and then all remaining RU members from oldest to youngest using the Age Order specifications in the GL section.
2. Display relationships that were coded in the previous round and are still applicable, including reciprocal relationships (preloaded RelCode).

**Display  
Instructions:**

Roster definition: Roster 1- report

This item displays the RU-members-roster and all persons flagged as "NEW STUDENTS". The column headings 'RU MEMBER N' are filled with the RU members first name (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. The column heading 'MEMBER NAME' is filled with the first name of the person being looped on (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. Display MEMBER NAME's relationship to RU MEMBER N. Display the preloaded (from the previous round, as available) relationship.

Roster filter:

Display persons on the RE\_Person Array where MostRecentRU = RUUnit who meet either of the following conditions:

1. Person is a member of the RU (CtrlCurrHere\_AtBOX270 = YES) or
2. Person is a 'NEW STUDENT' (StudentMoverAtLoop20 = YES or StudentMoverAtLoop30 = YES).

Display 'Since {START DATE}' if not round 5.

Display 'Between {START DATE} and December 31, {YEAR}' where 'YEAR' is the second calendar year of the panel, if round 5.

Display "TO VIEW RELATIONSHIP GRID PRESS CTRL-X TO CLOSE RELATIONSHIP GRID PRESS ESC" if the the number of RU members displayed is  $\geq 7$  otherwise use a null display.

**RE890**                      **(REB1020)**                      **BLAISE NAME:** RelGridIntro  
**Item Type:**                      Instruction                      **Field kind:** Datafield  
**Type Class:**                      Enumerated  
**Answer Type:**                      TContinue                      **Answers allowed:** 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Now I would like to collect information about how the {new} members of this household are related {to the family}./Please tell me whose relationships have changed./INTERVIEWER: FILL IN MISSING RELATIONSHIPS.}

{READ GRID STARTING FROM LEFT. EXAMPLE: "(NAME ON LEFT) IS (NAME ON TOP)'S \_\_\_\_\_ (RELATIONSHIP)."}  
 \_\_\_\_\_

{TO VIEW RELATIONSHIP GRID PRESS CTRL-X

TO CLOSE RELATIONSHIP GRID PRESS ESC}

MEMBER NAME	RU MEMBER 1	RU MEMBER 2	RU MEMBER 3
1. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]
2. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]
3. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                      CONTINUE ..... 1 LOOP\_70                      (REB1025)

**Programmer  
Instructions:**

Roster Behavior:

1. The column heading 'MEMBER NAME' should display the respondent or the reference person if proxy respondent and then all remaining RU members from oldest to youngest using the Age Order specifications in the GL section.
2. Display relationships that were coded in the previous round and are still applicable, including reciprocal relationships. Note that the relationships collected in the NHIS will not be pre-filled in the round 1 CAPI (preloaded RelCode).
3. Display question mark for relationships not yet coded or where relationship was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW) in previous round.

**Display  
Instructions:**

Roster definition: Roster 1- report

This item displays the RU-members-roster and all persons flagged as "NEW STUDENTS". The column headings 'RU MEMBER N' are filled with the RU members first name (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. The column heading 'MEMBER NAME' is filled with the first name of the person being looped on (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. Display MEMBER NAME's relationship to RU MEMBER N. Display the preloaded (from the previous round, as available) relationship.

Roster filter:

Display persons on the RE\_Person Array where MostRecent RU = RUUnit who meet either of the following conditions:

1. Person is a member of the RU (CtrlCurrHere\_AtBOX270 = YES)
- or
2. Person is a 'NEW STUDENT' (StudentMoverAtLoop20 = YES or StudentMoverAtLoop30 = YES).

Display 'Now I would like to collect information about how the {new} members of this household are related {to the family}.' If Round 1 or if Rounds 2-5 and at least one new RU member was added this round.

Display 'new' if Rounds 2-5 and at least one new RU member was added this round. Otherwise, use a null display.

Display 'to the family' if Rounds 2-5 and at least one new RU member was added this round. Otherwise, use a null display.

Display 'Please tell me whose relationships have changed.' If Rounds 2-5 and RE880 was coded '1'(YES).

Display 'INTERVIEWER: FILL IN MISSING RELATIONSHIPS.' if Rounds 2-5 and no new RU members have been added this round, and at least one relationship is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW) from a previous round.

Display 'READ GRID STARTING FROM LEFT. EXAMPLE: "(NAME ON LEFT) IS (NAME ON TOP)'S (RELATIONSHIP)."' if rounds 2-5. Otherwise, use a null display.

Display "TO VIEW RELATIONSHIP GRID PRESS CTRL-X TO CLOSE RELATIONSHIP GRID PRESS ESC" if the the number of RU members displayed is >=7 otherwise use a null display.



---

**LOOP 70**      **(REB1025)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each person, ask LOOP\_75-END\_LP70.

Loop definition: LOOP\_70 cycles on all RU members and NEW STUDENTS. The loop begins with the respondent or the reference person if proxy respondent and then loops on the remaining RU members from oldest to youngest using the Age Order specifications in the GL section. The loop cycles on all persons in the RE\_Person Array where MostRecentRU=RUnit who meet either of the following conditions:  
-Person is a member of the RU for this case (CtrlCurrHere\_AtBOX270=Yes)  
OR  
-Person is a 'NEW STUDENT' (StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES)

---

**LOOP 75**      **(REB1026)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each person, ask RE900-END\_LP75.

Loop definition: LOOP\_75 collects the relationship between the person being looped on at LOOP\_70 and all RU members, including NEW STUDENTS. The loop begins with the respondent or the reference person if proxy respondent and then loops on the remaining RU members from oldest to youngest using the Age Order specifications in the GL section. The loop cycles on all persons in the RE\_Person Array where MostRecentRU=RUnit who meet the following conditions:

- Person is a member of the RU for this case (CtrlCurrHere\_AtBOX270=Yes)  
OR  
-Person is a 'NEW STUDENT' (StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES).

Note: Loop\_70 and Loop\_75 are the identical loops that allow you not to ask relationship to SELF.

**RE900**                      **(REB1027)**                      **BLAISE NAME:** RelCode  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TRELATIONSHIP2                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (RelGridHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

[I would like to know how everyone is related to {you/{PERSON}}.]

{RU MEMBER} {is/was} {your/{PERSON}'s}

HELP: F1

**Responses:**

MOTHER (BIOLOGICAL/ADOPTIVE) .....	1
FATHER (BIOLOGICAL/ADOPTIVE) .....	2
SISTER/STEP-/HALF- .....	3
BROTHER/STEP-/HALF- .....	4
DAUGHTER/ADOPTED DAUGHTER .....	5
SON/ADOPTED SON .....	6
HUSBAND/WIFE/SPOUSE .....	7
UNMARRIED PARTNER .....	8
MOTHER-IN-LAW .....	9
FATHER-IN-LAW .....	10
SISTER-IN-LAW .....	11
BROTHER-IN-LAW .....	12
DAUGHTER-IN-LAW .....	13
SON-IN-LAW .....	14
STEPMOTHER .....	15
STEPFATHER .....	16
STEPDAUGHTER .....	17
STEPSON .....	18
GRANDMOTHER .....	19
GRANDFATHER .....	20
AUNT .....	21
UNCLE .....	22
NIECE .....	23
NEPHEW .....	24
COUSIN .....	25
GRANDSON .....	26
GRANDDAUGHTER .....	27
PARTNER OF {PERSON}'s PARENT .....	28
DAUGHTER OF {PERSON LOOPING ON}'s PARTNER .....	30
SON OF {PERSON LOOPING ON}'s PARTNER .....	31
GREAT GRANDMOTHER .....	32

---

GREAT GRANDFATHER .....	33
FOSTER MOTHER .....	34
FOSTER FATHER .....	35
FOSTER DAUGHTER .....	36
FOSTER SON .....	37
GREAT GRANDDAUGHTER .....	38
GREAT GRANDSON .....	39
GREAT AUNT .....	40
GREAT UNCLE .....	41
GREAT NIECE .....	42
GREAT NEPHEW .....	43
FOSTER SISTER .....	44
FOSTER BROTHER .....	45
OTHER RELATED (NO SPECIFY) .....	91
NOT RELATED .....	99
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer  
Instructions:**

Go to END\_LP75.

CAPI should not present a question asking about reciprocal relationships or relationships that would be flagged as 'SELF'. Reciprocal relationships should be autocoded as follows:

1. If the {RU MEMBER} is {PERSONS} '1' (MOTHER (BIOLOGICAL/ADOPTIVE)) then autocode the reciprocal relationship to '5' (DAUGHTER/ADOPTED DAUGHTER) if the {PERSON} is female, or '6' (SON/ADOPTED SON) if the {PERSON} is male.
2. If the {RU MEMBER} is {PERSONS} '2' (FATHER (BIOLOGICAL/ADOPTIVE)) then autocode the reciprocal relationship to '5' (DAUGHTER/ADOPTED DAUGHTER) if the {PERSON} is female, or '6' (SON/ADOPTED SON) if the {PERSON} is male.
3. If the {RU MEMBER} is {PERSONS} '3' (SISTER/STEP-/HALF-) then autocode the reciprocal relationship to '3' (SISTER/STEP-/HALF-) if the {PERSON} is female, or '4' (BROTHER/STEP-/HALF-) if the {PERSON} is male.
4. If the {RU MEMBER} is {PERSONS} '4' (BROTHER/STEP-/HALF-) then autocode the reciprocal relationship to '3' (SISTER/STEP-/HALF-) if the {PERSON} is female, or '4' (BROTHER/STEP-/HALF-) if the {PERSON} is male.
5. If the {RU MEMBER} is {PERSONS} '5' (DAUGHTER/ADOPTED DAUGHTER) then autocode the reciprocal relationship to '1' (MOTHER (BIOLOGICAL/ADOPTIVE)) if the {PERSON} is female, or '2' (FATHER (BIOLOGICAL/ADOPTIVE)) if the {PERSON} is male.
6. If the {RU MEMBER} is {PERSONS} '6' (SON/ADOPTED SON) then autocode the reciprocal relationship to '1' (MOTHER (BIOLOGICAL/ADOPTIVE)) if the {PERSON} is female, or '2' (FATHER (BIOLOGICAL/ADOPTIVE)) if the {PERSON} is male.
7. If the {RU MEMBER} is {PERSONS} '7' (HUSBAND/WIFE/SPOUSE) then autocode the reciprocal relationship to '7' (HUSBAND/WIFE/SPOUSE).
8. If the {RU MEMBER} is {PERSONS} '8' (UNMARRIED PARTNER) then autocode the reciprocal relationship to '8' (UNMARRIED PARTNER).
9. If the {RU MEMBER} is {PERSONS} '9' (MOTHER-IN-LAW) then autocode the reciprocal relationship to '13' (DAUGHTER-IN-LAW) if the {PERSON} is female, or '14' (SON-IN-LAW) if the {PERSON} is male.
10. If the {RU MEMBER} is {PERSONS} '10' (FATHER-IN-LAW) then autocode the reciprocal relationship to '13' (DAUGHTER-IN-LAW) if the {PERSON} is female, or '14' (SON-IN-LAW) if the {PERSON} is male.
11. If the {RU MEMBER} is {PERSONS} '11' (SISTER-IN-LAW) then autocode the reciprocal relationship to '11' (SISTER-IN-LAW) if the {PERSON} is female, or '12' (BROTHER-IN-LAW) if the {PERSON} is male.
12. If the {RU MEMBER} is {PERSONS} '12' (BROTHER-IN-LAW) then autocode the reciprocal relationship to '11' (SISTER-IN-LAW) if the {PERSON} is female, or '12' (BROTHER-IN-LAW) if the {PERSON} is male.
13. If the {RU MEMBER} is {PERSONS} '13' (DAUGHTER-IN-LAW) then autocode the reciprocal relationship to '9' (MOTHER-IN-LAW) if the {PERSON} is female, or '10' (FATHER-IN-LAW) if the {PERSON} is male.
14. If the {RU MEMBER} is {PERSONS} '14' (SON-IN-LAW) then autocode the reciprocal relationship to '9' (MOTHER-IN-LAW) if the {PERSON} is female, or '10' (FATHER-IN-LAW) if the {PERSON} is male.
15. If the {RU MEMBER} is {PERSONS} '15' (STEPMOTHER) then autocode the reciprocal relationship to '17' (STEPDAUGHTER) if the {PERSON} is female, or '18' (STEPSON) if the {PERSON} is male.
16. If the {RU MEMBER} is {PERSONS} '16' (STEPFATHER) then autocode the reciprocal relationship to '17' (STEPDAUGHTER) if the {PERSON} is female, or '18' (STEPSON) if the {PERSON} is male.
17. If the {RU MEMBER} is {PERSONS} '17' (STEPDAUGHTER) then autocode the reciprocal relationship to '15' (STEPMOTHER) if the {PERSON} is female, or '16' (STEPFATHER) if the {PERSON} is male.
18. If the {RU MEMBER} is {PERSONS} '18' (STEPSON) then autocode the reciprocal

relationship to '15' (STEPMOTHER) if the {PERSON} is female, or '16' (STEPFATHER) if the {PERSON} is male.

19. If the {RU MEMBER} is {PERSONS} '19' (GRANDMOTHER) then autocode the reciprocal relationship to '27' (GRANDDAUGHTER) if the {PERSON} is female, or '26' (GRANDSON) if the {PERSON} is male.

20. If the {RU MEMBER} is {PERSONS} '20' (GRANDFATHER) then autocode the reciprocal relationship to '27' (GRANDDAUGHTER) if the {PERSON} is female, or '26' (GRANDSON) if the {PERSON} is male.

21. If the {RU MEMBER} is {PERSONS} '21' (AUNT) then autocode the reciprocal relationship to '23' (NIECE) if the {PERSON} is female, or '24' (NEPHEW) if the {PERSON} is male.

22. If the {RU MEMBER} is {PERSONS} '22' (UNCLE) then autocode the reciprocal relationship to '23' (NIECE) if the {PERSON} is female, or '24' (NEPHEW) if the {PERSON} is male.

23. If the {RU MEMBER} is {PERSONS} '23' (NIECE) then autocode the reciprocal relationship to '21' (AUNT) if the {PERSON} is female, or '22' (UNCLE) if the {PERSON} is male.

24. If the {RU MEMBER} is {PERSONS} '24' (NEPHEW) then autocode the reciprocal relationship to '21' (AUNT) if the {PERSON} is female, or '22' (UNCLE) if the {PERSON} is male.

25. If the {RU MEMBER} is {PERSONS} '25' (COUSIN) then autocode the reciprocal relationship to '25' (COUSIN).

26. If the {RU MEMBER} is {PERSONS} '26' (GRANDSON) then autocode the reciprocal relationship to '19' (GRANDMOTHER) if the {PERSON} is female, or '20' (GRANDFATHER) if the {PERSON} is male.

27. If the {RU MEMBER} is {PERSONS} '27' (GRANDDAUGHTER) then autocode the reciprocal relationship to '19' (GRANDMOTHER) if the {PERSON} is female, or '20' (GRANDFATHER) if the {PERSON} is male.

28. If the {RU MEMBER} is {PERSONS} '28' (PARTNER OF {PERSON}'S PARENT) then autocode the reciprocal relationship to '30' (DAUGHTER OF {PERSON LOOPING ON}'s PARTNER) if the {PERSON} is female, or '31' (SON OF {PERSON LOOPING ON}'s PARTNER) if the {PERSON} is male.

29. If the {RU MEMBER} is {PERSONS} '30' (DAUGHTER OF {PERSON LOOPING ON}'s PARTNER) then autocode the reciprocal relationship to '28' (PARTNER OF {PERSON}'S PARENT).

30. If the {RU MEMBER} is {PERSONS} '31' (SON OF {PERSON LOOPING ON}'s PARTNER) then autocode the reciprocal relationship to '28' (PARTNER OF {PERSON}'S PARENT).

31. If the {RU MEMBER} is {PERSONS} '32' (GREAT GRANDMOTHER) then autocode the reciprocal relationship to '38' (GREAT GRANDDAUGHTER) if the {PERSON} is female, or '39' (GREAT GRANDSON) if the {PERSON} is male.

32. If the {RU MEMBER} is {PERSONS} '33' (GREAT GRANDFATHER) then autocode the reciprocal relationship to '38' (GREAT GRANDDAUGHTER) if the {PERSON} is female, or '39' (GREAT GRANDSON) if the {PERSON} is male.

33. If the {RU MEMBER} is {PERSONS} '38' (GREAT GRANDDAUGHTER) then autocode the reciprocal relationship to '32' (GREAT GRANDMOTHER) if the {PERSON} is female, or '33' (GREAT GRANDFATHER) if the {PERSON} is male.

34. If the {RU MEMBER} is {PERSONS} '39' (GREAT GRANDSON) then autocode the reciprocal relationship to '32' (GREAT GRANDMOTHER) if the {PERSON} is female, or '33' (GREAT GRANDFATHER) if the {PERSON} is male.

35. If the {RU MEMBER} is {PERSONS} '34' (FOSTER MOTHER) then autocode the reciprocal relationship to '36' (FOSTER DAUGHTER) if the {PERSON} is female, or '37' (FOSTER SON) if the {PERSON} is male.

36. If the {RU MEMBER} is {PERSONS} '35' (FOSTER FATHER) then autocode the reciprocal relationship to '36' (FOSTER DAUGHTER) if the {PERSON} is female, or '37' (FOSTER SON) if the {PERSON} is male.

37. If the {RU MEMBER} is {PERSONS} '36' (FOSTER DAUGHTER) then autocode the reciprocal relationship to '34' (FOSTER MOTHER) if the {PERSON} is female, or '35'

(FOSTER FATHER) if the {PERSON} is male.

38. If the {RU MEMBER} is {PERSONS} '37' (FOSTER SON) then autocode the reciprocal relationship to '34' (FOSTER MOTHER) if the {PERSON} is female, or '35' (FOSTER FATHER) if the {PERSON} is male.

39. If the {RU MEMBER} is {PERSONS} '91' (OTHER RELATED (NO SPECIFY)) then autocode the reciprocal relationship to '91' (OTHER RELATED (NO SPECIFY)).

If the {RU MEMBER} is {PERSONS} '99' (NOT RELATED) then autocode the reciprocal relationship to '99' (NOT RELATED).

Soft check:

1. If code '1' (MOTHER (BIOLOGICAL/ADOPTIVE)) or '2' (FATHER (BIOLOGICAL/ADOPTIVE)) is used more than once to describe the relationship between a RU member and the person being looped on at LOOP\_70, display the following message: "MOTHER/FATHER ALREADY USED. VERIFY AND RE-ENTER."

2. If code '7' (HUSBAND/WIFE/SPOUSE) is used more than once to describe the relationship between a RU member and the person being looped on at LOOP\_70, display the following message: " HUSBAND/WIFE/SPOUSE ALREADY USED. VERIFY AND RE-ENTER."

3. If code '15' (STEPMOTHER) or '16' (STEPFATHER) and the age of the 'RU MEMBER' associated with code is younger than person being looped on at LOOP\_70, display the following message: "UNLIKELY RESPONSE DUE TO AGE. VERIFY AND RE-ENTER." Do not display the message for age ranges or age guesses.

4. If code '99' (NOT RELATED) is selected, display the following message: "THIS PERSON HAS BEEN CODED AS NOT RELATED. PROBE RESPONDENT AND REVIEW CODES. IF APPLICABLE, USE A MORE DESCRIPTIVE CODE OR USE CODE '91' (OTHER RELATED, NO SPECIFY). IF RESPONDENT CONFIRMS PERSON IS NOT RELATED, CONTINUE ENTERING OTHER RELATIONSHIPS."

Hard check:

1. If code '1' (MOTHER (BIOLOGICAL/ADOPTIVE)), '2' (FATHER (BIOLOGICAL/ADOPTIVE)), '19' (GRANDMOTHER), '20' (GRANDFATHER), '32' (GREAT GRANDMOTHER), '33' (GREAT GRANDFATHER), '34' (FOSTER MOTHER), or '35' (FOSTER FATHER), the age of the 'RU MEMBER' associated with the code must be older than the person being looped on at LOOP\_70. Display the following error message: "DISALLOWED RELATIONSHIP. {RU MEMBER} CAN'T BE {PERSON}'S {RELATION} GIVEN THAT THE AGE OF {RU MEMBER} IS LESS THAN THE AGE OF {PERSON}. VERIFY AND RE-ENTER." 'RELATION' should be filled with the relationship that was selected at RE900. 'RU MEMBER NAME' should be filled with the RU members first and last name (RU member from LOOP\_75). 'PERSON' should be filled with the person being looped on's first and last name from LOOP\_70. Do not display the message for age ranges or age guesses.

2. If code '36' (FOSTER DAUGHTER) or '37' (FOSTER SON), the age of the 'RU MEMBER' associated with the code must be 18 years of age or younger or in age categories 1-4. Display the following error message: "A FOSTER DAUGHTER/SON CAN'T BE MORE THAN 18 YEARS OLD. VERIFY AND RE-ENTER. "

3. If code '5' (DAUGHTER/ADOPTED DAUGHTER), '6' (SON/ADOPTED SON), '27' (GRANDDAUGHTER), '26' (GRANDSON), '38' (GREAT GRANDDAUGHTER), '39' (GREAT GRANDSON), '36' (FOSTER DAUGHTER), or '37' (FOSTER SON), the age of the 'RU MEMBER' associated with the code must be younger than the person being looped on at LOOP\_70. Display the following error message: "DISALLOWED RELATIONSHIP. {RU MEMBER} CAN'T BE {PERSON}'S {RELATION} GIVEN THAT THE AGE OF {RU MEMBER} IS GREATER THAN THE AGE OF {PERSON}. VERIFY AND RE-ENTER." Do not display the message for age ranges or age guesses. 'RELATION' should be

## Full Detail Spec

filled with the relationship that was selected at RE900. 'RU MEMBER NAME' should be filled with the RU members first and last name (RU member from LOOP\_75). 'PERSON' should be filled with the person being looped on's first and last name from LOOP\_70.

**Display Instructions:**

Display all instances of RE900 for the person being looped on at LOOP\_70 in the same form pane.

Display first, middle, and last name for {PERSON} in 'I would like to know how everyone is related to {you/{PERSON}}.'

For '{RU MEMBER} {is/was} (PERSON)'s' in the question text, display the first, middle, and last name of the person being looped on at LOOP\_75 for {RU MEMBER} and display the first name of the person being looped on at LOOP\_70 for {PERSON}.

Display 'I would like to know how everyone is related to {you/{PERSON}}.' in lighter "grayed-out" text and brackets, after the first relationship question for person being looped on at LOOP\_70.

Display 'is' if both persons are living. Display 'was' if both or either person is deceased.

Display only the gender appropriate set of response codes, dependent on the gender of the changing RU member or NEW STUDENT when the gender is known (Gender <>DK, RF or EMPTY). When gender is unknown display all codes other display gender appropriate response codes.

The female appropriate codes are '5' (DAUGHTER/ADOPTED DAUGHTER), '1' (MOTHER (BIOLOGICAL/ADOPTIVE)), '3' (SISTER/STEP-/HALF-), '19' (GRANDMOTHER), '27' (GRANDDAUGHTER), '21' (AUNT), '23' (NIECE), '15' (STEPMOTHER), '17' (STEPDAUGHTER), '9' (MOTHER-IN-LAW), '11' (SISTER-IN-LAW), '13' (DAUGHTER-IN-LAW), '30' (DAUGHTER OF {PERSON LOOPING ON}'s PARTNER), '32' (GREAT GRANDMOTHER), '34' (FOSTER MOTHER), '36' (FOSTER DAUGHTER), '38' (GREAT GRANDDAUGHTER), and '44' (FOSTER SISTER). The male appropriate codes are '6' (SON/ADOPTED SON), '2' (FATHER (BIOLOGICAL/ADOPTIVE)), '4' (BROTHER/STEP-/HALF-), '20' (GRANDFATHER), '26' (GRANDSON), '22' (UNCLE), '24' (NEPHEW), '16' (STEPFATHER), '18' (STEPSON), '10' (FATHER-IN-LAW), '12' (BROTHER-IN-LAW), '14' (SON-IN-LAW), '31' (SON OF {PERSON LOOPING ON}'s PARTNER), '33' (GREAT GRANDFATHER), '35' (FOSTER FATHER), '37' (FOSTER SON), '39' (GREAT GRANDSON), and '45' (FOSTER BROTHER).

Categories '7' (HUSBAND/WIFE/SPOUSE), '8' (UNMARRIED PARTNER), '25' (COUSIN), '28' (PARTNER OF {PERSON}'S PARENT), '91' (OTHER RELATED (NO SPECIFY)) and '99' (NOT RELATED) are always displayed regardless of gender.

For categories '28' (PARTNER OF {PERSON}'S PARENT), '31' (SON OF {PERSON LOOPING ON}'s PARTNER), and '30' (DAUGHTER OF {PERSON LOOPING ON}'s PARTNER) fill {PERSON} with the first name of the person being looped on at LOOP\_70.

Display two balanced columns of 13 options each without scrolling.

Do not display '40' (GREAT AUNT), '41' (GREAT UNCLE), '42' (GREAT NIECE), and '43' (GREAT NEPHEW) in the answer pane.

**END\_LP75**      **(REB1028)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next person who meets the conditions stated in the loop definition.

                                 If no more persons meet the stated conditions, then end LOOP\_75 and continue with BOX\_290.

**BOX\_290**      **(REB1045)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If person is being looped on is:

- Age is equal to or less than 17 years or in age categories 1-4

                                 AND

- If there is no entry for MOTHER (RE900 = 1), STEP-MOTHER (RE900 = 15), FOSTER MOTHER (RE900 = 34), FATHER (RE900 = 2), STEP-FATHER (RE900 = 16), FOSTER FATHER (RE900 = 35), or HUSBAND/WIFE/SPOUSE (RE900 = 7)

                                 AND

- If there is at least one RU member who is 18 years of age or older or is in age categories 4-9, not deceased, and they are not the person being looped on, go to RE910.

                                 Else, go to END\_LP70.



---

<b>RE910</b>	<b>(REB1085)</b>	<b>BLAISE NAME:</b> Guardian		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (GuardianHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST, MIDDLE AND LAST NAME}

**Question Text:**

I have recorded that {you/{PERSON}} {do/does} not have a mother or father living in this household. {Do/Does} {you/he/she} have a legal guardian living in this household?

HELP: F1

<b>Responses:</b>	YES	.....	1	RE920	(REB1090)
	NO	.....	2	END_LP70	(REB1095)
	REFUSED	.....	RF	END_LP70	(REB1095)
	DON'T KNOW	.....	DK	END_LP70	(REB1095)

**Display  
Instructions:**



**Programmer  
Instructions:**

**Display  
Instructions:**

Roster 2- no add/edit/delete

Roster definition:

This item displays RU-members-roster for selection of legal guardian.

Roster Filter:

Display only those persons who are 18 years of age or older or in age categories 4-9 on the RE\_Person Array where MostRecentRU=RUnit who meet the following conditions:

-CtrlCurrHere\_AtBOX270 = YES

AND

-[RE190 is NOT coded '3' (DECEASED) or RE340 is NOT coded '5' (IF VOLUNTEERED: DECEASED)]

AND

-is not the person being looped on.

**END LP70**

**(REB1095)**

**Item Type:** Route

**Type Class:** End Loop

---

**Route Details:**

Cycle on next person who meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, then end LOOP\_70 and continue with RE930.

**RE930**                      **(REB1100)**                      **BLAISE NAME:** RelConf  
**Item Type:**                      Instruction                      **Field kind:** Datafield  
**Type Class:**                      Enumerated  
**Answer Type:**                      TContinue                      **Answers allowed:** 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

INTERVIEWER: REVIEW THE RELATIONSHIPS BELOW.  
READ GRID STARTING FROM LEFT. EXAMPLE: "(NAME ON LEFT) IS (NAME ALONG TOP)'S \_\_\_\_  
(RELATIONSHIP)."

{TO VIEW RELATIONSHIP GRID PRESS CTRL-X

TO CLOSE RELATIONSHIP GRID PRESS ESC}

MEMBER NAME	RU MEMBER 1	RU MEMBER 2	RU MEMBER 3
1. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]
2. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]
3. FIRST NAME - 15	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]	[DISPLAY RELATIONSHIP]

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                      CONTINUE                      ..... 1 BOX\_320                      (REB1105)

**Programmer  
Instructions:**

Roster Behavior:

1. The column heading 'MEMBER NAME' should display the respondent or the reference person if proxy respondent and then all remaining RU members from oldest to youngest using the Age Order specifications in the GL section.
2. Display all relationships coded previously and up to this point, including reciprocal relationships.
3. Display RF or DK for relationships coded 'RF' (REFUSED) or 'DK' (DON'T KNOW).

If RU member respondent, create a family subunit based on RU members relationship to the respondent; if proxy respondent, create family subunit based on RU members relationship to reference person.

Include the RU member in the subunit if they are:

- Respondent/reference person
- Spouse/partner of the respondent/reference person (RE900= '7' HUSBAND/WIFE/SPOUSE or '8' UNMARRIED PARTNER)
- Bio/step/adopted children  $\leq 20$  of the respondent/reference person (RE900 = 5 DAUGHTER/ADOPTED DAUGHTER, '6' SON/ADOPTED SON, '17'STEPDAUGHTER, or '18', STEPSON and person is younger than 21 or in age categories 1-4.)
- If respondent/reference person has an UNMARRIED PARTNER, include the children  $\leq 20$  of the unmarried partner (RE900 = '30' DAUGHTER OF {PERSON LOOPING ON}'s PARTNER, '31' SON OF {PERSON LOOPING ON}'s PARTNER) and person is younger than 21 or in age categories 1-4.)
- Children  $\leq 17$  in a legal guardian relationship with the respondent/reference person (Person is younger than 18 or in age categories 1-4 and at RE920 the respondent/reference person is selected as the legal guardian)

Otherwise, group all other RU members into a non-family subunit.

**Display  
Instructions:**

Roster Definition: Roster 1- Report

This item displays the RU-members-roster and all persons flagged as "NEW STUDENTS". The column headings 'RU MEMBER N' are filled with the RU members first name (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. The column heading 'MEMBER NAME' is filled with the first name of the person being looped on (RE\_Person.Fname) and age (RE\_Person.agernd) in parentheses. Display MEMBER NAME's relationship to RU MEMBER N. Display the preloaded (from the previous round, as available) relationship.

Roster Filter:

Display persons on the RE\_Person Array where MostRecentRU=RUnit who meet either of the following conditions:

1. Person is a member of the RU (CtrlCurrHere\_AtBOX270=Yes) or Person is a 'new student' (StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES).

Display "TO VIEW RELATIONSHIP GRID PRESS CTRL-X TO CLOSE RELATIONSHIP GRID PRESS ESC" if the number of RU members displayed is  $\geq 7$  otherwise use a null

display.

**BOX 320**      **(REB1105)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one person meets the following condition:  
- Coded '99' (NOT RELATED FOR RELATIONSHIP WITH REFERENCE PERSON),  
'36' (Foster Daughter) or '37' (Foster Son) at RE900, continue with RE940.  
  
Otherwise, go to BOX\_330.

**RE940**      **(REB1110)**      **BLAISE NAME:** NoInfoPersA  
**Item Type:** Instruction      **Field kind:** Datafield  
**Type Class:** Enumerated  
**Answer Type:** TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

At this time, we are only collecting information about the people in this family. Therefore, that is all the information we will need about the non-related people who live here. We will not collect any additional information about (READ NAMES BELOW).

- {1. First Name, [Middle Name], Last Name}1
- {2. First Name, [Middle Name], Last Name}2
- {3. First Name, [Middle Name], Last Name}3
- {4. First Name, [Middle Name], Last Name}4
- {5. First Name, [Middle Name], Last Name}N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**      CONTINUE ..... 1 BOX\_330      (REB1115)

**Programmer  
Instructions:**

Ctrl Variables impacted: CtrlEligible, CtrlCurrHere.  
For each person displayed at RE940:

Set RemovedAtRE940=YES

Set MoverAtRE940=YES if

- person is key and not related (CtrlPersKey=YES and '99' NOT RELATED FOR RELATIONSHIP WITH REFERENCE PERSON at RE900). Person is treated as a mover.

Note: Person is treated as a mover. This person is not currently here, but in-scope and eligible to be interviewed as part of another RU from the date of their previous interview until that new interview date. The RE section will collect locating information for this person, but person will not be included in this interview after the RE section. Information for person will be collected as part of another RU.

Set MoverAtRE940=NO if

[StudentMoverAtLoop30=YES] and [OrigRnd=Current] and ['99' NOT RELATED FOR RELATIONSHIP WITH REFERENCE PERSON at RE900]

OR

Person is not key and not related (CtrlPersKey=NO and '99' NOT RELATED FOR RELATIONSHIP WITH REFERENCE PERSON at RE900). Person is out-of-scope for this study. No information will be collected for this person.

OR

Person is a foster child (RE900 is coded '36' (FOSTER DAUGHTER) or '37' (FOSTER SON))

- Note: Person is not related to reference person and does not meet requirements of 'New Student.' Or Split. Person is not eligible, not currently here, and is out of scope for this study. No information will be collected for person in this RU or another RU.

Otherwise

- Keep MoverAt940 empty

Note if [StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES] and [OrigRnd=0] and ['99' NOT RELATED FOR RELATIONSHIP WITH REFERENCE PERSON at RE900] (person remains a 'New Student')

Person remains a 'New Student'. This person is not currently here, but at this point in the interview the student is eligible and in-scope for data collection in a student RU. The RE section will later determine if locating information for this student is necessary. Students are included for some items in RE but not the rest of the interview.

**Display  
Instructions:**

Roster 1 - Report

Roster Definition:

This item displays persons for display only. Display the person's first name, middle, and last names (RE\_Person.FullName).

Roster Filter:  
Display only persons who are not related to reference person (relationship to reference person coded '99' (NOT RELATED)) at RE900  
And  
Persons where RE900 is coded '36' (Foster Daughter) or '37' (Foster Son).

---

**BOX 330**      **(REB1115)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If round 1 and at least one person meets either of the following sets of conditions:  
Person is:  
-On RE\_Person Array where MostRecentRU=RUnit where CtrlCurrHere\_AtBOX330=YES  
and  
-Age 17 - 23, inclusive, or in age category 4 at the time of NHIS (PL\_Person.AgeRnd)  
AND  
-An original RU or DU member (that is, on the RU-Members- Roster or the DU-Members- Roster at the start of this round) (OrigRnd=0)  
  
OR person is:  
-a 'NEW STUDENT' and an original RU member (that is, on the RU-Members-Roster at the start of this round), [StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES] and MoverAtRE940=Empty continue with LOOP\_80.  
  
Otherwise, go to BOX\_350.



**LOOP\_80**      **(REB1120)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each person who meets the loop definition, ask RE950-END\_LP80.

Loop definition: LOOP\_80 collects information to identify the following types of students:  
 - Students sampled by NHIS apart from their parents and  
 - Students who are living 'PERMANENTLY' apart from their parents and who do not receive health care benefits through the current RU  
 This loop cycles on persons who meet either of the following sets of conditions:

Person is:  
 - On RE\_Person Array where MostRecentRU=RUUnit where CtrlCurrHere\_AtBOX330 =YES and  
 - Age 17 - 23, inclusive, or in age category 4 at the time of NHIS (PL\_Person.AgeRnd)  
 AND  
 - An original RU or DU member (that is, on the RU-Members- Roster or the DU-Members- Roster at the start of this round) (OrigRnd=0)

OR person is:  
 - a 'NEW STUDENT' and an original RU member (that is, on the RU-Members-Roster at the start of this round), [StudentMoverAtLoop20=YES or StudentMoverAtLoop30=YES] and MoverAtRE940=Empty

**RE950**      **(REB1125)**      **BLAISE NAME:** NHISAtSch  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE LAST NAME}

**Question Text:**

At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW} {were/was} {you/{PERSON}} attending school?

**Responses:**      YES      ..... 1      RE960      (REB1130)  
                   NO      ..... 2      END\_LP80      (REB1155)  
                   REFUSED      ..... RF      END\_LP80      (REB1155)  
                   DON'T KNOW      ..... DK      END\_LP80      (REB1155)

**Display Instructions:** For '{MONTH, DAY, YEAR OF NHIS INTERVIEW}' display the NHIS interview date (Preload.NHISDt).

<b>RE960</b>	<b>(REB1130)</b>	<b>BLAISE NAME:</b> NHISSchLevel		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TSCHLLEVL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (SCHOOLLEVELHelp)       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE LAST NAME}

**Question Text:**

{Were/Was} {you/{PERSON}} attending grades 1-12, a college or university, or some other training school after high school?

HELP: F1

<b>Responses:</b>	GRADES 1-12 .....	1	END_LP80	(REB1155)
	A COLLEGE OR UNIVERSITY .....	2		
	SOME OTHER TRAINING SCHOOL .....	3		
	AFTER HIGH SCHOOL			
	REFUSED .....	RF	END_LP80	(REB1155)
	DON'T KNOW .....	DK	END_LP80	(REB1155)

**Programmer Instructions:** If coded '2' (COLLEGE) or '3' (OTHER TRAINING SCHOOL) AND Person was not coded 'NEVER MARRIED' at NHIS interview (PL\_Person.MaritalStatusR≠5), go to END\_LP80.

If coded '2' (COLLEGE) or '3' (OTHER TRAINING SCHOOL) AND Person was coded 'NEVER MARRIED' at NHIS interview (PL\_Person.MaritalStatusR=5), continue with RE970.

**Display Instructions:**

**RE970**                      **(REB1135)**                      **BLAISE NAME:** NHISParentRU2  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TYESNO                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE LAST NAME}

**Question Text:**

At the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW} were either of {your/{PERSON}'s} parents living in this household?

**Responses:**                      YES                      ..... 1                      END\_LP80                      (REB1155)  
    NO                      ..... 2                      RE980                      (REB1140)  
    REFUSED                      ..... RF                      END\_LP80                      (REB1155)  
    DON'T KNOW                      ..... DK                      END\_LP80                      (REB1155)

**Display Instructions:**                      For '{MONTH, DAY, YEAR OF NHIS INTERVIEW}' display the NHIS interview date (Preload.NHISDt).

**RE980**                      **(REB1140)**                      **BLAISE NAME:** ParentOutHh  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TYESNO                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Do/Does} {you/{PERSON}} have parents who live somewhere else?

**Responses:**                      YES                      ..... 1                      RE990                      (REB1145)  
    NO                      ..... 2                      END\_LP80                      (REB1155)  
    REFUSED                      ..... RF                      RE990                      (REB1145)  
    DON'T KNOW                      ..... DK                      RE990                      (REB1145)

**Display  
Instructions:**

---

<b>RE990</b>	<b>(REB1145)</b>	<b>BLAISE NAME:</b> UsualResOrStu		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TUSUALRES	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (UsualResOrStuHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Is this {your/{PERSON}'s} usual year-round place of residence or is this {your/his/her} place of residence only during the school year?

HELP: F1

<b>Responses:</b>	USUAL YEAR-ROUND PLACE OF RESIDENCE	. 1	END_LP80	(REB1155)
	RESIDENCE ONLY DURING SCHOOL YEAR	... 2	END_LP80	(REB1155)
	SOME OTHER ARRANGEMENT	..... 91	RE1000	(REB1150)
	REFUSED	..... RF	RE1000	(REB1150)
	DON'T KNOW	..... DK	RE1000	(REB1150)

**Programmer  
Instructions:**                      Control Variables Impacted: CtrlNewStudent, CtrlPersKey

**Display  
Instructions:**

<b>RE1000</b>	<b>(REB1150)</b>	<b>BLAISE NAME:</b> RspbHCare		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (RspbHCareHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Does someone in this household have primary responsibility for {your/{PERSON}'s} health and health care?

<b>Responses:</b>	YES .....	1	END_LP80	(REB1155)
	NO .....	2	END_LP80	(REB1155)
	REFUSED .....	RF	END_LP80	(REB1155)
	DON'T KNOW .....	DK	END_LP80	(REB1155)

**Programmer Instructions:**     Control Variables Impacted: CtrlNewStudent, CtrlPersKey

**Display Instructions:**

---

<b>END_LP80</b>	<b>(REB1155)</b>	<b>Item Type:</b> Route	<b>Type Class:</b> End Loop
-----------------	------------------	-------------------------	-----------------------------

---

**Route Details:**     Set RemovedAtLoop80=YES and StudentMoverAtLoop80=NO if:  
 - If RE990 coded '2' (RESIDENCE ONLY DURING SCHOOL YEAR)  
 OR  
 -If RE1000 coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW)

Note: Person does not meet the requirements for a 'NEW STUDENT' associated with this RU. Person is not key, not eligible, not currently here, and is out of scope for this study. No information will be collected for person. Clean of all related variables.

Cycle on next person who meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, end LOOP\_80 and continue with BOX\_340.

**BOX 340**      **(REB1160)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one person with RemovedAtLoop80=YES and StudentMoverAtLoop80=NO,  
Continue with RE1010. Otherwise, go to BOX\_350.

**RE1010**      **(REB1165)**      **BLAISE NAME:** NoInfoPersB  
**Item Type:** Instruction      **Field kind:** Datafield  
**Type Class:** Enumerated  
**Answer Type:** TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

At this time, we are only collecting information about persons who are usual year-round residents of this household and for whom we can collect health care information. Therefore, the remaining questions will not be asked about (READ NAMES BELOW).

- {1. First Name, [Middle Name], Last Name} 1
- {2. First Name, [Middle Name], Last Name} 2
- {3. First Name, [Middle Name], Last Name} 3
- {4. First Name, [Middle Name], Last Name} 4
- {5. First Name, [Middle Name], Last Name} N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**      CONTINUE ..... 1 BOX\_350      (REB1170)

**Programmer  
Instructions:**

**Display  
Instructions:**      Roster 1 – Report Roster definition:  
This item displays persons for display only. Display the person’s first, middle, and last names (RE\_Person.FullName)

Roster filter:  
Display only persons where RemovedAtLoop80=YES and StudentMoverAtLoop80=NO

**BOX 350**      **(REB1170)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      (Set CtrlPersKeyatBOX\_350 and CtrlPersEligibleatBOX\_350 and CtrlCurrHere\_AtBOX\_350)

Set RemovedAtBOX\_350 = YES if CtrlPersEligibleatBOX\_350 = NO

Note: People who are not key where there are no other key, eligible persons in this RU are no longer currently here, or eligible for data collection. They are out-of-scope.

If at least one person remains eligible for the survey in the current round – at least one person where (CtrlPersKeyatBOX\_350=YES and CtrlCurrHere\_AtBOX350=Yes and CtrlPersEligibleatBOX\_350=YES), go to BOX\_360.

Otherwise, continue with RE1020.

**RE1020**      **(REB1180)**      **BLAISE NAME:** EndInterviewStu  
**Item Type:** Instruction      **Field kind:** Datafield  
**Type Class:** Enumerated  
**Answer Type:** TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

INTERVIEWER: THERE ARE NO ELIGIBLE INDIVIDUALS REMAINING IN THIS RU. PLEASE REPORT THIS SITUATION TO YOUR SUPERVISOR.

PRESS 1 AND ENTER TO END THE INTERVIEW.

**Responses:**      CONTINUE ..... 1

**Display  
Instructions:**

<b>RE1030</b>	<b>(REB1190)</b>	<b>BLAISE NAME:</b> HowIntvCompStu		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TBYPHONE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

INTERVIEWER: DID YOU COMPLETE THIS INTERVIEW IN-PERSON OR BY TELEPHONE? (YOU MUST HAVE SUPERVISOR APPROVAL PRIOR TO INTERVIEWING BY TELEPHONE.)

**Responses:**

IN-PERSON	.....	1
TELEPHONE	.....	2

**Programmer Instructions:**

If at least one person on RE\_Person Array where MostRecentRU=RUUnit who is a 'NEW STUDENT' (CtrlNewStudent=Yes), go to RE1170\_01.

Else if at least one person on RE\_Person Array where MostRecentRU=RUUnit is a mover (MoverAtLoop10=YES, or MoverAtLoop20=YES, or MoverAtLoop\_30=YES or MoverAtRE940=YES), go to RE1250.

Otherwise, go to BOX\_470.

**Display Instructions:**



**BOX 360**      **(REB1195)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If Round 1 AND  
                                  [At least one person meets the following conditions:  
                                  -Is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBox350=Yes and CtrlPersEligibleatBOX\_350 =Yes) and  
                                  - Is older than 16 and younger than 60 years of age or in age categories 4-8 and  
                                  - Is not already coded as Full Time Military (CtrlTrackSummAtEnd\_LP70≠4, 5, or 6) and  
                                  - Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)],  
                                  - Continue with RE1040.

                                 If Rounds 2-5 AND  
                                  - At least one person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350=Yes) and  
                                  - Is older than 16 and younger than 60 years of age or in age categories 4-8 and  
                                  - Added to the RU this round, excluding merges [(RE\_Person[]).PreloadOrd = EMPTY] or (PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUUnit), and  
                                  - Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)], go to RE1070.

                                 Otherwise, go to BOX\_380.

<b>RE1040</b>	<b>(REB1200)</b>	<b>BLAISE NAME:</b> AnyFTADutyR1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (ACTDUTYHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

{In addition to (READ NAMES BELOW), is/Is} anyone in the family currently serving on active duty in the Armed Forces of the United States?

- { 1. First Name, [Middle Name], Last Name} 1
- { 2. First Name, [Middle Name], Last Name} 2
- { 3. First Name, [Middle Name], Last Name} 3
- { 4. First Name, [Middle Name], Last Name} 4
- { 5. First Name, [Middle Name], Last Name} N

HELP: F1

<b>Responses:</b>	YES	.....	1	RE1050	(REB1205)
	NO	.....	2	BOX_390	(REB1305)
	REFUSED	.....	RF	BOX_390	(REB1305)
	DON'T KNOW	.....	DK	BOX_390	(REB1305)

---

**Display Instructions:** Roster 1 - Report

Roster definition:  
This item displays RU-members-roster for display of RU-members. Display RU member's first, middle, and last names (RE\_Person.FullName).

Roster filter:  
Display persons who are coded as on full-time active duty in the military (CtrlTrackSummAtEnd\_LP70=4, 5, or 6) display

If at least one person on the RU-members-roster is coded as on full-time active duty in the military (CtrlTrackSummAtEnd\_LP70=4, 5, or 6) display 'In addition to...' and the screen instructions and roster. Otherwise, display 'Is' and do not display the screen instructions and roster.

<b>RE1050</b>	<b>(REB1205)</b>	<b>BLAISE NAME:</b> FTADutyR1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFULLNAMEOVER1	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (ACTDUTYHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

Who {else} is currently serving on active duty in the Armed Forces?

PROBE: Anyone else?

ENTER ALL THAT APPLY.

HELP: F1

<b>Responses:</b>	{FIRST NAME, [MIDDLE NAME], LAST NAME}1	----- 1	LOOP_90	(REB1210)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}2	----- 2	LOOP_90	(REB1210)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}3	----- 3	LOOP_90	(REB1210)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}4	----- 4	LOOP_90	(REB1210)
	{FIRST NAME, [MIDDLE NAME], LAST NAME}N	----- 5	LOOP_90	(REB1210)

**Programmer Instructions:** Control Variables Impacted: CtrlTrackSumm.

Roster behavior:

1. Multiple select allowed.

**Display Instructions:**

Roster 2 – no add/edit/delete

Roster definition:

This item displays RU-members-roster for selection. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display only those persons who meet the following conditions:

- Is on the RE\_Person Array where MostRecentRU=RUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350=Yes) and
- Is older than 16 and younger than 60 years of age or in age categories 4-8 and
- Is not already coded as Full Time Military (CtrlTrackSummAtEnd\_LP70≠4, 5, or 6) and
- Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)], Display 'else' if a roster was displayed at RE1040.

Otherwise, use null display.

**LOOP 90**

**(REB1210)**

**Item Type:** Route

**Type Class:** Begin Loop

---

**Route Details:** For each person, ask 1055-END\_LP190.

Loop definition: LOOP\_90 collects information on when persons (in Round 1) entered full-time active duty in the armed forces. This loop cycles on persons selected at RE1050.

**RE1055**                  **(REB1215)**                  **BLAISE NAME:** FTADutyBefR1  
**Item Type:** Question                  **Field kind:** Datafield    **ArrayMin:**    **Min value:**  
**Type Class:** Enumerated              **Field Size:**  
**Answer Type:** TYES\_NO                  **Answers allowed:** 1    **ArrayMax:**    **Max value:**

---

Help Available ( )                                   Show Card ( )                                   Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Did {you/{PERSON}} enter full-time active duty service in the Armed Forces before January 1, {YEAR}?

**Responses:**            YES    ..... 1    END\_LP90            (REB1235)  
                              NO    ..... 2    RE1060\_01           (REB1230)

**Programmer Instructions:**            DK and RF disallowed.

**Display Instructions:**                  For "YEAR" display first calendar year of the panel.

**RE1060\_01**                  **(REB1230)**                  **BLAISE NAME:** FTADutyBegMMR1  
**Item Type:** Question                  **Field kind:** Datafield    **ArrayMin:**    **Min value:** 1  
**Type Class:** Integer                  **Field Size:** 2  
**Answer Type:** {Continuous Answer.} **Answers allowed:** 1    **ArrayMax:**    **Max value:** 12

---

Help Available ( )                                   Show Card ( )                                   Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?

ENTER MONTH.

**Responses:**            ..... 1    RE1060\_02            (REB1231)

---

**Programmer Instructions:** DK and RF disallowed for month.

**Display Instructions:** Display RE1060\_01, RE1060\_02, and RE1060\_03 on same form pane.

<b>RE1060_02</b>	<b>(REB1231)</b>	<b>BLAISE NAME:</b> FTADutyBegDDR1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1
<b>Type Class:</b>	Integer	<b>Field Size:</b> 2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 31

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]

ENTER DAY.

<b>Responses:</b>	.....	1	RE1060_03	(REB1232)
	REFUSED	.....	RF RE1060_03	(REB1232)
	DON'T KNOW	.....	DK RE1060_03	(REB1232)

**Display Instructions:** Display RE1060\_01, RE1060\_02, and RE1060\_03 on same form pane.  
Display "On what date...Armed Forces" in lighter "grayed-out" text.

**MEPS\_V2**  
**Full Detail Spec**

**Reenumeration B (REB) Section**

**RE1060\_03**      **(REB1232)**      **BLAISE NAME:** FTADutyBegYYYYR1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1900  
**Type Class:**      Integer      **Field Size:** 4  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 2100

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]  
ENTER 4-DIGIT YEAR.

**Responses:**      ..... 1      END\_LP90      (REB1235)

**Programmer Instructions:**      Hard check: Date entered at RE1060\_01 through RE1060\_03 must be on or after January 1, {YEAR} (where {YEAR} is the first calendar year of the panel) and on or before interview date. If a date entered prior to January 1, {YEAR}, display the following message: "IF {PERSON} ENTERED FULL-TIME ACTIVE DUTY SERVICE PRIOR TO JANUARY 1, {YEAR}, BACK-UP TO RE1055 (FTADutyBefR1) AND REVIEW ENTRIES."  
If a date after the interview date (EndRefDt) is entered, display the following message: "DATE MUST NOT BE AFTER {EndRefDt}. PLEASE ENTER A VALID DATE."  
  
DK and RF disallowed for year.

**Display Instructions:**      Display RE1060\_01, RE1060\_02, and RE1060\_03 on same form pane.  
Display "On what date...Armed Forces" in lighter "grayed-out" text.

**END\_LP90**      **(REB1235)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on next person that meets the conditions stated in the loop definition.  
If no more persons meet the stated conditions, end LOOP\_90 and go to BOX\_390.

---

<b><u>RE1070</u></b>	<b><u>(REB1245)</u></b>	<b><u>BLAISE NAME:</u></b> AnyFTADutyNewNotR1
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield <b>ArrayMin:</b> <b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1 <b>ArrayMax:</b> <b>Max value:</b>

---

Help Available (ACTDUTYHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

(Is/Are) (READ NAMES BELOW) currently serving on active duty in the Armed Forces of the United States?

- { 1. First Name, [Middle Name], Last Name } 1
- { 2. First Name, [Middle Name], Last Name } 2
- { 3. First Name, [Middle Name], Last Name } 3
- { 4. First Name, [Middle Name], Last Name } 4
- { 5. First Name, [Middle Name], Last Name } N

HELP: F1

<b>Responses:</b>	YES .....	1	RE1080	(REB1250)
	NO .....	2	BOX_380	(REB1280)
	REFUSED .....	RF	BOX_380	(REB1280)
	DON'T KNOW .....	DK	BOX_380	(REB1280)

**Programmer**  
**Instructions:**

**Display**  
**Instructions:**

Roster 1 - Report

Roster definition:

This item displays RU-members-roster for display of RU-members. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display only those persons who meet the following conditions:

- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350 =Yes) and
- Is older than 16 and younger than 60 years of age or in age categories 4-8 and
- Added to the RU this round, excluding merges [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUUnit), and
- Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)].



Full Detail Spec

<b>RE1080</b>	<b>(REB1250)</b>	<b>BLAISE NAME:</b> FTADutyNewNotR1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (ACTDUTYHelp)
                    
  Show Card ( )
                    
  Look Up File ( )

**Question Text:**

Who is currently serving on active duty in the Armed Forces?

PROBE: Anyone else?

ENTER ALL THAT APPLY.

HELP: F1

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME}1	----- 1	LOOP_100	(REB1255)
{FIRST NAME [MIDDLE NAME] LAST NAME}2	----- 2	LOOP_100	(REB1255)
{FIRST NAME [MIDDLE NAME] LAST NAME}3	----- 3	LOOP_100	(REB1255)
{FIRST NAME [MIDDLE NAME] LAST NAME}4	----- 4	LOOP_100	(REB1255)
{FIRST NAME [MIDDLE NAME] LAST NAME}N	----- 5	LOOP_100	(REB1255)

**Programmer Instructions:** Control variables impacted: CtrlTrackSumm

Roster behavior:  
1. Multiple select allowed.

**Display Instructions:** Roster 2 - Report

Roster definition:  
This item displays RU-members-roster for display of RU-members. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:  
Display only those persons who meet the following conditions:  
-Person is on the RE\_Person Array where MostRecentRU=RUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350 =Yes) and  
-Is older than 16 and younger than 60 years of age or in age categories 4-8 and  
-Added to the RU this round, excluding merges [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUnit), and  
-Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)],

---

**LOOP 100**      **(REB1255)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:** For each person, ask RE1085-END\_LP100.

Loop definition: LOOP\_100 collects information on when newly added persons (in Rounds 2-5) entered full-time active duty in the armed forces. This loop cycles on persons selected at RE1080.

**RE1085**                      **(REB1265)**                      **BLAISE NAME:** FTADutyPrevR  
**Item Type:** Question                      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated                      **Field Size:**  
**Answer Type:** TYES\_NO                      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Did {you/{PERSON}} enter full-time active duty service in the Armed Forces before {DATE OF PREVIOUS ROUND INTERVIEW }?

**Responses:**      YES      ..... 1      END\_LP100      (REB1275)  
                      NO      ..... 2      RE1090\_01      (REB1270)

**Programmer Instructions:**      DK and RF disallowed.

**Display Instructions:**      For "DATE OF PREVIOUS ROUND INTERVIEW", display date of previous round MEPS interview (Preload.RUEndM, RUEndD, RUEndY).

**RE1090\_01**                      **(REB1270)**                      **BLAISE NAME:** FTADutyBegNewMMNotR1  
**Item Type:** Question                      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:** Integer                      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?

ENTER MONTH.

**Responses:**      ..... 1      RE1090\_02      (REB1271)

---

**Programmer Instructions:** DK and RF disallowed for month.

**Display Instructions:** Display RE1090\_01, RE1090\_02, and RE1090\_03 on same form pane.

---

**RE1090\_02**      **(REB1271)**      **BLAISE NAME:** FTADutyBegNewDDNotR1  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:** Integer      **Field Size:** 2  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]

ENTER DAY.

**Responses:**

.....	1	RE1090_03	(REB1272)
REFUSED .....	RF	RE1090_03	(REB1272)
DON'T KNOW .....	DK	RE1090_03	(REB1272)

**Display Instructions:** Display RE1090\_01, RE1090\_02, and RE1090\_03 on same form pane.  
Display "On what date...Armed Forces" in lighter "grayed-out" text.

**RE1090\_03**     **(REB1272)**     **BLAISE NAME:** FTADutyBegNewYYYYYNotR1  
**Item Type:**     Question             **Field kind:** Datafield   **ArrayMin:**     **Min value:** 1900  
**Type Class:**     Integer                **Field Size:**     4  
**Answer Type:**     {Continuous Answer.} **Answers allowed:** 1   **ArrayMax:**     **Max value:** 2100

---

Help Available ( )                               Show Card ( )                               Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]

ENTER 4-DIGIT YEAR.

**Responses:**   ..... 1   END\_LP100             (REB1275)

**Programmer Instructions:**     DK and RF disallowed for year.

Hard check:  
Edit (for round 5): date must be on or before 12/31/{YEAR}, where 'YEAR' is the second calendar year of the panel. If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF PERSON WAS ONLY FULL-TIME MILITARY AFTER 12/31/{YEAR}, BACK-UP AND CHANGE RESPONSE TO RE1080 (FTADutyNewNotR1)."

**Display Instructions:**     Display RE1090\_01, RE1090\_02, and RE1090\_03 on same form pane.

Display "On what date...Armed Forces" in lighter "grayed-out" text.

---

**END\_LP100**     **(REB1275)**     **Item Type:** Route                             **Type Class:** End Loop

---

**Route Details:**     Cycle on next person that meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, end LOOP\_100 and continue with BOX\_380.

---

**BOX 380**      **(REB1280)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If not Round 1 AND at least one person meets the following conditions:  
- [Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350=Yes) and  
- Is older than 16 and younger than 60 years of age or in age categories 4-8 and  
- Is not new to the RU or DU [(RE\_Person[].PreloadOrd <> EMPTY) AND (PersAddedBetweenRnds=Empty)] AND ( RE\_Person[].MostRecentRU = RUUnit) and  
- Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)],  
go to LOOP\_110.  
  
Otherwise, go to BOX\_390.

**LOOP 110**      **(REB1285)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each person, ask RE1100-END\_LP110.  
  
Loop definition: LOOP\_110 collects information to determine whether in Rounds 2-5, persons included in a prior round interview are currently on full-time active duty in the military and if "YES" when person entered active duty in the armed forces. This loop cycles on persons who meet the following conditions:  
  
- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleAtBOX\_350=Yes) and  
- Is older than 16 and younger than 60 years of age or in age categories 4-8 and  
- Is not new to the RU or DU [(RE\_Person[].PreloadOrd <> EMPTY AND PersAddedBetweenRnds=Empty)] AND RE\_Person[].MostRecentRU = RUUnit) and  
-Is not deceased or institutionalized (CtrlTrackSummAtEnd\_LP70 ≠1 or 2)],

<b>RE1100</b>	<b>(REB1290)</b>	<b>BLAISE NAME:</b> FTADutyNotNewNotR1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (ACTDUTYHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Is/Are}/{Was/Were}} {you/{PERSON}} currently serving on full-time active duty in the Armed Forces of the United States {on December 31, {YEAR}}?

HELP: F1

**Responses:**

YES	.....	1		
NO	.....	2	END_LP110	(REB1300)
REFUSED	.....	RF	END_LP110	(REB1300)
DON'T KNOW	.....	DK	END_LP110	(REB1300)

**Programmer Instructions:**     Control Variables Impacted: CtrlTrackSumm

If coded '1' (YES) and person had a previous round status of full-time military (PL\_Person.FTADuty=YES) go to END\_LP110.

Otherwise, continue with RE1110\_01.

**Display Instructions:**     Display '(Is/Are)' if not round 5. Display '(Was/Were)' if round 5.

Display 'on December 31, {YEAR}', where 'YEAR' is the second calendar year of the panel, if round 5.

Otherwise, use a null display.

Full Detail Spec

**RE1110\_01**      **(REB1295)**      **BLAISE NAME:** FTADutyBegNotNewMMNotR1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 12

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?

ENTER MONTH.

**Responses:**                                      ..... 1 RE1110\_02                                      (REB1296)

**Programmer Instructions:**                      DK and RF disallowed for month.

**Display Instructions:**                      Display RE1110\_01, RE1110\_02, and RE1110\_03 on same form pane.



**RE1110\_02**      **(REB1296)**      **BLAISE NAME:** FTADutyBegNotNewDDNotR1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1  
**Type Class:**      Integer      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 31

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]  
ENTER DAY.

**Responses:**      ..... 1 RE1110\_03      (REB1297)  
REFUSED      ..... RF RE1110\_03      (REB1297)  
DON'T KNOW      ..... DK RE1110\_03      (REB1297)

**Display Instructions:**      Display RE1110\_01, RE1110\_02, and RE1110\_03 on same form pane.  
Display "On what date...Armed Forces" in lighter "grayed-out" text.

**RE1110\_03**      **(REB1297)**      **BLAISE NAME:** FTADutyBegNotNewYYYYNotR1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 1900  
**Type Class:**      Integer      **Field Size:** 4  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 2100

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[On what date did {you/{PERSON}} enter full-time active duty service in the Armed Forces?]  
ENTER 4-DIGIT YEAR.

**Responses:**      ..... 1 END\_LP110      (REB1300)

---

**Programmer Instructions:** DK and RF disallowed for year.

Hard check:  
Edit (for round 5): date must be on or before 12/31/{YEAR}, where 'YEAR' is the second calendar year of the panel. If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. IF PERSON WAS ONLY FULL-TIME MILITARY AFTER 12/31/{YEAR}, BACK-UP AND CHANGE RESPONSE TO RE1100 (FTADutyNotNewNotR1)."

**Display Instructions:** Display RE1110\_01, RE1110\_02, and RE1110\_03 on same form pane.  
Display "On what date...Armed Forces" in lighter "grayed-out" text.

---

**END LP110**      **(REB1300)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:** Cycle on next person that meets the conditions stated in the loop definition.  
If no more persons meet the stated conditions, end LOOP\_110 and continue with BOX\_390.

**BOX 390**

**(REB1305)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If at least one person meets all of the following conditions,

If round 1 AND:

- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350=Yes) and

- Is older than 16 years of age or in age categories 4-9 and

- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR

If round 2-5: AND

- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_atBOX350 =Yes and CtrlPersEligibleatBOX\_350=Yes) and

- Is older than 16 years of age or age in categories 4-9

AND Person in rounds 2-5 meets one of the following sets of conditions:

- Person added to the RU this round [(RE\_Person[].PreloadOrd = EMPTY or

(PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUUnit) and

- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR

- Person not added to the RU or is a merge this round (RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU <> EMPTY AND RE\_Person[].MostRecentRU = RUUnit) and

- full-time activity duty in the previous round (PL\_Person.FTADuty=YES) and

- not full-time active duty this round (CtrlTrackSumm ≠4, 5, 6, or 14), continue with RE1120.

Otherwise, go to BOX\_400.

---

<b>RE1120</b>	<b>(REB1310)</b>	<b>BLAISE NAME:</b> HonDischADuty		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (HonDischHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Have/Has} (READ NAMES BELOW) ever been honorably discharged from active duty in the U.S. Army, Navy, Air Force, Marine Corps or Coast Guard?

- {1. First Name, [Middle Name], Last Name} 1
- {2. First Name, [Middle Name], Last Name} 2
- {3. First Name, [Middle Name], Last Name} 3
- {4. First Name, [Middle Name], Last Name} 4
- {5. First Name, [Middle Name], Last Name} N

HELP: F1

<b>Responses:</b>	YES .....	1	RE1130	(REB1315)
	NO .....	2	BOX_400	(REB1320)
	REFUSED .....	RF	BOX_400	(REB1320)
	DON'T KNOW .....	DK	BOX_400	(REB1320)

**Display  
Instructions:**

Display "Has" when only one name listed; Display "Have" when more than one name listed.

Roster 1 - Report

Roster definition:

This item displays the RU-members-roster for display of RU- members. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:

This item displays all persons who meet all of the following conditions:

If round 1 AND:

- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleAtBOX\_350 =Yes) and
- Is older than 16 years of age or in age categories 4-9 and
- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR

If round 2-5: AND

- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleAtBOX350 =Yes)

AND

- Is older than 16 years of age or age in categories 4-9

AND Person in rounds 2-5 meets one of the following sets of conditions:

- Person added to the RU this round [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUUnit) and
- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR

- Person not added to the RU or is a merge (RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU <> EMPTY AND RE\_Person[].MostRecentRU = RUUnit) and
- Was full-time activity duty in the previous round (PL\_Person.FTADuty=YES) and
- Is not full-time active duty this round (CtrlTrackSumm ≠4, 5, 6, or 14)

<u><b>RE1130</b></u>	<u><b>(REB1315)</b></u>	<u><b>BLAISE NAME:</b></u> HonDischWho		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )
  Show Card ( )
  Look Up File ( )

**Question Text:**

Who was this?

PROBE: Anyone else?

ENTER ALL THAT APPLY.

**Responses:**

{FIRST NAME [MIDDLE NAME] LAST NAME}1	-----	1	BOX_400	(REB1320)
{FIRST NAME [MIDDLE NAME] LAST NAME}2	-----	2	BOX_400	(REB1320)
{FIRST NAME [MIDDLE NAME] LAST NAME}3	-----	3	BOX_400	(REB1320)
{FIRST NAME [MIDDLE NAME] LAST NAME}4	-----	4	BOX_400	(REB1320)
{FIRST NAME [MIDDLE NAME] LAST NAME}N	-----	5	BOX_400	(REB1320)

**Programmer Instructions:** Roster behavior:  
1. Multiple select allowed.

**Display Instructions:** Roster 2 - no add/edit/delete

Roster definition:  
This item displays the RU-Members-Roster for display of RU-members. Display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter:  
This item displays all persons who meet all of the following conditions:

If round 1 AND:  
- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX350 =Yes) and  
- Is older than 16 years of age or in age categories 4-9 and  
- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR

If round 2-5: AND  
- Person is on the RE\_Person Array where MostRecentRU=RUUnit and eligible to be interviewed as part of this RU (CtrlCurrHere\_AtBOX350 =Yes and CtrlPersEligibleatBOX\_350 =Yes) and  
- Is older than 16 years of age or age in categories 4-9  
AND Person in rounds 2-5 meets one of the following sets of conditions:  
-Person added to the RU this round [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds=YES)] AND (RE\_Person[].MostRecentRU = RUUnit) and  
- Is not coded as full time active duty (CtrlTrackSumm ≠4, 5, 6, or 14)

OR  
- Person not added to the RU or is a merge (RE\_Person[].PreloadOrd <> EMPTY AND RE\_Person[].PreloadRU <> EMPTY AND RE\_Person[].MostRecentRU = RUUnit) and  
- Was full-time activity duty in the previous round (PL\_Person.FTADuty=YES) and  
- Is not full-time active duty this round (CtrlTrackSumm ≠4, 5, 6, or 14)

**BOX 400**

**(REB1320)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

Control Variables Impacted: CtrlPersEligible, CtrlCurrHere, EndRefM, EndRefD, EndRefY

If any person meets all the following conditions, then set RemovedAtBOX\_400=YES.

- CtrlTrackSumm = 14 (FT MILITARY, LIVING IN RU)
- AND
- The date the person joined the military is prior to the reference period start date. That is,
    - RE1055 or RE1085 is coded '1' (YES) OR
    - Date at RE1060, RE1090, or RE1110 is prior to 1/1/YEAR where YEAR is the first calendar year of the panel (FirstPanYear) OR
    - Date at RE1060, RE1090, or RE1110 is prior to date of previous RU interview (RUEndM, RUEndD, RUEndY)] OR
    - PL\_Person.FTADuty=YES
- AND
- No other PERSON on RE\_Person Array where MostRecentRU=RUnit has CtrlPersKey = YES and CtrlPersEligibleatBOX350=YES and CtrlCurrHere = YES.

Note: This person is FT military but joined the military prior to the reference period start date and there are no other key RU members. This person is not currently here, out-of-scope, and ineligible for data collection as part of this RU or any other RU. Person will not be followed.

If any person meets all the following conditions, then set RemovedAtBOX\_400=YES.

- Person is full time military, living in the RU (CtrlTrackSumm = 14) AND
- Person is not key (CtrlPersKey=NO) AND
- There isn't another PERSON on RE\_Person Array where MostRecentRU=RUnit who is key and not full time military and eligible for this interview (No one where CtrlPersKey=YES and CtrlCurrHere =YES and CtrlPersEligibleatBox350=YES and CtrlTrackSumm≠4, 5, 6 or 14)

Note: This person is FT military and not key and there are no other key, civilian RU members. This person is not currently here, out-of-scope, and ineligible for data collection as part of this RU or any other RU. Person will not be followed.

If all persons on RE\_Person Array where MostRecentRU=RUnit where RemovedAtBOX\_400=empty, go to RE1170\_01.

If at least one person on RE\_Person Array where MostRecentRU=RUnit where RemovedAtBOX\_400=YES and at least one person where CtrlPersKey=YES and CtrlCurrHere=YES and CtrlPersEligible=YES, go to RE1160.

Otherwise, continue with RE1140.



**RE1140**      **(REB1325)**      **BLAISE NAME:** EndInterviewFTADuty  
**Item Type:**      Instruction      **Field kind:** Datafield  
**Type Class:**      Enumerated  
**Answer Type:**      TContinue      **Answers allowed:** 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

INTERVIEWER: THERE ARE NO ELIGIBLE INDIVIDUALS REMAINING IN THIS RU. PLEASE REPORT THIS SITUATION TO YOUR SUPERVISOR.

PRESS 1 AND ENTER TO END THE INTERVIEW.

**Responses:**              CONTINUE      ..... 1      RE1150              (REB1330)

**Display  
Instructions:**

**RE1150**      **(REB1330)**      **BLAISE NAME:** IntvwPersPhone  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TBYPHONE      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

INTERVIEWER: DID YOU COMPLETE THIS INTERVIEW IN-PERSON OR BY TELEPHONE? (YOU MUST HAVE SUPERVISOR APPROVAL PRIOR TO INTERVIEWING BY TELEPHONE.)

**Responses:**              IN-PERSON      ..... 1  
                                 TELEPHONE      ..... 2

**Programmer Instructions:** If at least one person who is key, eligible, and here on RE\_Person Array where MostRecentRU=RUnit where CtrlPersKey=YES, CtrlCurrHere=Yes, and CtrlPersEligible=YES, go to RE1170\_01. Otherwise, go to BOX\_450.

**Display Instructions:**

<b>RE1160</b>	<b>(REB1345)</b>	<b>BLAISE NAME:</b> NoInfoPersC
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

At this time, we are collecting information only about some of the people in this family. Therefore, we will not collect any additional information about (READ NAMES BELOW).

- { 1. First Name, [Middle Name], Last Name } 1
- { 2. First Name, [Middle Name], Last Name } 2
- { 3. First Name, [Middle Name], Last Name } 3
- { 4. First Name, [Middle Name], Last Name } 4
- { 5. First Name, [Middle Name], Last Name } N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**            CONTINUE ..... 1 RE1170\_01            (REB1355)

**Programmer  
Instructions:**

**Display  
Instructions:**

Roster 1 - Report

Roster definition:

This item displays persons for display only. Display the person's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display persons who are Full-time military living in the RU without any other key civilians (RemovedAtBOX\_400=YES) .

**RE1170 01**      **(REB1355)**      **BLAISE NAME:** MaritalStatRnd  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TMARISTATDKRF      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (MaritalStatHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Are/Is} {you/{PERSON}} now/As of December 31, {YEAR}, {were/was} {you/{PERSON}} married, widowed, divorced, separated, or never married?

IF RESPONDENT SAYS 'SINGLE', PROBE: {{Are/Is} / {Were/Was}} {you/he/she} married, widowed, divorced, separated, or never married?

{PREVIOUS ROUND MARITAL STATUS: {DISPLAY PREVIOUS ROUND SELECTION}}

NAVIGATION: Complete the grid in order of respondent's answers.

HELP: F1

**Responses:**

MARRIED	.....	1
WIDOWED	.....	2
DIVORCED	.....	3
SEPARATED	.....	4
NEVER MARRIED	.....	5
REFUSED	.....	RF
DON'T KNOW	.....	DK

---

**Programmer Instructions:** Preloaded Grid Type 2 including question RE1170\_01, RE1170\_02, RE1170\_03, RE1170\_04, RE1170\_05, RE1170\_06, RE1170\_07, RE1170\_08, RE1170\_09, RE1170\_10, RE1170\_11, RE1170\_12, and BOX\_405.

Display RE1170\_01 as an active cell for RU member, if RU member is age 16 or older or in age categories 4-9 and RE90=EMPTY. Otherwise, RE1170\_01 is an inactive cell for RU member.

**Display Instructions:**

Roster 1 - Report

Roster definition:

This item displays persons for entry of marital status, ethnicity, race, spoken language, and residency in the U.S. in the form pane.

Format form pane in columns with headers: RU Member, Marital Status, Ever Married, Hispanic Origin, Ethnicity, Race, Race Other Specify, Spoken Language, Other Language, Fluency, Born in U.S., Year Came to U.S., and Length in U.S. For RU Member: display RU member's first, middle, and last names (RE\_Person.FullName)

Roster filter for RE1170\_01 – RE1170\_12:

Display person on the RE\_Person Array where MostRecentRU=RUUnit who meet the following conditions:

-CtrlCurrHere=YES OR

-CtrlNewStudent=YES

Display '{Are/Is} {you/{PERSON}} now' AND '{Are/ Is}' if not round 5. Display 'As of December 31,{YEAR}, {were/was} {you/{PERSON}}' and '{Were/Was}', where 'YEAR' is the second calendar year of the panel, if round 5.

Display '{PREVIOUS ROUND MARITAL STATUS: {DISPLAY PREVIOUS ROUND SELECTION}}', where {DISPLAY PREVIOUS ROUND SELECTION} is filled with the RU members marital status from the previous round (PL\_Person.MaritalStatusR), if round 2-5. Otherwise use a null display.

Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170_02</b>	<b>(REB1360)</b>	<b>BLAISE NAME:</b> PastMarriage		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

I have recorded that {you/{PERSON}} {are/is} not married now. {Were/Was} {you/{PERSON}} ever married in the past?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Leave marital status for this round the same as it was in the previous round, if '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) selected.

Note: During MHOP, if RE1170\_02 is coded '2' (NO), set Person.MaritalStatusR to '5' (NEVER MARRIED).

Display RE1170\_02 as an active cell for RU member, if rounds 2-5 and RU members marital status changes from a code '1' (MARRIED), '2' (WIDOWED), '3' (DIVORCED), or '4' (SEPARATED) at RE1170\_01 in the previous round to a code '5' (NEVER MARRIED) at RE1170\_01 for the current round. Otherwise, RE1170\_02 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170_03</b>	<b>(REB1370)</b>	<b>BLAISE NAME:</b> PersHispLat		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card (RE-1)                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

📖 RE-1.

Looking at show card RE-1, {are/is} {you/{PERSON}} Hispanic, Latino, or of Spanish origin?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:**     Display RE1170\_03 as an active cell for person if ethnicity is missing (AskSpanEthnicity=Yes or Empty), Otherwise, RE1170\_03 is an inactive cell for person.

**Display Instructions:**     Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

**RE1170\_04**      **(REB1375)**      **BLAISE NAME:** CodeAllHispLat  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TSETof\_NHSPLATX\_ **Answers allowed:** 8      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card (RE-1)       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

📖 RE-1.

Please look at this card RE-1 and tell me which group or groups best describes {your/{PERSON}'s} ethnic background.

ENTER ALL THAT APPLY.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

MEXICAN	.....	1
MEXICAN-AMERICAN/CHICANO	.....	2
PUERTO RICAN	.....	3
CUBAN/CUBAN AMERICAN	.....	4
DOMINICAN	.....	5
CENTRAL OR SOUTH AMERICAN	.....	6
OTHER LATIN AMERICAN	.....	7
OTHER HISPANIC, LATINO, OR SPANISH ORIGIN	.....	8
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** For specifications purposes only: CAPI does not allow 'RF' (REFUSED) or 'DK' (DON'T KNOW) in combination with any other code.

Display RE1170\_04 as an active cell for RU member, if RE1170\_03 coded '1' (YES).  
 Otherwise, RE1170\_04 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

**RE1170\_05**      **(REB1425)**      **BLAISE NAME:** CodeAllRace  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      Tbw\_SetOfRE101A\_N **Answers allowed:** 15      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card (RE-2)       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

RE-2.

For this survey, Hispanic origins are not races.

What is {your/{PERSON}'s} race? Please select one or more of the categories on card RE-2.

ENTER ALL THAT APPLY.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

WHITE	.....	1
BLACK OR AFRICAN AMERICAN	.....	2
AMERICAN INDIAN OR ALASKA NATIVE	....	3
ASIAN INDIAN	.....	4
CHINESE	.....	5
FILIPINO	.....	6
JAPANESE	.....	7
KOREAN	.....	8
VIETNAMESE	.....	9
OTHER ASIAN	.....	10
NATIVE HAWAIIAN	.....	11
GUAMANIAN OR CHAMORRO	.....	12
SAMOAN	.....	13
OTHER PACIFIC ISLANDER	.....	14
OTHER: SPECIFY	.....	91
REFUSED	.....	RF
DON'T KNOW	.....	DK



**Programmer Instructions:** For specifications purposes only (CAPI handles automatically): 'RF' (REFUSED) and 'DK' (DONT KNOW) not allowed in combination with any other codes.

Display RE1170\_05 as an active cell for person if race is missing(AskRace=Yes or Empty). .  
Otherwise, RE1170\_05 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170_06</b>	<b>(REB1430)</b>	<b>BLAISE NAME:</b> OthRaceOS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 35		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
SPECIFY: OTHER RACE

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

.....	1
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer Instructions:** Display RE1170\_06 as an active cell for RU member, if RE1170\_05 is coded '91' (OTHER: SPECIFY) alone or in combination with other codes. Otherwise, RE1170\_06 is inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170 07</b>	<b>(REB1460)</b>	<b>BLAISE NAME:</b> LangNotEng		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
{Do/Does} {you/{PERSON}} speak a language other than English at home?  
NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Display RE1170\_07 as an active cell for persons who is 5 years of age or older or in age categories 3-9 and is not deceased or institutionalized (CtrlTrackSumm≠1 or 2) and if [(Round 1) or [(Rounds 2-5) and [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds = YES)] AND (RE\_Person[].MostRecentRU = RUUnit)]] Otherwise, RE1170\_07 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170_08</b>	<b>(REB1465)</b>	<b>BLAISE NAME:</b> OthLang		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TWhatLang_NEW	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
What is this language?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

SPANISH .....	1
ANOTHER LANGUAGE .....	2
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer Instructions:** Display RE1170\_08 as an active cell for RU member, if RE1170\_07 is coded = '1' (YES). Otherwise, RE1170\_08 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170_09</b>	<b>(REB1480)</b>	<b>BLAISE NAME:</b> EngCompLevel		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THOWSPEAK2	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How well {do/does} {you/{PERSON}} speak English?

Would you say very well, well, not well, or not at all?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

VERY WELL	.....	1
WELL	.....	2
NOT WELL	.....	3
NOT AT ALL	.....	4
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Display RE1170\_09 as an active cell for RU member, if RE1170\_07 is coded = '1' (YES).  
Otherwise, RE1170\_09 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

---

<b>RE1170 10</b>	<b>(REB1500)</b>	<b>BLAISE NAME:</b> BornInUS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{Were/Was} {you/{PERSON}} born in the United States?

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:** YES ..... 1  
NO ..... 2  
REFUSED ..... RF  
DON'T KNOW ..... DK

**Programmer Instructions:** Display RE1170\_10 as an active cell for persons who is 5 years of age or older or in age categories 3-9 and is not deceased or institutionalized (CtrlTrackSumm#1 or 2) and if [(Round 1) or [(Rounds 2-5) and [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds = YES)] AND (RE\_Person[].MostRecentRU = RUUnit)]] Otherwise, RE1170\_10 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

<b>RE1170 11</b>	<b>(REB1505)</b>	<b>BLAISE NAME:</b> YearEnterUS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 1900
<b>Type Class:</b>	Integer	<b>Field Size:</b> 4		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 2100

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

In what year did {you/{PERSON}} come to the United States to stay?

IF NEEDED SAY:

Please give me only the most recent year that {you/{PERSON}} came to the United States to stay.

ENTER 4-DIGIT YEAR.

NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**

.....	1
REFUSED .....	RF
DON'T KNOW .....	DK

**Programmer Instructions:** Hard edit:  
Edit: If rounds 1-4, the year entered must be less than or equal to the current year and must be greater than or equal to the person's birth year, if known. If round 5, year must be less than or equal to the second calendar year of the panel and must be greater than or equal to the person's birth year, if known. If year entered is greater than the current year or the second calendar year of the panel (if round 5), display the following message: "YEAR CANNOT BE AFTER {YEAR}. VERIFY AND RE-ENTER." For "YEAR" in the message, display the current year if Rounds 1-4. Display SecondPanYear if Round 5. If year entered is less than person's year of birth, display the following message: "YEAR CANNOT BE BEFORE PERSON'S YEAR OF BIRTH. VERIFY AND RE-ENTER."

Display RE1170\_11 as an active cell for RU members if RE1170\_10 is coded = '2' (NO). Otherwise the RE1170\_11 cell is inactive for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

**RE1170 12**      **(REB1510)**      **BLAISE NAME:** HowLongUS  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 0  
**Type Class:** Integer      **Field Size:** 3  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 120

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
About how long {have/has} {you/{PERSON}} lived in United States?  
IF LESS THAN 1 YEAR, CODE 0.  
ENTER YEARS.  
NAVIGATION: Complete the grid in order of respondent's answers.

**Responses:**                                      ..... 1  
REFUSED                                      ..... RF  
DON'T KNOW                                      ..... DK

**Programmer Instructions:** Hard range: 0-120

Range check: Number of years entered must be less than or equal to person's age. If person's age is represented by an age category, the number of years must be less than or equal to the top age limit for that category. If number of years entered is greater than person's age, display the following message: "PERSON IS {XXX} YEARS OLD. NUMBER OF YEARS LIVING IN THE U.S. CANNOT BE MORE THAN PERSON'S AGE. VERIFY AND RE-ENTER."

Display RE1170\_12 as an active cell for RU member, if RE1170\_11 is coded DK = (DON'T KNOW). Otherwise RE1170\_12 is an inactive cell for RU member.

**Display Instructions:** Display the interviewer instruction 'NAVIGATION: Complete the grid in order of respondent's answers.' In red text.

---

**BOX 405**      **(REB1515)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Go to LOOP\_120.

**Programmer Instructions:** Before leaving the grid, CAPI should verify that all eligible fields per row of the grid have a valid answer entered. If not, display error message "ONE OR MORE QUESTIONS HAVE NOT BEEN ANSWERED. PRESS <OK> TO GO TO THE FIRST UNANSWERED QUESTION: {Question Tag} FOR {PERSON'S FIRST, MIDDLE AND LAST NAME}". CAPI will move to the first unanswered item/field, starting from the top left of the grid and moving to the next unanswered item, left to right by row, until all are complete.

---

**LOOP 120**      **(REB1520)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:** For each element in the RU-Members-Roster and all persons flagged as "NEW STUDENTS", ask BOX\_410-END\_LP120.

Loop definition: LOOP\_120 collects information on education level of all persons on the RE\_Person Array where MostRecentRU=RUnit who meet either of the following conditions:

- CtrlCurrHere=YES OR
- CtrlNewStudent=YES



**BOX 410**      **(REB1525)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If person's age <= 4 years or in age categories 1-2, autocode RE1180 as '0' (NEVER ATTENDED SCHOOL/KINDERGARTEN ONLY), then go to END\_LP120.

                                 If round 1, continue with RE1180.

                                 -If Rounds 2-5 and [(RE\_Person[].PreloadOrd = EMPTY) or (PersAddedBetweenRnds = YES)] AND (RE\_Person[].MostRecentRU = RUUnit), continue with RE1180.

                                 Otherwise, go to END\_LP120.

**RE1180**                      **(REB1535)**                      **BLAISE NAME:** EduLevel  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      TEDLEVL103                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (EduLevelHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{As of December 31, {YEAR}, what/What} is the highest grade or year of regular school {you/ {PERSON}} ever completed?

HELP: F1

**Responses:**

NEVER ATTENDED	-----	0
SCHOOL/KINDERGARTEN ONLY		
FIRST GRADE	-----	1
SECOND GRADE	-----	2
THIRD GRADE	-----	3
FOURTH GRADE	-----	4
FIFTH GRADE	-----	5
SIXTH GRADE	-----	6
SEVENTH GRADE	-----	7
EIGHTH GRADE	-----	8
NINTH GRADE	-----	9
TENTH GRADE	-----	10
ELEVENTH GRADE	-----	11
TWELFTH GRADE (HIGH SCHOOL DIPLOMA)	-----	12
FIRST YEAR	-----	13
SECOND YEAR	-----	14
THIRD YEAR	-----	15
FOURTH YEAR (BACHELOR'S DEGREE)	-----	16
FIVE OR MORE YEARS (GRADUATE DEGREE)		17
REFUSED	-----	RF
DON'T KNOW	-----	DK

**Programmer Instructions:** If coded '0' (NEVER ATTENDED SCHOOL/KINDERGARTEN ONLY) through '12' (TWELFTH GRADE (HIGH SCHOOL DIPLOMA)) and person = or > 16 or in age categories 4-9, continue with RE1190.

If coded '13' through '17' (college level), 'RF' (REFUSED), or 'DK' (DON'T KNOW), go to RE1200.

Otherwise, go to END\_LP120.

Soft check: if coded '16' (FOURTH YEAR (BACHELOR'S DEGREE)) or '17' (FIVE OR MORE YEARS (GRADUATE DEGREE)) and person is < = 18 years of age (or in age categories 1-3), display the following message: "UNLIKELY RESPONSE DUE TO AGE. VERIFY AND RE-ENTER."

**Display Instructions:**

Underline 'highest', 'regular', and 'completed' in the question text.

Display 'What' if not round 5. Display 'As of December 31, {YEAR}, what' if round 5, where 'year' is the second calendar year of the panel.

In addition:

Display the header "**KINDERGARTEN OR LESS:**" directly above answer text 'NEVER ATTENDED SCHOOL/KINDERGARTEN ONLY'.

Display the header "**ELEMENTARY:**" directly above answer text 'FIRST GRADE'. Indent each answer text a few spaces under this header.

Display the header "**HIGH SCHOOL:**" directly above answer text 'NINTH GRADE'. Indent each answer text a few spaces under this header.

Display the header "**COLLEGE:**" directly above answer text 'FIRST YEAR'. Indent each answer text a few spaces under this header.

**RE1190**                      **(REB1540)**                      **BLAISE NAME:** HghSchDiploma  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      THIGHSCHL                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (HghSchDiplomaHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Do/Does/Did}/As of December 31, {YEAR} did} {you/{PERSON}} have a high school diploma or {have/has/had} {you/{PERSON}} passed the GED equivalency test?

HELP: F1

**Responses:**                      HAVE HIGH SCHOOL DIPLOMA                      ----- 1                      END\_LP120                      (REB1550)  
    PASSED GED                      ----- 2                      END\_LP120                      (REB1550)  
    NEITHER HIGH SCHOOL DIPLOMA OR                      . 3                      END\_LP120                      (REB1550)  
    GED  
    REFUSED                      ----- RF                      END\_LP120                      (REB1550)  
    DON'T KNOW                      ----- DK                      END\_LP120                      (REB1550)

**Display Instructions:**                      Display '{Do/Does/Did}' if not round 5. If round 5, display 'As of December 31, {YEAR}, did', where 'YEAR' is the second calendar year of the panel.

Display 'Do' if person is respondent and if round 1-4. Display 'Does' if person is not respondent and living and if Round 1-4. Display 'Did' if person is deceased and if round 1-4.

Display 'have' if person is respondent and if Round 1-4. Display 'has' if person is not respondent and living and if Round 1-4. Otherwise, display 'had'.

**RE1200**                      **(REB1545)**                      **BLAISE NAME:** HghestEduLevel  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      THIGHERED                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (HghestEduLevelHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

What is the highest educational degree {you/{PERSON}} obtained {as of December 31, {YEAR}}?

HELP: F1

**Responses:**

BACHELOR'S DEGREE	.....	1	END_LP120	(REB1550)
MASTER'S DEGREE	.....	2	END_LP120	(REB1550)
DOCTORATE DEGREE	.....	3	END_LP120	(REB1550)
NO DEGREE	.....	4	END_LP120	(REB1550)
OTHER	.....	91	END_LP120	(REB1550)
REFUSED	.....	RF	END_LP120	(REB1550)
DON'T KNOW	.....	DK	END_LP120	(REB1550)

**Display Instructions:**                      Display 'as of December 31, {YEAR}' if round 5, where 'YEAR' is the second calendar year of the panel. Otherwise, use a null display.

**END LP120**                      **(REB1550)**                      **Item Type:** Route                      **Type Class:** End Loop

---

**Route Details:**                      Cycle on next person who meets the conditions stated in the loop definition.  
  
 If no more persons meet the stated conditions, end LOOP\_120 and continue with BOX\_420.

**BOX 420**      **(REB1555)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If RU type=StandardRU or NewStandardRU AND  
 If at least one person on RE\_Person Array where [MostRecentRU=RUUnit where  
 CtrlCurrHere=YES and CtrlPersEligible=YES] and that person meets either of the  
 following conditions:  
 - Age 17-23, inclusive or in age category 4, or  
 - Coded as LIVING AWAY AT SCHOOL IN GRADES 1-12 (RE250=3, RE360=1, or  
 RE580=1), continue with RE1210.  
 Otherwise, go to BOX\_430.

**RE1210**      **(REB1575)**      **BLAISE NAME:** AttendSch  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TSCHOOLSTATUS      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (AttendSchHelp)       Show Card ( )       Look Up File ( )

**Question Text:**  
 {[Earlier you mentioned {you/{PERSON}} {were/was} living away at school in grades 1-12.]} {{Are/Is}/As of December  
 31, {YEAR}, {were/was}} {you/{PERSON}} attending school full-time, part-time, or not attending school at all?

HELP: F1

**Responses:**

FULL-TIME	.....	1
PART-TIME	.....	2
NOT IN SCHOOL	.....	3
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Preloaded Grid Type 1 including question RE1210.

Continue with BOX\_430 once grid is complete.

Roster behavior:

Display persons who are age 17-23 inclusive or in age category 4 first on the roster. Then display persons coded as living away at school grades 1-12.

Roster filter:

Display all persons on [(RE\_Person Array where MostRecentRU=RUnit where CtrlCurrHere=YES and CtrlPersElgible=YES) and (that person meets one of the following conditions)]:

- Age 17-23, inclusive or in age category 4, or
- Coded as LIVING AWAY AT SCHOOL IN GRADES 1-12 (RE250=3, RE360=1, or RE580=1)

**Display Instructions:**

Roster 1 - Report

Roster definition:

Display the RU-members-roster for entry of school status.

Col #1 Header: Name

Instructions: Display RU Members' first, middle, and last names (RE\_Person.FullName)

Col #2 header: School Status

Roster filter:

Display all persons who meet one of the following conditions:

- Age 17-23, inclusive or in age category 4, or
- Coded as LIVING AWAY AT SCHOOL IN GRADES 1-12 (RE250=3, RE360=1, or RE580=1),

Display '[Earlier you mentioned {you/{PERSON}} {were/was} living away at school in grades 1-12.]' if person being asked about is coded as living away at school in grades 1-12 (RE250=3, RE360=1, or RE580=1),. Otherwise, use null display.

Display '{Are/Is}' if not round 5. Display 'As of December 31, {YEAR}, {were/was}', where 'YEAR' is the second calendar year of the panel, if round 5.

**BOX 430**      **(REB1580)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Evaluate the keyness and eligibility of all persons on RE\_Person Array where MostRecentRU=RUUnit. (See CtrlPersKey and CtrlPersEligible) and calculate reference periods.

Continue with RE1220.

**RE1220**      **(REB1585)**      **BLAISE NAME:** PersInRU  
**Item Type:**      Instruction      **Field kind:** Datafield  
**Type Class:**      Enumerated  
**Answer Type:**    TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

THESE ARE NOW THE MEMBERS OF THE RU WHO WILL BE INCLUDED IN THIS INTERVIEW.

{FULL NAME OF REFERENCE PERSON}'S FAMILY:

RU MEMBER	KEYNESS	REFERENCE PERIOD
1. First Name Middle Name Last Name-35	[Display Selection]	[Display Begin Date]-[Display End Date]
2. First Name Middle Name Last Name-35	[Display Selection]	[Display Begin Date]-[Display End Date]
3. First Name Middle Name Last Name-35	[Display Selection]	[Display Begin Date]-[Display End Date]

PRESS 1 AND ENTER TO CONTINUE

**Responses:**      CONTINUE ..... 1 BOX\_440      (REB1600)



**Display  
Instructions:**

Roster 1 - Report

Roster definition:

Col # 1 Header: RU MEMBER

Instructions: display RU members' First, Middle, and Last names (RE\_Person.FullName)

Col # 2 Header: KEYNESS

Instructions: display the RU member's keyness. Display 'KEY' if CtrlPersKey=YES; display 'NOT KEY' if CtrlPersKey=NO.

Col # 3 Header: REFERENCE PERIOD

Instructions: Display RU member's reference period begin and end dates displayed as 'Month-3, DD, Year-4' (RE\_Person.BegRefM, RE\_Person.BegRefD, RE\_Person.BegRefY, RE\_Person.EndRefM, RE\_Person.EndRefD, RE\_Person.EndRefY).

Roster filter:

Display all persons on RE\_Person Array where MostRecentRU=RUUnit where CtrlCurrHere=YES and CtrlPersEligible=YES.

For 'FULL NAME OF REFERENCE PERSON' display the current round reference person's full name (first, middle, and last name) (RefPersPID). Do NOT substitute "you" if for reference person's name.

**BOX 440**

**(REB1600)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If at least one person on RE\_Person Array where MostRecentRU=RUUnit is a 'NEW STUDENT' (CtrlNewStudent=YES), continue with RE1230.

Otherwise, go to BOX\_450.

<b><u>RE1230</u></b>	<b><u>(REB1605)</u></b>	<b><u>BLAISE NAME:</u></b> StudSplit
<b>Item Type:</b>	Instruction	<b>Field kind:</b> Datafield
<b>Type Class:</b>	Enumerated	
<b>Answer Type:</b>	TContinue	<b>Answers allowed:</b> 1

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

We may conduct a separate interview with (READ NAMES BELOW) so I will not ask any further questions about them today.

- {1. First Name, [Middle Name], Last Name} 1
- {2. First Name, [Middle Name], Last Name} 2
- {3. First Name, [Middle Name], Last Name} 3
- {4. First Name, [Middle Name], Last Name} 4
- {5. First Name, [Middle Name], Last Name} N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**                      CONTINUE                      ..... 1    LOOP\_130                      (REB1610)

**Display**

**Instructions:**

Roster 1 - Report Roster definition:

This item displays persons for display only. Display person's first, middle, and last names (RE\_Person.FullName)

Roster filter:

Display all persons on RE\_Person Array where MostRecentRU=RUUnit is a 'NEW STUDENT' (CtrlNewStudent=YES)

<b><u>LOOP 130</u></b>	<b><u>(REB1610)</u></b>	<b>Item Type:</b> Route	<b>Type Class:</b> Begin Loop
------------------------	-------------------------	-------------------------	-------------------------------

---

**Route Details:**                      For each person meeting the loop definition, ask RE1240\_01-END\_LP130.

Loop definition: LOOP\_130 collects locating address and phone number for each student RU. This loop cycles on persons who on RE\_Person Array where MostRecentRU=RUUnit is a 'NEW STUDENT' (CtrlNewStudent=YES)

**RE1240\_01**      **(REB1615)**      **BLAISE NAME:** StuStrt1  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number where {PERSON} can be reached at school.

What is the address?

ENTER STREET ADDRESS.

**Responses:**      ..... 1 RE1240\_02      (REB1616)  
REFUSED      ..... RF RE1240\_02      (REB1616)  
DON'T KNOW      ..... DK RE1240\_02      (REB1616)

**Display Instructions:**      Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.

**RE1240\_02**      **(REB1616)**      **BLAISE NAME:** StuStrt2  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} can be reached at school.]

ENTER BUILDING OR ADDITIONAL ADDRESS INFORMATION, AS NECESSARY. IF NONE, PRESS ENTER.

**Responses:**

.....	1	RE1240_03	(REB1617)
EMPTY .....	Empty	RE1240_03	(REB1617)
REFUSED .....	RF	RE1240_03	(REB1617)
DON'T KNOW .....	DK	RE1240_03	(REB1617)

**Programmer Instructions:**      Allow empty as final response.

**Display Instructions:**      Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.  
     Display question text “Please give me...school” in brackets and “grayed-out” text.

**RE1240\_03**      **(REB1617)**      **BLAISE NAME:** StuCity  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 35  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} can be reached at school.]

ENTER CITY.

**Responses:**      ..... 1 RE1240\_04      (REB1618)  
REFUSED      ..... RF RE1240\_04      (REB1618)  
DON'T KNOW      ..... DK RE1240\_04      (REB1618)

**Display Instructions:**      Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.

Display question text "Please give me...school" in brackets and "grayed-out" text.

**RE1240\_04**      **(REB1618)**      **BLAISE NAME:** StuSt  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} can be reached at school.]

ENTER STATE.

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

**Responses:**      ..... 1 RE1240\_05      (REB1619)  
REFUSED      ..... RF RE1240\_05      (REB1619)  
DON'T KNOW      ..... DK RE1240\_05      (REB1619)

**Programmer Instructions:**      Use state lookup file.

**Display Instructions:**      Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.

Display question text “Please give me...school” in brackets and “grayed-out” text.

**RE1240\_05**      **(REB1619)**      **BLAISE NAME:** StuZip  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 5  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} can be reached at school.]

ENTER ZIP CODE.

**Responses:**      ..... 1 RE1240\_06      (REB1620)  
REFUSED      ..... RF RE1240\_06      (REB1620)  
DON'T KNOW      ..... DK RE1240\_06      (REB1620)

**Programmer Instructions:**      Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**      Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.  
Display question text "Please give me...school" in brackets and "grayed-out" text.

**RE1240\_06**      **(REB1620)**      **BLAISE NAME:** StuPhone  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 0000000000  
**Type Class:** Integer      **Field Size:** 10  
**Answer Type:** {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 9999999999

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} can be reached at school.]

ENTER TELEPHONE NUMBER. IF NO TELEPHONE, ENTER DK.

**Responses:**      ..... 1 END\_LP130      (REB1621)  
REFUSED      ..... RF END\_LP130      (REB1621)  
DON'T KNOW      ..... DK END\_LP130      (REB1621)

**Programmer Instructions:**      10 digit entry required.

Use number input mask (xxx-xxx-xxxx) in the response field.

Hard check:

"PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

**Display**

**Instructions:**

Display RE1240\_01, RE1240\_02, RE1240\_03, RE1240\_04, RE1240\_05, and RE1240\_06 on the same form pane.

Display question text "Please give me...school" in brackets and "grayed-out" text.

---

**END\_LP130**      **(REB1621)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:**      Cycle on the next person who meets the conditions stated in the loop definition.

If no more persons meet the stated conditions, end LOOP\_130 and continue with BOX\_450.

---



**BOX 450**      **(REB1625)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one person who is a mover on RE\_Person Array where MostRecentRU=RUUnit who meets any of the following conditions: :

- MoverAtLoop10=YES
- MoverAtLoop20=YES
- MoverAtLoop30=YES
- MoverAtRE940=YES

continue with RE1250. Otherwise, go to BOX\_470.

**RE1250**      **(REB1630)**      **BLAISE NAME:** FTADutySplit  
**Item Type:**      Instruction      **Field kind:** Datafield  
**Type Class:**      Enumerated  
**Answer Type:**      TContinue      **Answers allowed:** 1

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

We may (also) conduct a separate interview with (READ NAMES BELOW) so I will not ask any further questions about them today.

- { 1. First Name, [Middle Name], Last Name } 1
- { 2. First Name, [Middle Name], Last Name } 2
- { 3. First Name, [Middle Name], Last Name } 3
- { 4. First Name, [Middle Name], Last Name } 4
- { 5. First Name, [Middle Name], Last Name } N

PRESS 1 AND ENTER TO CONTINUE.

**Responses:**      CONTINUE ..... 1 LOOP\_140      (REB1635)

**Display  
Instructions:**

Roster 1 - Report Roster definition:  
This item displays persons for display only. Display person's first, middle, and last name (RE\_Person.Fullname).

Roster filter:  
Display all persons who are movers on RE\_Person Array where MostRecentRU=RUnit who meets any of the following conditions: :

- MoverAtLoop10=YES
- MoverAtLoop20=YES
- MoverAtLoop30=YES
- MoverAtRE940=YES

---

**LOOP 140**      **(REB1635)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**

For each person who meets the conditions stated in the loop definition, ask RE1260\_01-END\_LP140.

Loop definition: LOOP\_140 collects locating information for each person who has left the RU and moved to another household in the U.S. This loop cycles on persons who meet both of the following conditions:

Person has not been processed as part of another iteration of Loop\_140, meaning, Loop\_140 has not been called for this Person AND Person was not selected at RE1280 during another iteration of Loop\_140

AND

Person is on RE\_Person Array where MostRecentRU=RUnit who meets any of the following conditions: :

- MoverAtLoop10=YES
- MoverAtLoop20=YES
- MoverAtLoop30=YES
- MoverAtRE940=YES

Full Detail Spec

<b>RE1260_01</b>	<b>(REB1640)</b>	<b>BLAISE NAME:</b> MoveStrt1		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Please give me the address and telephone number where {PERSON} has moved.

What is the address?

ENTER STREET ADDRESS.

**Responses:**

.....	1	RE1260_02	(REB1641)
REFUSED .....	RF	RE1260_02	(REB1641)
DON'T KNOW .....	DK	RE1260_02	(REB1641)

**Display Instructions:**     Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.

**RE1260\_02**      **(REB1641)**      **BLAISE NAME:** MoveStrt2  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 40  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} has moved.]

ENTER BUILDING OR ADDITIONAL ADDRESS INFORMATION, AS NECESSARY. IF NONE, PRESS ENTER.

**Responses:**      ..... 1 RE1260\_03      (REB1642)  
EMPTY      ..... Empty RE1260\_03      (REB1642)  
REFUSED      ..... RF RE1260\_03      (REB1642)  
DON'T KNOW      ..... DK RE1260\_03      (REB1642)

**Programmer Instructions:**      Allow empty.

**Display Instructions:**      Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.

Display question text "Please give me...moved" in brackets and "grayed out" text.

**RE1260\_03**      **(REB1642)**      **BLAISE NAME:** MoveCity  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 35  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} has moved.]

ENTER CITY.

**Responses:**      ..... 1 RE1260\_04      (REB1643)  
REFUSED      ..... RF RE1260\_04      (REB1643)  
DON'T KNOW      ..... DK RE1260\_04      (REB1643)

**Display Instructions:**      Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.

Display question text "Please give me...moved" in brackets and "grayed out" text.

**RE1260\_04**      **(REB1643)**      **BLAISE NAME:** MoveSt  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 2  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} has moved.]

ENTER STATE.

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

**Responses:**      ..... 1 RE1260\_05      (REB1644)  
REFUSED      ..... RF RE1260\_05      (REB1644)  
DON'T KNOW      ..... DK RE1260\_05      (REB1644)

**Programmer Instructions:**      Use state lookup file.

**Display Instructions:**      Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.

Display question text "Please give me...moved" in brackets and "grayed out" text.

**RE1260\_05**      **(REB1644)**      **BLAISE NAME:** MoveZip  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      String      **Field Size:** 5  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} has moved.]

ENTER ZIP CODE.

**Responses:**      ..... 1 RE1260\_06      (REB1645)  
REFUSED      ..... RF RE1260\_06      (REB1645)  
DON'T KNOW      ..... DK RE1260\_06      (REB1645)

**Programmer Instructions:**      Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

**Display Instructions:**      Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.  
  
Display question text "Please give me...moved" in brackets and "grayed out" text.

**RE1260\_06**      **(REB1645)**      **BLAISE NAME:** MovePhone  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:** 0000000000  
**Type Class:**      Integer      **Field Size:** 10  
**Answer Type:**      {Continuous Answer.}      **Answers allowed:** 1      **ArrayMax:**      **Max value:** 9999999999

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[Please give me the address and telephone number where {PERSON} has moved.]

ENTER TELEPHONE NUMBER. IF NO TELEPHONE, ENTER DK.

**Responses:**      ..... 1  
REFUSED      ..... RF  
DON'T KNOW      ..... DK

**Programmer Instructions:**      10 digit entry required.  
Use number input mask (xxx-xxx-xxxx) in response field.

Hard check:

"PHONE ENTRY REQUIRES EXACTLY 10 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL PHONE NUMBER IS NOT KNOWN."

If all persons eligible to be looped on in Loop\_140 are set to auxPersProcessed=YES, go to END\_LP140.

Otherwise (at least one mover not processed), continue with RE1270.

**Display Instructions:**      Display RE1260\_01, RE1260\_02, RE1260\_03, RE1260\_04, RE1260\_05, and RE1260\_06 on the same form pane.

Display question text "Please give me...moved" in brackets and "grayed out" text.



<b>RE1270</b>	<b>(REB1646)</b>	<b>BLAISE NAME:</b> AnyPersMover		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

IF KNOWN, CODE WITHOUT ASKING.

Is {PERSON} living with any of the following family members? (READ NAMES BELOW)

- {1. First Name, [Middle Name], Last Name} 1
- {2. First Name, [Middle Name], Last Name} 2
- {3. First Name, [Middle Name], Last Name} 3
- {4. First Name, [Middle Name], Last Name} 4
- {5. First Name, [Middle Name], Last Name} N

<b>Responses:</b>	YES .....	1	RE1280	(REB1650)
	NO .....	2	END_LP140	(REB1655)
	REFUSED .....	RF	END_LP140	(REB1655)
	DON'T KNOW .....	DK	END_LP140	(REB1655)

**Display Instructions:**

Roster 1 – Report

Roster definition:

This item displays persons for display only. Display person's first, middle, and last names (RE\_Person.FullName).

Roster filter:

Display all person who meet the following conditions:

- auxPersProcessed <> YES for person AND
- Person is on RE\_Person Array where MostRecentRU=RUUnit who meets any of the following conditions: :
- MoverAtLoop10=YES
- MoverAtLoop20=YES
- MoverAtLoop30=YES
- MoverAtRE940=YES

<b>RE1280</b>	<b>(REB1650)</b>	<b>BLAISE NAME:</b> Movers		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TFIRSTMIDLASTNA	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Who lives with {PERSON}?

ENTER ALL THAT APPLY.

<b>Responses:</b>	{FIRST NAME [MIDDLE NAME] LAST NAME}1	----- 1	END_LP140	(REB1655)
	{FIRST NAME [MIDDLE NAME] LAST NAME}2	----- 2	END_LP140	(REB1655)
	{FIRST NAME [MIDDLE NAME] LAST NAME}3	----- 3	END_LP140	(REB1655)
	{FIRST NAME [MIDDLE NAME] LAST NAME}4	----- 4	END_LP140	(REB1655)
	{FIRST NAME [MIDDLE NAME] LAST NAME}N	----- 5	END_LP140	(REB1655)

**Programmer Instructions:** Set auxProcessedMover=YES and auxPersProcessed=YES for all persons selected at RE1280.

Roster behavior:  
1. Multiple select allowed.

**Display Instructions:**

Roster 2 – no add/edit/delete.

Roster definition:

This item displays persons for display only. Display person's first, middle, and last names (RE\_Person.FullName).

Roster filter:

Display all person who meet the following conditions:

- auxPersProcessed <> YES for person AND
- Person is on RE\_Person Array where MostRecentRU=RUnit who meets any of the following conditions: :
- -MoverAtLoop10=YES
- -MoverAtLoop20=YES
- -MoverAtLoop30=YES
- -MoverAtRE940=YES

---

**END LP140**      **(REB1655)**      **Item Type:** Route      **Type Class:** End Loop

---

**Route Details:** Cycle on next person who meets the conditions stated in the loop definition.

IF no more persons meet the stated conditions, end LOOP\_140 and continue with BOX\_470.

**BOX 470**      **(REB1665)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one person who is key and here and eligible (CtrlPersKey=YES and CtrlCurrHere=YES and CtrlPersEligible=YES), continue with EndofRE.  
  
Otherwise, exit interview.

**EndofRE**      **(REB1670)**      **BLAISE NAME:** EndofRE  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TContinue      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**  
THIS IS THE LAST SCREEN WHERE YOU CAN STILL BACK UP.  
PRESS 1 AND ENTER TO CONTINUE.

**Responses:**      CONTINUE ..... 1

**Programmer Instructions:**      Continue with next questionnaire section.

**Display Instructions:**

REWall

(REB1675)

Item Type: Route

Type Class: If Then

---

**Route Details:**

At the RE Wall all relevant RU and Person level data established in Re-enumeration are copied to areas (arrays and external databases) more readily accessible by the various parts of the instrument to facilitate programming and reduce performance issues. Preloaded data is also added to these areas creating a static quick reference library for the rest of the program. This is done once and a virtual “wall” is dropped so users cannot go back to Re-Enumeration and change primary data points (name, age, gender, etc.) that could, in turn, take large swaths of data off.

In addition to copying person level data and preloaded data to other areas, the RE Wall also performs settings for use in later interview sections and for home office processing.

**Link to file** with logic for processing at RE Wall:

<https://mepspm.westat.com/Final%20Design%20Docs%20by%20Group/RE%20Wall/RE%20Wall.docx>

[End of REB]