

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|--|--|--|---|--|---|--|
| 0.1 | TOTTCH99 | TOTAL HEALTH CARE CHARGES 99, EXCL. RX | Sum of (DVTC99X from DVIS records) + (OMTC99X from OMED records) + (OPFTC99X + OPDTC99X from OPAT records) + (ERFTC99X + ERDTC99X from EROM records) + (IPFTC99X + IPDTC99X from STAZ records) + (HPTC99X + HATC99X from HVIS records) + (OBTC99X from MVIS records) | 18971 | 18971 | 862990905440.61 | 862985992440.47 | 3768.0475 | 3768.0261 |
| 0.2 | TOTEXP99X | TOTAL HEALTH CARE EXP 99 | Sum of (DVXP99X from DVIS records) + (OMXP99X from OMED records) + (OPFXP99X + OPDXP99X from OPAT records) + (ERFXP99X + ERDXP99X from EROM records) + (IPFXP99X + IPDXP99X from STAZ records) + (HPXP99X + HAXP99X from HVIS records) + (OBXP99X from MVIS records) + (RXXP99X from PMED records) | 19302 | 19302 | 596071096709.23 | 596067256509.11 | 2556.6635 | 2556.6470 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|--|---|---|---|--|--|---|
| 0.3 | TOTSLF99 | TOTAL AMT PAID BY SELF/FAMILY 99 | Sum of (DVSF99X from DVIS records) + (OMSF99X from OMED records) + (OPFSF99X + OPDSF99X from OPAT records) + (ERFSF99X + ERDSF99X from EROM records) + (IPFSF99X + IPDSF99X from STAZ records) + (HPSF99X + HASF99X from HVIS records) + (OBSF99X from MVIS records) + (RXSF99X from PMED records) | 17628 | 17630 | 114623264053.53 | 114619302581.03 | 530.9331 | 530.8208 |
| 0.4 | TOTMCR99 | TOTAL AMT PAID BY MEDICARE 99 | Sum of (DVMR99X from DVIS records) + (OMMR99X from OMED records) + (OPFMR99X + OPDMR99X from OPAT records) + (ERFMR99X + ERDMR99X from EROM records) + (IPFMR99X + IPDMR99X from STAZ records) + (HPMR99X + HAMR99X from HVIS records) + (OBMR99X from MVIS records) + (RXMR99X from PMED records) | 2846 | 2846 | 134646555511.94 | 134646322761.36 | 3835.8202 | 3835.8136 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|--|--|---|--|---|--|
| 0.5 | TOTMCD99 | TOTAL AMT PAID BY MEDICAID 99 | Sum of (DVMD99X from DVIS records) + (OMMD99X from OMED records) + (OPFMD99X + OPDMD99X from OPAT records) + (ERFMD99X + ERDMD99X from EROM records) + (IPFMD99X + IPDMD99X from STAZ records) + (HPMD99X + HAMD99X from HVIS records) + (OBMD99X from MVIS records) + (RXMD99X from PMED records) | 3064 | 3065 | 52485937186.744 | 52485478663.339 | 1806.4132 | 1805.8730 |
| 0.6 | TOTPRV99 | TOTAL AMT PAID BY PRIVATE INS 99 | Sum of (DVPV99X from DVIS records) + (OMPV99X from OMED records) + (OPFPV99X + OPDPV99X from OPAT records) + (ERFPV99X + ERDPV99X from EROM records) + (IPFPV99X + IPDPV99X from STAZ records) + (HPPV99X + HAPV99X from HVIS records) + (OBPV99X from MVIS records) + (RXPV99X from PMED records) | 12573 | 12586 | 238005462069.21 | 238003148257.89 | 1451.8525 | 1450.2926 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|--|--|--|---|--|---|--|
| 0.7 | TOTVA99 | TOTL AMT PAID BY VA 99 | Sum of (DVVA99X from DVIS records) + (OMVA99X from OMED records) + (OPFVA99X + OPDVA99X from OPAT records) + (ERFVA99X + ERDVA99X from EROM records) + (IPFVA99X + IPDVA99X from STAZ records) + (HPVA99X + HAVA99X from HVIS records) + (OBVA99X from MVIS records) + (RXVA99X from PMED records) | 832 | 833 | 12327730872.137 | 12327068605.118 | 1126.3601 | 1125.1738 |
| 0.8 | TOTCHM99 | TOTL AMT PAID BY CHAMPUS /CHAMPVA 99 | Sum of (DVCH99X from DVIS records) + (OMCH99X from OMED records) + (OPFCH99X + OPDCH99X from OPAT records) + (ERFCH99X + ERDCH99X from EROM records) + (IPFCH99X + IPDCH99X from STAZ records) + (HPCH99X + HACH99X from HVIS records) + (OBCH99X from MVIS records) + (RXCH99X from PMED records) | 211 | 211 | 1325865951.6926 | 1325723350.2486 | 522.7168 | 522.6606 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 0.9 | TOTOFD99 | TOTL AMT PAID BY OTHER FEDERAL 99 | Sum of (DVOF99X from DVIS records) + (OMOF99X from OMED records) + (OPFOF99X + OPDOF99X from OPAT records) + (ERFOF99X + ERDOF99X from EROM records) + (IPFOF99X + IPDOF99X from STAZ records) + (HPOF99X + HAOF99X from HVIS records) + (OBOF99X from MVIS records) + (RXOF99X from PMED records) | 217 | 217 | 2629053464.3804 | 2628941213.8002 | 997.9788 | 997.9362 |
| 0.10 | TOTSTL99 | TOTL AMT PAID BY OTH ST/LOCAL 99 | Sum of (DVSL99X from DVIS records) + (OMSL99X from OMED records) + (OPFSL99X + OPDSL99X from OPAT records) + (ERFSL99X + ERDSL99X from EROM records) + (IPFSL99X + IPDSL99X from STAZ records) + (HPSL99X + HASL99X from HVIS records) + (OBSL99X from MVIS records) + (RXSL99X from PMED records) | 404 | 404 | 9558049448.5344 | 9557970884.9882 | 2138.5805 | 2138.5629 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 0.11 | TOTWCP99 | TOTL AMT PAID BY WORKERS COMP 99 | Sum of (DVWC99X from DVIS records) + (OMWC99X from OMED records) + (OPFWC99X + OPDWC99X from OPAT records) + (ERFWC99X + ERDWC99X from EROM records) + (IPFWC99X + IPDWC99X from STAZ records) + (HPWC99X + HAWC99X from HVIS records) + (OBWC99X from MVIS records) + (RXWC99X from PMED records) | 735 | 735 | 13078050908.542 | 13077785959.784 | 1485.8398 | 1485.8097 |
| 0.12 | TOTOPR99 | TOTL AMT PAID BY OTHER PRIVATE 99 | Sum of (DVOR99X from DVIS records) + (OMOR99X from OMED records) + (OPFOR99X + OPDOR99X from OPAT records) + (ERFOR99X + ERDOR99X from EROM records) + (IPFOR99X + IPDOR99X from STAZ records) + (HPOR99X + HAOR99X from HVIS records) + (OBOR99X from MVIS records) + (RXOR99X from PMED records) | 1054 | 1056 | 10960450629.293 | 10960387982.063 | 899.8018 | 897.8531 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 0.13 | TOTOPU99 | TOTL AMT PAID BY OTHER PUBLIC 99 | Sum of (DVOU99X from DVIS records) + (OMOU99X from OMED records) + (OPFOU99X + OPDOU99X from OPAT records) + (ERFOU99X + ERDOU99X from EROM records) + (IPFOU99X + IPDOU99X from STAZ records) + (HPOU99X + HAOU99X from HVIS records) + (OBOU99X from MVIS records) + (RXOU99X from PMED records) | 217 | 217 | 1594691211.3381 | 1594748090.3296 | 766.7777 | 766.8051 |
| 0.14 | TOTOSR99 | TOTL AMT PAID OTHR UNCLASS SOURCES 99 | Sum of (DVOT99X from DVIS records) + (OMOT99X from OMED records) + (OPFOT99X + OPDOT99X from OPAT records) + (ERFOT99X + ERDOT99X from EROM records) + (IPFOT99X + IPDOT99X from STAZ records) + (HPOT99X + HAOT99X from HVIS records) + (OBOT99X from MVIS records) + (RXOT99X from PMED records) | 845 | 845 | 4840456620.4637 | 4840378159.1506 | 480.0755 | 480.0677 |
| 1.0 | OBTOTV99 | # OFFICE-BASED PROVIDER VISITS 99 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) 99 | 16161 | 16161 | 1219652914.7018 | 1219652914.7018 | 6.2283 | 6.2283 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|--|---|---|---|--|--|---|
| 1.1 | OBVTCH99 | OFFICE-BASED PROVIDER VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 16157 | 16157 | 182231621993.22 | 182228831056.00 | 930.7089 | 930.6947 |
| 1.2 | OBVEXP99 | TOTAL OFFICE-BASED EXP 99 | Sum of OBP99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 15892 | 15892 | 115332382361.94 | 115330219514.21 | 597.4260 | 597.4148 |
| 1.3 | OBVSLF99 | ALL OFFICE VISITS - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 12094 | 12095 | 22895877968.264 | 22895245135.262 | 150.0931 | 150.0722 |
| 1.4 | OBVMCR99 | ALL OFFICE VISITS - MEDICARE AMT 99 | Sum of OBMCR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 2533 | 2533 | 18945219272.224 | 18944921678.684 | 606.8263 | 606.8168 |
| 1.5 | OBVMCD99 | ALL OFFICE VISITS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 2298 | 2298 | 6413539690.1503 | 6413419160.1307 | 300.4033 | 300.3977 |
| 1.6 | OBVPRV99 | ALL OFFICE VISITS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 10045 | 10047 | 55249720740.999 | 55248149287.407 | 422.8351 | 422.7618 |
| 1.7 | OBVVA99 | ALL OFFICE VISITS-VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 363 | 363 | 1781639497.8190 | 1781354534.1468 | 379.6285 | 379.5678 |
| 1.8 | OBVCHM99 | ALL OFFICE VISITS - CHAMPUS/CHAMPVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 136 | 136 | 389520847.1722 | 389465203.2943 | 233.9027 | 233.8693 |
| 1.9 | OBVOFD99 | ALL OFFICE VISITS-OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 161 | 161 | 824053728.3981 | 823992832.4792 | 418.0277 | 417.9968 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|---|---|---|--|--|---|
| 1.10 | OBVSTL99 | ALL OFFICE VISITS - OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 201 | 201 | 910305274.5678 | 910161102.7144 | 415.9236 | 415.8577 |
| 1.11 | OBVWCP99 | ALL OFFICE VISITS - WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 416 | 416 | 3421279906.8777 | 3421152378.6762 | 685.5748 | 685.5493 |
| 1.12 | OBVOPR99 | ALL OFFICE VISITS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 643 | 644 | 1974348658.6007 | 1974271351.9518 | 256.6410 | 256.1042 |
| 1.13 | OBVOPU99 | ALL OFFICE VISITS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 115 | 115 | 270588921.1004 | 270596857.8311 | 280.3459 | 280.3541 |
| 1.14 | OBVOSR99 | ALL OFF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) | 554 | 554 | 2257536161.1231 | 2257489991.6302 | 350.3848 | 350.3777 |
| 2.0 | OBDRV99 | # OFFICE-BASED PHYSICIAN VISITS, 1999 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 15328 | 15328 | 866585198.4674 | 866585198.4674 | 4.6853 | 4.6853 |
| 2.1 | OBDTCH99 | OFFICE-BASED PHYSICIAN VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 15322 | 15322 | 142232863420.25 | 142230192198.15 | 769.1873 | 769.1729 |
| 2.2 | OBDEXP99 | TOTAL OFF-BASED DR EXP 99 | Sum of OBXP99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 15091 | 15091 | 89403462917.563 | 89401431294.598 | 489.8926 | 489.8815 |
| 2.3 | OBDSL99 | DR OFFICE VISITS - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 11307 | 11308 | 16091838194.686 | 16091412902.594 | 113.3686 | 113.3519 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 2.4 | OBDMCR99 | DR OFFICE VISITS -MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 2459 | 2459 | 16435146360.637 | 16434813375.895 | 544.2774 | 544.2664 |
| 2.5 | OBDMCD99 | DR OFFICE VISITS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 2163 | 2163 | 4992608823.5811 | 4992391903.9340 | 250.1816 | 250.1707 |
| 2.6 | OBDRPV99 | DR OFFICE VISITS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 9573 | 9574 | 43128216609.948 | 43126677371.143 | 346.9785 | 346.9402 |
| 2.7 | OBDVA99 | DR OFFICE VISITS -VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 300 | 300 | 1431494334.0751 | 1431292643.3240 | 379.6372 | 379.5837 |
| 2.8 | OBDCHM99 | DR OFFICE V I S I T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 127 | 127 | 284515239.1642 | 284440420.5780 | 182.1231 | 182.0752 |
| 2.9 | OBD OFD99 | DR OFFICE VISITS -OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 152 | 152 | 730210405.7739 | 730133287.5841 | 398.1703 | 398.1282 |
| 2.10 | OBDSTL99 | DR OFFICE VISITS -OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 173 | 173 | 580619993.2059 | 580507076.6054 | 311.5748 | 311.5142 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 2.11 | OBDWCP99 | DR OFFICE VISITS -WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 377 | 377 | 2510435117.1088 | 2510273548.8434 | 554.9412 | 554.9054 |
| 2.12 | OBDOPR99 | DR OFFICE VISITS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 614 | 615 | 1675304581.5830 | 1675332802.8174 | 230.1316 | 229.6363 |
| 2.13 | OBDOPU99 | DR OFFICE VISITS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 103 | 103 | 225522491.5954 | 225506638.4162 | 277.9911 | 277.9716 |
| 2.14 | OBDOSR99 | DR OFF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1 | 411 | 411 | 1318672475.8504 | 1318649322.8644 | 281.0119 | 281.0070 |
| 3.0 | OBOHV99 | # OFFICE-BASED NON-PHYSICAN VISITS 99 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 5194 | 5194 | 344947153.2723 | 344947153.2723 | 5.0571 | 5.0571 |
| 3.1 | OBOTCH99 | OFFICE -BASED NON-DR VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 5175 | 5175 | 39036666091.233 | 39036314292.211 | 574.4160 | 574.4109 |
| 3.2 | OBOEXP99 | TOTAL OFF- BASED NON-DR EXP 99 | Sum of OBPX99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 4971 | 4971 | 25271318216.791 | 25270677646.338 | 385.2810 | 385.2712 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|---|---|--|--|---|--|---|--|
| 3.3 | OBOSLF99 | NON-DR OFF V I S T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 3114 | 3114 | 6567915490.4079 | 6567709984.6104 | 155.4958 | 155.4909 |
| 3.4 | OBOMCR99 | NON-DR OFF VISTS -MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 770 | 770 | 2448467350.4544 | 2448534463.4361 | 243.5196 | 243.5263 |
| 3.5 | OBOMCD99 | NON-DR OFF VISTS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 488 | 488 | 1389136937.2173 | 1389140492.9982 | 268.3467 | 268.3474 |
| 3.6 | OBOPRV99 | NON-DR OFF VISTS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 2823 | 2824 | 11813373479.855 | 11812780936.452 | 304.2664 | 304.1754 |
| 3.7 | OBOVA99 | NON-DR OFF VISTS -VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 105 | 105 | 350162379.8252 | 350061890.8228 | 244.0444 | 243.9744 |
| 3.8 | OBOCHM99 | NON-DR OFF V I S T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 36 | 36 | 104327996.7878 | 104334578.5182 | 211.1806 | 211.1940 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|---|---|---|--|--|---|
| 3.9 | OBOOFD99 | NON-DR OFF VISTS -OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 31 | 31 | 92976200.7992 | 93000383.9209 | 255.3016 | 255.3680 |
| 3.10 | OBOSTL99 | NON-DR OFF VISTS -OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 49 | 49 | 329685079.8916 | 329654026.1090 | 592.1023 | 592.0465 |
| 3.11 | OBOWCP99 | NON-DR OFF VISTS -WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 109 | 109 | 901775165.5892 | 901748575.4243 | 693.9859 | 693.9654 |
| 3.12 | OBOOPR99 | NON-DR OFF VISTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 138 | 138 | 290479941.2905 | 290399959.7987 | 164.1606 | 164.1154 |
| 3.13 | OBOOPU99 | NON-DR OFF VISTS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 20 | 20 | 45079032.1927 | 45090219.4149 | 198.3288 | 198.3780 |
| 3.14 | OBOOSR99 | NON-DR OF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] | 197 | 197 | 938270753.8844 | 938222134.8317 | 376.4482 | 376.4287 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|--|--|---|--|---|--|
| 4.0 | OBCHIR99 | # OFFICE-BASED CHIROPRACTOR VISITS 99 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 638 | 638 | 76447127.3148 | 76447127.3148 | 8.6872 | 8.6872 |
| 4.1 | OBCTCH99 | OFFICE-BASED CHIRO VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 636 | 636 | 3696904251.0984 | 3696879907.4653 | 421.5198 | 421.5170 |
| 4.2 | OBCEXP99 | TOTAL OFF- BASED CHIRO EXP 99 | Sum of OBXP99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 613 | 613 | 3188314911.8546 | 3188296388.5779 | 375.9880 | 375.9858 |
| 4.3 | OBCSLF99 | CHIRO OFF V I S I T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1 | 491 | 491 | 1364066194.0734 | 1364060153.3313 | 196.7666 | 196.7658 |
| 4.4 | OBCMCR99 | CHIRO OFF V I S I T S - MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 39 | 39 | 81741302.0359 | 81746135.7919 | 149.9735 | 149.9824 |
| 4.5 | OBCMCD99 | CHIRO OFF VISITS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 14 | 14 | 30388544.2096 | 30404807.5600 | 188.9073 | 189.0084 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 4.6 | OBCPRV99 | CHIRO OFF VISITS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 272 | 272 | 1151754400.0967 | 1151728768.9505 | 302.0677 | 302.0609 |
| 4.7 | OBCVA99 | CHIRO OFF VISITS -VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 9 | 9 | 17655165.5406 | 17652025.1213 | 162.3721 | 162.3432 |
| 4.8 | OBCCHM99 | CHIRO OFF V I S I T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 1 | 1 | 72505.4822 | 72505.4822 | 10.0000 | 10.0000 |
| 4.9 | OBCOFD99 | CHIRO OFF VISITS -OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 4.10 | OBCSTL99 | CHIRO OFF VISITS -OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1 | 3 | 3 | 131521224.3774 | 131519798.7120 | 2240.0043 | 2239.9800 |
| 4.11 | OBCWCP99 | CHIRO OFF V I S I T S - WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 20 | 20 | 107188138.2237 | 107188138.2237 | 456.9613 | 456.9613 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 4.12 | OBCOPR99 | CHIRO OFF VISTS - OTHR PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 16 | 16 | 70130282.8471 | 70111412.9874 | 290.0486 | 289.9706 |
| 4.13 | OBCOPU99 | CHIRO OFF VISTS - OTHR PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 2 | 2 | 137881.2121 | 137631.5188 | 12.3364 | 12.3141 |
| 4.14 | OBCOSR99 | CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 1 | 37 | 37 | 233692253.2496 | 233675010.8987 | 542.9173 | 542.8773 |
| 5.0 | OBNURS99 | # OFF-BASED NURSE/PRACTITI ONER VISITS 99 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 1854 | 1854 | 68074736.6890 | 68074736.6890 | 2.8130 | 2.8130 |
| 5.1 | OBNTCH99 | OFFICE-BASED NURSE/P RAC VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 1846 | 1846 | 5161872918.8613 | 5161718761.1083 | 214.6954 | 214.6890 |
| 5.2 | OBNEXP99 | TOTAL OFF- B A S E D NURSE/P RAC 99 | Sum of OBPX99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 1716 | 1716 | 3442484560.6061 | 3442109846.5007 | 153.3136 | 153.2969 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|--|--|---|--|---|--|
| 5.3 | OBNSLF99 | NURSE/PRAC OFF V I S I T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4 | 943 | 943 | 724420031.5152 | 724372097.3749 | 58.4322 | 58.4283 |
| 5.4 | OBNMCR99 | NURSE/PRAC OFF V I S I T S - MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 301 | 301 | 509159463.6891 | 509213759.0586 | 128.7799 | 128.7936 |
| 5.5 | OBNMCD99 | NURSE/PRAC OFF VSTS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 195 | 195 | 227950775.5052 | 227896111.6819 | 106.9078 | 106.8822 |
| 5.6 | OBNPRV99 | NURSE/PRAC OFF VSTS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 976 | 977 | 1714538791.6040 | 1714123564.0494 | 127.1419 | 127.0201 |
| 5.7 | OBNVA99 | NURSE/PRAC OFF VSTS-VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 28 | 28 | 34652300.3938 | 34629677.7577 | 87.8106 | 87.7533 |
| 5.8 | OBNCHM99 | NURSE/PRAC OFF V S T S - CHMPUS/CHMPVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 11 | 11 | 34524893.6258 | 34533045.7491 | 196.6084 | 196.6548 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 5.9 | OBNOFD99 | NURSE/PRAC OFF VSTS - OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 2 | 2 | 1338542.7430 | 1322252.3756 | 38.5484 | 38.0792 |
| 5.10 | OBNSTL99 | NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4 | 16 | 16 | 94097976.8127 | 94088081.5644 | 694.0484 | 693.9754 |
| 5.11 | OBNWCP99 | NURSE/PRAC OFF VSTS -WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 13 | 13 | 21899813.6352 | 21884986.3368 | 147.5986 | 147.4987 |
| 5.12 | OBNOPR99 | NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 33 | 33 | 17371520.2589 | 17370062.3746 | 42.0594 | 42.0559 |
| 5.13 | OBNOPU99 | NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 5 | 5 | 6871708.5116 | 6879987.5303 | 94.3865 | 94.5002 |
| 5.14 | OBNOSR99 | NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 4 | 77 | 77 | 55794026.0639 | 55796220.6472 | 57.2814 | 57.2836 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|---|---|--|--|---|--|---|--|
| 6.0 | OBOPTO99 | # OFFICE-BASED OPTOMETRIST VISITS, 1999 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 1001 | 1001 | 15859392.3487 | 15859392.3487 | 1.1771 | 1.1771 |
| 6.1 | OBETCH99 | OFFICE-BASED OPTOMTRIST VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 997 | 997 | 1628814159.7751 | 1628824533.3024 | 121.1665 | 121.1673 |
| 6.2 | OBEXP99 | TOTAL OFF- B A S E D O P O T M E T R I S T E X P 9 9 | Sum of OBXP99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 973 | 973 | 1418113636.5919 | 1418108986.1199 | 107.9427 | 107.9423 |
| 6.3 | OBESLF99 | OPTOMETRIST OFF VSTS - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5 | 746 | 746 | 814284300.0959 | 814249779.8088 | 79.5478 | 79.5444 |
| 6.4 | OBEMCR99 | OPTOMETRIST OFF VSTS - MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 56 | 56 | 67936010.3142 | 67906702.3866 | 100.3551 | 100.3118 |
| 6.5 | OBEMCD99 | OPTOMETRIST OFF VSTS - MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 77 | 77 | 53112700.5553 | 53110572.4115 | 67.9206 | 67.9178 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 6.6 | OBEPV99 | OPTOMETRIST OFF VSTS - PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 391 | 391 | 458994121.1325 | 458942897.5280 | 84.2294 | 84.2200 |
| 6.7 | OBEVA99 | OPTOMETRIST OFF VSTS -VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 9 | 9 | 3748219.9975 | 3703521.0537 | 31.6718 | 31.2941 |
| 6.8 | OBECHM99 | OPTOMETRIST OFF VSTS- CHMPUS/CHPVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 1 | 1 | 370057.3319 | 376841.7163 | 18.0000 | 18.3300 |
| 6.9 | OBEOFD99 | OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 3 | 3 | 634785.7539 | 631764.2773 | 24.3964 | 24.2802 |
| 6.10 | OBESTL99 | OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5 | 1 | 1 | 106720.8050 | 106720.8050 | 10.0000 | 10.0000 |
| 6.11 | OBEWCP99 | OPTOMETRIST OFF VSTS- WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 0 | 0 | . | . | 0.0000 | 0.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 6.12 | OBEOPR99 | OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 13 | 13 | 13378525.9197 | 13380417.2724 | 61.5123 | 61.5210 |
| 6.13 | OBEOPU99 | OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 6.14 | OBEOSR99 | OPTOM OF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 5 | 11 | 11 | 5707390.0356 | 5699768.8603 | 39.1417 | 39.0894 |
| 7.0 | OBASST99 | # OFF-BASED PHYSICIAN ASS T VSTS, 1999 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 306 | 306 | 6483143.4629 | 6483143.4629 | 1.6318 | 1.6318 |
| 7.1 | OBATCH99 | OFFICE-BASED PHYS ASST VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 306 | 306 | 2346406082.0747 | 2346409091.0999 | 590.5900 | 590.5908 |
| 7.2 | OBAEXP99 | TOTAL OFF- BASED PHYS ASS T EXP 99 | Sum of OBPX99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 300 | 300 | 461789000.0782 | 461722275.7658 | 118.2909 | 118.2738 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|--|--|---|--|---|--|
| 7.3 | OBASLF99 | PHYS ASS T OFF V S T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7 | 180 | 180 | 89133836.7490 | 89106218.2176 | 37.6595 | 37.6478 |
| 7.4 | OBAMCR99 | PHYS ASS T OFF VSTS-MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 42 | 42 | 39061357.1801 | 39000535.9311 | 66.6472 | 66.5435 |
| 7.5 | OBAMCD99 | PHYS ASS T OFF VSTS-MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 26 | 26 | 20347881.9527 | 20350932.8819 | 81.6357 | 81.6479 |
| 7.6 | OBAPRV99 | PHYS ASS T OFF VSTS-PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 178 | 178 | 265956823.5273 | 265935699.3207 | 109.9674 | 109.9587 |
| 7.7 | OBAVA99 | PHYS ASS T OFF VSTS-VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 8 | 8 | 11174663.1355 | 11186852.0526 | 84.6139 | 84.7062 |
| 7.8 | OBACHM99 | PHYS ASS T OFF V S T S - CHMPUS/CHMPVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 2 | 2 | 816136.6454 | 819447.3447 | 52.8762 | 53.0907 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|---|--|--|---|--|---|--|
| 7.9 | OBAOFD99 | PHYS ASS T OFF VSTS -OTHER FED AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 5 | 5 | 7911840.5161 | 7933008.1580 | 86.9613 | 87.1940 |
| 7.10 | OBASTL99 | PHYS ASS T OFF VSTS -OTH ST/LOCL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7 | 4 | 4 | 10011436.1539 | 10009760.3676 | 185.1472 | 185.1162 |
| 7.11 | OBAWCP99 | PHYS ASS T OFF VSTS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 5 | 5 | 7075916.5160 | 7072392.0701 | 94.6479 | 94.6008 |
| 7.12 | OBAOPR99 | PHYS ASS T OFF VSTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 13 | 13 | 7124959.0789 | 7104729.8304 | 45.4615 | 45.3324 |
| 7.13 | OBAOPU99 | PHYS ASS T OFF VSTS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 3 | 3 | 421008.3015 | 429763.4533 | 13.9899 | 14.2808 |
| 7.14 | OBAOSR99 | P A OFF VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = 7 | 5 | 5 | 2767229.3746 | 2772936.1378 | 55.4523 | 55.5667 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|---|---|---|--|--|---|
| 8.0 | OBOTHER99 | # OFF-BASED PHYSICL/OCC THRPY VSTS, 1999 | Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 378 | 378 | 55075535.8054 | 55075535.8054 | 10.9325 | 10.9325 |
| 8.1 | OBTTC99 | OFFICE-BASED PT/OC VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 377 | 377 | 6996011836.1826 | 6995990555.8065 | 1392.1847 | 1392.1805 |
| 8.2 | OBTEXP99 | TOT OFF-BASED PT EXP 99 | Sum of OBPX99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 370 | 370 | 4170586369.5783 | 4170625315.3150 | 847.3263 | 847.3342 |
| 8.3 | OBTSLF99 | PT/OT OFF VISITS - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 163 | 163 | 411345180.8692 | 411302057.8863 | 172.1747 | 172.1567 |
| 8.4 | OBTMCR99 | PT/OT OFF VISITS-MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 55 | 55 | 379164714.8168 | 379193107.1739 | 492.0636 | 492.1005 |
| 8.5 | OBTMCD99 | PT/OT OFF VISITS-MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 28 | 28 | 132414234.1818 | 132401123.8868 | 503.8673 | 503.8174 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-----|---|--|---|---|---|---|--|--|---|
| 8.6 | OBTPRV99 | PT/OT OFF VISITS-PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 238 | 238 | 2158312971.2657 | 2158310842.4291 | 661.3775 | 661.3768 |
| 8.7 | OBTVA99 | PT/OT OFF VISITS-VA AMT 99 | Sum of OBVA99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 12 | 12 | 29870508.7068 | 29845912.3381 | 168.9007 | 168.7616 |
| 8.8 | OBTCHM99 | PT/OT OFF VISITS - CHAMPUS/CHAMPVA AMT 99 | Sum of OBCH99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 1 | 1 | 2598857.0186 | 2592819.2700 | 198.0000 | 197.5400 |
| 8.9 | OBTOFD99 | PT/OT OFF VISITS -OTHER FED AMT 99 | Sum of OBOF99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 3 | 3 | 6966063.5838 | 6969344.9690 | 251.4493 | 251.5677 |
| 8.1 | OBTSTL99 | PT/OT OFF VISITS - OTHER ST/LOCL AMT 99 | Sum of OBSL99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 3 | 3 | 10189067.0228 | 10189067.0228 | 653.6177 | 653.6177 |
| 8.1 | OBTWCP99 | PT/OT OFF VISITS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9) | 58 | 58 | 651830763.1066 | 651847888.5570 | 945.4712 | 945.4961 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|--|--|---|--|---|--|
| 8.12 | OBTOPR99 | PT/OT OFF VISITS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9) | 8 | 8 | 20365699.6513 | 20356738.6370 | 263.4773 | 263.3614 |
| 8.13 | OBTOPU99 | PT/OT OFF VISITS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9) | 1 | 1 | 1842440.8432 | 1842440.8432 | 157.0000 | 157.0000 |
| 8.14 | OBTOSR99 | PT/OT OF VSTS- OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or - 9) and MEDPTYPE = (8 or 9) | 16 | 16 | 365778552.8226 | 365773972.3019 | 1415.0145 | 1414.9968 |
| 9.0 | OPTOTV99 | # OUTPATIENT DEPT PROVIDER VISITS 99 | Count Of OPAT records with SEETLKPV = (1, -7, -8 or -9) | 2981 | 2981 | 118232224.7054 | 118232224.7054 | 3.1878 | 3.1878 |
| 9.1 | OPFTCH99 | OPD PROVIDER VISIT CHARGES - FAC 99 | Sum of OPFTC99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 2969 | 2969 | 78820472798.114 | 78819274741.263 | 2135.1633 | 2135.1308 |
| 9.2 | OPFEXP99 | T O T A L O U T P A T I E N T F A C I L I T Y E X P 9 9 | Sum of OPFXP99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 2876 | 2876 | 40535253814.323 | 40534911973.834 | 1130.1951 | 1130.1856 |
| 9.3 | OPFSLF99 | ALL OPD VISITS- S E L F / F A M I L Y A M T - F A C 9 9 | Sum of OPFSF99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 1097 | 1097 | 2058237901.3096 | 2058204045.6174 | 149.6094 | 149.6069 |
| 9.4 | OPFMCR99 | ALL OPD VISITS- M E D I C A R E A M T - F A C 9 9 | Sum of OPFMR99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 740 | 741 | 7208744807.3485 | 7208872920.6523 | 770.2253 | 769.4973 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|---|---|---|--|--|---|
| 9.5 | OPFMCD99 | ALL OPD VISITS-MEDICAID AMT-FAC 99 | Sum of OPFMD99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 341 | 341 | 2928547745.2608 | 2928380812.3947 | 891.8641 | 891.8132 |
| 9.6 | OPFPRV99 | ALL OPD VISITS-PRIV INS AMT-FAC 99 | Sum of OPFPV99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 1793 | 1793 | 23278858147.657 | 23278682522.365 | 973.3814 | 973.3741 |
| 9.7 | OPFVA99 | ALL OPD VISITS-VA AMT-FAC 99 | Sum of OPFVA99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 96 | 96 | 1220941499.6285 | 1220890975.2227 | 1152.0868 | 1152.0391 |
| 9.8 | OPFCHM99 | ALL OPD VISITS-CHMPUS/CHMPVA AMT-FAC 99 | Sum of OPFCH99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 10 | 10 | 72768471.1611 | 72741086.2253 | 637.4362 | 637.1963 |
| 9.9 | OPFOFD99 | ALL OPD VISITS-OTHER FED AMT-FAC 99 | Sum of OPFOF99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 30 | 30 | 637630006.1997 | 637601121.4310 | 2084.6321 | 2084.5377 |
| 9.10 | OPFSTL99 | ALL OPD VISITS-OTH ST/LOCAL AMT-FAC 99 | Sum of OPFSL99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 12 | 12 | 131767309.6655 | 131772720.8527 | 791.0106 | 791.0431 |
| 9.11 | OPFWCP99 | ALL OPD VISITS-WORKERS COMP AMT-FAC 99 | Sum of OPFWC99X from OPAT records with SEETLKPV = (1, -7, -8 or -9) | 126 | 126 | 1771957253.1150 | 1771881528.9952 | 1119.1586 | 1119.1107 |
| 9.12 | OPFOPR99 | ALL OPD VISITS - OTH PRIVATE AMT-FAC 99 | Sum of OPFOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 135 | 135 | 928938423.2993 | 928855134.1078 | 576.3432 | 576.2915 |
| 9.13 | OPFOPU99 | ALL OPD VISITS - OTH PUBLIC AMT-FAC 99 | Sum of OPFOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 18 | 18 | 54633695.0080 | 54625204.9746 | 396.4590 | 396.3974 |
| 9.14 | OPFOSR99 | ALL OPD VSTS-OTH UNCLASS SRCE AMT-FAC 99 | Sum of OPFOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 58 | 58 | 242346601.6861 | 242403900.9962 | 353.5348 | 353.6184 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|---|---|---|--|--|---|
| 9.15 | OPDEXP99 | T O T A L O U T P A T I E N T P R O V I D E R E X P 9 9 | Sum of OPDXP99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 1894 | 1894 | 12866046360.351 | 12865867672.051 | 543.7422 | 543.7346 |
| 9.16 | OPDTCH99 | OPD PROVIDER V I S I T C H A R G E S - D R 9 9 | Sum of OPDTC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 1965 | 1965 | 28857668125.224 | 28857209277.335 | 1176.9767 | 1176.9580 |
| 9.17 | OPDSLF99 | A L L O P D V I S I T S - S E L F / F A M I L Y A M T - D R 9 9 | Sum of OPDSF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 541 | 541 | 792735846.8481 | 792643237.4096 | 115.5500 | 115.5365 |
| 9.18 | OPDMCR99 | A L L O P D V I S I T S - M E D I C A R E A M T - D R 9 9 | Sum of OPDMR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 591 | 591 | 2527646170.6438 | 2527595377.9770 | 341.0345 | 341.0277 |
| 9.19 | OPDMCD99 | A L L O P D V I S I T S - M E D I C A I D A M T - D R 9 9 | Sum of OPDMD99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 173 | 174 | 314261943.9522 | 314316267.7230 | 184.0524 | 182.7914 |
| 9.20 | OPDPRV99 | A L L O P D V I S I T S - P R I V I N S A M T - D R 9 9 | Sum of OPDPV99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 1278 | 1278 | 7979455696.7264 | 7978914411.5285 | 473.6097 | 473.5776 |
| 9.21 | OPDVA99 | A L L O P D V I S I T S - V A A M T - D R 9 9 | Sum of OPDVA99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 13 | 13 | 84697953.0853 | 84677047.1543 | 484.1654 | 484.0459 |
| 9.22 | OPDCHM99 | A L L O P D V I S I T S - C H M P U S / C H M P V A A M T - D R 9 9 | Sum of OPDCH99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 9 | 9 | 26519233.4209 | 26512296.1999 | 308.2856 | 308.2050 |
| 9.23 | OPDOFD99 | A L L O P D V I S I T S - O T H E R F E D A M T - D R 9 9 | Sum of OPDOF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 9.24 | OPDSTL99 | A L L O P D V I S I T S - O T H S T / L O C A L A M T - D R 9 9 | Sum of OPDSL99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 0 | 0 | . | . | 0.0000 | 0.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|---|---|---|--|--|---|
| 9.25 | OPDWCP99 | ALL OPD VISITS-WORKERS COMP AMT-DR 99 | Sum of OPDWC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 87 | 87 | 453737990.8127 | 453678994.7242 | 394.2977 | 394.2464 |
| 9.26 | OPDOPR99 | ALL OPD VISITS - OTH PRIVATE AMT-DR 99 | Sum of OPDOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 198 | 198 | 678600935.9467 | 678571648.2627 | 333.9953 | 333.9809 |
| 9.27 | OPDOPU99 | ALL OPD VISITS-OTH PUBLIC AMT-DR 99 | Sum of OPDOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 14 | 14 | 7014941.1126 | 7035577.3636 | 51.9269 | 52.0796 |
| 9.28 | OPDOSR99 | ALL OPD VSTS-OTH UNCLASS SRCE AMT-DR 99 | Sum of OPDOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) | 1 | 1 | 1920742.3198 | 1922813.7086 | 102.0000 | 102.1100 |
| 10.0 | OPDRV99 | # OUTPATIENT DEPT - DR VISITS 99 | Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 1675 | 1675 | 42589013.4161 | 42589013.4161 | 2.1270 | 2.1270 |
| 10.1 | OPVTCH99 | OPD PHYSICIAN VISIT CHARGES - FAC 99 | Sum of OPFTC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 1657 | 1658 | 51285807957.103 | 51285409813.022 | 2593.6891 | 2592.0253 |
| 10.2 | OPVEXP99 | T O T A L O U T P A T I E N T PHYSICIAN - FAC EXP 99 | Sum of OPFXP99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 1590 | 1591 | 25784835299.499 | 25784661025.931 | 1357.0354 | 1356.1313 |
| 10.3 | OPVSLF99 | OPD DR VISITS-SELF/FAMILY AMT-FAC 99 | Sum of OPFSF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 560 | 560 | 1291375595.5258 | 1291255968.6878 | 190.5836 | 190.5659 |
| 10.4 | OPVMCR99 | OPD DR VISITS-MEDICARE AMT-FAC 99 | Sum of OPFMR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 375 | 375 | 4165315807.1086 | 4165313484.2374 | 921.8943 | 921.8938 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 10.5 | OPVMCD99 | OPD DR VISITS- MEDICAID AMT- FAC 99 | Sum of OPFMD99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 208 | 208 | 1810139558.2152 | 1810026060.3528 | 946.4662 | 946.4068 |
| 10.6 | OPVPRV99 | OPD DR VISITS- PRIV INS AMT- FAC 99 | Sum of OPFPV99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 937 | 938 | 15364193889.765 | 15364129836.812 | 1272.8291 | 1271.5029 |
| 10.7 | OPVVA99 | OPD DR VISITS- VA AMT-FAC 99 | Sum of OPFVA99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 79 | 79 | 724148789.8412 | 724103902.9570 | 831.3289 | 831.2774 |
| 10.8 | OPVCHM99 | OPD DR VISITS- CHPUS/CHPVA AMT-FAC 99 | Sum of OPFCH99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 4 | 4 | 27823567.9055 | 27815074.0958 | 689.7980 | 689.5874 |
| 10.9 | OPVOFD99 | OPD DR VISITS- OTHER FED AMT- FAC 99 | Sum of OPFOF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 24 | 24 | 282744848.8330 | 282731148.4652 | 1171.6842 | 1171.6274 |
| 10.10 | OPVSTL99 | OPD DR VISITS- OTH ST/LOCAL AMT-FAC 99 | Sum of OPFSL99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 4 | 4 | 30883566.0027 | 30887422.8831 | 714.0061 | 714.0953 |
| 10.11 | OPVWCP99 | OPD DR VISITS- WORKERS COMP AMT-FAC 99 | Sum of OPFWC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 66 | 66 | 1211354192.7150 | 1211297916.2711 | 1503.5265 | 1503.4567 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 10.12 | OPVOPR99 | OPD DR VISITS - OTH PRIVATE AMT-FAC 99 | Sum of OPFOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1 | 79 | 79 | 705582923.6465 | 705558014.7552 | 826.2508 | 826.2216 |
| 10.13 | OPVOPU99 | OPD DR VISITS- OTH PUBLIC AMT- FAC 99 | Sum of OPFOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 11 | 11 | 43546285.3314 | 43544333.1465 | 664.0984 | 664.0687 |
| 10.14 | OPVOSR99 | OPD DR VSTS- OTH UNCLASS SRCE AMT-FAC 99 | Sum of OPFOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 26 | 26 | 127961952.0187 | 127997863.2672 | 417.3054 | 417.4225 |
| 10.15 | OPSEXP99 | T O T A L O U T P A T I E N T P H Y S I C I A N - D R E X P 9 9 | Sum of OPDXP99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 1079 | 1079 | 9493412059.6589 | 9493158275.4998 | 721.8838 | 721.8645 |
| 10.16 | OPSTCH99 | OPD PHYSICIAN VISIT CHARGES - DR 99 | Sum of OPDTC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1 | 1110 | 1110 | 21482773361.540 | 21482563919.123 | 1592.4633 | 1592.4477 |
| 10.17 | OPSSLF99 | OPD DR VISITS- S E L F / F A M I L Y A M T - D R 9 9 | Sum of OPDSF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1 | 294 | 294 | 559525112.4735 | 559526086.8137 | 151.4013 | 151.4015 |
| 10.18 | OPSMCR99 | OPD DR VISITS- MEDICARE AMT- DR 99 | Sum of OPDMR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 332 | 332 | 1805803083.9275 | 1805760628.1271 | 451.0069 | 450.9963 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 10.19 | OPSMCD99 | OPD DR VISITS- MEDICAID AMT- DR 99 | Sum of OPDMD99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 103 | 104 | 240784232.0715 | 240801429.9677 | 232.5621 | 229.8972 |
| 10.20 | OPSPRV99 | OPD DR VISITS- PRIV INS AMT-DR 99 | Sum of OPDPV99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 735 | 735 | 5955651107.1275 | 5955383550.1258 | 628.3731 | 628.3448 |
| 10.21 | OPVA99 | OPD DR VISITS- VA AMT-DR 99 | Sum of OPDVA99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 11 | 11 | 71354380.6056 | 71333474.6746 | 490.9638 | 490.8199 |
| 10.22 | OPSCHM99 | OPD DR VISITS- CHMPUS/CHMPVA AMT-DR 99 | Sum of OPDCH99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 2 | 2 | 13642380.5409 | 13635651.1156 | 669.0000 | 668.6700 |
| 10.23 | OPSOFD99 | OPD DR VISITS- OTHER FED AMT- DR 99 | Sum of OPDOF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 10.24 | OPSTL99 | OPD DR VISITS- OTH ST/LOCAL AMT-DR 99 | Sum of OPDSL99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 10.25 | OPSWCP99 | OPD DR VISITS- WORKERS COMP AMT-DR 99 | Sum of OPDWC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 53 | 53 | 393698489.9537 | 393682894.3341 | 557.8026 | 557.7805 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|---|--|--|---|--|---|--|
| 10.26 | OPSOPR99 | OPD DR VISITS - OTH PRIVATE AMT-DR 99 | Sum of OPDOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 121 | 121 | 448283037.9439 | 448270422.9498 | 366.7709 | 366.7605 |
| 10.27 | OPSOPU99 | OPD DR VISITS- OTH PUBLIC AMT- DR 99 | Sum of OPDOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 7 | 7 | 4762264.6440 | 4764137.3914 | 72.2999 | 72.3283 |
| 10.28 | OPSOSR99 | OPD DR VSTS- OTH UNCLASS SRCE AMT-DR 99 | Sum of OPDOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 11.0 | OPOTHV99 | # OUTPATIENT DEPT NON-DR VISITS 99 | Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1697 | 1697 | 73268201.7587 | 73268201.7587 | 3.3405 | 3.3405 |
| 11.1 | OPOTCH99 | OPD NON-PHYS VISIT CHARGES - FAC 99 | Sum of OPFTC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1694 | 1694 | 25707451058.419 | 25706676081.693 | 1174.3751 | 1174.3397 |
| 11.2 | OPOEXP99 | T O T A L O U T P A T I E N T N O N - D R - F A C E X P 9 9 | Sum of OPFXP99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1642 | 1642 | 13884658533.805 | 13884415034.523 | 651.7303 | 651.7188 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|---|---|---|--|--|---|
| 11.3 | OPOSLF99 | OPD NON-DR VISITS-SELF/FAM AMT-FAC 99 | Sum of OPFSF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 574 | 575 | 721204000.3786 | 721267046.1200 | 97.7203 | 97.5810 |
| 11.4 | OPOMCR99 | OPD NON-DR VISITS-MEDICARE AMT-FAC 99 | Sum of OPFMR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 481 | 482 | 2921449788.8114 | 2921568910.4939 | 468.7390 | 468.0807 |
| 11.5 | OPOMCD99 | OPD NON-DR VISITS-MEDICAID AMT-FAC 99 | Sum of OPFMD99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 155 | 155 | 1049505128.1086 | 1049444367.4577 | 674.9920 | 674.9530 |
| 11.6 | OPOPRV99 | OPD NON-DR VISITS-PRIV INS AMT-FAC 99 | Sum of OPFPV99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1068 | 1068 | 7326990108.7617 | 7326842373.6875 | 499.0759 | 499.0659 |
| 11.7 | OPOVA99 | OPD NON-DR VISITS-VA AMT-FAC 99 | Sum of OPFVA99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 35 | 35 | 485959515.6292 | 485961780.8542 | 1330.7560 | 1330.7622 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 11.8 | OPOCHM99 | OPD NON-DR VISITS - CHPS/CHVA AMT-FAC 99 | Sum of OPFCH99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 6 | 6 | 44944903.2556 | 44926012.1295 | 608.8262 | 608.5703 |
| 11.9 | OPOOFD99 | OPD NON-DR VISITS-OTHER FED AMT-FAC 99 | Sum of OPFOF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 10 | 10 | 345964473.9057 | 345966539.7876 | 3513.1985 | 3513.2194 |
| 11.10 | OPOSTL99 | OPD NON-DR VISITS - OTH ST/LOC AMT-FAC 99 | Sum of OPFSL99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 10 | 10 | 100883743.6628 | 100885297.9697 | 731.7035 | 731.7148 |
| 11.11 | OPOWCP99 | OPD NON-DR VISITS-WRKRS COMP AMT-FAC 99 | Sum of OPFWC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 64 | 64 | 560544337.0338 | 560532708.3527 | 667.1624 | 667.1486 |
| 11.12 | OPOOPR99 | OPD NON-DR VISITS - OTH PRIVATE AMT-FAC 99 | Sum of OPFOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 75 | 75 | 201583046.0033 | 201533088.1131 | 217.9917 | 217.9377 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|---|--|--|---|--|---|--|
| 11.13 | OPOOPU99 | OPD NON-DR V I S I T S - O T H PUBLIC AMT-FAC 99 | Sum of OPFOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 8 | 8 | 11087409.6766 | 11080871.8281 | 141.8593 | 141.7757 |
| 11.14 | OPOOSR99 | OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 99 | Sum of OPFOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 33 | 33 | 114384649.6674 | 114406037.7290 | 294.0509 | 294.1059 |
| 11.15 | OPPEXP99 | T O T A L O U T P A T I E N T NON-DR - DR EXP 99 | Sum of OPDXP99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 967 | 967 | 3131060296.3479 | 3131035715.3479 | 251.9964 | 251.9944 |
| 11.16 | OPPTCH99 | OPD NON-PHYS VISIT CHARGES - DR 99 | Sum of OPDTC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1016 | 1016 | 6834131474.0944 | 6833953175.7762 | 524.4734 | 524.4597 |
| 11.17 | OPPSLF99 | OPD NON-DR VISITS-SELF/FAM AMT-DR 99 | Sum of OPDSF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 258 | 258 | 221715721.6885 | 221638776.9538 | 67.7874 | 67.7638 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 11.18 | OPPMCR99 | OPD NON-DR VISITS-MEDICARE AMT-DR 99 | Sum of OPDMR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 318 | 318 | 649373749.2629 | 649298845.4182 | 155.4006 | 155.3826 |
| 11.19 | OPPMCD99 | OPD NON-DR VISITS-MEDICAID AMT-DR 99 | Sum of OPDMD99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 70 | 70 | 63908831.4539 | 63935676.6378 | 97.4743 | 97.5152 |
| 11.20 | OPPPRV99 | OPD NON-DR VISITS-PRIV INS AMT-DR 99 | Sum of OPDPV99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 643 | 643 | 1943621431.1722 | 1943408788.3625 | 224.3739 | 224.3494 |
| 11.21 | OPPVA99 | OPD NON-DR VISITS-VA AMT-DR 99 | Sum of OPDVA99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 2 | 2 | 13343572.4796 | 13343572.4796 | 450.7865 | 450.7865 |
| 11.22 | OPPCHM99 | OPD NON-DR VISITS - CHPS/CHVA AMT-DR 99 | Sum of OPDCH99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 7 | 7 | 12876852.8800 | 12876645.0844 | 196.2054 | 196.2023 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|---|--|--|---|--|---|--|
| 11.23 | OPPOFD99 | OPD NON-DR VISITS-OTHER FED AMT-DR 99 | Sum of OPDOF99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 11.24 | OPPSTL99 | OPD NON-DR VISITS-OTH ST/LOC AMT-DR 99 | Sum of OPDSL99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 11.25 | OPPWCP99 | OPD NON-DR VISITS-WRKRS COMP AMT-DR 99 | Sum of OPDWC99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 34 | 34 | 58741029.0446 | 58745162.9513 | 123.0753 | 123.0840 |
| 11.26 | OPPOPR99 | OPD NON-DR VISITS-OTH PRIVATE AMT-DR 99 | Sum of OPDOR99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 85 | 85 | 163606931.7287 | 163593993.7794 | 173.7492 | 173.7355 |
| 11.27 | OPPOPU99 | OPD NON-DR VISITS-OTH PUBLIC AMT-DR 99 | Sum of OPDOU99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 9 | 9 | 2252676.4686 | 2271439.9721 | 24.4273 | 24.6308 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 11.28 | OPPOSR99 | OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 99 | Sum of OPDOT99X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0)) | 1 | 1 | 1920742.3198 | 1922813.7086 | 102.0000 | 102.1100 |
| 12.0 | AMCHIR99 | # CHIROPRACTR V S T S (OFF+OUTPAT), 1999 | Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 640 | 640 | 76628159.5632 | 76628159.5632 | 8.6914 | 8.6914 |
| 12.1 | AMCTCH99 | C H I R O A M B U L A T O R Y V I S I T C H A R G E S 99 | Sum of OBTC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 638 | 638 | 3732303174.7836 | 3732272623.1596 | 424.7572 | 424.7537 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|--|--|---|--|---|--|
| 12.2 | AMCEXP99 | TOTL AMBULTRY (OB+OP) CHIRO EXP 99 | Sum of OBP99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 614 | 614 | 3205745827.4516 | 3205728488.8957 | 377.8111 | 377.8091 |
| 12.3 | AMCSLF99 | CHIRO AMB V I S I T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF99X + OPDSF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 491 | 491 | 1364317354.8778 | 1364312167.1347 | 196.8029 | 196.8021 |
| 12.4 | AMCMCR99 | CHIRO AMB V I S I T S - MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR99X + OPDMR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 39 | 39 | 85655619.4790 | 85660784.9568 | 157.1552 | 157.1647 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 12.5 | AMCMCD99 | CHIRO AMB VISITS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD99X + OPDMD99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 14 | 14 | 30388544.2096 | 30404807.5600 | 188.9073 | 189.0084 |
| 12.6 | AMCPRV99 | CHIRO AMB VISITS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV99X + OPDPV99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 273 | 273 | 1152171716.2539 | 1152148276.0176 | 301.7643 | 301.7581 |
| 12.7 | AMCVA99 | CHIRO AMB VISITS -VA AMT 99 | Sum of OBVA99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA99X + OPDVA99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 10 | 10 | 30503286.7328 | 30497955.4038 | 267.6920 | 267.6452 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 12.8 | AMCCHM99 | CHIRO AMB V I S I T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFCH99X + OPDCH99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 1 | 1 | 72505.4822 | 72505.4822 | 10.0000 | 10.0000 |
| 12.9 | AMCOFD99 | CHIRO AMB VISITS -OTHER FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF99X + OPDOF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 12.10 | AMCSTL99 | CHIRO AMB VISITS -OTH ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL99X + OPDSL99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 3 | 3 | 131521224.3774 | 131519798.7120 | 2240.0043 | 2239.9800 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 12.11 | AMCWCP99 | CHIRO AMB VISITS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC99X + OPDWC99X) from OPAT records with and [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 20 | 20 | 107188138.2237 | 107188138.2237 | 456.9613 | 456.9613 |
| 12.12 | AMCOPR99 | CHIRO AMB VISITS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR99X + OPDOR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 16 | 16 | 70130282.8471 | 70111412.9874 | 290.0486 | 289.9706 |
| 12.13 | AMCOPU99 | CHIRO AMB VISITS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU99X + OPDOU99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 2 | 2 | 137881.2121 | 137631.5188 | 12.3364 | 12.3141 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 12.14 | AMCOSR99 | CHIR AMB VSTS - OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT99X + OPDOT99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] | 37 | 37 | 233692253.2496 | 233675010.8987 | 542.9173 | 542.8773 |
| 13. | AMNURS99 | # A M B NURSE/PRCTITIONR VSTS(OB+OP) 99 | Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 1977 | 1977 | 78029734.2467 | 78029734.2467 | 3.0415 | 3.0415 |
| 13.1 | AMNTCH99 | N R S / P R A C A M B U L A T O R Y V I S I T C H A R G E S 99 | Sum of OBTC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4] | 1969 | 1969 | 9844063509.4129 | 9843851217.9447 | 386.0772 | 386.0689 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 13.2 | AMNEXP99 | TOTL AMBULTRY (O B + O P) NURSE/PRAC EXP 99 | Sum of OBP99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4] | 1832 | 1832 | 5757512791.8033 | 5757164299.5277 | 241.7404 | 241.7258 |
| 13.3 | AMNSLF99 | NRS/PRAC AMB V S T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF99X + OPDSF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 985 | 985 | 793301391.6501 | 793235649.4549 | 61.5067 | 61.5016 |
| 13.4 | AMNMCR99 | NRS/PRAC AMB VSTS -MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR99X + OPDMR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 343 | 343 | 1083944273.6243 | 1083996639.1805 | 244.3663 | 244.3782 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 13.5 | AMNMCD99 | NRS/PRAC AMB VSTS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD99X + OPDMD99X) from OPAT records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 218 | 218 | 540851226.9619 | 540787354.8212 | 233.3624 | 233.3348 |
| 13.6 | AMNPRV99 | NRS/PRAC AMB VSTS -PRIV INS AMT 99 | Sum of OBPV99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV99X + OPDPV99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 1037 | 1038 | 2379776438.5365 | 2379359414.2225 | 166.4796 | 166.3380 |
| 13.7 | AMNVA99 | NRS/PRAC AMB VSTS-VA AMT 99 | Sum of OBVA99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA99X + OPDVA99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 36 | 36 | 367202247.6862 | 367183501.2034 | 733.4309 | 733.3935 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|---|---|---|--|--|---|
| 13.8 | AMNCHM99 | NRS/PRAC AMB V S T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFCH99X + OPDCH99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 13 | 13 | 34980497.4567 | 34989223.9673 | 181.2505 | 181.2957 |
| 13.9 | AMNOFD99 | NRS/PRAC AMB V S T S - O T H E R FEDERAL AMT 99 | Sum of OBOF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF99X + OPDOF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 5 | 5 | 317336873.7098 | 317322386.7853 | 5087.4413 | 5087.2090 |
| 13.10 | AMNSTL99 | NRS/PRAC AMB V S T S - O T H ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL99X + OPDSL99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 16 | 16 | 94097976.8127 | 94088081.5644 | 694.0484 | 693.9754 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|---|--|--|---|--|---|--|
| 13.11 | AMNWCP99 | NRS/PRAC AMB VSTS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC99X + OPDWC99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 15 | 15 | 22467194.2349 | 22454041.1879 | 134.7784 | 134.6995 |
| 13.12 | AMNOPR99 | NRS/PRAC AMB VSTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR99X + OPDOR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 48 | 48 | 54861632.8610 | 54851836.9952 | 95.9857 | 95.9686 |
| 13.13 | AMNOPU99 | NRS/PRAC AMB VSTS - OTH PUBLIC AMT 99 | Sum of OBONU99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU99X + OPDOU99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 8 | 8 | 8216410.0005 | 8225871.2887 | 86.7940 | 86.8939 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 13.14 | AMNOSR99 | NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 99 | Sum of OBOT99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT99X + OPDOT99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] | 79 | 79 | 60670167.3955 | 60670298.8563 | 61.3636 | 61.3637 |
| 14. | AMOPTO99 | # A M B OPTOMETRIST VSTS (OB+OP) 99 | Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 1008 | 1008 | 16022358.9536 | 16022358.9536 | 1.1838 | 1.1838 |
| 14.1 | AMETCH99 | OPTOMETRIST AMBULATORY VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 1004 | 1004 | 2115784313.6898 | 2115789827.3627 | 156.6758 | 156.6762 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|--|--|---|--|---|--|
| 14.2 | AMEEXP99 | TOTL AMBULTRY (O B + O P) OPTOMETRIST EXP 99 | Sum of OBP99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 980 | 980 | 1606097486.9076 | 1606096010.7211 | 121.6823 | 121.6822 |
| 14.3 | AMESLF99 | OPTMTRIST AMB V S T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF99X + OPDSF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 749 | 749 | 817706603.5094 | 817676769.9002 | 79.6616 | 79.6587 |
| 14.4 | AMEMCR99 | OPTMTRIST AMB VSTS -MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR99X + OPDMR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 60 | 60 | 227612162.7803 | 227583247.5418 | 318.1353 | 318.0949 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|---|---|---|--|--|---|
| 14.5 | AMEMCD99 | OPTMTRIST AMB VSTS -MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD99X + OPDMD99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 80 | 80 | 56979866.7673 | 56982923.9376 | 70.3335 | 70.3373 |
| 14.6 | AMEPRV99 | OPTMTRIST AMB VSTS -PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV99X + OPDPV99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 392 | 392 | 473801392.1129 | 473751689.1524 | 86.6445 | 86.6354 |
| 14.7 | AMEVA99 | OPTMTRIST AMB VSTS-VA AMT 99 | Sum of OBVA99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA99X + OPDVA99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 10 | 10 | 3991148.2853 | 3948432.4295 | 32.3685 | 32.0221 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 14.8 | AMECHM99 | OPTMTRIST AMB V S T S - CHMPUS/CHMPVA AMT 99 | Sum of OBCH99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFCH99X + OPDCH99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 1 | 1 | 370057.3319 | 376841.7163 | 18.0000 | 18.3300 |
| 14.9 | AMEOFD99 | OPTMTRIST AMB VSTS-OTHER FED AMT 99 | Sum of OBOF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF99X + OPDOF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 4 | 4 | 877714.0417 | 876675.6531 | 28.3340 | 28.3005 |
| 14.10 | AMESTL99 | OPTMTRIST AMB V S T S - O T H ST/LOCAL AMT 99 | Sum of OBSL99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL99X + OPDSL99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 1 | 1 | 106720.8050 | 106720.8050 | 10.0000 | 10.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 14.11 | AMEWCP99 | OPTMTRIST AMB VSTS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC99X + OPDWC99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 14.12 | AMEOPR99 | OPTMTRIST AMB VSTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR99X + OPDOR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 14 | 14 | 19087626.1208 | 19092940.7250 | 83.5212 | 83.5445 |
| 14.13 | AMEOPU99 | OPTMTRIST AMB VSTS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU99X + OPDOU99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 0 | 0 | . | . | 0.0000 | 0.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 14.14 | AMEOSR99 | OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 99 | Sum of OBOT99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT99X + OPDOT99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] | 11 | 11 | 5707390.0356 | 5699768.8603 | 39.1417 | 39.0894 |
| 15.0 | AMASST99 | # PHYSICIAN ASS T V S T S (OFF+OUPAT), 1999 | Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 324 | 324 | 7227879.7821 | 7227879.7821 | 1.7271 | 1.7271 |
| 15.1 | AMATCH99 | PHYS ASS T AMBULATORY VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7] | 324 | 324 | 2564315181.7306 | 2564302695.4545 | 612.7548 | 612.7518 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 15.2 | AMAEXP99 | TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 99 | Sum of OBP99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7] | 318 | 318 | 577927684.3101 | 577853168.7768 | 140.4185 | 140.4004 |
| 15.3 | AMASLF99 | PHYS ASS T AMB V S T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF99X + OPDSF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 188 | 188 | 92112525.8260 | 92090383.3392 | 37.4043 | 37.3953 |
| 15.4 | AMAMCR99 | PHYS ASS T AMB VSTS-MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR99X + OPDMR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 45 | 45 | 43020329.4717 | 42953053.5646 | 69.5656 | 69.4568 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 15.5 | AMAMCD99 | PHYS ASS T AMB VSTS-MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD99X + OPDMD99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 27 | 27 | 20526140.1987 | 20528981.4123 | 79.0263 | 79.0372 |
| 15.6 | AMAPRV99 | PHYS ASS T AMB VSTS-PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV99X + OPDPV99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 189 | 189 | 364688063.8676 | 364651909.8103 | 143.6511 | 143.6369 |
| 15.7 | AMAVA99 | PHYS ASS T AMB VSTS-VA AMT 99 | Sum of OBVA99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA99X + OPDVA99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 12 | 12 | 17846833.3757 | 17853745.9531 | 101.4147 | 101.4540 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 15.8 | AMACHM99 | PHYS ASS T AMB V S T S - CHMPUS/CHMPVA AMT 99 | Sum of OBCH99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFCH99X + OPDCH99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 3 | 3 | 897968.3030 | 898761.1051 | 41.3247 | 41.3612 |
| 15.9 | AMAOFD99 | PHYS ASS T AMB VSTS -OTHER FED AMT 99 | Sum of OBOF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF99X + OPDOF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 5 | 5 | 7911840.5161 | 7933008.1580 | 86.9613 | 87.1940 |
| 15.10 | AMASTL99 | PHYS ASS T AMB V S T S - O T H ST/LOCL AMT 99 | Sum of OBSL99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL99X + OPDSL99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 4 | 4 | 10011436.1539 | 10009760.3676 | 185.1472 | 185.1162 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 15.11 | AMAWCP99 | PHYS ASS T AMB VSTS-WRKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC99X + OPDWC99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 6 | 6 | 9789155.6263 | 9783356.2765 | 121.8937 | 121.8215 |
| 15.12 | AMAOPR99 | PHYS ASS T AMB VSTS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR99X + OPDOR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 15 | 15 | 7969624.9530 | 7947509.1989 | 45.6907 | 45.5639 |
| 15.13 | AMAOPU99 | PHYS ASS T AMB VSTS - OTH PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU99X + OPDOU99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 3 | 3 | 421008.3015 | 429763.4533 | 13.9899 | 14.2808 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 15.14 | AMAOSR99 | P A AMB VSTS- OTH UNCLASS SRCE AMT 99 | Sum of OBOT99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT99X + OPDOT99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] | 5 | 5 | 2767229.3746 | 2772936.1378 | 55.4523 | 55.5667 |
| 16.0 | AMTHER99 | # AMB PT/OT THRPY VISITS (OB+OP) 99 | Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 503 | 503 | 75250363.4677 | 75250363.4677 | 11.0346 | 11.0346 |
| 16.1 | AMTTCH99 | P T / O C AMBULATORY VISIT CHARGES 99 | Sum of OBTC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)] | 502 | 502 | 12430843098.299 | 12430682649.769 | 1826.2038 | 1826.1802 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|--|--|---|--|---|--|
| 16.2 | AMTEXP99 | TOTL AMBULTRY (OB+OP) PT/OT EXP 99 | Sum of OBP99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP99X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)] | 495 | 495 | 7071584176.5602 | 7071584925.7316 | 1054.8649 | 1054.8650 |
| 16.3 | AMTSLF99 | PT/OT AMB V I S I T S - SELF/FAMILY AMT 99 | Sum of OBSF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF99X + OPDSF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 217 | 217 | 498173727.6057 | 498110720.9793 | 161.0077 | 160.9874 |
| 16.4 | AMTMCR99 | PT/OT AMB VISITS-MEDICARE AMT 99 | Sum of OBMR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR99X + OPDMR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 95 | 95 | 750230837.4951 | 750223852.1783 | 560.5597 | 560.5545 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 16.5 | AMTMCD99 | PT/OT AMB VISITS-MEDICAID AMT 99 | Sum of OBMD99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD99X + OPDMD99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 41 | 41 | 186121028.9711 | 186095632.4108 | 473.5643 | 473.4997 |
| 16.6 | AMTPRV99 | PT/OT AMB VISITS-PRIVATE INS AMT 99 | Sum of OBPV99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV99X + OPDPV99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 331 | 331 | 4028544529.7528 | 4028540750.2297 | 868.9550 | 868.9542 |
| 16.7 | AMTVA99 | PT/OT AMB VISITS-VA AMT 99 | Sum of OBVA99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA99X + OPDVA99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 15 | 15 | 38706650.1642 | 38682053.7955 | 176.0734 | 175.9615 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 16.8 | AMTCHM99 | PT/OT AMB V I S I T S - CHAMPUS/CHAM PVA AMT 99 | Sum of OBCH99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFCH99X + OPDCH99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 3 | 3 | 56498647.9035 | 56482834.4278 | 1321.4270 | 1321.0571 |
| 16.9 | AMTOFD99 | PT/OT AMB VISITS -OTHER FED AMT 99 | Sum of OBOF99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF99X + OPDOF99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 3 | 3 | 19986599.7578 | 19993687.5497 | 721.4427 | 721.6985 |
| 16.10 | AMTSTL99 | PT/OT AMB V I S I T S - O T H ST/LOCL AMT 99 | Sum of OBSL99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL99X + OPDSL99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 6 | 6 | 18345846.5918 | 18353166.7093 | 391.2668 | 391.4229 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 16.11 | AMTWCP99 | PT/OT AMB VISITS-WORKERS COMP AMT 99 | Sum of OBWC99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC99X + OPDWC99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 75 | 75 | 1032353492.0240 | 1032338852.4075 | 1068.4622 | 1068.4471 |
| 16.12 | AMTOPR99 | PT/OT AMB VISITS - OTH PRIVATE AMT 99 | Sum of OBOR99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR99X + OPDOR99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 16 | 16 | 48424145.2795 | 48408586.8539 | 287.2249 | 287.1326 |
| 16.13 | AMTOPU99 | PT/OT AMB V I S I T S - O T H PUBLIC AMT 99 | Sum of OBOU99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU99X + OPDOU99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 1 | 1 | 1842440.8432 | 1842440.8432 | 157.0000 | 157.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 16.14 | AMTOSR99 | PT/OT AMB VSTS-OTH UNCLAS SRCE AMT 99 | Sum of OBOT99X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT99X + OPDOT99X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] | 18 | 18 | 392517170.2567 | 392512347.3465 | 1366.3165 | 1366.2997 |
| 17.0 | AMTOTC99 | # CALLS W/OFFICE & OUPAT DEPTS, 1999 | Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2 | 864 | 864 | 18509745.8031 | 18509745.8031 | 1.5789 | 1.5789 |
| 18.0 | AMDRC99 | # CALLS W/OFF & O U T P A T PHYSICIANS, 1999 | Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1 | 575 | 575 | 11055612.3943 | 11055612.3943 | 1.4297 | 1.4297 |
| 19.0 | ERTOT99 | # EMERGENCY ROOM VISITS, 1999 | Count of EROM records | 2783 | 2783 | 43323557.4812 | 43323557.4812 | 1.3064 | 1.3064 |
| 19.1 | ERFTCH99 | ER FACILITY VISIT CHARGES 99 | Sum of ERFTC99X from EROM records | 2705 | 2705 | 24369072039.555 | 24368336951.946 | 757.3967 | 757.3739 |
| 19.2 | ERFEXP99 | TOTAL ER FACILITY EXP 99 | Sum of ERFXP99X from EROM records | 2473 | 2473 | 13289967489.857 | 13289501162.795 | 447.0426 | 447.0269 |
| 19.3 | ERFSLF99 | ER-SELF/FAMILY AMT - FAC 99 | Sum of ERF99X from EROM records | 1019 | 1019 | 1947357933.0620 | 1947238990.4925 | 150.9146 | 150.9054 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 19.4 | ERFMCR99 | ER-MEDICARE AMT - FAC 99 | Sum of ERFMR99X from EROM records | 399 | 399 | 1774457792.9577 | 1774184580.0734 | 358.6216 | 358.5664 |
| 19.5 | ERFMCD99 | ER-MEDICAID AMT - FAC 99 | Sum of ERFMD99X from EROM records | 473 | 473 | 1098775323.7237 | 1098620877.5657 | 246.3979 | 246.3633 |
| 19.6 | ERFPRV99 | ER-PRIVATE INS AMT - FAC 99 | Sum of ERFPV99X from EROM records | 1300 | 1300 | 7043455016.6888 | 7043090170.5173 | 416.8081 | 416.7865 |
| 19.7 | ERFVA99 | ER-VA AMT - FAC 99 | Sum of ERFVA99X from EROM records | 34 | 34 | 204196004.7260 | 204222906.7387 | 508.3900 | 508.4570 |
| 19.8 | ERFCHM99 | E R - CHAMPUS/CHAM PVA AMT - FAC 99 | Sum of ERFCH99X from EROM records | 11 | 11 | 15864395.6453 | 15853180.3826 | 125.2317 | 125.1432 |
| 19.9 | ERFOFD99 | E R - O T H E R FEDERAL AMT - FAC 99 | Sum of ERFOF99X from EROM records | 11 | 11 | 67922395.5352 | 67929888.4475 | 427.6540 | 427.7012 |
| 19.10 | ERFSTL99 | E R - O T H ST/LOCAL AMT - FAC 99 | Sum of ERFSL99X from EROM records | 11 | 11 | 25050945.5566 | 25052319.7339 | 155.2028 | 155.2113 |
| 19.11 | ERFWCP99 | ER-WORKERS COMP AMT - FAC 99 | Sum of ERFWC99X from EROM records | 136 | 136 | 541512517.3643 | 541427201.6262 | 335.7887 | 335.7358 |
| 19.12 | ERFOPR99 | E R - O T H E R PRIVATE AMT - FAC 99 | Sum of ERFOR99X from EROM records | 106 | 106 | 274360814.6117 | 274351048.4898 | 224.1265 | 224.1185 |
| 19.13 | ERFOPU99 | E R - O T H E R PUBLIC AMT - FAC 99 | Sum of ERFOU99X from EROM records | 24 | 24 | 30876417.3539 | 30861323.2371 | 165.1115 | 165.0308 |
| 19.14 | ERFOSR99 | ER-OTH UNCLASS SRCE AMT - FAC 99 | Sum of ERFOT99X from EROM records | 59 | 59 | 266684163.3683 | 266668675.4902 | 357.1732 | 357.1524 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 19.15 | ERDEXP99 | T O T A L E M E R G E N C Y R O O M D R E X P 99 | Sum of ERDXP99X from EROM records | 1707 | 1707 | 4022924298.5956 | 4022722430.0988 | 195.6401 | 195.6303 |
| 19.16 | ERDTCH99 | ER DOCTOR VISIT CHARGES 99 | Sum of ERDTC99X from EROM records | 1917 | 1917 | 7690398734.8446 | 7690158208.2640 | 335.7169 | 335.7064 |
| 19.17 | ERDSLF99 | ER-SELF/FAMILY AMT - DR 99 | Sum of ERDSF99X from EROM records | 474 | 474 | 418791230.6701 | 418628796.5179 | 74.3929 | 74.3641 |
| 19.18 | ERDMCR99 | ER - MEDICARE AMT - DR 99 | Sum of ERDMR99X from EROM records | 331 | 331 | 621740368.6602 | 621628749.2887 | 149.6936 | 149.6667 |
| 19.19 | ERDMCD99 | ER - MEDICAID AMT - DR 99 | Sum of ERDMD99X from EROM records | 284 | 285 | 214539692.9427 | 214659744.1053 | 76.5195 | 76.3748 |
| 19.20 | ERDPRV99 | ER-PRIVATE INS AMT - DR 99 | Sum of ERDPV99X from EROM records | 965 | 965 | 2413851785.8519 | 2413789287.8213 | 191.8499 | 191.8449 |
| 19.21 | ERDVA99 | ER-VA AMT - DR 99 | Sum of ERDVA99X from EROM records | 21 | 21 | 76353552.0925 | 76382577.8071 | 224.0631 | 224.1483 |
| 19.22 | ERDCHM99 | E R - CHAMPUS/CHAM PVA AMT - DR 99 | Sum of ERDCH99X from EROM records | 11 | 11 | 7464106.6985 | 7477931.5269 | 62.1763 | 62.2915 |
| 19.23 | ERDOFD99 | ER-OTHER FED AMT - DR 99 | Sum of ERDOF99X from EROM records | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 19.24 | ERDSTL99 | E R - O T H ST/LOCAL AMT - DR 99 | Sum of ERDSL99X from EROM records | 5 | 5 | 2831479.7620 | 2833794.2166 | 66.1461 | 66.2002 |
| 19.25 | ERDWCP99 | ER - WORKERS COMP AMT - DR 99 | Sum of ERDWC99X from EROM records | 93 | 93 | 143578511.6550 | 143563481.0183 | 114.8978 | 114.8858 |
| 19.26 | ERDOPR99 | ER - OTHER PRIVATE AMT - DR 99 | Sum of ERDOR99X from EROM records | 114 | 114 | 97242996.1434 | 97172457.0348 | 75.4927 | 75.4379 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 19.27 | ERDOPU99 | ER - OTHER PUBLIC AMT - DR 99 | Sum of ERDOU99X from EROM records | 19 | 20 | 6783942.7082 | 6802196.6002 | 27.9074 | 27.6208 |
| 19.28 | ERDOSR99 | ER-OTH UNCLASS SRCE AMT - DR 99 | Sum of ERDOT99X from EROM records | 10 | 10 | 19792795.1317 | 19783414.1618 | 151.1707 | 151.0990 |
| 20.0 | IPZERO99 | # ZERO-NIGHT HOSPITAL STAYS 99 | Count of STAZ records with NUMNIGHX = 0 | 88 | 88 | 1224237.5516 | 1224237.5516 | 1.0527 | 1.0527 |
| 20.1 | ZIFTCH99 | ZERO-NITE IP STAY CHARGES - FAC 99 | Sum of IPFTC99X from STAZ records with NUMNIGHX = 0 | 87 | 87 | 4125837367.3103 | 4125845983.8106 | 3580.2259 | 3580.2334 |
| 20.2 | ZIFEXP99 | TOTAL ZERO-NITE STAYS FAC EXP 99 | Sum of IPFXP99X from STAZ records with NUMNIGHX=0 | 82 | 82 | 2205537860.3734 | 2205559220.4120 | 2025.4097 | 2025.4294 |
| 20.3 | ZIFSLF99 | ZERO-NITE IP STAZ -SELF/FAM AMT-FAC 99 | Sum of IPFSF99X from STAZ records with NUMNIGHX = 0 | 31 | 31 | 207015283.9085 | 207038767.0859 | 469.2723 | 469.3256 |
| 20.4 | ZIFMCR99 | ZERO-NITE IP STAZ-MEDICARE AMT-FAC 99 | Sum of IPFMR99X from STAZ records with NUMNIGHX = 0 | 20 | 20 | 644879578.3519 | 644888735.3041 | 1942.7502 | 1942.7778 |
| 20.5 | ZIFMCD99 | ZERO-NITE IP STAZ-MEDICAID AMT-FAC 99 | Sum of IPFMD99X from STAZ records with NUMNIGHX = 0 | 16 | 16 | 205314999.7411 | 205327179.6300 | 1252.3977 | 1252.4720 |
| 20.6 | ZIFPRV99 | ZERO-NITE IP STAZ-PRIV INS AMT-FAC 99 | Sum of IPFPV99X from STAZ records with NUMNIGHX = 0 | 45 | 45 | 825707429.6730 | 825637414.7387 | 1321.7972 | 1321.6851 |
| 20.7 | ZIFVA99 | ZERO-NITE IP STAZ-VA AMT-FAC 99 | Sum of IPFVA99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 20.8 | ZIFCHM99 | ZERO-NITE IP STAZ - CHPUS/CHPVA AMT-FAC 99 | Sum of IPFCH99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.9 | ZIFOFD99 | ZERO-NITE IP STAZ-OTHER FED AMT-FAC 99 | Sum of IPFOF99X from STAZ records with NUMNIGHX = 0 | 1 | 1 | 10894805.0139 | 10894805.0139 | 454.0000 | 454.0000 |
| 20.10 | ZIFSTL99 | ZERO-NITE IP STAZ - OTH ST/LOC AMT-FAC 99 | Sum of IPFSL99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.11 | ZIFWCP99 | ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 99 | Sum of IPFWC99X from STAZ records with NUMNIGHX = 0 | 3 | 3 | 301149365.2255 | 301139459.3046 | 6552.4474 | 6552.2319 |
| 20.12 | ZIFOPR99 | ZERO-NITE IP STAZ - OTH PRIVATE AMT-FAC 99 | Sum of IPFOR99X from STAZ records with NUMNIGHX = 0 | 2 | 2 | 10635169.1872 | 10632859.3347 | 623.4641 | 623.3287 |
| 20.13 | ZIFOPU99 | ZERO-NITE IP STAZ - OTH PUBLIC AMT-FAC 99 | Sum of IPFOU99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.14 | ZIFOSR99 | ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 99 | Sum of IPFOT99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.15 | ZIDEXP99 | TOTAL ZERO-NITE STAZ DR 99 | Sum of IPDXP99X from STAZ records with NUMNIGHX = 0 | 67 | 67 | 565189610.5832 | 565198580.9793 | 652.8075 | 652.8179 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 20.16 | ZIDTCH99 | ZERO-NITE IP STAY CHARGES - DR 99 | Sum of IPDTC99X from STAZ records with NUMNIGHX=0 | 68 | 68 | 1324432337.6095 | 1324424873.4162 | 1494.1159 | 1494.1075 |
| 20.17 | ZIDSLF99 | ZERO-NITE IP STAZ-SELF/FAM AMT-DR 99 | Sum of IPDSF99X from STAZ records with NUMNIGHX = 0 | 11 | 11 | 11946491.2049 | 11975618.2889 | 93.2518 | 93.4791 |
| 20.18 | ZIDMCR99 | ZERO-NITE IP STAZ-MEDICARE AMT-DR 99 | Sum of IPDMR99X from STAZ records with NUMNIGHX = 0 | 19 | 19 | 78491854.9154 | 78481090.3599 | 241.3504 | 241.3173 |
| 20.19 | ZIDMCD99 | ZERO-NITE IP STAZ-MEDICAID AMT-DR 99 | Sum of IPDMD99X from STAZ records with NUMNIGHX = 0 | 18 | 18 | 37855546.3382 | 37861631.0055 | 181.4462 | 181.4754 |
| 20.20 | ZIDPRV99 | ZERO-NITE IP STAZ-PRIV INS AMT-DR 99 | Sum of IPDPV99X from STAZ records with NUMNIGHX = 0 | 34 | 34 | 363740545.8991 | 363755947.3064 | 794.8876 | 794.9213 |
| 20.21 | ZIDVA99 | ZERO-NITE IP STAZ-VA AMT-DR 99 | Sum of IPDVA99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.22 | ZIDCHM99 | ZERO-NITE IP S T A Z - CHP US/CHP VA AMT-DR 99 | Sum of IPDCH99X from STAZ records with NUMNIGHX = 0 | 1 | 1 | 1589946.1659 | 1590135.4452 | 252.0000 | 252.0300 |
| 20.23 | ZIDOFD99 | ZERO-NITE IP STAZ-OTHER FED AMT-DR 99 | Sum of IPDOF99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.24 | ZIDSTL99 | ZERO-NITE IP S T A Z - O T H ST/LOC AMT-DR 99 | Sum of IPDSL99X from STAZ records with NUMNIGHX = 0 | 1 | 1 | 1589417.0174 | 1589212.2615 | 621.0000 | 620.9200 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 20.25 | ZIDWCP99 | ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 99 | Sum of IPDWC99X from STAZ records with NUMNIGHX = 0 | 5 | 5 | 47277080.2740 | 47274194.6432 | 630.7749 | 630.7364 |
| 20.26 | ZIDOPR99 | ZERO-NITE IP S T A Z - O T H PRIVATE AMT-DR 99 | Sum of IPDOR99X from STAZ records with NUMNIGHX = 0 | 8 | 8 | 22681916.2364 | 22670751.6687 | 251.0373 | 250.9138 |
| 20.27 | ZIDOPU99 | ZERO-NITE IP S T A Z - O T H PUBLIC AMT-DR 99 | Sum of IPDOU99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 20.28 | ZIDOSR99 | ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 99 | Sum of IPDOT99X from STAZ records with NUMNIGHX = 0 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 21.0 | IPDIS99 | # HOSPITAL DISCHARGES, 1999 | Count of STAZ records | 1731 | 1731 | 27626925.7280 | 27626925.7280 | 1.3548 | 1.3548 |
| 21.1 | IPFTCH99 | IP HOSP STAY CHARGES - FAC 99 | Sum of IPFTC99X from STAZ records | 1726 | 1726 | 356945967758.09 | 356945656761.07 | 17567.2434 | 17567.2281 |
| 21.2 | IPFEXP99 | TOT HOSP IP FACILITY EXP-INC 0 NITES 99 | Sum of IPFXP99X from STAZ records | 1662 | 1662 | 183062052106.50 | 183061953549.19 | 9313.3882 | 9313.3832 |
| 21.3 | IPFSLF99 | IP HOSP STAZ- S E L F / F A M I L Y AMT-FAC 99 | Sum of IPFSF99X from STAZ records | 427 | 427 | 4793968384.7053 | 4793927811.7136 | 902.4899 | 902.4822 |
| 21.4 | IPFMCR99 | IP HOSP STAZ- MEDICARE AMT- FAC 99 | Sum of IPFMR99X from STAZ records | 536 | 536 | 79187915067.742 | 79188009390.898 | 11736.3672 | 11736.3811 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 21.5 | IPFMD99 | IP HOSP STAZ- MEDICAID AMT- FAC 99 | Sum of IPFMD99X from STAZ records | 363 | 363 | 16111914922.102 | 16111962794.977 | 4748.2860 | 4748.3002 |
| 21.6 | IPFPRV99 | IP HOSP STAZ- PRIV INS AMT- FAC 99 | Sum of IPFPV99X from STAZ records | 873 | 873 | 63604567713.567 | 63604525483.816 | 5740.3619 | 5740.3581 |
| 21.7 | IPFVA99 | IP HOSP STAZ-VA AMT-FAC 99 | Sum of IPFVA99X from STAZ records | 20 | 20 | 5716485076.0861 | 5716500141.0568 | 20643.4912 | 20643.5456 |
| 21.8 | IPFCHM99 | IP HOSP STAZ- CHAMPUS/CHAM PVA AMT-FAC 99 | Sum of IPFCH99X from STAZ records | 5 | 5 | 173387565.7799 | 173358899.6607 | 2157.1820 | 2156.8253 |
| 21.9 | IPFOFD99 | IP HOSP STAZ- OTHER FED AMT- FAC 99 | Sum of IPFOF99X from STAZ records | 9 | 9 | 897650636.4292 | 897648051.5633 | 7518.1728 | 7518.1511 |
| 21.10 | IPFSTL99 | IP HOSP STAZ- OTH ST/LOCAL AMT-FAC 99 | Sum of IPFSL99X from STAZ records | 4 | 4 | 50432399.8855 | 50428120.9494 | 1157.6576 | 1157.5594 |
| 21.11 | IPFWCP99 | IP HOSP STAZ- WORKERS COMP AMT-FAC 99 | Sum of IPFWC99X from STAZ records | 49 | 49 | 6009310349.8988 | 6009354090.3071 | 9033.4419 | 9033.5076 |
| 21.12 | IPFOPR99 | IP HOSP STAZ - OTH PRIVATE AMT-FAC 99 | Sum of IPFOR99X from STAZ records | 88 | 88 | 4625024489.9227 | 4625050984.6916 | 4167.9453 | 4167.9692 |
| 21.13 | IPFOPU99 | IP HOSP STAZ - OTH PUBLIC AMT- FAC 99 | Sum of IPFOU99X from STAZ records | 36 | 36 | 957426766.2187 | 957432118.9686 | 3556.7078 | 3556.7277 |
| 21.14 | IPFOSR99 | IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 99 | Sum of IPFOT99X from STAZ records | 25 | 25 | 933773268.0363 | 933755660.5892 | 3431.3276 | 3431.2629 |
| 21.15 | IPDEXP99 | TOTL HOSP STAZ DR EXP 99 | Sum of IPDXP99X from STAZ records | 1475 | 1475 | 32211213040.338 | 32210852786.251 | 1835.4313 | 1835.4108 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|---|---|---|--|--|---|
| 21.16 | IPDTCH99 | IP HOSP STAY CHARGES - DR 99 | Sum of IPDTC99X from STAZ records | 1521 | 1521 | 67409712291.603 | 67409198975.022 | 3740.9623 | 3740.9338 |
| 21.17 | IPDSLF99 | IP HOSP STAZ-SELF/FAMILY AMT-DR 99 | Sum of IPDSF99X from STAZ records | 398 | 398 | 1188365279.5392 | 1188265700.5862 | 256.1586 | 256.1371 |
| 21.18 | IPDMCR99 | IP HOSP STAZ-MEDICARE AMT-DR 99 | Sum of IPDMR99X from STAZ records | 558 | 558 | 9454847794.6918 | 9454772826.9076 | 1381.0275 | 1381.0165 |
| 21.19 | IPDMCD99 | IP HOSP STAZ-MEDICAID AMT-DR 99 | Sum of IPDMD99X from STAZ records | 334 | 334 | 2525934209.4211 | 2525909231.1040 | 781.0592 | 781.0515 |
| 21.20 | IPDPRV99 | IP HOSP STAZ-PRIV INS AMT- DR 99 | Sum of IPDPV99X from STAZ records | 833 | 834 | 16522180270.331 | 16521997201.440 | 1550.9407 | 1548.8647 |
| 21.21 | IPDVA99 | IP HOSP STAZ-VA AMT-DR 99 | Sum of IPDVA99X from STAZ records | 16 | 16 | 46971159.8632 | 46953035.4381 | 225.3875 | 225.3005 |
| 21.22 | IPDCHM99 | IP HOSP STAZ-CHAMPUS/CHAM PVA AMT-DR 99 | Sum of IPDCH99X from STAZ records | 12 | 12 | 161381400.7555 | 161342772.0535 | 934.0314 | 933.8078 |
| 21.23 | IPDOFD99 | IP HOSP STAZ-OTHER FED AMT-DR 99 | Sum of IPDOF99X from STAZ records | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 21.24 | IPDSTL99 | IP HOSP STAZ-OTH ST/LOCAL AMT-DR 99 | Sum of IPDSL99X from STAZ records | 9 | 9 | 27742029.2481 | 27749229.6165 | 421.6761 | 421.7855 |
| 21.25 | IPDWCP99 | IP HOSP STAZ-WORKERS COMP AMT-DR 99 | Sum of IPDWC99X from STAZ records | 62 | 62 | 627141237.3124 | 627131521.4808 | 767.4820 | 767.4702 |
| 21.26 | IPDOPR99 | IP HOSP STAZ -OTH PRIVATE AMT-DR 99 | Sum of IPDOR99X from STAZ records | 157 | 157 | 1495072892.3615 | 1495011976.4014 | 818.7593 | 818.7260 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 21.27 | IPDOPU99 | IP HOSP STAZ - OTH PUBLIC AMT- DR 99 | Sum of IPDOU99X from STAZ records | 34 | 34 | 127768333.6209 | 127763678.7088 | 402.2068 | 402.1921 |
| 21.28 | IPDOSR99 | IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 99 | Sum of IPDOT99X from STAZ records | 7 | 7 | 33939267.9328 | 33955612.5137 | 327.1003 | 327.2578 |
| 21.29 | IPNGTD99 | # NIGHTS IN HOSP FOR DISCHARGES, 1999 | Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person. | 1670 | 1670 | 141814641.7715 | 141814641.7715 | 7.1964 | 7.1964 |
| 22.0 | DVTOT99 | # DENTAL CARE VISITS 99 | Count of DVIS records | 9221 | 9221 | 295912019.8703 | 295912019.8703 | 2.4866 | 2.4866 |
| 22.1 | DVTTCH99 | TOTAL DENTAL CARE VISIT CHARGES 99 | Sum of DVTC99X from DVIS records | 9149 | 9149 | 60705529337.021 | 60705655001.781 | 514.2856 | 514.2867 |
| 22.2 | DVTEXP99 | TOTAL DENTAL CARE EXP 99 | Sum of DVXP99X from DVIS records | 8946 | 8946 | 52204056240.942 | 52203979417.548 | 452.1459 | 452.1452 |
| 22.3 | DVTSLF99 | ALL DENTAL C A R E - SELF/FAMILY AMT 99 | Sum of DVSF99X from DVIS records | 6244 | 6244 | 26194292473.904 | 26194116192.954 | 317.4799 | 317.4778 |
| 22.4 | DVTMCR99 | ALL DENTAL CARE -MEDICARE AMT 99 | Sum of DVMR99X from DVIS records | 85 | 85 | 211692520.1354 | 211634321.7419 | 209.1396 | 209.0821 |
| 22.5 | DVTMCD99 | ALL DENTAL CARE -MEDICAID AMT 99 | Sum of DVMD99X from DVIS records | 755 | 755 | 1605455462.7136 | 1605243141.0904 | 227.5412 | 227.5111 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 22.6 | DVTPRV99 | ALL DENTAL CARE -PRIVATE INS AMT 99 | Sum of DVPV99X from DVIS records | 5222 | 5222 | 22316468868.163 | 22316171719.509 | 315.7023 | 315.6981 |
| 22.7 | DVTVA99 | ALL DENTAL CARE-VA AMT 99 | Sum of DVVA99X from DVIS records | 98 | 98 | 232042792.3549 | 231842969.9907 | 172.4642 | 172.3156 |
| 22.8 | DVTCHM99 | ALL DENTAL C A R E - CHAMPUS/CHAM PVA AMT 99 | Sum of DVCH99X from DVIS records | 50 | 50 | 130182123.3046 | 130137199.7486 | 205.3900 | 205.3191 |
| 22.9 | DVTOFD99 | ALL DENTAL CARE -OTHER FEDRL AMT 99 | Sum of DVOF99X from DVIS records | 34 | 34 | 105098161.1975 | 105083806.5579 | 303.3747 | 303.3332 |
| 22.10 | DVTSTL99 | ALL DENTAL C A R E - O T H ST/LOCAL AMT 99 | Sum of DVSL99X from DVIS records | 47 | 47 | 171999838.7412 | 171987424.9090 | 301.4751 | 301.4533 |
| 22.11 | DVTWCP99 | ALL DENTAL CARE-WORKERS COMP AMT 99 | Sum of DVWC99X from DVIS records | 3 | 3 | 29095411.2137 | 29095411.2137 | 998.3177 | 998.3177 |
| 22.12 | DVTOPR99 | ALL DENTAL CARE - OTH PRIVATE AMT 99 | Sum of DVOR99X from DVIS records | 114 | 114 | 399123179.3907 | 399124573.0485 | 297.4519 | 297.4529 |
| 22.13 | DVTOPU99 | ALL DENTAL CARE - OTH PUBLIC AMT 99 | Sum of DVOU99X from DVIS records | 9 | 9 | 6916315.8644 | 6924078.2635 | 81.6876 | 81.7793 |
| 22.14 | DVTOSR99 | ALL DENT CARE- OT UNCLASS SRCE AMT 99 | Sum of DVOT99X from DVIS records | 220 | 220 | 802689864.4383 | 802618578.5207 | 283.8644 | 283.8391 |
| 23.0 | DVGEN99 | # GENERAL DENTIST VISITS 99 | Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 8615 | 8615 | 227299088.5983 | 227299088.5983 | 2.0343 | 2.0343 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|---|--|--|--|---|--|---|--|
| 23.1 | DVGTCH99 | G E N E R A L DENTAL CARE VISIT CHARGES 99 | Sum of DVTC99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 8579 | 8579 | 42662272134.870 | 42662380276.457 | 383.5029 | 383.5039 |
| 23.2 | DVGEXP99 | TOTAL GENERAL DENTIST EXP 99 | Sum of DVXP99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 8376 | 8376 | 37569766033.056 | 37569564027.975 | 345.4190 | 345.4172 |
| 23.3 | DVGSLF99 | GNRL DENTAL VISITS -SELF/FAM AMT 99 | Sum of DVSF99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 5691 | 5691 | 17702607577.610 | 17702507033.200 | 233.4884 | 233.4871 |
| 23.4 | DVGMCR99 | GNRL DENTAL V I S I T S - MEDICARE AMT 99 | Sum of DVMR99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 74 | 74 | 173833365.9430 | 173791400.4111 | 197.1186 | 197.0710 |
| 23.5 | DVGMCD99 | GNRL DENTAL VISITS -MEDICAID AMT 99 | Sum of DVMD99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 703 | 703 | 1354968553.4339 | 1354680500.9801 | 205.1417 | 205.0981 |
| 23.6 | DVGPRV99 | GNRL DENTAL VISITS -PRIVATE INS AMT 99 | Sum of DVPV99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 4884 | 4884 | 16814801790.730 | 16814471148.609 | 253.4889 | 253.4840 |
| 23.7 | DVGVA99 | GNRL DENTAL VISITS -VA AMT 99 | Sum of DVVA99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 85 | 85 | 184427785.6682 | 184219749.6381 | 158.2992 | 158.1206 |
| 23.8 | DVGCHM99 | GNRL DENTAL V I S I T S - CHMPUS/CHMPVA AMT 99 | Sum of DVCH99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 43 | 43 | 116250938.5194 | 116214554.3897 | 223.1252 | 223.0554 |
| 23.9 | DVGOFD99 | GNRL DENTAL VISITS- OTHER FED AMT 99 | Sum of DVOF99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 29 | 29 | 91700453.9073 | 91686099.2677 | 321.5644 | 321.5140 |

**TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F**

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 23.10 | DVGSTL99 | GNRL DENTAL VISITS - OTH ST/LOCAL AMT 99 | Sum of DVSL99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 45 | 45 | 150735276.2958 | 150723197.2710 | 269.4133 | 269.3917 |
| 23.11 | DVGWCP99 | GNRL DENTAL VISITS - WORKERS COMP AMT 99 | Sum of DVWC99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 2 | 2 | 27505410.4453 | 27505410.4453 | 1405.7669 | 1405.7669 |
| 23.12 | DVGOPR99 | GNRL DENTAL VISITS - OTH PRIVATE AMT 99 | Sum of DVOR99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 110 | 110 | 294099613.4913 | 294101007.1491 | 224.7239 | 224.7250 |
| 23.13 | DVGOPU99 | GNRL DENTAL VISITS - OTH PUBLIC AMT 99 | Sum of DVOR99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 9 | 9 | 6916315.8644 | 6924078.2635 | 81.6876 | 81.7793 |
| 23.14 | DVGOSR99 | GNRL DENT VSTS - OT UNCLASS SRCE AMT 99 | Sum of DVOT99X from DVIS records with GENDENT = 1 and ORTHODNT NE 1 | 199 | 199 | 652786360.5439 | 652739848.3499 | 254.1376 | 254.1195 |
| 24.0 | DVORTH99 | # ORTHODONTIST VISITS 99 | Count of DVIS records with ORTHODNT = 1 | 685 | 685 | 38392726.0996 | 38392726.0996 | 4.5618 | 4.5618 |
| 24.1 | DVOTCH99 | ORTHODONTIST VISIT CHARGES 99 | Sum of DVTC99X from DVIS records with ORTHODNT = 1 | 517 | 517 | 11030352147.814 | 11030367527.276 | 1821.2241 | 1821.2267 |
| 24.2 | DVOEXP99 | T O T A L ORTHODONTIST EXP 99 | Sum of DVXP99X from DVIS records with ORTHODNT = 1 | 447 | 447 | 8577985384.4907 | 8578028650.7821 | 1653.1222 | 1653.1306 |
| 24.3 | DVOSLF99 | ORTHODONTIST VISITS - SELF/FAMILY AMT 99 | Sum of DVSF99X from DVIS records with ORTHODNT = 1 | 341 | 341 | 5162009052.9447 | 5161979033.2765 | 1288.5228 | 1288.5153 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 24.4 | DVOMCR99 | ORTHODONTIST V I S I T S - MEDICARE AMT 99 | Sum of DVMR99X from DVIS records with ORTHODNT = 1 | 1 | 1 | 1320254.6976 | 1322009.4665 | 158.0000 | 158.2100 |
| 24.5 | DVOMCD99 | ORTHODONTIST VISITS -MEDICAID AMT 99 | Sum of DVMD99X from DVIS records with ORTHODNT = 1 | 30 | 30 | 84014365.4885 | 84029636.9562 | 305.2195 | 305.2750 |
| 24.6 | DVOPRV99 | ORTHODONTIST VISITS -PRIVATE INS AMT 99 | Sum of DVPV99X from DVIS records with ORTHODNT = 1 | 224 | 224 | 3155090242.9544 | 3155103093.6903 | 1159.6639 | 1159.6687 |
| 24.7 | DVOVA99 | ORTHODONTIST VISITS-VA AMT 99 | Sum of DVVA99X from DVIS records with ORTHODNT = 1 | 2 | 2 | 2992309.3524 | 2992309.3524 | 141.8756 | 141.8756 |
| 24.8 | DVOCHM99 | ORTHODONTIST V I S I T S - CHMPUS/CHMPVA AMT 99 | Sum of DVCH99X from DVIS records with ORTHODNT = 1 | 2 | 2 | 3917872.9090 | 3915290.6914 | 145.0169 | 144.9213 |
| 24.9 | DVOOFD99 | ORTHODONTIST VISITS-OTHR FED AMT 99 | Sum of DVOF99X from DVIS records with ORTHODNT = 1 | 4 | 4 | 9793970.2732 | 9793970.2732 | 305.1858 | 305.1858 |
| 24.10 | DVOSTL99 | ORTHODONTIST V I S I T S -O T H R ST/LOCAL AMT 99 | Sum of DVSL99X from DVIS records with ORTHODNT = 1 | 1 | 1 | 2802816.2617 | 2802481.4543 | 3516.0000 | 3515.5800 |
| 24.11 | DVOWCP99 | ORTHODONTIST VISITS-WORKERS COMP AMT 99 | Sum of DVWC99X from DVIS records with ORTHODNT = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 24.12 | DVOOPR99 | ORTHODONTIST V I S I T S -O T H R PRIVATE AMT 99 | Sum of DVOR99X from DVIS records with ORTHODNT = 1 | 4 | 4 | 79171441.5649 | 79171441.5649 | 1683.5612 | 1683.5612 |
| 24.13 | DVOOPU99 | ORTHODONTIST V I S I T S -O T H R PUBLIC AMT 99 | Sum of DVOU99X from DVIS records with ORTHODNT = 1 | 0 | 0 | . | . | 0.0000 | 0.0000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 24.14 | DVOOSR99 | ORTHO DONT VSTS - OT UNCLASS SRCE AMT 99 | Sum of DVOT99X from DVIS records with ORTHODNT = 1 | 9 | 9 | 76942574.8128 | 76919384.0564 | 674.3891 | 674.1858 |
| 25.1 | HHTOTD99 | # HOME HEALTH PROVIDER DAYS, 1999 | Sum of HHDDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDDAYS = -9, then HHDDAYS not counted from ANY HVIS records for that person. | 465 | 465 | 405106857.7569 | 405106857.7569 | 73.3122 | 73.3122 |
| 26.1 | HHAGD99 | # AGENCY HOME H E A L T H PROVIDER DAYS, 1999 | Sum of HHDDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDDAYS = -9) then HHDDAYS not counted from ANY HVIS records for that person. | 385 | 385 | 285081038.8994 | 285081038.8994 | 63.0463 | 63.0463 |
| 26.2 | HHATCH99 | HOME HEALTH AGENCY VISIT CHARGES 99 | Sum of HHTC99X from HVIS records with MPCELIG = 1. | 403 | 403 | 34754007990.256 | 34754024683.341 | 7384.2956 | 7384.2992 |
| 26.3 | HHAEXP99 | TOTAL HOME HEALTH AGENCY EXP 99 | Sum of HHXP99X from HVIS records with MPCELIG = 1. | 384 | 384 | 28845371862.623 | 28845386245.347 | 6448.6419 | 6448.6451 |
| 26.4 | HHASLF99 | HOME HLTH AGENCY - SELF/FAMILY AMT 99 | Sum of HHSF99X from HVIS records with MPCELIG = 1. | 52 | 52 | 759055165.8593 | 759076603.9971 | 1097.6429 | 1097.6739 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 26.5 | HHAMCR99 | HOME HLTH AGENCY - MEDICARE AMT 99 | Sum of HHMR99X from HVIS records with MPCELIG = 1. | 178 | 178 | 7558009377.1259 | 7558079412.6233 | 3513.8906 | 3513.9231 |
| 26.6 | HHAMCD99 | HOME HLTH AGENCY - MEDICAID AMT 99 | Sum of HHMD99X from HVIS records with MPCELIG = 1. | 95 | 95 | 9933398683.9164 | 9933366465.9927 | 10520.3126 | 10520.2785 |
| 26.7 | HHAPRV99 | HOME HLTH AGENCY - PRIVATE INS AMT 99 | Sum of HHPV99X from HVIS records with MPCELIG = 1. | 75 | 75 | 2295232820.7233 | 2295261022.4191 | 2445.6009 | 2445.6309 |
| 26.8 | HHAVA99 | HOME HLTH AGENCY-VA AMT 99 | Sum of HHVA99X from HVIS records with MPCELIG = 1. | 5 | 5 | 16290964.5490 | 16289657.4693 | 386.7338 | 386.7028 |
| 26.9 | HHACHM99 | HOME HLTH A G E N C Y - CHAMPUS/CHAM PVA AMT 99 | Sum of HHCH99X from HVIS records with MPCELIG = 1. | 1 | 1 | 3743893.1320 | 3735061.3841 | 195.0000 | 194.5400 |
| 26.10 | HHAOFD99 | HOME HLTH AGENCY-OTHER FED AMT 99 | Sum of HHOF99X from HVIS records with MPCELIG = 1. | 15 | 15 | 66116190.9148 | 66114952.2332 | 379.6854 | 379.6783 |
| 26.11 | HHASTL99 | HOME HLTH AGENCY-OTHR ST/LOCAL AMT 99 | Sum of HHSL99X from HVIS records with MPCELIG = 1. | 118 | 118 | 7946167054.1045 | 7946190607.2561 | 5823.7779 | 5823.7951 |
| 26.12 | HHAWCP99 | HOME HLTH A G E N C Y - WORKERS COMP AMT 99 | Sum of HHWC99X from HVIS records with MPCELIG = 1. | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 26.13 | HHAOPR99 | HOME HLTH AGENCY - OTH PRIVATE AMT 99 | Sum of HHOR99X from HVIS records with MPCELIG = 1. | 10 | 10 | 60202918.7296 | 60214452.7112 | 607.0993 | 607.2156 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|---|--|--|---|--|---|--|
| 26.14 | HHAOPU99 | HOME HLTH AGENCY - OTH PUBLIC AMT 99 | Sum of HHOU99X from HVIS records with MPCELIG = 1. | 3 | 3 | 71033013.0119 | 71028401.5804 | 1361.4293 | 1361.3409 |
| 26.15 | HHAOSR99 | H HLTH AGENCY - OT UNCLASS SRCE AMT 99 | Sum of HHOT99X from HVIS records with MPCELIG = 1. | 7 | 7 | 136029607.6804 | 136029607.6804 | 1234.0508 | 1234.0508 |
| 27.1 | HHINDD99 | # NON-AGENCY HOME HEALTH PROVIDR DAYS 99 | Sum of HHDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person. | 68 | 68 | 55697708.7584 | 55697708.7584 | 64.7953 | 64.7953 |
| 27.2 | HHNTCH99 | HOME HEALTH NON - AGENCY VISIT CHARGES 99 | Sum of HHTC99X from HVIS records with MPCELIG = 2 | 77 | 77 | 2778712549.8944 | 2778717219.4844 | 2838.6942 | 2838.6990 |
| 27.3 | HHNEXP99 | TOTAL HOME HEALTH NON- AGENCY EXP 99 | Sum of HHXP99X from HVIS records with MPCELIG = 2 | 76 | 76 | 2537557194.4986 | 2537552910.8407 | 2601.6195 | 2601.6151 |
| 27.4 | HHNSLF99 | HOME HLTH NON- AGENCY - SELF/FAM AMT 99 | Sum of HHSF99X from HVIS records with MPCELIG = 2 | 55 | 55 | 1619933394.6212 | 1619938064.2111 | 2286.5926 | 2286.5992 |
| 27.5 | HHNMCR99 | HOME HLTH NON- AGENCY - MEDICARE AMT 99 | Sum of HHMR99X from HVIS records with MPCELIG = 2 | 4 | 4 | 180788899.2415 | 180788899.2415 | 3423.0503 | 3423.0503 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 27.6 | HHNMCD99 | HOME HLTH NON- A G N C Y - MEDICAID AMT 99 | Sum of HHMD99X from HVIS records with MPCELIG = 2 | 16 | 16 | 385299610.6674 | 385290268.0410 | 1977.6765 | 1977.6285 |
| 27.7 | HHNPRV99 | HOME HLTH NON- AGENCY -PRIV INS AMT 99 | Sum of HHPV99X from HVIS records with MPCELIG = 2 | 12 | 12 | 240969310.5385 | 240969310.5385 | 1748.7159 | 1748.7159 |
| 27.8 | HHNVA99 | HOME HLTH NON- AGENCY-VA AMT 99 | Sum of HHVA99X from HVIS records with MPCELIG = 2 | 1 | 1 | 28127105.7510 | 28127105.7510 | 1500.0000 | 1500.0000 |
| 27.9 | HHNCHM99 | HOME HLTH NON- A G N C Y - CHMPUS/CHMPVA AMT 99 | Sum of HHCH99X from HVIS records with MPCELIG = 2 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 27.10 | HHNOFD99 | HOME HLTH NON- A G N C Y - O T H R FED AMT 99 | Sum of HHOF99X from HVIS records with MPCELIG = 2 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 27.11 | HHNSTL99 | HOME HLTH NON- A G N C Y - O T H R ST/LOCL AMT 99 | Sum of HHSL99X from HVIS records with MPCELIG = 2 | 1 | 1 | 45598120.7123 | 45598120.7123 | 4650.0000 | 4650.0000 |
| 27.12 | HHNWCP99 | HOME HLTH NON- A G N C Y - WORKERS COMP AMT 99 | Sum of HHWC99X from HVIS records with MPCELIG = 2 | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 27.13 | HHNOPR99 | HOME HLTH NON- A G N C Y - O T H PRIVATE AMT 99 | Sum of HHOR99X from HVIS records with MPCELIG = 2 | 1 | 1 | 309992.1332 | 309992.1332 | 25.0000 | 25.0000 |
| 27.14 | HHNOPU99 | HOME HLTH NON- A G N C Y - O T H PUBLIC AMT 99 | Sum of HHOU99X from HVIS records with MPCELIG = 2 | 1 | 1 | 299821.5177 | 300210.8963 | 77.0000 | 77.1000 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|---|--|--|---|--|---|--|
| 27.15 | HHNOSR99 | H HLTH NON- A G N C Y - O T UNCLASS SRCE AMT 99 | Sum of HHOT99X from HVIS records with MPCELIG = 2 | 1 | 1 | 36230939.3160 | 36230939.3160 | 900.0000 | 900.0000 |
| 28.1 | HHINFD99 | # INFORMAL HOME HEALTH PROV DAYS, 1999 | Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person. | 81 | 81 | 70472523.0700 | 70472523.0700 | 73.6768 | 73.6768 |
| 29.0 | VISTCH99 | GLASSES/CONTA CT LENSES CHARGES 99 | Sum of OMTC99X from OMED records with OMTYPEX = 1 | 3363 | 3363 | 8976318086.4544 | 8976330216.0818 | 212.7301 | 212.7304 |
| 29.1 | VIEXP99 | T O T A L GLASSES/CONTA CT LENS EXPN 99 | Sum of OMXP99X from OMED records with OMTYPEX = 1 | 3320 | 3320 | 8411379083.2448 | 8411344764.7738 | 202.1910 | 202.1901 |
| 29.2 | VISSLF99 | GLASSES/CNTCT LENSES - SELF/FAM AMT 99 | Sum of OMSF99X from OMED records with OMTYPEX = 1 | 2894 | 2894 | 6180394967.9070 | 6180324842.2108 | 167.8946 | 167.8927 |
| 29.3 | VISMCR99 | GLASSES/CNTCT L E N S E S - MEDICARE AMT 99 | Sum of OMMR99X from OMED records with OMTYPEX = 1 | 68 | 68 | 107294358.8407 | 107288467.9670 | 118.2105 | 118.2040 |
| 29.4 | VISMCD99 | GLASSES/CNTCT L E N S E S - MEDICAID AMT 99 | Sum of OMMD99X from OMED records with OMTYPEX = 1 | 239 | 239 | 330273665.6355 | 330218098.8861 | 143.9053 | 143.8811 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON-LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE | (D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE | (E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|---|---|---|--|--|---|
| 29.5 | VISPRV99 | GLASSES/CNTCT LENSES-PRIV INS AMT 99 | Sum of OMPV99X from OMED records with OMTYPEX = 1 | 779 | 779 | 1643312653.4463 | 1643276270.8651 | 161.7828 | 161.7792 |
| 29.6 | VISVA99 | GLASSES/CNTCT LENSES-VA AMT 99 | Sum of OMVA99X from OMED records with OMTYPEX = 1 | 8 | 8 | 10555168.6342 | 10543254.3557 | 109.7529 | 109.6290 |
| 29.7 | VISCHM99 | GLASSES/LENSES - CHAMPUS/CHAMPVA AMT 99 | Sum of OMCH99X from OMED records with OMTYPEX = 1 | 5 | 5 | 4855570.1276 | 4849142.0680 | 83.6700 | 83.5592 |
| 29.8 | VISOFD99 | GLASSES/CNTCT LENSES-OTHR FED AMT 99 | Sum of OMOF99X from OMED records with OMTYPEX = 1 | 5 | 5 | 9919134.6164 | 9912706.5567 | 167.5339 | 167.4253 |
| 29.9 | VISSTL99 | GLASSES/CNTCT LENSES-OTHR ST/LOCL AMT 99 | Sum of OMSL99X from OMED records with OMTYPEX = 1 | 7 | 7 | 11965841.8462 | 11965841.8462 | 150.3441 | 150.3441 |
| 29.10 | VISWCP99 | GLASSES/CNTCT LENSES - WORKERS COMP AMT 99 | Sum of OMWC99X from OMED records with OMTYPEX = 1 | 3 | 3 | 3168155.4514 | 3168155.4514 | 81.1409 | 81.1409 |
| 29.11 | VISOPR99 | GLASSES/CNTCT LENSES-OTHR PRIVATE AMT 99 | Sum of OMOR99X from OMED records with OMTYPEX = 1 | 30 | 30 | 58221120.0907 | 58221120.0907 | 158.2985 | 158.2985 |
| 29.12 | VISOPU99 | GLASSES/CNTCT LENSES-OTHR PUBLIC AMT 99 | Sum of OMOU99X from OMED records with OMTYPEX = 1 | 8 | 8 | 4847108.5375 | 4842399.8289 | 99.7864 | 99.6895 |
| 29.13 | VISOSR99 | GLASSES/CNTCT LENSE - OT UNCLAS SRCE AMT 99 | Sum of OMOT99X from OMED records with OMTYPEX = 1 | 27 | 27 | 46732277.0895 | 46734464.6472 | 137.1163 | 137.1228 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|------|---|--|--|--|--|---|--|---|--|
| 30.0 | OTHTCH99 | O T H E R E Q U I P / S U P P L I E S C H A R G E S 9 9 | Sum of OMTC99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 833 | 833 | 9128503729.2279 | 9128501875.4312 | 843.3534 | 843.3532 |
| 30.1 | OTHEXP99 | T O T O T H E Q U I P / S P L Y (EXCL DIAB) EXP 99 | Sum of OMXP99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 791 | 791 | 8250121111.9258 | 8250025532.2273 | 803.3094 | 803.3001 |
| 30.2 | OTHSLF99 | O T H E R E Q U I P / S U P P L I E S - S E L F / F A M A M T 9 9 | Sum of OMSF99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 457 | 457 | 2245119690.5893 | 2245098675.4860 | 385.3176 | 385.3140 |
| 30.3 | OTHMCR99 | O T H E R E Q U I P / S U P P L I E S - M E D I C A R E A M T 9 9 | Sum of OMMR99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 78 | 78 | 2467771185.6460 | 2467737008.2520 | 2338.0830 | 2338.0507 |
| 30.4 | OTHMCD99 | O T H E R E Q U I P / S U P P L I E S - M E D I C A I D A M T 9 9 | Sum of OMMD99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 100 | 100 | 659951308.3749 | 659867989.0200 | 613.8854 | 613.8079 |
| 30.5 | OTHPRV99 | O T H E R E Q U I P / S U P P L I E S - P R I V I N S A M T 9 9 | Sum of OMPV99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 277 | 277 | 2388594750.1424 | 2388533229.1096 | 613.4951 | 613.4793 |
| 30.6 | OTHVA99 | O T H E R E Q U I P / S U P P L Y - V A A M T 9 9 | Sum of OMVA99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 48 | 48 | 348388291.3169 | 348315327.9828 | 536.1051 | 535.9928 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|---|--|--|--|---|--|---|--|
| 30.7 | OTHCHM99 | O T H E R EQUP/SUPPLY- CHAMPUS/CHAM PVA AMT 99 | Sum of OMCH99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 4 | 4 | 405370.7910 | 403554.8795 | 13.5226 | 13.4620 |
| 30.8 | OTHOFD99 | O T H E R EQUP/SUPPLIES- OTHR FEDRL AMT 99 | Sum of OMOF99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 2 | 2 | 17378715.0236 | 17378715.0236 | 340.4833 | 340.4833 |
| 30.9 | OTHSTL99 | O T H E R EQUP/SUPPLY- OTHR ST/LOCAL AMT 99 | Sum of OMSL99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 0 | 0 | . | . | 0.0000 | 0.0000 |
| 30.10 | OTHWCP99 | O T H E R EQUP/SUPPLY - WORKERS COMP AMT 99 | Sum of OMWC99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 8 | 8 | 28698098.0616 | 28698098.0616 | 263.3579 | 263.3579 |
| 30.11 | OTHOPR99 | O T H E R EQUP/SUPPLY- OTH PRIVATE AMT 99 | Sum of OMOR99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 11 | 11 | 38894637.5177 | 38879994.3886 | 282.7479 | 282.6414 |
| 30.12 | OTHOPU99 | O T H E R EQUP/SUPPLY - OTH PUBLIC AMT 99 | Sum of OMOU99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 1 | 1 | 319386.2540 | 314276.0739 | 25.0000 | 24.6000 |
| 30.13 | OTHOSR99 | OTH EQUIP/SUPLY -OT UNCLASS SRCE AMT 99 | Sum of OMOT99X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91) | 10 | 10 | 54800134.8345 | 54798663.9499 | 428.0490 | 428.0376 |
| 31.0 | RXTOT99 | # PRESC MEDS INCL REFILLS 99 | Count of PMED records | 14246 | 14246 | 2067674939.1791 | 2067674939.1791 | 11.9908 | 11.9908 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 31.1 | RXEXP99 | TOTAL RX-EXP 99 | Sum of RXXP99X from PMED records | 14246 | 14246 | 94241801961.009 | 94241616320.344 | 546.5232 | 546.5222 |
| 31.2 | RXSLF99 | TOTAL RX-SELF/FAMILY AMT 99 | Sum of RXSF99X from PMED records | 13678 | 13689 | 43527845611.051 | 43525080094.908 | 260.9296 | 260.7059 |
| 31.3 | RXMCR99 | TOTAL RX--MEDICARE AMT 99 | Sum of RXMR99X from PMED records | 732 | 735 | 4400865366.5506 | 4400809127.0529 | 497.2899 | 495.0026 |
| 31.4 | RXMCD99 | TOTAL RX-MEDICAID AMT 99 | Sum of RXMD99X from PMED records | 1908 | 1909 | 9704357041.0981 | 9704415972.3772 | 546.8756 | 546.6191 |
| 31.5 | RXPRV99 | TOTAL RX-PRIVATE INS AMT 99 | Sum of RXPV99X from PMED records | 7760 | 7842 | 33029479831.723 | 33029788340.556 | 324.7758 | 321.2607 |
| 31.6 | RXVA99 | TOTAL RX-VA AMT 99 | Sum of RXVA99X from PMED records | 484 | 485 | 2561041806.2309 | 2560969072.0040 | 407.3004 | 406.5808 |
| 31.7 | RXCHM99 | TOTAL RX-CHAMPUS/CHAM PVA AMT 99 | Sum of RXCH99X from PMED records | 88 | 88 | 339843509.2223 | 339847022.8252 | 320.1641 | 320.1675 |
| 31.8 | RXOFD99 | TOTAL RX-OTHER FED AMT 99 | Sum of RXOF99X from PMED records | 5 | 5 | 3284496.0660 | 3279139.5078 | 46.6659 | 46.5898 |
| 31.9 | RXSTL99 | TOTAL RX-OTHER ST/LOCAL AMT 99 | Sum of RXSL99X from PMED records | 36 | 36 | 234189154.4449 | 234231602.1812 | 625.2625 | 625.3759 |
| 31.1 | RXWCP99 | TOTAL RX-WORKERS COMP AMT 99 | Sum of RXWC99X from PMED records | 16 | 16 | 48629895.8309 | 48635098.2297 | 338.5152 | 338.5515 |
| 31.11 | RXOPR99 | TOTAL RX - OTH PRIVATE AMT 99 | Sum of RXOR99X from PMED records | 78 | 79 | 330263364.4680 | 330353248.7514 | 348.4339 | 344.6947 |
| 31.12 | RXOPU99 | TOTAL RX - OTH PUBLIC AMT 99 | Sum of RXOU99X from PMED records | 22 | 22 | 56197254.3784 | 56221766.0026 | 188.4249 | 188.5071 |

TABLE H33IT2
 COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
 WEIGHT = PERWT99F

| # | (A) VARIABLE NAME ON PERSON- LEVEL FILE | (B) VARIABLE LABEL ON PERSON LEVEL FILE | (C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE | (D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE | (E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE | (F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0 | (I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0 |
|-------|---|--|--|--|--|---|--|---|--|
| 31.13 | RXOSR99 | TOT RX-OTH UNCLASS SRCE AMT 99 | Sum of RXOT99X from PMED records | 3 | 3 | 7983818.9292 | 7985835.9467 | 235.3490 | 235.4085 |

TABLE H33IT2
COMPARISON OF MEPS 99 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 99 PERSON-LEVEL FILE (HC-038) AND THE FY 99 EVENT FILES (HC-033A THROUGH HC-033H)
WEIGHT = PERWT99F

ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-033A

DVIS = DENTAL VISITS FILE, HC-033B

OMED = OTHER MEDICAL EXPENSES FILE, HC-033C

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-033D

EROM = EMERGENCY ROOM VISITS FILE, HC-033E

OPAT = OUTPATIENT VISITS FILE, HC-033F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-033G

HVIS = HOME HEALTH VISITS FILE, HC-033H

TABLE NOTES:

- (A) EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.**