MEPS HC-234 Panel 25 Longitudinal Data File

October 2023

Due to the COVID-19 pandemic, 2020 data collection moved primarily to phone rather than in-person. This posed a challenge in Panel 25 Round 1, which is difficult to start via phone, resulting in a low response rate. To balance this and increase the number of completes to be comparable to previous years, Panels 23 and 24 were extended to nine rounds of data collection. Phone data collection and the challenges of the pandemic present concerns about data quality. Please take this into consideration when comparing to or pooling with previous years.

Agency for Healthcare Research and Quality Center for Financing, Access, and Cost Trends 5600 Fishers Ln Rockville, MD 20857 (301) 427-1406

Table of Contents

<u>Section</u>					<u>Page</u>	
A.	Data	Data Use Agreement				
B.	Background B-1					
	1.0 2.0 3.0	Medic	al Provid	reponent		
C.	Tech	chnical and Programming Information				
	1.0 2.0			ation		
		2.1	Variab	oles		
			2.1.1	Variables from Annual Full-Year Consolidated Files		
			2.1.2	Constructed Variables for Selection of Group		
			2.1.3	Estimation Variables		

i

A. Data Use Agreement

Individual identifiers have been removed from the micro-data contained in these files. Nevertheless, under sections 308 (d) and 903 (c) of the Public Health Service Act (42 U.S.C. 242m and 42 U.S.C. 299 a-1), data collected by the Agency for Healthcare Research and Quality (AHRQ) and/or the National Center for Health Statistics (NCHS) may not be used for any purpose other than for the purpose for which they were supplied; any effort to determine the identity of any reported cases is prohibited by law.

Therefore in accordance with the above referenced Federal Statute, it is understood that:

- 1. No one is to use the data in this data set in any way except for statistical reporting and analysis; and
- 2. If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) the Director Office of Management AHRQ will be advised of this incident, (c) the information that would identify any individual or establishment will be safeguarded or destroyed, as requested by AHRQ, and (d) no one else will be informed of the discovered identity; and
- 3. No one will attempt to link this data set with individually identifiable records from any data sets other than the Medical Expenditure Panel Survey or the National Health Interview Survey. Furthermore, linkage of the Medical Expenditure Panel Survey and the National Health Interview Survey may not occur outside the AHRQ Data Center, NCHS Research Data Center (RDC) or the U.S. Census RDC network.

By using these data you signify your agreement to comply with the above stated statutorily based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates Title 18 part 1 Chapter 47 Section 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

The Agency for Healthcare Research and Quality requests that users cite AHRQ and the Medical Expenditure Panel Survey as the data source in any publications or research based upon these data.

B. Background

1.0 Household Component

The Medical Expenditure Panel Survey (MEPS) provides nationally representative estimates of health care use, expenditures, sources of payment, and health insurance coverage for the U.S. civilian non-institutionalized population. The MEPS Household Component (HC) also provides estimates of respondents' health status, demographic and socio-economic characteristics, employment, access to care, and satisfaction with healthcare. Estimates can be produced for individuals, families, and selected population subgroups. The panel design of the survey includes five rounds of interviews covering two full calendar years. Additional rounds were added in 2020 and 2021, covering third and fourth years respectively, to compensate for the smaller number of completed interviews in later panels. These extra rounds provide data for examining person-level changes in selected variables such as expenditures, health insurance coverage, and health status. Using computer assisted personal interviewing (CAPI) technology, information about each household member is collected, and the survey builds on this information from interview to interview. All data for a sampled household are reported by a single household respondent.

The MEPS-HC was initiated in 1996. Each year a new panel of sample households is selected. Because the data collected are comparable to those from earlier medical expenditure surveys conducted in 1977 and 1987, it is possible to analyze long-term trends. Each annual MEPS-HC sample size is about 15,000 households. Data can be analyzed at either the person or event level. Data must be weighted to produce national estimates.

The set of households selected for each panel of the MEPS HC is a subsample of households participating in the previous year's National Health Interview Survey (NHIS) conducted by the National Center for Health Statistics. The NHIS sampling frame provides a nationally representative sample of the U.S. civilian noninstitutionalized population. In 2006, the NHIS implemented a new sample design, which included Asian persons in addition to households with Black and Hispanic persons in the oversampling of minority populations. NHIS introduced a new sample design in 2016 that discontinued oversampling of these minority groups.

2.0 Medical Provider Component

Upon completion of the household CAPI interview and obtaining permission from the household survey respondents, a sample of medical providers are contacted by telephone to obtain information that household respondents cannot accurately provide. This part of the MEPS is called the Medical Provider Component (MPC) and information is collected on dates of visits, diagnosis and procedure codes, charges and payments. The Pharmacy Component (PC), a subcomponent of the MPC, does not collect charges or diagnosis and procedure codes but does collect drug detail information, including National Drug Code (NDC) and medicine name, as well as amounts of payment. The MPC is not designed to yield national estimates. It is primarily used as an imputation source to supplement/replace household reported expenditure information.

3.0 Survey Management and Data Collection

MEPS HC and MPC data are collected under the authority of the Public Health Service Act. Data are collected under contract with Westat, Inc. (MEPS HC) and Research Triangle Institute (MEPS MPC). Data sets and summary statistics are edited and published in accordance with the confidentiality provisions of the Public Health Service Act and the Privacy Act. The National Center for Health Statistics (NCHS) provides consultation and technical assistance.

As soon as data collection and editing are completed, the MEPS survey data are released to the public in staged releases of summary reports, micro data files, and tables via the <u>MEPS website</u> and <u>datatools.ahrq.gov</u>.

Additional information on MEPS is available from the MEPS project manager or the MEPS public use data manager at the Center for Financing, Access, and Cost Trends, Agency for Healthcare Research and Quality, 5600 Fishers Lane, Rockville, MD 20857 (301-427-1406).

C. Technical and Programming Information

1.0 General Information

This documentation describes the Panel 25 longitudinal data file from the Medical Expenditure Panel Survey Household Component (MEPS-HC). Released as an ASCII file (with related SAS, STATA, SPSS, and R programming statements and data user information), a SAS data set, a SAS transport dataset, a STATA dataset, and an Excel file, this public use file provides information collected on a nationally representative sample of the civilian noninstitutionalized population of the United States for the two-year period 2020-2021. The file contains 2,735 variables and has a logical record length of 7,717 with an additional 2-byte carriage return/line feed at the end of each record.

This file consists of MEPS survey data obtained in Rounds 1-5 of MEPS Panel 25 and can be used to analyze changes over a two-year period. Variables in the file pertaining to survey administration, demographics, employment, health status, disability days, quality of care, patient satisfaction, health insurance and medical care use and expenditures were obtained from the MEPS 2020 and 2021 Full-Year Consolidated Files (HC-224 and HC-233, respectively).

The following documentation offers a brief overview of the contents and structure of the files and programming information. A codebook of all the variables included in the Panel 25 data file is provided in a separate file (H234CB.PDF). A database of all MEPS products released to date and a variable locator indicating the major MEPS data items on public use files that have been released to date can be found on the MEPS website.

2.0 Data File Information

This public use file contains records for 6,078 persons in Panel 25 who were respondents for the period they were in-scope for the survey (i.e., a member of the civilian non-institutionalized population) during the two-year period. Only persons with positive person-level weights (PERWT20F or PERWT21F) are included in the longitudinal PUF data. Data are available for all five rounds for 93.47% of the cases (5,681). The remaining 6.53% (397 persons) do not have data for one or more rounds but were in-scope for all rounds they participated in the survey. These persons are those who were born, died, were in the military or an institution, or left the country during the two-year period. In contrast, persons in the panel who participated in the survey for only part of the period they were in-scope are not included in this file. To compensate for this attrition, adjustments were made in the construction of the panel weight variable included in this file (LONGWT). The codebook provides both weighted and unweighted frequencies for each variable on the data file. The LONGWT variable should be used to produce national estimates for the two-year period.

C-1

2.1 Variables

2.1.1 Variables from Annual Full-Year Consolidated Files

Most variables on this file were obtained from the MEPS 2020 and 2021 Full-Year Consolidated Files (HC-224 and HC-233, respectively). However, names for time dependent variables from these files were modified in order to: 1) eliminate duplicate variable names for data reflecting different time periods during the panel, and 2) standardize variable names to facilitate pooling of multiple MEPS panels for analysis. Generally, annual variables with a suffix of "20" and "21" are renamed with a suffix of "Y1" and "Y2", respectively. Variables with a suffix of "31", "42", and "53" are renamed with a suffix denoting the round the data was collected (i.e., "1", "2" or "3" for variables originating from Rounds 1-3 on the 2020 full-year file and "3", "4", or "5" for variables originating from Rounds 3-5 on the 2021 full-year file). It is necessary to use this crosswalk in conjunction with documentation for the 2020 and 2021 full-year consolidated files to obtain a full description of variables on this file. Table 1 below provides the crosswalk summarizing the scheme used for renaming variables from the annual files.

Table 1. Crosswalk of Variable Names between the Full-Year Consolidated Files and the Longitudinal File

Type of Variable	Full-Year Consolidated File Variable Name Suffix	Longitudinal File Variable Name Suffix	Specific cases or examples
			All variables:
Constant (i.e., not	No suffixes	No suffixes	BORNUSA=BORNUSA
round or year			DOBMM=DOBMM
specific)			DOBYY=DOBYY
			DUID=DUID
			PID=PID
			DUPERSID=DUPERSID
			EDUCYR=EDUCYR
			HIDEG=HIDEG
			HISPANX=HISPANX
			HISPNCAT=HISPNCAT
			HWELLSPK=HWELLSPK
			INTVLANG=INTVLANG
			OTHLGSPK=OTHLGSPK
			PANEL=PANEL
			PID=PID
			RACEAX=RACEAX
			RACEBX=RACEBX
			RACEWX=RACEWX

¹ A variable named PANEL is also included to facilitate pooling across panels. This variable is simply the panel number and is therefore constant across all records within a longitudinal file. The ten-character variable DUPERSID uniquely identifies each person represented on the file and is the combination of the variables DUID (PANEL + Dwelling Unit ID) and PID (Person Number).

C-2 MEPS HC-234

² While Round 3 values were obtained for most observations from the 2021 Full Year Consolidated File, they were obtained from the 2020 Full Year Consolidated File for sample persons where YEARIND=2 (i.e., in 2020 only).

TI ANY IN	Full-Year Consolidated File	Longitudinal File	0 :6:
Type of Variable	Variable Name Suffix	Variable Name Suffix	Specific cases or examples RACEV1X=RACEV1X RACEV2X=RACEV2X RACETHX=RACETHX SEX=SEX VARPSU=VARPSU VARSTR=VARSTR WHTLGSPK=WHTLGSPK YRSINUS=YRSINUS
Annual, family related variables	YR	Y1 or YR1	All variables: FAMIDYR=FAMIDYR1 (2020 file) FAMRFPYR=FAMRFPY1 (2020 file) FAMSZEYR=FAMSZYR1 (2020 file)
		Y2 or YR2	FAMIDYR=FAMIDYR2 (2021 file) FAMRFPYR=FAMRFPY2 (2021 file) FAMSZEYR=FAMSZYR2 (2021 file)
Annual, CPS family identifiers	No suffix	Y1	All variables: CPSFAMID= CPSFAMY1 (2020 file)
		Y2	CPSFAMID= CPSFAMY2 (2021 file)
Annual, health insurance eligibility	No suffix	Y1	All variables: HIEUIDX=HIEUIDY1 (2020 file)
units		Y2	HIEUIDX=HIEUIDY2 (2021 file)
Annual, in-scope variables	No suffixes	YR1	All variables: INSCOPE=INSCPYR1 (2020 file)
		YR2	INSCOPE=INSCPYR2 (2021 file)
12/31 status variables	1231 in 2020 file	Y1	All variables: FAMS1231=FAMSY1 (2020 file) FCRP1231=FCRPY1 (2020 file) FCSZ1231= FCSZY1 (2020 file) FMRS1231= FMRSY1 (2020 file) INSC1231=INSCY1 (2020 file)
	1231 in 2021 file	Y2	FAMS1231=FAMSY2 (2021 file) FCRP1231=FCRPY2 (2021 file) FCSZ1231= FCSZY2 (2021 file) FMRS1231= FMRSY2 (2021 file) INSC1231=INSCY2 (2021 file)
Annual	20, 20X, 20F, or 20C	Y1, Y1X, Y1F, or Y1C	Examples: TOTEXP20=TOTEXPY1 AGE20X=AGEY1X
	21, 21X, 21F, or 21C	Y2, Y2X, Y2F, or Y2C	TOTEXP21=TOTEXPY2 AGE21X=AGEY2X

Type of Variable	Full-Year Consolidated File Variable Name Suffix	Longitudinal File Variable Name Suffix	Specific cases or examples
Variables for health insurance prior to January 1, 2020 (data collected in Round 1 only)	No suffixes	No suffixes	All variables: PREVCOVR=PREVCOVR MORECOVR=MORECOVR
Annual	No suffixes ³	Y1 Y2	Examples: KEYNESS=KEYNESY1 (2020 file) SAQELIG=SAQELIY1 (2020 file) EVRWRK=EVRWRKY1 (2020 file) EVRETIRE=EVRETIY1 (2020 file) AGELAST=AGELSTY1 (2020 file) DIABDX_M18=DIABDXY1_M18 (2020 file) KEYNESS=KEYNESY2 (2021 file) SAQELIG=SAQELIY2 (2021 file) EVRWRK=EVRWRKY2 (2021 file) EVRETIRE=EVRETIY2 (2021 file) AGELAST=AGELSTY2 (2021 file) DIABDX_M18=DIABDXY2_M18 (2021 file)
Monthly	2-character month + 20 2-character month + 21	2-character month + Y1 2-character month + Y2	Example: PRIJA20=PRIJAY1 (2020 file) PRIJA21=PRIJAY2 (2021 file)
Round Specific	31, 31X, or 31H in 2020 file 42, 42X, or 42H in 2020 file 53, 53X, or 53H in 2020 file 31_M18 in 2020 file 42_M18 in 2020 file 42_M18 in 2021 file 42, 42X, or 42H in 2021 file 53, 53X, or 53H in 2021 file 31_M18 in 2021 file 42_M18 in 2021 file 42_M18 in 2021 file 42_M18 in 2021 file	1, 1X, or 1H for 2020 2, 2X, or 2H for 2020 3, 3X, or 3H for 2020 1_M18 for 2020 2_M18 for 2020 3, 3X, 3H for 2021 4, 4X, 4H for 2021 5, 5X, 5H for 2021 3_M18 for 2021 4_M18 for 2021 4_M18 for 2021	Examples: RTHLTH31=RTHLTH1 (2020 file) RTHLTH42=RTHLTH2 (2020 file) RTHLTH53=RTHLTH3 (2020 file if YEARIND=2) JTPAIN31_M18=JTPAIN1_M18 PROVTY42_M18=PROVTY2_M18 RTHLTH31= RTHLTH3 (2021 file if YEARIND=1 or 3) RTHLTH42=RTHLTH4 (2021 file) RTHLTH53=RTHLTH5 (2021 file) JTPAIN31_M18=JTPAIN3_M18 PROVTY42_M18=PROVTY4_M18

_

³ To maintain a previously-implemented 8-character naming convention, some variable names had the last character or two dropped in the renaming process. A few variables have names longer than 8 characters because they were modified in 2018 and tagged with an '_M18' suffix. These variables were altered in the same fashion they would have been without the _M18 suffix, and the _M18 suffix was retained.

Type of Variable	Full-Year Consolidated File Variable Name Suffix	Longitudinal File Variable Name Suffix	Specific cases or examples
Diabetes preventive care	1953, 2053, and 2153 in 2020 file	Y0R3 for 2019 Y1R3 for 2020 Y2R3 for 2021	Examples: DSEB1953=DSEBY0R3 (2020 file) DSEY1953=DSEYY0R3 (2020 file) DSEY2053=DSEYY1R3 (2020 file) DSEY2153=DSEYY2R3 (2020 file)
	2053, 2153, and 2253 in 2021 file	Y1R5 for 2020 Y2R5 for 2021 Y3R5 for 2022	DSEB2053=DSEBY1R5 (2021 file) DSEY2053=DSEYY1R5 (2021 file) DSEY2153=DSEYY2R5 (2021 file) DSEY2253=DSEYY3R5 (2021 file)
Job Change	3142 or 4253	12 for 2020 23 for 2020	All cases: CHGJ3142=CHGJ12 (2020 file) CHGJ4253=CHGJ23 (2020 file) YCHJ3142=YCHJ12 (2020 file) YCHJ4253=YCHJ23 (2020 file)
		34 for 2021 45 for 2021	CHGJ3142=CHGJ34 (2021 file) CHGJ4253=CHGJ45 (2021 file) YCHJ3142=YCHJ34 (2021 file) YCHJ4253=YCHJ45 (2021 file)
Cancer/ Cancer in	No suffixes ⁵	Y1 for 2020	Example: CALUNG=CALUNGY1 (2020 file)
remission ⁴		Y2 for 2021	CALUNG=CALUNGY2 (2021 file)
Age of Diagnosis	No suffixes ⁵	Y1 for 2020	Example: CHDAGED=CHDAGY1 (2020 file) CHOLAGED=CHOLAGY1(2020 file)
		Y2 for 2021	CHDAGED=CHDAGY2 (2021 file) CHOLAGED=CHOLAGY2 (2021 file)
SDOH ⁶	No suffixes	3	Example: SDOHELIG=SDOHELIG3 SDAFRDHOME=SDAFRDHOME3

⁴ Starting in 2010, variables were added to indicate whether each reported cancer was in remission.

⁵ To maintain a previously implemented 8-character naming convention, some variable names had the last character or two dropped in the renaming process.

⁶ The SDOH survey was fielded during Panel 25 Round 3 of the MEPS data collection.

2.1.2 Constructed Variables for Selection of Group

The following eight variables were constructed and included on the file to facilitate the selection of appropriate cases for various analyses. Table 2 below contains descriptive statistics for these variables.

YEARIND 1=both years, 2=in 2020 only, and 3=in 2021 only
ALL5RDS In scope and data collected in all 5 rounds (0=no, 1=yes)
DIED Died during the two-year survey period (0=no, 1=yes)

INST Institutionalized for some time during the two-year survey period (0=no, 1=yes) MILITARY Active duty military for some time during the two-year survey period (0=no,

1=yes)

ENTRSRVY Entered survey after beginning of panel (mainly births; also includes persons who

had no initial chance of selection who moved into a MEPS sample household)

(0=no, 1=yes)

LEFTUS Moved out of the country after beginning of panel (0=no, 1=yes) OTHER Not identified in any of the above analytic groups (0=no, 1=yes)

Table 2. Frequencies and Percentage for Constructed Variables

		Percentage of
	Number of	Records
Variable	Records	(N=6,078)
YEARIND=1 (i.e., person in both years)	5,942	97.76
ALL5RDS=1 (yes)	5,681	93.47
DIED=1 (yes)	110	1.81
INST=1 (yes)	11	0.18
MILITARY=1 (yes)	17	0.28
ENTRSRVY=1 (yes)	239	3.93
LEFTUS=1 (yes)	11	0.18
OTHER=1 (yes)	13	0.21

Following are examples of situations where these variables would be useful in selecting records for analysis:

- Analysts interested in working only with persons who were in-scope and had data for all five rounds of the panel should subset to cases where ALL5RDS=1.
- If a researcher wanted to include persons who were in-scope and had data for all five rounds of the panel as well as those in the survey at the beginning of the panel who subsequently died, then they would include cases where ALL5RDS=1 or (ENTRSRVY=0 and DIED=1).
- If a researcher wanted to include persons who were in-scope and had data for all five rounds of the panel as well as those who died in the second year of the panel, then they would include cases where ALL5RDS=1 or (DIED=1 and YEARIND=1).

2.1.3 Estimation Variables

Longitudinal Estimations for Panel 25

The file contains a weight variable (LONGWT) and variance estimation variables (VARSTR, VARPSU) that should be applied when producing national estimates for longitudinal analyses. For example, LONGWT applied to the 5,681 cases where ALL5RDS=1 produces a weighted population estimate of 309.3 million. This represents an estimate of the number of persons in the civilian noninstitutionalized population for the entire two-year period from 2020-2021. To obtain estimates of variability (such as the standard error of sample estimates or corresponding confidence intervals) for estimates based on MEPS survey data, one needs to take into account the complex sample design of MEPS by specifying the estimation variables including stratum of sample selection (VARSTR), primary sampling unit (VARPSU) and longitudinal weight (LONGWT).

This longitudinal file also contains a longitudinal SAQ weight variable (LSAQWT). This weight variable should be used to perform longitudinal analyses involving any variables from the self-administered questionnaire (SAQ) which was administered to persons age 18 and older in both rounds 2 and 4 of the survey. The variable SAQRDS24 can be used to identify which persons have SAQ data for both versus only one of the two rounds. Table 3 below provides the estimated population size (i.e., the sum of LSAQWT values) for cases with only one round of SAQ data (i.e., SAQRDS24=0) and for cases with both rounds of SAQ data (i.e., SAQRDS24=1). The estimated population size for analyses based on the 2,720 cases with SAQ data for both rounds (i.e., SAQRDS24=1) is 195.8 million.

Table 3. Number of Respondents and Estimated Population Size for SAQ Analyses

Value of SAQRDS24	Description	Number of Respondents (Unweighted)	Estimated Population Size (Weighted by LSAQWT)
0	Persons with one round of SAQ data	3,358	59,107,444
1	Persons with both rounds of SAQ data	2,720	195,812,196
Total	All SAQ respondents	6,078	254,919,640

Pooled Estimations

When analyzing subpopulations and/or low prevalence events, it may be desirable to pool together more than one panel of MEPS-HC data to yield sample sizes large enough to generate reliable estimates. If only data from Panels 7 and beyond are being pooled, then simply use the strata and PSU variables (VARSTR, VARPSU)⁷ provided on the longitudinal files for pooled estimation. However, because Panels 1-6 MEPS longitudinal weight files were released with panel-specific variance structures, it is necessary to obtain the set of appropriate variance

⁷ Note that variable names for strata and PSU are VARSTR and VARPSU, respectively, in longitudinal files for Panel 9 and beyond. These variables were named differently in the longitudinal files for Panel 7 (VARSTRP7, VARPSUP7) and Panel 8 (VARSTRP8, VARPSUP8) and need to be standardized when pooling with subsequent panels.

estimation variables from the HC-036 Pooled Estimation File when pooling involves these panels.