BOX 00	(EF1000)	Item Type: Route	Type Class:	If Then			
<b>Route Details:</b>	01  Box = BOX	_00, BOX_10, BOX_20, BOX	X_30				
	04 Single Sele	04 Single Select = EF10, EF20, EF30					
BOX_10	(EF1005)	Item Type: Route	Type Class:	If Then			
Route Details:	If MV event and MV100 coded '2' (SOMEWHERE ELSE), go to EF10. If HS event and HS50 is coded '4' (GIVE BIRTH TO A BABY) go to EF20. If HS event and HS50 is coded '5' (TO BE BORN), go to EF30. Otherwise, go to BOX_30.						
EF10 Item Type: Type Class:	(EF1010) Question Enumerated	BLAISE NAME: ConfLab Field kind: Datafield Field Size:	oVst <b>ArrayMin:</b>	Min value:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:			
☐ Help Available	( )	☐ Show Card (	)	☐ Look Up File ( )			
Context Header:	{PERSON'S F	IRST MIDDLE AND LAST N	IAME}				
Question Text:							
You mentioned earlier that {you/{PERSON}} received lab tests somewhere other than {your/his/her} doctor's office. Has that lab visit already been recorded?							
PRESS F2 TO REVIEW THE EVENTS RECORDED FOR THIS PERSON.							
Responses:	NO	······································	2 RF				

**Full Detail Spec** 

Programmer Instructions:	If coded '1' (YES), 'RF' (REFUSED), or 'DK' (DON'T KNOW) go to BOX_30. If coded '2' go to BOX_20.					
Display Instructions:						
<u>EF20</u>	(EF1015)	BLAISE NAME: ConfPr	regVst			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:	. 35			
Answer Type:	TBABYEVENT	Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (	)	☐ Show Card (	)	☐ Look Up File ( )		
Context Header:	{PERSON'S FIR	ST MIDDLE AND LAST	NAME}			
<b>Question Text:</b>						
		{ were/was } admitted to the spital stay recorded for the ba		MIT DATE}to give birth to a		
PRESS F2 TO REVIE	EW THE EVENTS RE	CORDED FOR THE RU.				
Responses:	ENTER EVENT	FOR BABY	1			
	EVENT ALREAD BABY/NO BABY	EADY RECORDED FOR 2				
			RF			
	DON'T KNOW		DK			
Programmer Instructions:	If coded '1' (ENTER EVENT FOR BABY), go BOX_20. If coded '2' (EVENT ALREADY RECORDED FOR BABY/NO BABY IN RU), 'RF' (REFUSED) or 'DK' (DON'T KNOW) continue with BOX_30.					
Display Instructions:	For "PERSON" display the person for whom the event was cycled on during this instance of HS in this person-level loop.  Display the {ADMIT DATE} for the event cycled on at HS during this person-level loop.					

MEPS_V2 Full Detail Spec				Event Follow-Up (EF) Section		
<b>EF30</b>	(EF1016)	BLAISE NAME: ConfBi	rthVst			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	TMOTHEREVENT	Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (	)	☐ Show Card (	)	☐ Look Up File ( )		
Context Header:	{PERSON'S FIRS	Γ MIDDLE AND LAST	NAME}			
<b>Question Text:</b>						
	that {PERSON} was actay recorded for the mo		ADMIT DATE} to	o be born. Let me check to make		
PRESS F2 TO REVIE	W EVENTS RECORD	ED FOR THE RU.				
Responses:	EVENT ALREAD' MOTHER/NO MO	I ILL COLLE LE I CIL	2 RF			
Programmer Instructions:	If coded '1' (ENTER EVENT FOR MOTHER), go BOX_20. If coded '2' (EVENT ALREADY RECORDED FOR MOTHER/NO MOTHER IN RU), 'RF' (REFUSED), or 'DK' (DON'T KNOW), go to BOX_30.					
Display Instructions:	person-level loop.	ay the person for whom the DATE for the event cycled	•	on during this instance of HS in this g this person-level loop.		

(EF1020) **Item Type:** Route Type Class: If Then **BOX\_20** 

Go to the EV section and create an event record for this person. At the completion of the EV section, go to BOX\_30. **Route Details:** 

MEPS\_V2 **Event Follow-Up (EF) Section Full Detail Spec** 

**Item Type:** Route Type Class: If Then **BOX 30** (EF1025)

At the completion of the EV section, flag CP status of event-provider pair as 'PROCESSED' and go to the ED section. **Route Details:** 

[End of EF]