MEPS V2 **Full Detail Spec**  Other Medical Expenses (OM) Section

(OM1005)**Item Type:** Route Type Class: If Then **BOX 00** 

**Route Details:** 01 Box = BOX 00, BOX 10, BOX 20, BOX 30, BOX 40, BOX 50, BOX 60

 $02 \text{ Loop} = \text{LOOP}\_10$ 

03 End Loop = END LP10

04 Single Select = OM10, OM30, OM40, OM50, OM60, OM70

10 Multiple Select with Fill in Answer Text = OM80

23 Text Field = OM90

24 Information Screen = OM20

Grid Type 1 = OM80

**BOX 10** (OM1010) Item Type: Route Type Class: If Then

**Route Details:** Context header display instructions:

Display PERS.FULLNAME, PRND.BEGREFMM, PRND.BEGREFDD,

PRND.ENDREFMM, PRND.ENDREFDD, PRND.ENDREFYY

If PRND dates are missing, use RU dates:

RUBEGMM, RUBEGDD, RUENDMM, RUENDDD

**BOX 20** (OM1015) Item Type: Route Type Class: If Then

**Route Details:** If person currently looping on has been asked EE40 or EE50, or has a record for

GLASSES OR CONTACT LENSES created at EV20, where EV20=8 go to BOX\_30.

Otherwise, if RU member has not been asked about glasses/contact purchases at EE40 or EE50 and does not have GLASSES OR CONTACT LENSES record created,

go to OM10.

<u>OM10</u>	(OM1020)	<b>BLAISE NAME:</b> Glasses		
Item Type:	Question	Field kind: Datafield	ArrayMir	n: Min value:
<b>Type Class:</b>	Enumerated	Field Size:		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	ArrayMa	x: Max value:
-				
☐ Help Available (	( )	☐ Show Card (	)	☐ Look Up File ( )
Context Header:	{PERSON'S FIRS {END-DT}	ST MIDDLE AND LAST N	JAME} {ST	TR-DT}
<b>Question Text:</b>				
Did {you/{PERSON} DATE}}?	} purchase eyeglasses	or contact lenses {since {STAI	RT DATE}/b	between {START DATE} and {END
Responses:	YES		1	BOX_30 (OM1025)
•	NO		2	BOX_30 (OM1025)
	REFUSED		RF	BOX_30 (OM1025)
	DON'T KNOW		DK	BOX_30 (OM1025)
Programmer Instructions: Display	LENSES', go to I	3OX_30.		for 'GLASSES OR CONTACT
Instructions:	Display 'since {STADATE}' if round 5.		Display 'betw	een {START DATE} and {END
POV 30	(OM1025)	Itom Type: Pouto	Type C	losse If Than
BOX 30	(OM1025)	Item Type: Route	Type C	lass: If Then
Route Details:		0_N has at least 1 record t and coded '9' (OTHER MI		son and this person is selected at TPENSES), go to OM20.

Otherwise, go to OM30.

Display

**Instructions:** 

**Responses:** 

**CONTINUE** 

If a person level variable was previously set at EV25 for the person currently looping on, display

"Earlier you had mentioned {you/{PERSON} } had medical purchases..." Otherwise, use a null display.

OM30

(OM1035)

<u>OM30</u>	(OM1035)	BLAISE NAME: Ambula	ance	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
<b>Type Class:</b>	Enumerated	Field Size:		
Answer Type:	TYESNO	<b>Answers allowed:</b> 3	ArrayMax:	Max value:
✓ Help Available (	OMTpHelp)	☐ Show Car	rd ( )	☐ Look Up File ( )
Context Header:	{PERSON'S FIR:	ST MIDDLE AND LAST N	NAME} {STR-D	T} {END-DT}
<b>Question Text:</b>				
{Since {START DAT services?	E}/Between {START	DATE} and {END DATE}},	{have/has} {you/{	PERSON}} used any ambulance
				HELP:F1
Responses:	NOREFUSED		2 RF	
Programmer Instructions:	If coded '1', (YES) create OM-record for "AMBULANCE SERVICES".			
Display Instructions:	Display 'Since {ST DATE}' if round 5	ART DATE}' if not round 5.	Display 'Between	{START DATE} and {END

OM40 Item Type:	(OM1040) Question	BLAISE NAME: DisposSupplies  Field kind: Datafield ArrayMin: Min value:				
Type Class:	Enumerated	Field Size:	111100 111111	1,222		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (	)	✓ Show Card (OM	<b>1</b> -1)	☐ Look Up File ( )		
Context Header:	{PERSON'S FIR {END-DT}	RST MIDDLE AND LAST NAME} {STR-DT}				
<b>Question Text:</b>						
□ OM-1						
		DATE}/between {START DA' le supplies {that we haven't alr		ATE}}, {have/has} as related to {your/{PERSON}'s}		
Responses:	YES		1			
-	NO		2			
	REFUSED		RF			
	DON'T KNOW		DK			
Programmer Instructions:	If coded '1' (YE	S), create OM-record for "D	OISPOSABLE SU	UPPLIES".		
Display Instructions:	Display 'since {STDATE}' if round 5	TART DATE}' if not round 5. l	Display 'between	{START DATE} and {END		
		aven't already talked about as r		or PM40 is coded '1' (YES) for		

BLAISE NAME: MedEquip OM50 (OM1045)**Item Type:** Question Field kind: Datafield Min value: ArrayMin: **Type Class:** Field Size: Enumerated **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available ( ) ✓ Show Card (OM-2) ☐ Look Up File ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** {END-DT} **Ouestion Text:** □ OM-2 Please look at card OM-2, {since {START DATE}/between {START DATE} and {END DATE}}, {have/has} {you/{PERSON}}} purchased any long term medical equipment {that we haven't already talked about as related to {your/{PERSON}'s} diabetes}? **Responses:** YES \_\_\_\_\_1 BOX 40 (OM1050) NO ..... 2 BOX 40 (OM1050) ..... RF REFUSED BOX 40 (OM1050) ..... DK BOX 40 DON'T KNOW (OM1050) If OM50 coded '1' (YES), create OM-record for "LONG-TERM MEDICAL EQUIPMENT", **Programmer** go to BOX 40. **Instructions: Display** Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and **Instructions:** {END DATE}' if round 5. Display 'that we haven't already talked about as related...' if PM20 or PM40 is coded '1' (YES) for this person during the current round. Otherwise, use a null display. **BOX 40** (OM1050)Item Type: Route **Type Class:** If Then **Route Details:** If at least one OM-record has been reported for this person (GLASSES/CONTACT LENSES record created at EE40, EE50 or OM10 or OM30=1 'AMBULANCE SERVICES', OM40=1 'DISPOSABLE SUPPLIES', or OM50=1 'LONG-TERM MEDICAL EQUIPMENT'), go to LOOP 10. Otherwise, go to OM80.

**LOOP 10** (OM1055) Item Type: Route Type Class: Begin Loop

**Route Details:** For each OM-record reported, ask BOX\_50-END\_LP10.

> Loop definition: LOOP\_10 collects information on if glasses/contacts, ambulance services, disposable supplies, or long-term medical equipment were obtained at all during panel year 1 or 2, and collects charge payment information. This loop cycles on OM-record who meet the following condition:

-RU member reported any OM record type at OM30='1' (AMBULANCE SERVICES), OM40='1' (DISPOSABLE SUPPLIES), OM50='3' (LONG-TERM MEDICAL EQUIPMENT) OR RU member has an OM-record for "GLASSES/CONTACTS" created at EE40, EE50, or OM10.

Loop by OM-record type in the following order: GLASSES OR CONTACT LENSES, AMBULANCE SERVICES, DISPOSABLE SUPPLIES, THEN LONG-TERM MEDICAL EQUIPMENT.

**BOX 50** (OM1060)Item Type: Route Type Class: If Then

**Route Details:** If round 3 and persons reference period crosses between panel year 1 and panel year

2, continue with OM60. Otherwise, go to BOX\_60.

<u>OM60</u>	(OM1065) BLAISE NAME: OMEYear1					
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Mi	n value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Ma	ax value:	
☐ Help Available (	)	☐ Show Card (	)		☐ Look Up File ( )	
Context Header:	{PERSON'S F	FIRST MIDDLE AND LAST I	NAME} {C	OME ITEM	f GROUP}	
Question Text:						
Did {you/{PERSON}} equipment/disposable		eglasses or contact lenses/ambula IEL YEAR 1}?	nce services/	long-term n	nedical	
Responses:	YES		1	OM70	(OM1070)	
	NO		2	OM70	(OM1070)	
	REFUSED		RF	OM70	(OM1070)	
	DON'T KNOV	V	DK	OM70	(OM1070)	
Display Instructions:	lenses'.  If PERSON's continued in the PERSO	urrent OM-record being looped on	n is ambuland n is disposab n is long-term n is ambuland	ce services, le supplies, n medical ec	display 'ambulance services' display 'disposable supplies' quipment, display 'long-term	
	For 'PANEL YEAR 1' display the first calendar year of the panel.					

<u>OM70</u>	(OM1070)	<b>BLAISE NAME:</b> OMI	EYear2			
Item Type:	Question	Field kind: Datafield	ArrayMin	: Min val	ue:	
<b>Type Class:</b>	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed:	l ArrayMa	x: Max va	lue:	
☐ Help Available (	( )	☐ Show Card	( )		Look Up File ( )	
Context Header:	{PERSON'S F	IRST MIDDLE AND LAS	ΓNAME} {O	ME ITEM GR	OUP}	
<b>Question Text:</b>						
Did {you/{PERSON} equipment/disposable		eglasses or contact lenses/ambu EL YEAR 2}?	ılance services/l	ong-term medica	ıl	
Responses:	YES		1	BOX_60	(OM1075)	
	NO		2	BOX_60	(OM1075)	
	REFUSED		RF	BOX_60	(OM1075)	
	DON'T KNOV	V	DK	BOX_60	(OM1075)	
Display Instructions:	If PERSON's current OM-record being looped on is glasses/contacts, display 'eyeglasses or conta lenses'.  If PERSON's current OM-record being looped on is ambulance services, display 'ambulance serv If PERSON's current OM-record being looped on is disposable supplies, display 'disposable supplies, display 'long-medical equipment'.				y 'ambulance services'.  y 'disposable supplies'.	
	If PERSON's current OM-record being looped on is ambulance services, display 'use'. Otherwise, display 'obtain'.					
	For 'PANEL YEAR 2' display the second calendar year of the panel.					
BOX 60	(OM1075)	Item Type: Route	Type Cl	ass: If Then		
<b>Route Details:</b>	Go to the Cha	rge Payment section for the	ns person-ON	1 record pair.		
	When the Cha	When the Charge Payment section is complete, go to END_LP10.				

(OM1080)**Item Type:** Route Type Class: End Loop END LP10 **Route Details:** If there are more OM records to loop on for this person, return to LOOP\_10. Otherwise, if there are no more OM records to loop on for this person, go to OM80. **OM80** (OM1085)**BLAISE NAME: CodeAllOMRec Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TOMRecords Answers allowed:** 6 ArrayMax: Max value: ☐ Look Up File ( ) ☐ Help Available ( ) ☐ Show Card ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** {END-DT} **Question Text:** PLEASE INDICATE ANY {ADDITIONAL} RECORDS USED FOR {PERSON} DURING UTILIZATION, CHARGE/PAYMENT, PRESCRIBED MEDICINES, AND OTHER MEDICAL EXPENSES. ENTER ALL THAT APPLY. **Responses:** CALENDAR WITH HEALTH CARE ..... 1 BOX 70 (OM1091) ENTRIES FOR {PERSON} PROVIDER/INSURANCE STATEMENT ...... 2 BOX 70 (OM1091) PATIENT PORTAL ...... 3 BOX 70 (OM1091) PAYMENT RECORDS 4 BOX 70 (OM1091) PRESCRIPTION MEDICINE BOTTLES, ---- 5 BOX 70 (OM1091) TUBES, CONTAINERS, ETC OTHER TYPE OF RECORD ..... 7 OM90 (OM1090) NO OTHER RECORDS USED ...... 8 BOX\_70 (OM1091) **REFUSED** ----- RF BOX 70 (OM1091) DON'T KNOW DK BOX 70 (OM1091)

**Programmer Instructions:** 

Preloaded grid type 1

Display "ADDITIONAL" if CA30\_01= 1, CA30\_02=1, CA30\_03=1, CA30\_04=1, CA30\_05=1, or CA 30 07=1. Otherwise, use a null display.

Display Instructions:

Col #1 Header: CA30 Responses

Instructions: Display the responses entered at the records grid CA30\_01, CA30\_02, CA30\_03, CA30\_04, CA30\_05, and CA30\_07. Do not display CA30\_06. Display these previously recorded responses as prefilled values but not editable. Display the number associated with the event type: if CA30\_01= 1, display "1", if CA30\_02=1, display "2", if CA30\_03=1, display "3", if CA30\_04=1, display "4", if CA30\_05=1, display "5", if CA\_30\_07=1, display "7", if no records coded at CA30\_01-CA30\_07, use

a null display. Display these numbers with a hyphen separating them for example: 1-3-5.

Col#2 Header: Additional Records

Instructions: Display the responses entered at OM80 (CodeAllOMRec).

Hard checks:

Cannot code OM80 (CodeAllOMRec) as 8 (NO OTHER RECORDS USED) in combination with any other codes. Display the following error message: "CANNOT CHOOSE "NO OTHER RECORDS USED" IN COMBINATION WITH OTHER RESPONSES. REVIEW YOUR RESPONSES AND

MAKE ANOTHER SELECTION."

<u>OM90</u>	(OM1090)	BLAISE NAME: OthC	MRec			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:	
Type Class:	String	Field Size: 40				
Answer Type:	{Continuous Answ	ver. } Answers allowed:	ArrayMa	ax: Max	value:	
☐ Help Available (	)	☐ Show Card	( )		☐ Look Up File (	)
Context Header:	{PERSON'S FIR {END-DT}	ST MIDDLE AND LAST	ΓNAME} {S	ΓR-DT}		
<b>Question Text:</b>						
ENTER OTHER REC	ORD.					
NOTE: BE AS SPECI	FIC AS POSSIBLE.					
Responses:			1	BOX_70	(OM1091)	
	REFUSED		RF	BOX_70	(OM1091)	
	DON'T KNOW		DK	BOX 70	(OM1091)	

MEPS_V2			Other Medical Expenses (OM) Section
Full Detail Spec			
Display Instructions:			
BOX 70	(OM1091)	Item Type: Route	Type Class: If Then
<u>BOA 70</u>	(0:0110)1)	item Type. Route	Type Class, if then

Go to next section of the questionnaire.

**Route Details:** 

[End of OM]