MEPS_V2 Full Detail Spec			Outpatient Department (OP) Section
<u>BOX 00</u>	<u>(OP1000)</u>	Item Type: Route	Type Class: If Then
Route Details:	$01 \text{ Box} = \mathbf{B0}$	DX_00, BOX_10 , BOX_20, I	BOX_30, BOX_40, BOX_50
	04 Single Se	elect = $OP10$ , $OP20$ , $OP30$ , $OI$	P50, OP70, OP90
	05 Single Se	elect with Display Roster = OF	110
	06 Single Se	elect with Fill in Answer Text	= OP40
	08 Multiple	Select = OP80	
	30_Multiple	Select with Fill in Answer Te	xt and Display Roster = OP120
	11 Multiple	Select with Add/Edit/Delete =	OP60, OP100
	23 Text Fiel	d = OP130	
	28 Trigram	Lookup = OP20LU	
	Roster $2 = C$	DP120	
	Roster $3 = C$	DP60, OP100	

<u>BOX 10</u>	<u>(OP1001)</u>	Item Type: Route	Type Class: If Then	
Route Details:	Display PE	ader display instructions: RS.FULLNAME, PROV.LOR TBEGD, EVNT.EVNTBEGY	PNAME, EVNT.EVNTBEGM,	
		s flagged as facility provider, provider for this event (if ava	also display doctor or department linked to ilable).	

MEPS_V2 Full Detail Spec			Outpa	ntient Department (OP) Section	n
-	(001010)	DI AICE NAME: ODG	Dee		
<u>OP10</u>	<u>(OP1010)</u>	<b>BLAISE NAME:</b> OPSee	Doc		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	_
Help Available	e (MDDOTypes)	□ Show Ca	ard ( )	□ Look Up File ( )	
Context Header:	· · · · · · · · · · · · · · · · · · ·	IRST MIDDLE AND LAST {DOC OR DEPT} {EVN-D'	, (	E OF MEDICAL CARE	
Question Text:					
Did {you/{PERSON	}} see a medical do	ctor during this particular vis	it?		
				HELP: F1	
Responses:	YES		1 OP	20 (OP1015)	
	NO		2 OP	30 (OP1020)	

..... DK OP30

(OP1020) (OP1020)

REFUSED

Display Instructions: DON'T KNOW

MEPS_V2 Full Detail Spec			0	utpatient D	epartment (OP) Section
<u>OP20</u>	<u>(OP1015)</u>	BLAISE NAME: OPDoc	Speclty		
Item Type:	Question	Field kind: Datafield	ArrayMir	: Min v	value:
Type Class:	Enumerated	Field Size:	·		
Answer Type:		EV Answers allowed: 1	ArrayMa	x: Max	value:
• •					
□ Help Available (	)	$\Box$ Show Card (	)		$\Box$ Look Up File ( )
Context Header:		T MIDDLE AND LAST N DC OR DEPT} {EVN-DI		AME OF M	EDICAL CARE
Question Text:					
What was the doctor's	specialty?				
IF TALKED TO MOR	RE THAN ONE DOCT	OR, PROBE FOR MAIN PRO	OVIDER.		
Responses:	CARDIOLOGY (I	HEART)	3	OP40	(OP1030)
	ENDOCRINOLO (DIABETES, THY		5	OP40	(OP1030)
	FAMILY PRACT	ICE	6	OP40	(OP1030)
	GASTROENTER	OLOGY	7	OP40	(OP1030)
	GENERAL PRAC	TICE	8	OP40	(OP1030)
	GENERAL SURG	ERY		OP40	(OP1030)
	GYNECOLOGY/	OBSTETRICS	11	OP40	(OP1030)
	INTERNAL MED	ICINE (INTERNIST)	14	OP40	(OP1030)
	NEPHROLOGY (	KIDNEYS)	15	OP40	(OP1030)
	NEUROLOGY		16	OP40	(OP1030)
	ONCOLOGY (TU	MORS, CANCER)	18	OP40	(OP1030)
	OPHTHALMOLC	OGY (EYES)	19	OP40	(OP1030)
	ORTHOPEDICS		20	OP40	(OP1030)
	OTORHINOLAR THROAT)	YNGOLOGY (EAR, NOSI	Ξ, 22	OP40	(OP1030)
	PEDIATRICIAN		24	OP40	(OP1030)
	PHYSICAL MED	ICINE/REHAB	25	OP40	(OP1030)
		SYCHIATRIST		OP40	(OP1030)
	RADIOLOGY		30	OP40	(OP1030)
			33	OP40	(OP1030)
		CIALTY	91	OP20LU	(OP1017)
				OP40	(OP1030)
	DON'T KNOW		DK	OP40	(OP1030)

**Display** Display OP20 and OP20LU on the same form pane. **Instructions:** 

MEPS_V2			Outpatient Department (OP) Sec			
Full Detail Spec						
OP20LU	<u>(OP1017)</u>	<b>BLAISE NAME:</b> OPDoc	SpecltyLU			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	TDRSPLTY	Answers allowed: 1	ArrayMax:	Max value:		
Help Available	( )	$\Box$ Show Card (	)	□ Look Up File ( )		
Context Header:		IRST MIDDLE AND LAST 1 {DOC OR DEPT} {EVN-DT	, (	E OF MEDICAL CARE		
O						

### **Question Text:**

ENTER OTHER DOCTOR SPECIALTY.

# TYPE THE FIRST 3 LETTERS OF THE SPECIALTY, THEN USE ARROW KEYS IF NEEDED TO LOCATE SPECIALTY, AND PRESS ENTER TO SELECT.

Responses:	ALLERGY/IMMUNOLOGY	. 1
Responses.	ANESTHESIOLOGY	
	CARDIOLOGY (HEART)	-
	DERMATOLOGY (SKIN)	
	ENDOCRINOLOGY/METABOLISM	
	(DIABETES, THYROID)	5
	FAMILY PRACTICE	- 6
	GASTROENTEROLOGY	- 7
	GENERAL PRACTICE	- 8
	GENERAL SURGERY	- 9
	GERIATRICS (ELDERLY)	10
	GYNECOLOGY/OBSTETRICS	11
	HEMATOLOGY (BLOOD)	12
	HOSPITAL RESIDENCE	13
	INTERNAL MEDICINE (INTERNIST)	14
	NEPHROLOGY (KIDNEYS)	15
	NEUROLOGY	16
	NUCLEAR MEDICINE	17
	ONCOLOGY (TUMORS, CANCER)	18
	OPHTHALMOLOGY (EYES)	19
	ORTHOPEDICS	20
	OSTEOPATHY (DO)	21
	OTORHINOLARYNGOLOGY (EAR, NOSE,	22
	THROAT)	
	PATHOLOGY	
	PEDIATRICIAN	- ·
	PHYSICAL MEDICINE/REHAB	
	PLASTIC SURGERY	
	PROCTOLOGY	
	PSYCHIATRY/PSYCHIATRIST	
	PULMONARY	29

	RADIOLOGY 30				
	RHEUMATOLOGY (ARTHRITIS) 31				
	THORACIC SURGERY (CHEST) 32				
	UROLOGY				
	OTHER DR SPECIALTY 91				
	REFUSED RF				
	DON'T KNOW DK				
Programmer Instructions:	Go to OP40.				
mști uctionș.	Responses listed are part of the provider specialty look-up file that works similar to a trigram search.				
	Browser window should be labeled "SELECT SPECIALTY".				
	Response code numbers should be stored behind the scenes and not visible in the look-up window.				
Display Instructions:	Display OP20 and OP20LU on the same form pane.				

MEPS_V2			C	outpatient	Department (OP) Section
Full Detail Spec			_		
<u>OP30</u>	( <u>OP1020)</u>	BLAISE NAME: OPMP'	-		_
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Mi	n value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TOPMEDPER	Answers allowed: 1	ArrayMa	ax: Ma	ax value:
✓ Help Available					□ Look Up File ( )
Context Header:		RST MIDDLE AND LAST DOC OR DEPT} {EVN-D		NAME OF	MEDICAL CARE
Question Text:					
-	person did {vou/{PFi	RSON} } talk to on {VISIT DA	TE3?		
	- ·· ·				
IF TALKED TO MO	RE THAN ONE MED	DICAL PERSON, PROBE FOR	R MAIN PRC	VIDER.	
					HELP: F1
Responses:	ACUPUNCTUR	IST	1	OP40	(OP1030)
Tropponses	CHIROPRACTO			OP40	(OP1030)
	DENTIST/DEN	TAL CARE PERSON		OP40	(OP1030)
	HOMEOPATHI	C/NATUROPATHIC/HERI	BA 4	OP40	(OP1030)
	LIST/OTHER				
		E/COMPLEMENTARY			
	CARE PROVID	ERAPIST	5	OP40	(OP1030)
	MENTAL HEAI		6	OP40 OP40	(OP1030)
		ARITAL OR FAMILY	0	0140	(011030)
	MIDWIFE		7	OP40	(OP1030)
	NURSE/NURSE	PRACTITIONER	8	OP40	(OP1030)
	OPTOMETRIST			OP40	(OP1030)
	PHYSICAL/OC	CUPATIONAL THERAPIS	T 10	OP40	(OP1030)
	PHYSICIAN'S A	SSISTANT	11	OP40	(OP1030)
	PODIATRIST		12	OP40	(OP1030)
	PSYCHOLOGIS	Т	13	OP40	(OP1030)
	SOCIAL WORK	ER		OP40	(OP1030)
	TECHNICIAN			OP40	(OP1030)
	OTHER		91	OP40	(OP1030)
	REFUSED		RF	OP40	(OP1030)
	DON'T KNOW		DK	OP40	(OP1030)

MEPS\_V2 Full Detail Spec

<u>OP40</u>	<u>(OP1030)</u>	BLAISE NAME: OPVst	Cat		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: M	in value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TVSTCTGRY	Answers allowed: 1	ArrayMa	x: M	lax value:
Help Available (	VSTCTGRYHelp	Show Ca	ard (OP-1)		$\Box$ Look Up File ( )
Context Header:		ST MIDDLE AND LAST 1 OC OR DEPT { {EVN-D1		IAME OF	F MEDICAL CARE
Question Text:					
□ OP-1.					
		rategory <u>best</u> describes the carn nt} at {PROVIDER} on {VIS		SON}} rea	ceived during the visit to
					HELP: F1
<b>Responses:</b>	GENERAL CHEO	CKUP	1	OP50	(OP1035)
	DIAGNOSIS OR	TREATMENT		OP50	(OP1035)
		E.G., ACCIDENT OR	- 3	OP50	(OP1035)
	PSYCHOTHERA COUNSELING	PY OR MENTAL HEALT	Ъ 4	OP50	(OP1035)
	FOLLOW-UP OR	R POST-OPERATIVE VIS	IT 5	OP50	(OP1035)
	IMMUNIZATION	NS OR SHOTS	6	OP50	(OP1035)
	VISION EXAM		7	OP50	(OP1035)
		RELATED (INCLUDING RE AND DELIVERY)}	8	OP50	(OP1035)
	{WELL CHILD E	EXAM}		OP50	(OP1035)
	LASER EYE SUF	RGERY	10	OP50	(OP1035)
	OTHER			OP50	(OP1035)
	REFUSED		RF	OP50	(OP1035)
	DON'T KNOW		DK	OP50	(OP1035)

Display Instructions:	Display '{DOC OR DEPT}' if PROVIDER linked to this event is flagged as a facility provider and there a doctor or department linked to this specific event. Otherwise, display 'the outpatient department'.
	Display OP40 (OPVstCat) response option '8' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND DELIVERY)) if person is female and aged 15-55 inclusive (or age categories 3 to 8). Otherwise, use a null display.
	Display OP40 (OPVstCat) response option '9' (WELL CHILD EXAM)if PERSON IS <7 YEARS OLD (OR AGE CATEGORIES 1 TO 3). Otherwise, use a null display.

<u>OP50</u>	<u>(OP1035)</u>	BLAISE NAME: OPSpecCond				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	Max value:			
✓ Help Available (CondHelp)		$\Box$ Show Card ( )		□ Look Up File ( )		

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER}-{DOC OR DEPT} {EVN-DT}

## **Question Text:**

{Other than {your/his/her} {general checkup/well child exam}, was/Was} this visit related to any specific health condition or were any conditions discovered during this visit?

HELP: F1

<b>Responses:</b>	YES 1	OP60	(OP1040)
	NO 2	OP70	(OP1050)
	REFUSED RF	OP70	(OP1050)
	DON'T KNOW DK	OP70	(OP1050)
Display	Display 'Other than {your/his/her} {general checkun/well chi	ld exam} was' if OF	240 (OPVstCat) wa

DisplayDisplay 'Other than {your/his/her} {general checkup/well child exam}, was' if OP40 (OPVstCat) was<br/>coded '1' (GENERAL CHECKUP) OR '9' (WELL CHILD EXAM). Otherwise, display 'Was'.

Display 'general checkup' if OP40 (OPVstCat) was coded '1' (GENERAL CHECKUP). Display 'well child exam' if OP40 (OPVstCat) was coded '9' (WELL CHILD EXAM).

MEPS_V2 Full Detail Spec				C	Dutpatier	nt Department (OP) Section
<u>OP60</u>	<u>(OP1040)</u>	<b>BLAISE NA</b>	ME: OPCon	dRoster		
Item Type:	Question	Field kind	: Datafield	ArrayMi	n: N	Ain value:
Type Class:	Enumerated	Field Size:		-		
Answer Type:	TCONDITION	Answers	s allowed: 99	ArrayMa	ax: N	Aax value:
✓ Help Available	(CondHelp)		□ Show Care	d ( )		□ Look Up File ( )
Context Header:	{PERSON'S FI PROVIDER}-{I				NAME O	F MEDICAL CARE
Question Text:						
What conditions were	e discovered or led {y	ou/ {PERSON}]	to make this v	isit?		
PROBE: Any other c	condition?					
ENTER ALL THAT	APPLY					
						CRTL-A:ADD CRTL-E:EDIT CRTL-D:DELETE
						HELP: F1
Responses:	{MEDICAL CO	NDITION } 1		1	<b>OP7</b> 0	(OP1050)
	{MEDICAL CO	NDITION} 2		2	OP70	(OP1050)
	{MEDICAL CO	NDITION 3		3	OP70	(OP1050)
	{MEDICAL CO	NDITION } 4		4	<b>OP70</b>	(OP1050)
	{MEDICAL CO	NDITION } N		5	OP70	(OP1050)

Programmer Instructions:	<ol> <li>Roster behavior:         <ol> <li>Multiple select allowed.</li> <li>Multiple add allowed.</li> <li>Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.</li> <li>Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.</li> </ol> </li> </ol>
Display Instructions:	Roster 3- Add/Edit/Delete Allow Roster definition: Display the Person-Medical-Conditions-Roster for selection and addition of one or many medical condition(s) associated with this event. Display name of medical condition (COND.CONDNAM). Roster filter: Display all conditions on person's roster; no filter.

<u>OP70</u> Item Type: Type Class:	( <b>OP1050)</b> Question Enumerated	BLAISE NAME: OPSurg Field kind: Datafield Field Size:	gProc ArrayMin:	Min value:
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
✓ Help Available	(SurgProcHelp)	□ Show C	ard ( )	□ Look Up File ( )
Context Header:		RST MIDDLE AND LAST DOC OR DEPT} {EVN-DT	· · ·	E OF MEDICAL CARE
Question Text: Was a surgical proce	dure performed on {y	ou/{PERSON}} during this vis	sit?	HELP: F1

<b>Responses:</b>	YES 1 OP80	(OP1060)
	NO	(OP1060)
	REFUSED RF OP80	(OP1060)
	DON'T KNOW DK OP80	(OP1060)

MEPS\_V2 Full Detail Spec

<u>OP80</u>	<u>(OP1060)</u>	BLAISE NAME: CodeAllOPSvc				
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Mi	n value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TMEDSVCTYPE	Answers allowed: 7	ArrayMa	x: Ma	ax value:	
✓ Help Available	(MedServHelp)	✓ Show Ca	rd (OP-2)		Look Up File ()	
Context Header:		ST MIDDLE AND LAST OC OR DEPT } {EVN-D		NAME OF	MEDICAL CARE	
Question Text:						
Looking at card OP-2	, which of these service	es, if any, did {you/ {PERSO	N}} have dur	ng this visi	t?	
ENTER ALL THAT	APPLY					
					HELP: F1	
Responses:	LABORATORY '	TESTS	1	OP90	(OP1070)	
	SONOGRAM OR	ULTRASOUND	2	OP90	(OP1070)	
	X-RAYS		3	OP90	(OP1070)	
	MAMMOGRAM		4	OP90	(OP1070)	
	MRI OR CATSCA	AN	5	OP90	(OP1070)	
	EKG, ECG, OR E	EEG	6	OP90	(OP1070)	
	VACCINATION			OP90	(OP1070)	
		E SERVICES RECEIVED		OP90	(OP1070)	
	TEL COLD			OP90	(OP1070)	
	DON'T KNOW		DK	OP90	(OP1070)	

Programmer Instructions:	Soft check: If OP80 (CodeAllOPSvc) is coded '4' (MAMMOGRAM) and person being asked about is male or is female and < or = 17 years of age (or age categories 1-3), display the following message: "UNLIKELY RESPONSE FOR {MALE/CHILDREN 17 AND YOUNGER}. VERIFY AND RE-ENTER."
	Display 'MALES' in error message if person being asked about is a male > 17 years of age (or age categories 4 through 9). Display 'CHILDREN 17 AND YOUNGER' in the error message if person being asked about is male or female and < or = 17 years of age (or age categories 1-3).
(REFUSED), and 'DK'	Allow OP80 (CodeAllOPSvc) code '95' (NONE OF THESE SERVICES RECEIVED), 'RF' (REFUSED), and 'DK' (DON'T KNOW) alone only. These responses may not be selected with any other response.
	'NONE OF THESE SERVICES RECEIVED' is not displayed on show card.
	Hard check: Edit: If OP80 (CodeAllOPSvc) is coded '95' (NONE OF THESE SERVICES RECEIVED), no other treatment categories can be coded. If interviewer selects another code with 'NONE OF THESE SERVICES', display the following message: "NONE OF THESE SERVICES RECEIVED CANNOT BE SELECTED WITH OTHER OPTIONS. VERIFY AND RE- ENTER."

MEPS_V2 Full Detail Spec				Outpa	tient Department (OP) Sec	tion
<u>OP90</u>	<u>(OP1070)</u>	BLAISE NA	ME: OPPme	ed		
Item Type:	Question	Field kind:	Datafield	ArrayMin:	Min value:	
<b>Type Class:</b>	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers	allowed: 1	ArrayMax:	Max value:	
<ul> <li>Help Available (</li> <li>Context Header:</li> </ul>	× • • • •		AND LAST	/ (	□ Look Up File ( E OF MEDICAL CARE	)
Question Text:						

During this visit, were any medicines prescribed for {you/{PERSON}}? Please include only prescriptions which were filled.

HELP: F1

<b>Responses:</b>	YES 1	OP100	(OP1075)
	NO	BOX_20	(OP1085)
	REFUSED RF	BOX_20	(OP1085)
	DON'T KNOW DK	BOX_20	(OP1085)

MEPS_V2 Full Detail Spec			Out	patient De	partment (OP) Section
<u>OP100</u>	(OP1075)	BLAISE NAME: OPPme	dRoster		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min v	alue:
Type Class:	Enumerated	Field Size:	•		
Answer Type:	TPRESCRIBED	MEDS Answers allowed: 99	ArrayMax:	Maxy	value:
□ Help Available (	)	$\Box$ Show Card (	)		□ Look Up File ( )
Context Header:		FIRST MIDDLE AND LAST 1 {DOC OR DEPT} {EVN-D]		ME OF MI	EDICAL CARE
Question Text:					
Please tell me the nam	es of the prescription	ons from this visit that were filled			
PROBE: Any other pro	escribed medicines	from this visit that were filled?			
ENTER ALL THAT A	APPLY				
					CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE
Responses:	{PRESCRIBE	D MEDICINE }1	1 B	OX_20	(OP1085)
	-	D MEDICINE}2		OX_20	(OP1085)
	{PRESCRIBE	D MEDICINE}3	3 B	OX_20	(OP1085)

{PRESCRIBED MEDICINE}4 ...... 4 BOX\_20

(OP1085)

(OP1085)

# MEPS\_V2 Full Detail Spec

Programmer Instructions:	<ul> <li>Roster behavior:</li> <li>Multiple select allowed.</li> <li>Multiple add allowed.</li> <li>Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.</li> <li>Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.</li> <li>Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.</li> <li>NOTE: In order for the columns to display properly, 35 allowable characters for the medicines will be accepted for display on the roster.</li> </ul>
	When adding a medicine in the pop-up manipula, a maximum of 60 characters will be allowed. When the CTRL-D or CTRL-E command is called, the pop-up manipula should display 60 characters for the medicine name. General flag rules for medicines:
	<ul> <li>Round medicine first created (by definition a medicine is selected the same time it is created)</li> <li>Question number medicine first created</li> <li>Round medicine selected</li> <li>Event medicine is linked to (however, this is known by virtue that the medicine was selected at OP100 for this event)</li> </ul>
Display Instructions:	Roster 3- Add/Edit/Delete Allowed. Roster definition: This item displays the Person's-Prescription-Medicines-Roster for selection and addition of prescribed medicines. Display name of prescribed medicine (DRUG.DRUGMANE) Roster filter: Display all medicines on person's roster; no filter.

<u>BOX 20</u>	<u>(OP1085)</u>	Item Type: Route	Type Class: If Then
Route Details:		on is associated with this visit continue with BOX_30.	to this provider for this person, go to BOX_50.

MEPS_V2 Full Detail Spec			Outpatient Department (OP) Section
<u>BOX 30</u>	<u>(OP1090)</u>	Item Type: Route	Type Class: If Then
Route Details:	Department Note: If pro regardless o	t (OP) Utilization section, convider is a facility provider, ch	person have not completed the Outpatient ntinue with BOX_40. neck all events to the same facility provider inked to the specific events).
<u>BOX 40</u>	<u>(OP1095)</u>	Item Type: Route	Type Class: If Then
Route Details:	If this event	is not part of a flat fee group	o, continue with OP110.

Otherwise, go to BOX\_50.

MEPS_V2 Full Detail Spec		Outpatient Department (OP) Section			tion
<u>OP110</u>	<u>(OP1100)</u>	BLAISE NAME: OPOth	SameCond		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:	
Help Available (	( )	$\Box$ Show Card (	)	□ Look Up File (	)
Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL OPROVIDER} {EVN-DT}			E OF MEDICAL CARE		

## **Question Text:**

Earlier I recorded that {you/{PERSON}} had some other visits to an outpatient department at {PROVIDER}. {Were any of these visits related to {your/his/her} {PERSON'S OP MEDICAL CONDITION}?/Were any of the other visits also for {your/his/her} {PERSON'S OP MEDICAL CONDITION} or {PERSON'S OP MEDICAL CONDITION} {or {PERSON'S OP MEDICAL CONDITIONS BELOW}:}

#### **{CONDITIONS**

{PERSON'S OP MEDICAL CONDITION}1 {PERSON'S OP MEDICAL CONDITION}2 {PERSON'S OP MEDICAL CONDITION}3 {PERSON'S OP MEDICAL CONDITION}4 {PERSON'S OP MEDICAL CONDITION}N}

<b>Responses:</b>	YES 1	OP120	(OP1110)
	NO	BOX_50	(OP1120)
	REFUSED RF	BOX_50	(OP1120)
	DON'T KNOW DK	BOX_50	(OP1120)

Display Instructions:	{DOC OR DEPT} should not display in context header.		
	Display 'Were any of these visits related to {your/his/her} {PERSON'S OP MEDICAL CONDITION}?' if only one condition selected or added to Person's-Medical-Conditions-Roster at OP60. Display 'Were any of the other visits also for {your/his/her} {PERSON'S OP MEDICAL CONDITION} or {PERSON'S OP MEDICAL CONDITION} {or {PERSON'S OP MEDICAL CONDITION}}?' if exactly 2 or 3 conditions selected or added to Person's-Medical-Conditions-Roster at OP60. Otherwise, display 'Were any of the other visits also for one of these conditions (READ CONDITIONS BELOW):"		
	Display 'or {PERSON'S OP MEDICAL CONDITION' if exactly 3 conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster) Otherwise, use a null display.		
	For 'PERSON'S OP MEDICAL CONDITION' display the condition selected from or added to PERSON'S-MEDICAL-CONDITIONS-ROSTER AT OP60 (PCondRoster).		
	Display the header 'CONDITIONS' and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display. FOR 'PERSON'S OP MEDICAL CONDITION', DISPLAY ALL CONDITIONS SELECTED FROM OR ADDED TO PERSON'S-MEDICAL-CONDITIONS-ROSTER AT OP60 (PCondRoster).		

MEPS_V2			Outpatient Department (OP) Section		
Full Detail Spec					
<u>OP120</u>	<u>(OP1110)</u>	BLAISE NAME: OPRep	VstRoster		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TMONTHDAYYI	EAR Answers allowed: 99	ArrayMax:	Max value:	
☐ Help Available ( Context Header:	,	Show Card ( ST MIDDLE AND LAST N SVN-DT}	,	□ Look Up File ( ) E OF MEDICAL CARE	

## **Question Text:**

{Which of the following visits were also for {your/{PERSON}'s} {PERSON'S OP MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S OP MEDICAL CONDITION}} {or {your/his/her} {PERSON'S OP MEDICAL CONDITION}} ?/ Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW)?}

PROBE: Any other visits for the same condition?

ENTER ALL THAT APPLY

## **{CONDITIONS**

{PERSON'S OP MEDICAL CONDITION}1 {PERSON'S OP MEDICAL CONDITION}2 {PERSON'S OP MEDICAL CONDITION}3 {PERSON'S OP MEDICAL CONDITION}4 {PERSON'S OP MEDICAL CONDITION}N}

<b>Responses:</b>	{SELECT ALL EVENTS} 0 OP130	(OP1115)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}1 1 OP130	(OP1115)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}2 2 OP130	(OP1115)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}3 3 OP130	(OP1115)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}4 4 OP130	(OP1115)
	{MONTH,DAY,YEAR} - {DOC OR DEPT}N 5 OP130	(OP1115)

Programmer Instructions:	<ul><li>If coded '0' SELECT ALL EVENTS, CAPI should automatically select all of the events displayed on the roster and flag as being part of the repeat visit group.</li><li>Flag each visit selected at OP120 as a repeat visit related to the event being asked about. (NOTE: The event being cycled on through this OP section administration is the "stem" repeat visit. The events selected at OP120 are the "leaves". The event driver (ED) section will not serve these repeat visits for the OP section.)</li><li>Assign next repeat visit number at the household level. (NOTE: Each repeat visit grouping, whether OP, MV, or HH is assigned this number at a household level. The number will start over every round.)</li></ul>			
	Roster behavior: 1. Multiple select allowed.			
Display Instructions:	{DOC OR DEPT} should not display in context header. Roster 2-no add/edit/delete			
	<ul> <li>Roster filter:</li> <li>Display only those event with the following characteristics.</li> <li>1. Event was created this round.</li> <li>2. Event has not been processed in utilization.</li> <li>3. Event has event type 'OP'.</li> <li>4. Event is associated with the same provider as the event being asked about (regardless of the doctor or department linked to the specific event if provider is a facility provider).</li> <li>5. Event is not already flagged as part of a flat fee bundle.</li> </ul>			
	Next to each event date, display the doctor or department linked to that specific visit date. Display 'Which of the following visits were also for {your/{PERSON}'s} {PERSON'S OP MEDICAL CONDITION} {{or {your/his/her}/,} {PERSON'S OP MEDICAL CONDITION}} {or {your/his/her} {PERSON'S OP MEDICAL CONDITION}}?' if three or less conditions selected or added to Person's- Medical-Conditions-Roster at OP60. Otherwise display, 'Which of the following visits were also for one of these conditions (READ CONDITIONS BELOW)?'			
	Display '{or {your/his/her}/,} {PERSON'S OP MEDICAL CONDITION}' if two or three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display.			
	Display "or {your/his/her}" if exactly two conditions selected or added to Person's-Medical- Conditions-Roster at OP60 (PCondRoster). Otherwise, display ','.			
	Display 'or {your/his/her} {PERSON'S OP MEDICAL CONDITION}' if exactly three conditions selected or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster). Otherwise, use a null display.			
	For 'PERSON'S OP MEDICAL CONDITION' display the condition selected from or added to Person's-Medical-Conditions-Roster AT OP60 (PCondRoster).			
	Display the header 'CONDITIONS' and the list of conditions if more than three conditions selected or added to Person's-Medical-Conditions-Roster at OP60. Otherwise, use a null display. For 'PERSON'S OP MEDICAL CONDITION', display all conditions selected from or added to Person's-Medical-Conditions-Roster at OP60 (PCondRoster).			
	For "MONTH,DAY,YEAR" in the response option area, display visit dates as "MON DD, YYYY". Abbreviate the month name as three letters.			
	Display the response option '0' SELECT ALL EVENTS when there is more than one event to display			

on the roster, otherwise use a null display.

<u>OP130</u> Item Type: Type Class:	(OP1115) Question String	<b>BLAISE NAME:</b> OPEve Field kind: Datafield Field Size: 30	ArrayMin:	Min value:
Answer Type:	{Continuous Ansv	ver.} Answers allowed: 1	ArrayMax:	Max value:
□ Help Available (	)	$\Box$ Show Card (	)	Look Up File ()
Context Header:	{PERSON'S FII PROVIDER} {I	RST MIDDLE AND LAST EVN-DT}	NAME} {NAMI	E OF MEDICAL CARE
Question Text:				
INTERVIEWER: RE	CORD 'NAME OF R	EPEAT VISIT GROUP' FOR	EVENTS SELECT	ED IN PREVIOUS QUESTION:
Responses:			1 BO2	X_50 (OP1120)
Display Instructions:				
<u>BOX 50</u>	( <u>OP1120)</u>	Item Type: Route	Type Class:	If Then
Route Details:	event, i.e. its sta situation where Flat Fee group.	ge/Payment (CP) section i atus wasn't set to 'Comple the charges were collecte o Event Driver (ED) sectio	ted' because it w ed in the CP secti	

[End of OP]