TABLE H102IT2
COMPARISON OF MEPS 2006 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 06 PERSON-LEVEL FILE (HC-105) AND THE FY 06 EVENT FILES (HC-102A THROUGH HC-102H)
WEIGHT = PERWT06F

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH06	TOTAL HEALTH CARE CHARGES 06, EXCL. RX	Sum of (DVTC06X from DVIS records) + (OMTC06X from OMED records) + (OPFTC06X + OPDTC06X from OPAT records) + (ERFTC06X + ERDTC06X from EROM records) + (IPFTC06X + IPDTC06X from STAZ records) + (HPTC06X + HATC06X from HVIS records) + (OBTC06X from MVIS records)	26026	26026	1760955266963.70	1760949772729.40	7059.152	7059.13
0.2	TOTEXP06X	TOTAL HEALTH CARE EXP 06	Sum of (DVXP06X from DVIS records) + (OMXP06X from OMED records) + (OPFXP06X + OPDXP06X from OPAT records) + (ERFXP06X + ERDXP06X from EROM records) + (IPFXP06X + IPDXP06X from STAZ records) + (HPXP06X + HAXP06X from HVIS records) + (OBXP06X from MVIS records) + (RXXP06X from PMED records)	26448	26448	1033056420278.60	1033053740203.40	4078.481	4078.47

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF06	TOTAL AMT PAID BY SELF/FAMILY 06	Sum of (DVSF06X from DVIS records) + (OMSF06X from OMED records) + (OPFSF06X + OPDSF06X from OPAT records) + (ERFSF06X + ERDSF06X from EROM records) + (IPFSF06X + IPDSF06X from STAZ records) + (HPSF06X + HASF06X from HVIS records) + (OBSF06X from MVIS records) + (RXSF06X from PMED records)	23085	23085	195807536933.72	195803730580.62	847.1502	846.9966
0.4	TOTMCR06	TOTAL AMT PAID BY MEDICARE 06	Sum of (DVMR06X from DVIS records) + (OMMR06X from OMED records) + (OPFMR06X + OPDMR06X from OPAT records) + (ERFMR06X + ERDMR06X from EROM records) + (IPFMR06X + IPDMR06X from STAZ records) + (HPMR06X + HAMR06X from HVIS records) + (OBMR06X from MVIS records) + (RXMR06X from PMED records)	4584	4584	243115326687.74	243114783936.07	5655.118	5655.105

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD06	TOTAL AMT PAID BY MEDICAID 06	Sum of (DVMD06X from DVIS records) + (OMMD06X from OMED records) + (OPFMD06X + OPDMD06X from OPAT records) + (ERFMD06X + ERDMD06X from EROM records) + (IPFMD06X + IPDMD06X from STAZ records) + (HPMD06X + HAMD06X from HVIS records) + (OBMD06X from MVIS records) + (RXMD06X from PMED records)	6687	6687	89592910159.87	89591893993.77	2254.227	2252.778
0.6	TOTPRV06	TOTAL AMT PAID BY PRIVATE INS 06	Sum of (DVPV06X from DVIS records) + (OMPV06X from OMED records) + (OPFPV06X + OPDPV06X from OPAT records) + (ERFPV06X + ERDPV06X from EROM records) + (IPFPV06X + IPDPV06X from STAZ records) + (HPPV06X + HAPV06X from HVIS records) + (OBPV06X from MVIS records) + (RXPV06X from PMED records)	14806	14806	421434848362.44	421432299980.49	2469.527	2468.69

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA06	TOTL AMT PAID BY VA 06	Sum of (DVVA06X from DVIS records) + (OMVA06X from OMED records) + (OPFVA06X + OPDVA06X from OPAT records) + (ERFVA06X + ERDVA06X from EROM records) + (IPFVA06X + IPDVA06X from STAZ records) + (HPVA06X + HAVA06X from HVIS records) + (OBVA06X from MVIS records) + (RXVA06X from PMED records)	1143	1143	27584665553.63	27583881053.07	2321.713	2320.869
0.8	TOTTRI06	TOTL AMT PAID BY TRICARE	Sum of (DVTR06X from DVIS records) + (OMTR06X from OMED records) + (OPFTR06X + OPDTR06X from OPAT records) + (ERFTR06X + ERDTR06X from EROM records) + (IPFTR06X + IPDTR06X from STAZ records) + (HPTR06X + HATR06X from HVIS records) + (OBTR06X from MVIS records) + (RXTR06X from PMED records)	634	634	9642939391.07	9642482074.40	1425.396	1425.329

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD06	TOTL AMT PAID BY OTHER FEDERAL 06	Sum of (DVOF06X from DVIS records) + (OMOF06X from OMED records) + (OPFOF06X + OPDOF06X from OPAT records) + (ERFOF06X + ERDOF06X from EROM records) + (IPFOF06X + IPDOF06X from STAZ records) + (HPOF06X + HAOF06X from HVIS records) + (OBOF06X from MVIS records) + (RXOF06X from PMED records)	317	317	2342981902.25	2342941667.35	808.7592	808.7453
0.10	TOTSTL06	TOTL AMT PAID BY OTH ST/LOCAL 06	Sum of (DVSL06X from DVIS records) + (OMSL06X from OMED records) + (OPFSL06X + OPDSL06X from OPAT records) + (ERFSL06X + ERDSL06X from EROM records) + (IPFSL06X + IPDSL06X from STAZ records) + (HPSL06X + HASL06X from HVIS records) + (OBSL06X from MVIS records) + (RXSL06X from PMED records)	1165	1165	7357609974.79	7357344745.12	878.6377	878.6061

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP06	TOTL AMT PAID BY WORKERS COMP 06	Sum of (DVWC06X from DVIS records) + (OMWC06X from OMED records) + (OPFWC06X + OPDWC06X from OPAT records) + (ERFWC06X + ERDWC06X from EROM records) + (IPFWC06X + IPDWC06X from STAZ records) + (HPWC06X + HAWC06X from HVIS records) + (OBWC06X from MVIS records) + (RXWC06X from PMED records)	458	458	9718791808.11	9718713244.43	2097.46	2097.443
0.12	TOTOPR06	TOTL AMT PAID BY OTHER PRIVATE 06	Sum of (DVOR06X from DVIS records) + (OMOR06X from OMED records) + (OPFOR06X + OPDOR06X from OPAT records) + (ERFOR06X + ERDOR06X from EROM records) + (IPFOR06X + IPDOR06X from STAZ records) + (HPOR06X + HAOR06X from HVIS records) + (OBOR06X from MVIS records) + (RXOR06X from PMED records)	1849	1849	16734122394.18	16733914954.93	1026.724	1026.712

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU06	TOTL AMT PAID BY OTHER PUBLIC 06	Sum of (DVOU06X from DVIS records) + (OMOU06X from OMED records) + (OPFOU06X + OPDOU06X from OPAT records) + (ERFOU06X + ERDOU06X from EROM records) + (IPFOU06X + IPDOU06X from STAZ records) + (HPOU06X + HAOU06X from HVIS records) + (OBOU06X from MVIS records) + (RXOU06X from PMED records)	492	492	4220318566.74	4220220492.03	1339.061	1338.311
0.14	TOTOSR06	TOTL AMT PAID OTHR UNCLASS SOURCES 06	Sum of (DVOT06X from DVIS records) + (OMOT06X from OMED records) + (OPFOT06X + OPDOT06X from OPAT records) + (ERFOT06X + ERDOT06X from EROM records) + (IPFOT06X + IPDOT06X from STAZ records) + (HPOT06X + HAOT06X from HVIS records) + (OBOT06X from MVIS records) + (RXOT06X from PMED records)	1074	1074	5511645277.23	5511533481.16	623.3478	623.1292

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
1.0	OBTOTV06	# OFFICE-BASED PROVIDER VISITS 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	22504	22504	1518952526.44	1518952526.44	6.9881	6.9881
1.1	OBVTCH06	OFFICE-BASED PROVIDER VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22488	22488	486794609349.08	486791782421.49	2240.973	2240.96
1.2	OBVEXP06	TOTAL OFFICE-BASED EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22127	22127	244783884027.50	244783348900.10	1141.678	1141.675
1.3	OBVSLF06	ALL OFFICE VISITS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	15686	15686	39959389078.43	39958721190.96	238.4295	238.4071
1.4	OBVMCR06	ALL OFFICE VISITS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	4045	4045	45849642355.23	45849731463.58	1207.411	1207.414
1.5	OBVMCD06	ALL OFFICE VISITS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	5213	5213	19996507714.97	19996375809.75	657.5246	657.3141
1.6	OBVPRV06	ALL OFFICE VISITS - PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	12140	12140	112226480752.00	112225671462.87	796.7522	796.6081
1.7	OBVVA06	ALL OFFICE VISITS-VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	650	650	7149771518.12	7149463262.68	1072.481	1072.435
1.8	OBVTRI06	ALL OFFICE VISITS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	451	451	3302300543.65	3302191402.24	675.6495	675.6271

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
1.9	OBVOFD06	ALL OFFICE VISITS-OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	215	215	1000987759.69	1000953022.63	465.7444	465.7282
1.10	OBVSTL06	ALL OFFICE VISITS-OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	687	687	2078498150.57	2078364170.03	437.6437	437.6155
1.11	OBVWCP06	ALL OFFICE VISITS - WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	357	357	3557599645.59	3557533796.02	1010.751	1010.732
1.12	OBVOPR06	ALL OFFICE VISITS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	1270	1270	5871574439.22	5871423768.06	506.2377	506.2247
1.13	OBVOPU06	ALL OFFICE VISITS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	285	285	795603556.05	795528606.43	424.0298	423.9898
1.14	OBVOSR06	ALL OFF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	830	830	2997545265.57	2997390944.85	449.8401	449.817
2.0	OBDRV06	# OFFICE-BASED PHYSICIAN VISITS, 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21049	21049	978521173.35	978521173.35	4.8354	4.8354
2.1	OBDTCH06	OFFICE-BASED PHYSICIAN VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21029	21029	358311226510.90	358308368250.86	1771.99	1771.976

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.2	OBDEXP06	TOTAL OFF-BASED DR EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20701	20701	176410297096.31	176409954250.43	883.9802	883.9662
2.3	OBDSLF06	DR OFFICE VISITS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14250	14250	25715449688.31	25715126508.59	168.8819	168.858
2.4	OBDMCR06	DR OFFICE VISITS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3926	3926	33773295066.66	33773257211.24	918.7108	918.7098
2.5	OBDMCD06	DR OFFICE VISITS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	4870	4870	15571239971.88	15571104288.49	554.6259	554.5811
2.6	OBDPRV06	DR OFFICE VISITS - PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	11304	11304	82007093894.52	82006686861.24	626.1899	625.9272
2.7	OBDVA06	DR OFFICE VISITS -VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	541	541	5059453780.66	5059253080.66	915.8272	915.7909
2.8	OBDTRI06	DR OFFICE VISITS- TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	406	406	2642657805.57	2642540572.09	594.287	591.8582

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.9	OBDOFD06	DR OFFICE VISITS - OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	185	185	703499176.40	703457343.33	397.0902	397.0666
2.10	OBDSTL06	DR OFFICE VISITS -OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	601	601	1511471173.92	1511385795.82	372.5438	372.5228
2.11	OBDWCP06	DR OFFICE VISITS - WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	313	313	2310493954.88	2310409649.26	752.0928	752.0653
2.12	OBDOPR06	DR OFFICE VISITS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	1151	1151	4880995447.66	4880923051.28	458.7148	458.708
2.13	OBDOPU06	DR OFFICE VISITS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	260	260	636451853.31	636392251.21	369.6482	369.6136
2.14	OBDOSR06	DR OFF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	628	628	1599506993.19	1599417637.22	341.7545	341.7354
3.0	OBOTHV06	# OFFICE-BASED NON-PHYSICAN VISITS 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8945	8945	529134452.00	529134452.00	5.5269	5.5269

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.1	OBOTCH06	OFFICE-BASED NON-DR VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8925	8925	125444623847.27	125443928236.97	1313.287	1313.28
3.2	OBOEXP06	TOTAL OFF-BASED NON-DR EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8598	8598	66720987266.28	66720305986.40	720.9673	720.9599
3.3	OBOSLF06	NON-DR OFF VISTS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	5353	5353	13538408059.75	13537976923.37	219.9352	219.9282
3.4	OBOMCR06	NON-DR OFF VISTS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1575	1575	11939749026.57	11939501353.92	740.861	740.8457

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.5	OBOMCD06	NON-DR OFF VISTS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1248	1248	4304377446.37	4304351504.32	548.4267	547.3288
3.6	OBOPRV06	NON-DR OFF VISTS - PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4788	4788	29727167312.99	29726310808.39	516.4904	516.382
3.7	OBOVA06	NON-DR OFF VISTS -VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	281	281	2044419903.26	2044244574.50	684.4934	684.4347
3.8	OBOTRI06	NON-DR OFF VISTS- TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	180	180	656327587.82	656321948.67	328.2649	328.262

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.9	OBOOFD06	NON-DR OFF VISTS - OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	58	58	255090544.42	255086315.84	385.4468	385.4405
3.10	OBOSTL06	NON-DR OFF VISTS - OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	141	141	563901924.33	563898006.18	521.8381	521.8345
3.11	OBOWCP06	NON-DR OFF VISTS - WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	115	115	1186092581.60	1186108599.23	993.6361	993.6495
3.12	OBOOPR06	NON-DR OFF VISTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	329	329	984339159.86	984304719.18	307.3318	307.321

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.13	OBOOPU06	NON-DR OFF VISTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	61	61	159160067.71	159136355.22	351.3754	351.323
3.14	OBOOSR06	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	276	276	1363147245.93	1363064877.58	517.4619	517.4306
4.0	OBCHIR06	# OFFICE-BASED CHIROPRACTOR VISITS 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1133	1133	113223308.88	113223308.88	8.3803	8.3803
4.1	OBCTCH06	OFFICE-BASED CHIRO VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1131	1131	7605085323.49	7605106169.39	563.9255	563.9271
4.2	OBCEXP06	TOTAL OFF-BASED CHIRO EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1093	1093	6146911187.22	6146911983.55	473.1132	473.1133

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.3	OBCSLF06	CHIRO OFF VISITS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	861	861	2518942651.69	2518919376.58	244.1052	244.103
4.4	OBCMCR06	CHIRO OFF VISITS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	119	119	397222081.48	397222947.15	319.8597	319.8604
4.5	OBCMCD06	CHIRO OFF VISITS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	34	34	113566340.22	113602217.71	364.772	364.8873
4.6	OBCPRV06	CHIRO OFF VISITS - PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	595	595	2461858112.98	2461777140.35	331.4145	331.4036
4.7	OBCVA06	CHIRO OFF VISITS -VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	11	11	4755458.12	4736574.86	46.1778	45.9945

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.8	OBCTRI06	CHIRO OFF VISITS- TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	5	5	7484655.02	7487707.94	161.7663	161.8323
4.9	OBCOFD06	CHIRO OFF VISITS - OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	283675.45	286795.88	40	40.44
4.10	OBCSTL06	CHIRO OFF VISITS -OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	7	7	12262760.54	12265222.10	179.6119	179.6479
4.11	OBCWCP06	CHIRO OFF VISITS - WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	32	32	185637418.18	185624377.85	552.7823	552.7435
4.12	OBCOPR06	CHIRO OFF VISTS - OTHR PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	26	26	63946226.34	63920730.00	282.8511	282.7383

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.13	OBCOPU06	CHIRO OFF VISTS - OTHR PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	4	4	3129611.86	3127912.53	94.0982	94.0471
4.14	OBCOSR06	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	76	76	377959804.47	377940980.60	502.0354	502.0104
5.0	OBNURS06	# OFF-BASED NURSE/PRACTITIONER VISITS 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2710	2710	77153655.04	77153655.04	2.7856	2.7856
5.1	OBNTCH06	OFFICE-BASED NURSE/PRAC VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2702	2702	29464100373.22	29463962628.68	1066.654	1066.649
5.2	OBNEXP06	TOTAL OFF-BASED NURSE/PRAC 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2529	2529	12062784001.68	12062765575.42	462.2769	462.2762

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.3	OBNSLF06	NURSE/PRAC OFF VISITS-SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1381	1381	1069322955.76	1069234102.21	70.4626	70.4567
5.4	OBNMCR06	NURSE/PRAC OFF VISITS -MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	516	516	3285029715.76	3285036114.74	616.1646	616.1658
5.5	OBNMCD06	NURSE/PRAC OFF VSTS -MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	413	413	1146882765.14	1146908347.85	475.1033	474.51
5.6	OBNPRV06	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1301	1301	5281067166.93	5280994413.16	344.5199	344.0015
5.7	OBNVA06	NURSE/PRAC OFF VSTS-VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	85	85	853318231.11	853260009.18	968.8113	968.7452

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.8	OBNTRI06	NURSE/PRAC OFF VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	47	47	47156886.79	47142525.87	84.6713	84.6455
5.9	OBNOFD06	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	17	17	13997701.04	13991565.84	81.4351	81.3994
5.10	OBNSTL06	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	50	50	62053382.16	62057154.38	192.003	192.0147
5.11	OBNWCP06	NURSE/PRAC OFF VSTS -WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	7	7	67297933.21	67298770.91	792.9091	792.919
5.12	OBNOPR06	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	83	83	109461184.65	109454552.46	137.1904	137.1821

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.13	OBNOPU06	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	21	21	37849423.55	37849637.63	247.2078	247.2092
5.14	OBNOSR06	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	66	66	89533242.63	89558381.19	141.2381	141.2463
6.0	OBOPTO06	# OFFICE-BASED OPTOMETRIST VISITS, 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1783	1783	22684136.36	22684136.36	1.169	1.169
6.1	OBETCH06	OFFICE-BASED OPTOMTRIST VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1776	1776	2990046877.71	2990026306.37	154.7342	154.7331
6.2	OBEEXP06	TOTAL OFF-BASED OPOTMETRIST EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1736	1736	2618227792.08	2618135393.34	137.9615	137.9566

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.3	OBESLF06	OPTOMETRIST OFF VSTS -SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1219	1219	1201072674.33	1200954431.71	84.623	84.6147
6.4	OBEMCR06	OPTOMETRIST OFF VSTS -MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	99	99	114697608.21	114716686.54	111.933	111.9516
6.5	OBEMCD06	OPTOMETRIST OFF VSTS -MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	221	221	117992981.21	117959946.40	93.4464	93.4203
6.6	OBEPRV06	OPTOMETRIST OFF VSTS -PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	797	797	1042445859.41	1042317194.22	108.3849	108.3715
6.7	OBEVA06	OPTOMETRIST OFF VSTS -VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	32	32	37090519.28	37072985.02	116.5807	116.5256

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.8	OBETRI06	OPTOMETRIST OFF VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	19	19	17425480.59	17428552.08	93.0447	93.0611
6.9	OBEOFD06	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	6	6	6268187.08	6269405.03	95.1401	95.1585
6.10	OBESTL06	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	9	9	6439619.72	6433516.62	75.1879	75.1166
6.11	OBEWCP06	OPTOMETRIST OFF VSTS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1	1	4551863.87	4553122.45	217	217.06
6.12	OBEOPR06	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	32	32	44016257.84	44012382.53	120.9675	120.9569

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.13	OBEOPU06	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	9	9	11322732.89	11325106.53	193.2889	193.3294
6.14	OBEOSR06	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	13	13	15095331.92	15092064.22	161.8969	161.8618
7.0	OBASST06	# OFF-BASED PHYSICIAN ASS T VSTS, 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	717	717	15072893.12	15072893.12	1.9107	1.9107
7.1	OBATCH06	OFFICE-BASED PHYS ASST VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	715	715	3375629947.47	3375533991.86	429.2374	429.2252
7.2	OBAEXP06	TOTAL OFF-BASED PHYS ASS T EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	685	685	1910715628.48	1910437089.73	252.5557	252.5189

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.3	OBASLF06	PHYS ASS T OFF VSTS-SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	454	454	324663979.69	324612915.99	62.2063	62.1965
7.4	OBAMCR06	PHYS ASS T OFF VSTS-MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	120	120	361120474.23	361069820.28	267.3456	267.3081
7.5	OBAMCD06	PHYS ASS T OFF VSTS-MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	90	90	100791390.75	100748095.46	161.125	161.0557
7.6	OBAPRV06	PHYS ASS T OFF VSTS-PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	404	404	957201224.16	957028218.55	193.6984	193.6634
7.7	OBAVA06	PHYS ASS T OFF VSTS-VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	26	26	76336308.68	76286707.83	264.6283	264.4564

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.8	OBATRI06	PHYS ASS T OFF VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	16	16	25676287.61	25663188.22	130.0992	130.0328
7.9	OBAOFD06	PHYS ASS T OFF VSTS - OTHER FED AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	7157783.33	7158463.27	134.9781	134.991
7.10	OBASTL06	PHYS ASS T OFF VSTS - OTH ST/LOCL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	11	11	8779048.95	8781944.77	85.7401	85.7683
7.11	OBAWCP06	PHYS ASS T OFF VSTS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	4497781.31	4501115.43	105.1303	105.2082
7.12	OBAOPR06	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	22	22	28491846.48	28468533.82	125.0905	124.9882

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.13	OBAOPU06	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	3621894.83	3617939.34	150.0371	149.8733
7.14	OBAOSR06	P A OFF VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	12	12	12496047.38	12500146.78	112.7885	112.8255
8.0	OBTHER06	# OFF-BASED PHYSICL/OCC THRPY VSTS, 06	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	755	755	82780572.63	82780572.63	10.0845	10.0845
8.1	OBTTCH06	OFFICE-BASED PT/OC VISIT CHARGES 06	Sum of OBTC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	754	754	13218573538.56	13218527916.33	1613.698	1613.692
8.2	OBTEXP06	TOT OFF-BASED PT EXP 06	Sum of OBXP06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	739	739	8836324863.80	8836279865.00	1096.639	1096.633

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.3	OBTSLF06	PT/OT OFF VISITS-SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	371	371	1551963114.51	1551926012.12	356.2606	356.252
8.4	OBTMCR06	PT/OT OFF VISITS-MEDICARE AMT 06	Sum of OBMR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	189	189	1457133504.82	1457117890.88	766.6566	766.6484
8.5	OBTMCD06	PT/OT OFF VISITS-MEDICAID AMT 06	Sum of OBMD06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	87	87	486417739.70	486420945.96	796.8003	796.8056
8.6	OBTPRV06	PT/OT OFF VISITS-PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	443	443	3854184621.11	3854101510.42	724.7142	724.6986
8.7	OBTVA06	PT/OT OFF VISITS-VA AMT 06	Sum of OBVA06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	26	26	96032834.80	95998755.79	364.0349	363.9057

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.8	OBTTRI06	PT/OT OFF VISITS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	15	15	59997671.68	59988839.00	416.6949	416.6336
8.9	OBTOFD06	PT/OT OFF VISITS - OTHER FED AMT 06	Sum of OBOF06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	2557544.71	2558695.16	289	289.13
8.10	OBTSTL06	PT/OT OFF VISITS-OTH ST/LOCL AMT 06	Sum of OBSL06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	11	11	195034590.80	195032282.96	1970.949	1970.926
8.11	OBTWCP06	PT/OT OFF VISITS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	50	50	505847712.43	505852312.06	992.5039	992.5129
8.12	OBTOPR06	PT/OT OFF VISITS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	30	30	106651126.87	106649807.22	416.7556	416.7504

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.13	OBTOPU06	PT/OT OFF VISITS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	3	3	11076293.12	11072283.48	325.0621	324.9444
8.14	OBTOSR06	PT/OT OF VSTS-OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	33	33	509587888.08	509560529.94	1698.172	1698.081
9.0	OPTOTV06	# OUTPATIENT DEPT PROVIDER VISITS 06	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	4383	4383	129888552.00	129888552.00	2.8743	2.8743
9.1	OPFTCH06	OPD PROVIDER VISIT CHARGES - FAC 06	Sum of OPFTC06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4373	4373	172670203018.43	172669291188.44	3829.908	3829.888
9.2	OPFEXP06	TOTAL OUTPATIENT FACILITY EXP 06	Sum of OPFXP06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4248	4248	71812335761.18	71811885397.63	1634.781	1634.771
9.3	OPFSLF06	ALL OPD VISITS-SELF/FAMILY AMT-FAC 06	Sum of OPFSF06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1833	1833	6181827616.82	6181649417.23	302.3613	302.1476
9.4	OPFMCR06	ALL OPD VISITS-MEDICARE AMT-FAC 06	Sum of OPFMR06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1256	1256	13842028543.69	13841787172.64	1102.689	1102.67

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.5	OPFMCD06	ALL OPD VISITS-MEDICAID AMT-FAC 06	Sum of OPFMD06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	685	685	3369846437.04	3369747883.32	778.7106	778.6879
9.6	OPFPRV06	ALL OPD VISITS-PRIV INS AMT-FAC 06	Sum of OPFPV06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2426	2426	40156766336.66	40156570473.65	1425.68	1424.756
9.7	OPFVA06	ALL OPD VISITS-VA AMT-FAC 06	Sum of OPFVA06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	141	141	2336366085.74	2336276563.71	1775.38	1775.312
9.8	OPFTRI06	ALL OPD VISITS-TRICARE AMT-FAC 06	Sum of OPFTR06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	92	92	434118119.56	434074805.31	414.7236	414.6822
9.9	OPFOFD06	ALL OPD VISITS-OTHER FED AMT-FAC 06	Sum of OPFOF06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	15	15	31868791.23	31872094.40	197.3246	197.3451
9.10	OPFSTL06	ALL OPD VISITS-OTH ST/LOCAL AMT-FAC 06	Sum of OPFSL06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	28	28	563757794.49	563743946.43	2042.667	2042.617
9.11	OPFWCP06	ALL OPD VISITS-WORKERS COMP AMT-FAC 06	Sum of OPFWC06X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	65	65	2926420840.50	2926440321.16	4215.601	4215.629
9.12	OPFOPR06	ALL OPD VISITS - OTH PRIVATE AMT-FAC 06	Sum of OPFOR06X from OPAT records with SEETLKPV=(1,-8 or -9)	205	205	1504795707.88	1504744601.91	725.0311	725.0064
9.13	OPFOPU06	ALL OPD VISITS - OTH PUBLIC AMT-FAC 06	Sum of OPFOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	31	31	108566843.90	108556015.38	505.143	505.0926

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.14	OPFOSR06	ALL OPD VSTS-OTH UNCLASS SRCE AMT-FAC 06	Sum of OPFOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	88	88	356400155.60	356422102.50	519.0186	519.0505
9.15	OPDEXP06	TOTAL OUTPATIENT PROVIDER EXP 06	Sum of OPDXP06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2684	2684	17766028665.96	17765309459.18	623.3368	623.3116
9.16	OPDTCH06	OPD PROVIDER VISIT CHARGES - DR 06	Sum of OPDTC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2761	2761	43197962376.22	43197401920.08	1476.321	1476.302
9.17	OPDSLF06	ALL OPD VISITS-SELF/FAMILY AMT-DR 06	Sum of OPDSF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	843	843	1913610022.82	1913514901.11	196.7227	196.7129
9.18	OPDMCR06	ALL OPD VISITS-MEDICARE AMT -DR 06	Sum of OPDMR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	889	889	3246470915.50	3246321944.69	354.6837	354.6674
9.19	OPDMCD06	ALL OPD VISITS-MEDICAID AMT -DR 06	Sum of OPDMD06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	385	385	546187809.50	546128131.89	224.4537	224.2393
9.20	OPDPRV06	ALL OPD VISITS-PRIV INS AMT-DR 06	Sum of OPDPV06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1679	1679	10648487390.27	10648275240.06	539.9021	539.8914
9.21	OPDVA06	ALL OPD VISITS-VA AMT-DR 06	Sum of OPDVA06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	15	15	29834920.40	29833822.12	174.2473	159.1965
9.22	OPDTRI06	ALL OPD VISITS-TRICARE AMT-DR 06	Sum of OPDTR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	78	78	81752990.47	81723666.34	85.4303	85.3997

COMPARISON OF MEPS 2006 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 06 PERSON-LEVEL FILE (HC-105) AND THE FY 06 EVENT FILES (HC-102A THROUGH HC-102H)
WEIGHT = PERWT06F

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.23	OPDOFD06	ALL OPD VISITS-OTHER FED AMT-DR 06	Sum of OPDOF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	3	3	415562.98	407669.90	8.9758	8.8053
9.24	OPDSTL06	ALL OPD VISITS-OTH ST/LOCAL AMT-DR 06	Sum of OPDSL06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	16	16	6738325.91	6728674.84	43.6462	43.5837
9.25	OPDWCP06	ALL OPD VISITS-WORKERS COMP AMT-DR 06	Sum of OPDWC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	47	47	691738814.36	691723379.24	1263.356	1263.327
9.26	OPDOPR06	ALL OPD VISITS - OTH PRIVATE AMT-DR 06	Sum of OPDOR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	193	193	526732246.26	526675415.91	273.937	273.9075
9.27	OPDOPU06	ALL OPD VISITS-OTH PUBLIC AMT-DR 06	Sum of OPDOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	28	28	30437137.87	30459030.65	120.9744	120.2529
9.28	OPDOSR06	ALL OPD VSTS-OTH UNCLASS SRCE AMT-DR 06	Sum of OPDOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	4	4	43510528.77	43517582.43	1309.267	1309.479
10.0	OPDRV06	# OUTPATIENT DEPT - DR VISITS 06	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2392	2392	50525893.77	50525893.77	2.0749	2.0749
10.1	OPVTCH06	OPD PHYSICIAN VISIT CHARGES - FAC 06	Sum of OPFTC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2380	2380	116090038336.81	116089709011.38	4796.949	4796.935

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.2	OPVEXP06	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 06	Sum of OPFXP06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2304	2304	47811340096.34	47811263037.92	2038.616	2038.613
10.3	OPVSLF06	OPD DR VISITS-SELF/FAMILY AMT-FAC 06	Sum of OPFSF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1035	1035	3947302681.05	3947142777.49	350.8915	350.186
10.4	OPVMCR06	OPD DR VISITS-MEDICARE AMT-FAC 06	Sum of OPFMR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	663	663	8743473036.56	8743364136.65	1336.224	1336.208
10.5	OPVMCD06	OPD DR VISITS-MEDICAID AMT-FAC 06	Sum of OPFMD06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	399	399	2193026208.99	2193050472.24	849.473	849.4824
10.6	OPVPRV06	OPD DR VISITS-PRIV INS AMT-FAC 06	Sum of OPFPV06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1258	1258	26576617677.87	26576730887.81	1835.04	1834.172
10.7	OPVVA06	OPD DR VISITS-VA AMT-FAC 06	Sum of OPFVA06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	102	102	1695687946.08	1695650387.90	1765.944	1765.905
10.8	OPVTRI06	OPD DR VISITS-TRICARE AMT-FAC 06	Sum of OPFTR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	51	51	293204653.26	293190494.25	528.9268	528.9012

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.9	OPVOFD06	OPD DR VISITS-OTHER FED AMT-FAC 06	Sum of OPFOF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	8	8	13443251.66	13453782.95	221.8559	222.0297
10.10	OPVSTL06	OPD DR VISITS-OTH ST/LOCAL AMT-FAC 06	Sum of OPFSL06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	12	12	440937108.26	440939656.46	3960.086	3960.109
10.11	OPVWCP06	OPD DR VISITS-WORKERS COMP AMT-FAC 06	Sum of OPFWC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	43	43	2719753393.66	2719781412.61	5806.376	5806.436
10.12	OPVOPR06	OPD DR VISITS - OTH PRIVATE AMT-FAC 06	Sum of OPFOR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	101	101	1018772619.52	1018749061.33	961.0186	960.9963
10.13	OPVOPU06	OPD DR VISITS-OTH PUBLIC AMT-FAC 06	Sum of OPFOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	17	17	45234137.89	45228944.93	444.5426	444.4916
10.14	OPVOSR06	OPD DR VSTS-OTH UNCLASS SRCE AMT-FAC 06	Sum of OPFOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	53	53	123974178.44	123981023.31	317.8008	317.8184
10.15	OPSEXP06	TOTAL OUTPATIENT PHYSICIAN - DR EXP 06	Sum of OPDXP06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1460	1460	13601907269.25	13601676147.63	877.5387	877.5238

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.16	OPSTCH06	OPD PHYSICIAN VISIT CHARGES - DR 06	Sum of OPDTC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1500	1500	33763964439.61	33763645880.46	2123.926	2123.906
10.17	OPSSLF06	OPD DR VISITS-SELF/FAMILY AMT-DR 06	Sum of OPDSF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	506	506	1456117910.86	1456141000.54	245.5924	245.2508
10.18	OPSMCR06	OPD DR VISITS-MEDICARE AMT-DR 06	Sum of OPDMR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	480	480	2454697227.69	2454629810.58	497.8112	497.7976
10.19	OPSMCD06	OPD DR VISITS-MEDICAID AMT-DR 06	Sum of OPDMD06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	213	213	392601440.44	392598172.42	283.049	283.0466
10.20	OPSPRV06	OPD DR VISITS-PRIV INS AMT-DR 06	Sum of OPDPV06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	920	920	8109754228.27	8109820980.04	748.5578	748.564
10.21	OPSVA06	OPD DR VISITS-VA AMT-DR 06	Sum of OPDVA06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	9	9	14165468.59	14157236.93	134.666	134.5878
10.22	OPSTRI06	OPD DR VISITS-TRICARE AMT-DR 06	Sum of OPDTR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	33	33	44884419.45	44884104.16	117.5119	117.511

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.23	OPSOFD06	OPD DR VISITS-OTHER FED AMT-DR 06	Sum of OPDOF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1	1	20825.82	17597.82	2	1.69
10.24	OPSSTL06	OPD DR VISITS-OTH ST/LOCAL AMT-DR 06	Sum of OPDSL06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	6	6	1573000.98	1575507.74	26.2024	26.2441
10.25	OPSWCP06	OPD DR VISITS-WORKERS COMP AMT-DR 06	Sum of OPDWC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	33	33	658624624.93	658630580.00	1641.177	1641.192
10.26	OPSOPR06	OPD DR VISITS - OTH PRIVATE AMT-DR 06	Sum of OPDOR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	101	101	417380676.92	417347347.48	387.258	387.2271
10.27	OPSOPU06	OPD DR VISITS-OTH PUBLIC AMT-DR 06	Sum of OPDOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	16	16	9150884.25	9154648.14	61.8952	61.9207
10.28	OPSOSR06	OPD DR VSTS-OTH UNCLASS SRCE AMT-DR 06	Sum of OPDOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2	2	42713393.73	42719161.78	2249.435	2249.739
11.0	OPOTHV06	# OUTPATIENT DEPT NON-DR VISITS 06	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2631	2631	74681995.38	74681995.38	2.7015	2.7015

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.1	OPOTCH06	OPD NON-PHYS VISIT CHARGES - FAC 06	Sum of OPFTC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2629	2629	54825117485.68	54824405197.35	1985.043	1985.017
11.2	OPOEXP06	TOTAL OUTPATIENT NON-DR - FAC EXP 06	Sum of OPFXP06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2553	2553	23276530697.04	23276200253.57	863.1929	863.1806
11.3	OPOSLF06	OPD NON-DR VISITS-SELF/FAM AMT-FAC 06	Sum of OPFSF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	929	929	2128585794.08	2128618261.44	198.6887	198.6917
11.4	OPOMCR06	OPD NON-DR VISITS-MEDICARE AMT-FAC 06	Sum of OPFMR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	833	833	5048998962.65	5048705389.09	598.1905	598.1557

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.5	OPOMCD06	OPD NON-DR VISITS-MEDICAID AMT-FAC 06	Sum of OPFMD06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	352	352	1053082732.72	1053004585.62	474.044	474.0088
11.6	OPOPRV06	OPD NON-DR VISITS-PRIV INS AMT-FAC 06	Sum of OPFPV06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1491	1491	13173634970.40	13173408358.34	754.3774	753.8803
11.7	OPOVA06	OPD NON-DR VISITS-VA AMT-FAC 06	Sum of OPFVA06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	63	63	626068787.95	626055200.06	1078.961	1078.937
11.8	OPOTRI06	OPD NON-DR VISITS-TRICARE AMT-FAC 06	Sum of OPFTR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	58	58	140869312.03	140884311.06	203.6598	203.6815

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.9	OPOOFD06	OPD NON-DR VISITS- OTHER FED AMT-FAC 06	Sum of OPFOF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	9	9	18425539.57	18418311.44	158.067	158.005
11.10	OPOSTL06	OPD NON-DR VISITS- OTH ST/LOC AMT-FAC 06	Sum of OPFSL06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	17	17	120939401.60	120922845.58	665.1063	665.0153
11.11	OPOWCP06	OPD NON-DR VISITS- WRKRS COMP AMT-FAC 06	Sum of OPFWC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	26	26	206447614.51	206424085.88	768.7001	768.6125
11.12	OPOOPR06	OPD NON-DR VISITS- OTH PRIVATE AMT-FAC 06	Sum of OPFOR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	131	131	478197644.12	478165860.61	370.3344	370.3098

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.13	OPOOPU06	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 06	Sum of OPFOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	18	18	63332040.22	63327070.45	482.5499	482.512
11.14	OPOOSR06	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 06	Sum of OPFOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	40	40	218247418.57	218265974.00	668.3935	668.4503
11.15	OPPEXP06	TOTAL OUTPATIENT NON-DR - DR EXP 06	Sum of OPDXP06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1490	1490	3928649803.34	3928249692.19	248.9391	248.9138
11.16	OPPTCH06	OPD NON-PHYS VISIT CHARGES - DR 06	Sum of OPDTC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1540	1540	9005477719.68	9005176443.12	553.7916	553.7731

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.17	OPPSLF06	OPD NON-DR VISITS-SELF/FAM AMT-DR 06	Sum of OPDSF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	376	376	452393414.71	452269942.22	106.3169	106.2879
11.18	OPPMCR06	OPD NON-DR VISITS-MEDICARE AMT-DR 06	Sum of OPDMR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	517	517	779900542.74	779884274.75	147.3668	147.3637
11.19	OPPMCD06	OPD NON-DR VISITS-MEDICAID AMT-DR 06	Sum of OPDMD06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	196	196	136478782.19	136419727.95	113.5972	112.9719
11.20	OPPPRV06	OPD NON-DR VISITS-PRIV INS AMT-DR 06	Sum of OPDPV06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	906	906	2346740153.75	2346606240.44	221.8164	221.8037

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.21	OPPVA06	OPD NON-DR VISITS-VA AMT-DR 06	Sum of OPDVA06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	6	6	15669451.81	15676585.19	237.3005	190.6828
11.22	OPPTRI06	OPD NON-DR VISITS-TRICARE AMT-DR 06	Sum of OPDTR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	50	50	36422669.04	36399709.36	58.2584	58.2217
11.23	OPPOFD06	OPD NON-DR VISITS-OTHER FED AMT-DR 06	Sum of OPDOF06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	394737.16	390072.08	11	10.87
11.24	OPPSTL06	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 06	Sum of OPDSL06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	10	10	5165324.92	5153167.11	54.7451	54.6162

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.25	OPPWCP06	OPD NON-DR VISITS-WRKRS COMP AMT-DR 06	Sum of OPDWC06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	16	16	33114189.43	33092799.24	189.14	189.0179
11.26	OPPOPR06	OPD NON-DR VISITS-OTH PRIVATE AMT-DR 06	Sum of OPDOR06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	102	102	100293855.16	100254370.71	102.787	102.7465
11.27	OPPOPU06	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 06	Sum of OPDOU06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	16	16	21282447.97	21304382.51	154.4229	152.7078
11.28	OPPOSR06	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 06	Sum of OPDOT06X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	797135.04	798420.64	55.9619	56.0521

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.0	AMCHIR06	# CHIROPRACTR VSTS (OFF+OUTPAT), 06	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1135	1135	113583273.98	113583273.98	8.3966	8.3966
12.1	AMCTCH06	CHIRO AMBULATORY VISIT CHARGES 06	Sum of OBTC06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1133	1133	7677301187.60	7677315305.49	568.5817	568.5828
12.2	AMCEXP06	TOTL AMBULTRY (OB+OP) CHIRO EXP 06	Sum of OBXP06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1095	1095	6201250351.57	6201257237.65	476.6876	476.6881

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.3	AMCSLF06	CHIRO AMB VISITS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF06X + OPDSF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	862	862	2525344496.65	2525321221.53	244.4525	244.4503
12.4	AMCMCR06	CHIRO AMB VISITS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR06X + OPDMR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	120	120	437346101.14	437345504.09	350.7446	350.7441

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.5	AMCMCD06	CHIRO AMB VISITS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD06X + OPDMD06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	34	34	113566340.22	113602217.71	364.772	364.8873
12.6	AMCPRV06	CHIRO AMB VISITS - PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV06X + OPDPV06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	596	596	2469671412.72	2469597992.56	331.9512	331.9413

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.7	AMCVA06	CHIRO AMB VISITS -VA AMT 06	Sum of OBVA06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA06X + OPDVA06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	11	11	4755458.12	4736574.86	46.1778	45.9945
12.8	AMCTRI06	CHIRO AMB VISITS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFTR06X + OPDTR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	5	5	7484655.02	7487707.94	161.7663	161.8323

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.9	AMCOFD06	CHIRO AMB VISITS - OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF06X + OPDOF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	283675.45	286795.88	40	40.44
12.10	AMCSTL06	CHIRO AMB VISITS - OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL06X + OPDSL06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	7	7	12262760.54	12265222.10	179.6119	179.6479

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.11	AMCWCP06	CHIRO AMB VISITS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC06X + OPDWC06X) from OPAT records with and [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	32	32	185637418.18	185624377.85	552.7823	552.7435
12.12	AMCOPR06	CHIRO AMB VISITS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR06X + OPDOR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	26	26	63946226.34	63920730.00	282.8511	282.7383

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.13	AMCOPU06	CHIRO AMB VISITS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU06X + OPDOU06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	4	4	3129611.86	3127912.53	94.0982	94.0471
12.14	AMCOSR06	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT06X + OPDOT06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	76	76	377959804.47	377940980.60	502.0354	502.0104

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.0	AMNURS06	# AMB NURSE/PRCTITIONR VSTS(OB+OP) 06	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	2904	2904	84424944.04	84424944.04	2.8338	2.8338
13.1	AMNTCH06	NRS/PRAC AMBULATORY VISIT CHARGES 06	Sum of OBTC06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2896	2896	36960991383.52	36960779216.04	1243.762	1243.755
13.2	AMNEXP06	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 06	Sum of OBXP06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2716	2716	15408352265.54	15408414630.63	548.5228	548.525

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.3	AMNSLF06	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF06X + OPDSF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1456	1456	1256386856.95	1256310004.97	78.1798	78.175
13.4	AMNMCR06	NRS/PRAC AMB VSTS - MEDICARE AMT 06	Sum of OBMR06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR06X + OPDMR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	580	580	4267588604.87	4267629183.27	712.7834	712.7902

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.5	AMNMCD06	NRS/PRAC AMB VSTS - MEDICAID AMT 06	Sum of OBMD06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD06X + OPDMD06X) from OPAT records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	444	444	1340753649.51	1340762821.03	507.5388	506.9527
13.6	AMNPRV06	NRS/PRAC AMB VSTS - PRIV INS AMT 06	Sum of OBPV06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV06X + OPDPV06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1389	1389	7092422318.06	7092399099.05	433.5723	432.9651

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.7	AMNVA06	NRS/PRAC AMB VSTS-VA AMT 06	Sum of OBVA06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA06X + OPDVA06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	96	96	951976921.76	951924318.19	947.9696	947.9172
13.8	AMNTRI06	NRS/PRAC AMB VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFTR06X + OPDTR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	53	53	52521569.58	52503494.51	83.0212	82.9926

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	AMNOFD06	NRS/PRAC AMB VSTS-OTHER FEDERAL AMT 06	Sum of OBOF06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF06X + OPDOF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	18	18	14622131.99	14610628.87	79.9711	79.9082
13.10	AMNSTL06	NRS/PRAC AMB VSTS-OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL06X + OPDSL06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	51	51	62515684.33	62519456.55	190.809	190.8205

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.11	AMNWCP06	NRS/PRAC AMB VSTS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC06X + OPDWC06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	7	7	67297933.21	67298770.91	792.9091	792.919
13.12	AMNOPR06	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR06X + OPDOR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	96	96	159085590.58	159069450.08	177.7066	177.6886

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.13	AMNOPU06	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU06X + OPDOU06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	21	21	51900070.15	51900284.23	338.9775	338.9789
13.14	AMNOSR06	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 06	Sum of OBOT06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT06X + OPDOT06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	72	72	91478054.81	91487118.97	137.5483	137.562

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.0	AMOPTO06	# AMB OPTOMETRIST VSTS (OB+OP) 06	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7,-8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1787	1787	22784017.54	22784017.54	1.172	1.172
14.1	AMETCH06	OPTOMETRIST AMBULATORY VISIT CHARGES 06	Sum of OBTC06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC06X from OPAT records with [SEETLKPV= (1 -7,-8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1780	1780	3248593064.28	3248571631.07	167.8176	167.8165
14.2	AMEEXP06	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 06	Sum of OBXP06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP06X from OPAT records with [SEETLKPV= (1 -7,-8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1740	1740	2720750096.92	2720654842.39	143.1064	143.1014

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.3	AMESLF06	OPTMTRIST AMB VSTS -SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF06X + OPDSF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1221	1221	1201453504.12	1201335261.50	84.4987	84.4904
14.4	AMEMCR06	OPTMTRIST AMB VSTS -MEDICARE AMT 06	Sum of OBMR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR06X + OPDMR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	100	100	139210493.01	139229257.27	134.822	134.8402

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.5	AMEMCD06	OPTMTRIST AMB VSTS -MEDICAID AMT 06	Sum of OBMD06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD06X + OPDMD06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	223	223	123041260.96	123002675.61	96.7756	96.7452
14.6	AMEPRV06	OPTMTRIST AMB VSTS -PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV06X + OPDPV06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	800	800	1106768416.64	1106642316.52	114.6456	114.6325

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.7	AMEVA06	OPTMTRIST AMB VSTS-VA AMT 06	Sum of OBVA06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA06X + OPDVA06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	32	32	37090519.28	37072985.02	116.5807	116.5256
14.8	AMETRI06	OPTMTRIST AMB VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR06X + OPDTR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	19	19	17425480.59	17428552.08	93.0447	93.0611

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.9	AMEOFD06	OPTMTRIST AMB VSTS-OTHER FED AMT 06	Sum of OBOF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF06X + OPDOF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	6	6	6268187.08	6269405.03	95.1401	95.1585
14.10	AMESTL06	OPTMTRIST AMB VSTS-OTH ST/LOCAL AMT 06	Sum of OBSL06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL06X + OPDSL06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	9	9	6439619.72	6433516.62	75.1879	75.1166

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.11	AMEWCP06	OPTMTRIST AMB VSTS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC06X + OPDWC06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	4551863.87	4553122.45	217	217.06
14.12	AMEOPR06	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR06X + OPDOR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	33	33	52274011.11	52270579.55	142.0866	142.0773

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.13	AMEOPU06	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU06X + OPDOU06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	9	9	11322732.89	11325106.53	193.2889	193.3294
14.14	AMEOSR06	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 06	Sum of OBOT06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT06X + OPDOT06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	13	13	15095331.92	15092064.22	161.8969	161.8618

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.0	AMASST06	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1069	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	744	744	15600759.91	15600759.91	1.9192	1.9192
15.1	AMATCH06	PHYS ASS T AMBULATORY VISIT CHARGES 06	Sum of OBTC06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	742	742	3635238207.58	3635137029.44	448.5565	448.544
15.2	AMAEXP06	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 06	Sum of OBXP06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	712	712	2041874057.48	2041581762.80	261.5918	261.5543

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.3	AMASLF06	PHYS ASS T AMB VSTS-SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF06X + OPDSF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	465	465	332826337.54	332778969.12	62.008	61.9991
15.4	AMAMCR06	PHYS ASS T AMB VSTS-MEDICARE AMT 06	Sum of OBMR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR06X + OPDMR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	128	128	380906977.26	380850293.77	267.9683	267.9284

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.5	AMAMCD06	PHYS ASS T AMB VSTS-MEDICAID AMT 06	Sum of OBMD06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD06X + OPDMD06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	91	91	111497699.81	111454404.52	177.6561	177.5871
15.6	AMAPRV06	PHYS ASS T AMB VSTS-PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV06X + OPDPV06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	419	419	1012650153.92	1012475020.67	198.7317	198.6974

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.7	AMAVA06	PHYS ASS T AMB VSTS-VA AMT 06	Sum of OBVA06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA06X + OPDVA06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	31	31	85965343.63	85914316.77	264.4863	264.3293
15.8	AMATRI06	PHYS ASS T AMB VSTS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR06X + OPDTR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	16	16	28334096.49	28320298.86	143.5661	143.4962

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.9	AMAOFD06	PHYS ASS T AMB VSTS -OTHER FED AMT 06	Sum of OBOF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF06X + OPDOF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	5	5	7157783.33	7158463.27	134.9781	134.991
15.10	AMASTL06	PHYS ASS T AMB VSTS- OTH ST/LOCL AMT 06	Sum of OBSL06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL06X + OPDSL06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	11	11	8779048.95	8781944.77	85.7401	85.7683

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.11	AMAWCP06	PHYS ASS T AMB VSTS-WRKERS COMP AMT 06	Sum of OBWC06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC06X + OPDWC06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	4	4	4497781.31	4501115.43	105.1303	105.2082
15.12	AMAOPR06	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR06X + OPDOR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	23	23	33431568.31	33408255.65	139.8076	139.7102

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.13	AMAOPU06	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU06X + OPDOU06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	6	6	4011797.80	4008960.64	147.6962	147.5918
15.14	AMAOSR06	P A AMB VSTS- OTH UNCLASS SRCE AMT 06	Sum of OBOT06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT06X + OPDOT06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	13	13	31925619.94	31929719.34	261.3692	261.4028

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.0	AMTHER06	# AMB PT/OT THRPY VISITS (OB+OP) 06	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	888	888	100893051.18	100893051.18	10.6382	10.6382
16.1	AMTTCH06	PT/OC AMBULATORY VISIT CHARGES 06	Sum of OBTC06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	887	887	19197509258.04	19197380608.07	2027.875	2027.862
16.2	AMTEXP06	TOTL AMBULTRY (OB+OP) PT/OT EXP 06	Sum of OBXP06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP06X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	870	870	11574984643.51	11574929650.32	1242.27	1242.264

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.3	AMTSLF06	PT/OT AMB VISITS-SELF/FAMILY AMT 06	Sum of OBSF06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF06X + OPDSF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	441	441	1893424892.46	1893399445.84	373.1177	373.1127
16.4	AMTMCR06	PT/OT AMB VISITS-MEDICARE AMT 06	Sum of OBMR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR06X + OPDMR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	233	233	2003665240.21	2003641668.70	858.9456	858.9354

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.5	AMTMCD06	PT/OT AMB VISITS-MEDICAID AMT 06	Sum of OBMD06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD06X + OPDMD06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	106	106	612795864.06	612782106.79	842.1928	842.1739
16.6	AMTPRV06	PT/OT AMB VISITS-PRIVATE INS AMT 06	Sum of OBPV06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV06X + OPDPV06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	521	521	5256820381.56	5256691694.32	856.52	856.499

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.7	AMTVA06	PT/OT AMB VISITS-VA AMT 06	Sum of OBVA06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA06X + OPDVA06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	30	30	159963427.65	159934090.40	536.9902	529.8046
16.8	AMTTRI06	PT/OT AMB VISITS-TRICARE AMT 06	Sum of OBTR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR06X + OPDTR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	24	24	85390064.73	85367500.53	324.7683	324.6825

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.9	AMTOFD06	PT/OT AMB VISITS - OTHER FED AMT 06	Sum of OBOF06X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF06X + OPDOF06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	1	1	2557544.71	2558695.16	289	289.13
16.10	AMTSTL06	PT/OT AMB VISITS-OTH ST/LOCL AMT 06	Sum of OBSL06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL06X + OPDSL06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	15	15	201989346.90	201977252.51	1396.37	1396.286

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.11	AMTWCP06	PT/OT AMB VISITS-WORKERS COMP AMT 06	Sum of OBWC06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC06X + OPDWC06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	55	55	588603349.43	588592680.87	1082.711	1082.691
16.12	AMTOPR06	PT/OT AMB VISITS - OTH PRIVATE AMT 06	Sum of OBOR06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR06X + OPDOR06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	40	40	187981254.10	187976282.55	528.423	528.409

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.13	AMTOPU06	PT/OT AMB VISITS-OTH PUBLIC AMT 06	Sum of OBOU06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU06X + OPDOU06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	5	5	13958609.16	13954357.76	285.7524	285.6654
16.14	AMTOSR06	PT/OT AMB VSTS-OTH UNCLAS SRCE AMT 06	Sum of OBOT06X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT06X + OPDOT06X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	37	37	568078006.67	568053874.90	1727.224	1727.151
17.0	AMTOTC06	# CALLS W/OFFICE & OUPAT DEPTS, 06	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2	740	740	12679882.18	12679882.18	1.5028	1.5028

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
18.0	AMDRC06	# CALLS W/OFF & OUTPAT PHYSICIANS, 06	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1	384	384	5567475.34	5567475.34	1.2303	1.2303
19.0	ERTOT06	# EMERGENCY ROOM VISITS, 06	Count of EROM records	4454	4454	54559554.72	54559554.72	1.3593	1.3593
19.1	ERFTCH06	ER FACILITY VISIT CHARGES 06	Sum of ERFTC06X from EROM records	4187	4187	78366921925.56	78365896597.44	2085.984	2085.956
19.2	ERFEXP06	TOTAL ER FACILITY EXP 06	Sum of ERFXP06X from EROM records	3796	3796	30675400841.19	30674803863.38	890.0063	889.989
19.3	ERFSLF06	ER-SELF/FAMILY AMT - FAC 06	Sum of ERFSF06X from EROM records	1511	1511	3506813369.18	3506756326.72	216.6453	216.5715
19.4	ERFMCR06	ER-MEDICARE AMT - FAC 06	Sum of ERFMR06X from EROM records	773	773	4985108235.97	4985041680.45	702.1906	702.1812
19.5	ERFMCD06	ER-MEDICAID AMT - FAC 06	Sum of ERFMD06X from EROM records	1171	1171	2859418633.82	2859275883.85	418.6973	418.6764
19.6	ERFPRV06	ER-PRIVATE INS AMT - FAC 06	Sum of ERFPV06X from EROM records	1619	1619	16158012762.90	16157658848.19	863.9809	863.9619
19.7	ERFVA06	ER-VA AMT - FAC 06	Sum of ERFVA06X from EROM records	76	76	750985850.24	750961959.10	1055.934	1055.901
19.8	ERFTRI06	ER-TRICARE AMT - FAC 06	Sum of ERFTR06X from EROM records	58	58	208629316.10	208570597.34	330.8401	330.747
19.9	ERFOFD06	ER-OTHER FEDERAL AMT - FAC 06	Sum of ERFOF06X from EROM records	11	11	86609571.21	86610964.53	1481.745	1481.769
19.10	ERFSTL06	ER-OTH ST/LOCAL AMT - FAC 06	Sum of ERFSL06X from EROM records	32	32	259915581.79	259902544.54	990.6425	990.5928
19.11	ERFWCP06	ER-WORKERS COMP AMT - FAC 06	Sum of ERFWC06X from EROM records	73	73	428257692.69	428253614.82	566.3371	566.3317
19.12	ERFOPR06	ER-OTHER PRIVATE AMT - FAC 06	Sum of ERFOR06X from EROM records	164	164	816192078.35	816204693.35	525.083	525.0911
19.13	ERFOPU06	ER-OTHER PUBLIC AMT - FAC 06	Sum of ERFOU06X from EROM records	52	52	155393918.41	155376830.56	596.4977	596.4321
19.14	ERFOSR06	ER-OTH UNCLASS SRCE AMT - FAC 06	Sum of ERFOT06X from EROM records	68	68	460173391.35	460189919.92	856.8881	856.9189

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
19.15	ERDEXP06	TOTAL EMERGENCY ROOM DR EXP 06	Sum of ERDXP06X from EROM records	3125	3125	6839780083.03	6839472871.12	240.3645	240.3538
19.16	ERDTCH06	ER DOCTOR VISIT CHARGES 06	Sum of ERDTC06X from EROM records	3434	3434	17889114619.07	17888942739.82	575.4139	575.4084
19.17	ERDSLF06	ER-SELF/FAMILY AMT - DR 06	Sum of ERDSF06X from EROM records	800	800	1161542194.91	1161489843.01	147.0156	146.6843
19.18	ERDMCR06	ER-MEDICARE AMT - DR 06	Sum of ERDMR06X from EROM records	775	775	1288717121.14	1288730044.18	176.6606	176.6624
19.19	ERDMCD06	ER-MEDICAID AMT - DR 06	Sum of ERDMD06X from EROM records	883	883	544027196.77	543848523.65	104.972	104.8533
19.20	ERDPRV06	ER-PRIVATE INS AMT - DR 06	Sum of ERDPV06X from EROM records	1404	1404	3402962314.92	3402756051.64	209.339	209.3263
19.21	ERDVA06	ER-VA AMT - DR 06	Sum of ERDVA06X from EROM records	13	13	14079029.99	14045383.09	102.5495	102.3044
19.22	ERDTRI06	ER-TRICARE AMT - DR 06	Sum of ERDTR06X from EROM records	46	46	31314440.38	31285184.45	68.7827	68.7185
19.23	ERDOFD06	ER-OTHER FED AMT - DR 06	Sum of ERDOF06X from EROM records	2	2	711575.33	713688.35	56.7086	56.877
19.24	ERDSTL06	ER-OTH ST/LOCAL AMT - DR 06	Sum of ERDSL06X from EROM records	8	8	6838755.27	6839444.74	167.0712	167.088
19.25	ERDWCP06	ER-WORKERS COMP AMT - DR 06	Sum of ERDWC06X from EROM records	61	61	105456072.22	105448281.35	170.2742	170.2616
19.26	ERDOPR06	ER - OTHER PRIVATE AMT - DR 06	Sum of ERDOR06X from EROM records	229	229	197117963.67	197116361.17	101.519	101.5182
19.27	ERDOPU06	ER - OTHER PUBLIC AMT - DR 06	Sum of ERDOU06X from EROM records	56	56	25915962.58	25892243.64	72.9875	72.9207
19.28	ERDOSR06	ER-OTH UNCLASS SRCE AMT - DR 06	Sum of ERDOT06X from EROM records	29	29	61276991.08	61307821.86	206.7404	206.8444
20.0	IPZERO06	# ZERO-NIGHT HOSPITAL STAYS 06	Count of STAZ records with NUMNIGHX = 0	86	86	836259.19	836259.19	1.0952	1.0952
20.1	ZIFTCH06	ZERO-NITE IP STAY CHARGES - FAC 06	Sum of IPFTC06X from STAZ records with NUMNIGHX = 0	85	85	8054262475.83	8054251709.40	10683.97	10683.95
20.2	ZIFEXP06	TOTAL ZERO-NITE STAYS FAC EXP 06	Sum of IPFXP06X from STAZ records with NUMNIGHX=0	80	80	3506274740.10	3506211618.34	4831.822	4831.735

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.3	ZIFSLF06	ZERO-NITE IP STAZ - SELF/FAM AMT-FAC 06	Sum of IPFSF06X from STAZ records with NUMNIGHX = 0	29	29	201871005.86	201858809.95	748.2044	748.1592
20.4	ZIFMCR06	ZERO-NITE IP STAZ- MEDICARE AMT-FAC 06	Sum of IPFMR06X from STAZ records with NUMNIGHX = 0	20	20	458120214.50	458135089.35	3034.072	3034.171
20.5	ZIFMCD06	ZERO-NITE IP STAZ- MEDICAID AMT-FAC 06	Sum of IPFMD06X from STAZ records with NUMNIGHX = 0	13	13	67624445.58	67609150.85	788.3928	788.2145
20.6	ZIFPRV06	ZERO-NITE IP STAZ- PRIV INS AMT-FAC 06	Sum of IPFPV06X from STAZ records with NUMNIGHX = 0	41	41	2272583776.01	2272594147.12	4555.141	4555.162
20.7	ZIFVA06	ZERO-NITE IP STAZ-VA AMT-FAC 06	Sum of IPFVA06X from STAZ records with NUMNIGHX = 0	4	4	148636462.50	148633568.30	4260.059	4259.976
20.8	ZIFTRI06	ZERO-NITE IP STAZ- TRICARE AMT-FAC 06	Sum of IPFTR06X from STAZ records with NUMNIGHX = 0	2	2	148199396.15	148198919.62	12166.64	12166.6
20.9	ZIFOFD06	ZERO-NITE IP STAZ- OTHER FED AMT-FAC 06	Sum of IPFOF06X from STAZ records with NUMNIGHX = 0	1	1	147179471.42	147179252.33	13435	13434.98
20.10	ZIFSTL06	ZERO-NITE IP STAZ- OTH ST/LOC AMT-FAC 06	Sum of IPFSL06X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.11	ZIFWCP06	ZERO-NITE IP STAZ- WRKERS COMP AMT-FAC 06	Sum of IPFWC06X from STAZ records with NUMNIGHX = 0	1	1	1133747.68	1131541.95	257	256.5
20.12	ZIFOPR06	ZERO-NITE IP STAZ- OTH PRIVATE AMT-FAC 06	Sum of IPFOR06X from STAZ records with NUMNIGHX = 0	2	2	10807957.58	10809360.57	979.1808	979.308
20.13	ZIFOPU06	ZERO-NITE IP STAZ- OTH PUBLIC AMT-FAC 06	Sum of IPFOU06X from STAZ records with NUMNIGHX = 0	4	4	6363016.81	6359879.68	424.2251	424.0159
20.14	ZIFOSR06	ZERO-NITE IP STAZ- UNCLAS SRCE AMT-FAC 06	Sum of IPFOT06X from STAZ records with NUMNIGHX = 0	1	1	43700437.73	43701898.63	13461	13461.45

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.15	ZIDEXP06	TOTAL ZERO-NITE STAZ DR 06	Sum of IPDXP06X from STAZ records with NUMNIGHX = 0	64	64	1099558944.86	1099524652.27	1833.876	1833.819
20.16	ZIDTCH06	ZERO-NITE IP STAY CHARGES - DR 06	Sum of IPDTC06X from STAZ records with NUMNIGHX=0	68	68	2399174614.13	2399163671.34	3833.729	3833.711
20.17	ZIDSLF06	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 06	Sum of IPDSF06X from STAZ records with NUMNIGHX = 0	27	27	91136267.68	91125845.89	323.6194	323.5824
20.18	ZIDMCR06	ZERO-NITE IP STAZ-MEDICARE AMT-DR 06	Sum of IPDMR06X from STAZ records with NUMNIGHX = 0	20	20	203180495.72	203163415.14	1271.859	1271.752
20.19	ZIDMCD06	ZERO-NITE IP STAZ-MEDICAID AMT-DR 06	Sum of IPDMD06X from STAZ records with NUMNIGHX = 0	11	11	21870921.94	21878644.99	298.882	298.9876
20.20	ZIDPRV06	ZERO-NITE IP STAZ-PRIV INS AMT-DR 06	Sum of IPDPV06X from STAZ records with NUMNIGHX = 0	35	35	680335340.31	680313428.27	1500.093	1500.044
20.21	ZIDVA06	ZERO-NITE IP STAZ-VA AMT-DR 06	Sum of IPDVA06X from STAZ records with NUMNIGHX = 0	1	1	36052671.41	36048289.44	3291	3290.6
20.22	ZIDTRI06	ZERO-NITE IP STAZ-TRICARE AMT-DR 06	Sum of IPDTR06X from STAZ records with NUMNIGHX = 0	5	5	3594896.02	3593343.26	122.0361	121.9834
20.23	ZIDOFD06	ZERO-NITE IP STAZ-OTHER FED AMT-DR 06	Sum of IPDOF06X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.24	ZIDSTL06	ZERO-NITE IP STAZ-OTH ST/LOC AMT-DR 06	Sum of IPDSL06X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.25	ZIDWCP06	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 06	Sum of IPDWC06X from STAZ records with NUMNIGHX = 0	1	1	304391.40	302935.62	69	68.67
20.26	ZIDOPR06	ZERO-NITE IP STAZ-OTH PRIVATE AMT-DR 06	Sum of IPDOR06X from STAZ records with NUMNIGHX = 0	4	4	52088009.14	52089134.65	2820.223	2820.284

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.27	ZIDOPU06	ZERO-NITE IP STAZ-OTH PUBLIC AMT-DR 06	Sum of IPDOU06X from STAZ records with NUMNIGHX = 0	5	5	6620096.15	6615872.63	326.2626	326.0545
20.28	ZIDOSR06	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 06	Sum of IPDOT06X from STAZ records with NUMNIGHX = 0	2	2	4401135.92	4393742.37	158.7572	158.4905
21.0	IPDIS06	# HOSPITAL DISCHARGES, 06	Count of STAZ records	2409	2409	29121183.31	29121183.31	1.3254	1.3254
21.1	IPFTCH06	IP HOSP STAY CHARGES - FAC 06	Sum of IPFTC06X from STAZ records	2407	2407	706588179960.23	706587658713.88	32184.23	32184.21
21.2	IPFEXP06	TOT HOSP IP FACILITY EXP-INC 0 NITES 06	Sum of IPFXP06X from STAZ records	2297	2297	264914200265.45	264914051639.61	12584.33	12584.32
21.3	IPFSLF06	IP HOSP STAZ-SELF/FAMILY AMT-FAC 06	Sum of IPFSF06X from STAZ records	743	743	9148099874.72	9148127573.20	1147.594	1147.354
21.4	IPFMCR06	IP HOSP STAZ-MEDICARE AMT-FAC 06	Sum of IPFMR06X from STAZ records	806	806	100682484092.55	100682293970.16	13497.74	13497.72
21.5	IPFMCD06	IP HOSP STAZ-MEDICAID AMT-FAC 06	Sum of IPFMD06X from STAZ records	665	665	27995482996.42	27995388019.87	6874.725	6874.702
21.6	IPFPRV06	IP HOSP STAZ-PRIV INS AMT-FAC 06	Sum of IPFPV06X from STAZ records	990	990	105611322871.15	105611105598.34	9274.758	9274.739
21.7	IPFVA06	IP HOSP STAZ-VA AMT-FAC 06	Sum of IPFVA06X from STAZ records	39	39	9691575772.08	9691563946.95	24401.61	24401.58
21.8	IPFTRI06	IP HOSP STAZ-TROCARE AMT-FAC 06	Sum of IPFTR06X from STAZ records	43	43	1646412339.06	1646387438.35	3252.745	3252.696
21.9	IPFOFD06	IP HOSP STAZ-OTHER FED AMT-FAC 06	Sum of IPFOF06X from STAZ records	10	10	654089138.17	654101598.33	9310.981	9311.158
21.10	IPFSTL06	IP HOSP STAZ-OTH ST/LOCAL AMT-FAC 06	Sum of IPFSL06X from STAZ records	14	14	720366808.83	720354585.57	7282.059	7281.936
21.11	IPFWCP06	IP HOSP STAZ-WORKERS COMP AMT-FAC 06	Sum of IPFWC06X from STAZ records	12	12	1527933173.62	1527935099.27	14078.62	14078.63
21.12	IPFOPR06	IP HOSP STAZ - OTH PRIVATE AMT-FAC 06	Sum of IPFOR06X from STAZ records	128	128	4414623578.59	4414641655.87	3298.761	3298.774
21.13	IPFOPU06	IP HOSP STAZ - OTH PUBLIC AMT-FAC 06	Sum of IPFOU06X from STAZ records	70	70	2159507066.07	2159496823.19	6112.017	6111.988

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.14	IPFOSR06	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 06	Sum of IPFOT06X from STAZ records	22	22	662643561.23	662655330.53	3066.053	3025.201
21.15	IPDEXP06	TOTL HOSP STAZ DR EXP 06	Sum of IPDXP06X from STAZ records	2137	2137	42326879079.89	42326789639.56	2140.572	2140.568
21.16	IPDTCH06	IP HOSP STAY CHARGES - DR 06	Sum of IPDTC06X from STAZ records	2192	2192	107351491027.95	107351208615.02	5310.941	5310.927
21.17	IPDSLF06	IP HOSP STAZ-SELF/FAMILY AMT-DR 06	Sum of IPDSF06X from STAZ records	661	661	2581960626.55	2581880856.12	375.124	375.1124
21.18	IPDMCR06	IP HOSP STAZ-MEDICARE AMT- DR 06	Sum of IPDMR06X from STAZ records	818	818	11573781464.22	11573780017.20	1519.646	1519.646
21.19	IPDMCD06	IP HOSP STAZ-MEDICAID AMT-DR 06	Sum of IPDMD06X from STAZ records	663	663	3617214298.32	3617120041.67	842.5885	842.5666
21.20	IPDPRV06	IP HOSP STAZ-PRIV INS AMT- DR 06	Sum of IPDPV06X from STAZ records	1006	1006	22184160302.26	22183984684.44	1911.466	1911.451
21.21	IPDVA06	IP HOSP STAZ-VA AMT-DR 06	Sum of IPDVA06X from STAZ records	35	35	142140317.51	142140084.06	380.7886	380.788
21.22	IPDTRI06	IP HOSP STAZ-TRICARE AMT-DR 06	Sum of IPDTR06X from STAZ records	56	56	269740633.67	269737113.39	405.9644	405.9591
21.23	IPDOFD06	IP HOSP STAZ-OTHER FED AMT-DR 06	Sum of IPDOF06X from STAZ records	2	2	2693431.11	2695475.16	211.2268	211.3871
21.24	IPDSTL06	IP HOSP STAZ-OTH ST/LOCAL AMT-DR 06	Sum of IPDSL06X from STAZ records	18	18	52915991.76	52916534.26	634.9621	634.9686
21.25	IPDWCP06	IP HOSP STAZ-WORKERS COMP AMT-DR 06	Sum of IPDWC06X from STAZ records	16	16	337833883.91	337852115.72	2629.561	2629.703
21.26	IPDOPR06	IP HOSP STAZ - OTH PRIVATE AMT-DR 06	Sum of IPDOR06X from STAZ records	197	197	1031597157.47	1031558686.00	564.1624	564.1414
21.27	IPDOPU06	IP HOSP STAZ - OTH PUBLIC AMT-DR 06	Sum of IPDOU06X from STAZ records	97	97	444183386.76	444164292.35	776.7275	771.8556
21.28	IPDOSR06	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 06	Sum of IPDOT06X from STAZ records	12	12	88961174.35	88959739.18	753.1899	753.1777

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.29	IPNGTD06	# NIGHTS IN HOSP FOR DISCHARGES, 06	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2351	2351	156547586.22	156547586.22	7.3068	7.3068
22.0	DVTOT06	# DENTAL CARE VISITS 06	Count of DVIS records	12161	12161	305778946.18	305778946.18	2.37	2.37
22.1	DVTTCH06	OTAL DENTAL CARE VISIT CHARGES 06	Sum of DVTC06X from DVIS records	12088	12088	86321744639.23	86321730801.96	673.1632	673.1631
22.2	DVTEXP06	TOTAL DENTAL CARE EXP 06	Sum of DVXP06X from DVIS records	11840	11840	76322384792.70	76322154691.35	607.1128	607.111
22.3	DVTSLF06	ALL DENTAL CARE - SELF/FAMILY AMT 06	Sum of DVSF06X from DVIS records	7573	7573	37577679578.35	37577068254.31	432.326	432.2291
22.4	DVTMCR06	ALL DENTAL CARE - MEDICARE AMT 06	Sum of DVMR06X from DVIS records	98	98	382392096.06	382362801.09	393.2298	393.1997
22.5	DVTMCD06	ALL DENTAL CARE - MEDICAID AMT 06	Sum of DVMD06X from DVIS records	2053	2053	3418026762.85	3417895520.88	298.5637	298.5522
22.6	DVTPRV06	ALL DENTAL CARE - PRIVATE INS AMT 06	Sum of DVPV06X from DVIS records	6516	6516	32492883819.74	32492095760.59	409.8917	409.8817
22.7	DVTVA06	ALL DENTAL CARE-VA AMT 06	Sum of DVVA06X from DVIS records	84	84	268827019.78	268757779.17	307.4199	307.3407
22.8	DVTTRI06	ALL DENTAL CARE-TRICARE AMT 06	Sum of DVTR06X from DVIS records	97	97	255230336.40	255120940.14	247.8216	247.7154
22.9	DVTOFD06	ALL DENTAL CARE - OTHER FEDRL AMT 06	Sum of DVOF06X from DVIS records	30	30	57907474.72	57864044.71	193.4766	193.3315
22.10	DVTSTL06	ALL DENTAL CARE-OTH ST/LOCAL AMT 06	Sum of DVSL06X from DVIS records	169	169	417606568.14	417557719.07	324.4414	324.4034
22.11	DVTWCP06	ALL DENTAL CARE-WORKERS COMP AMT 06	Sum of DVWC06X from DVIS records	5	5	12134427.82	12134427.82	210.8265	210.8265
22.12	DVTOPR06	ALL DENTAL CARE - OTH PRIVATE AMT 06	Sum of DVOR06X from DVIS records	201	201	737551214.43	737535160.47	338.5223	338.515

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
22.13	DVTOPU06	ALL DENTAL CARE - OTH PUBLIC AMT 06	Sum of DVOU06X from DVIS records	41	41	45443654.31	45446718.77	234.7067	234.7225
22.14	DVTOSR06	ALL DENT CARE-OT UNCLASS SRCE AMT 06	Sum of DVOT06X from DVIS records	129	129	658334942.54	658315564.33	571.3626	571.3457
23.0	DVGEN06	# GENERAL DENTIST VISITS 06	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	11356	11356	237732132.83	237732132.83	1.9633	1.9633
23.1	DVGTCH06	GENERAL DENTAL CARE VISIT CHARGES 06	Sum of DVTC06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11306	11306	59788705138.45	59788741032.90	495.8572	495.8575
23.2	DVGEXP06	TOTAL GENERAL DENTIST EXP 06	Sum of DVXP06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11077	11077	53456037223.58	53455844423.90	451.9012	451.8996
23.3	DVGSLF06	GNRL DENTAL VISITS - SELF/FAM AMT 06	Sum of DVSF06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6876	6876	24837552183.85	24837010673.33	313.3238	313.2456
23.4	DVGMCR06	GNRL DENTAL VISITS - MEDICARE AMT 06	Sum of DVMR06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	85	85	324475479.84	324447819.57	384.8271	384.7943
23.5	DVGMCD06	GNRL DENTAL VISITS - MEDICAID AMT 06	Sum of DVMD06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1900	1900	2380871244.41	2380751947.94	225.4549	225.4436
23.6	DVGPRV06	GNRL DENTAL VISITS - PRIVATE INS AMT 06	Sum of DVPV06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6125	6125	24017515133.65	24016823678.34	321.2739	321.2647
23.7	DVGVA06	GNRL DENTAL VISITS - VA AMT 06	Sum of DVVA06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	75	75	213466219.78	213413977.12	285.4842	285.4143

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
23.8	DVGTRI06	GNRL DENTAL VISITS-TRICARE AMT 06	Sum of DVTR06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	91	91	166350412.64	166269668.59	172.3391	172.2554
23.9	DVGOFD06	GNRL DENTAL VISITS-OTHER FED AMT 06	Sum of DVOF06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	26	26	42995077.97	42957716.46	188.6664	188.5024
23.10	DVGSTL06	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 06	Sum of DVSL06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	155	155	322093857.82	322050503.22	275.2253	275.1882
23.11	DVGWCP06	GNRL DENTAL VISITS - WORKERS COMP AMT 06	Sum of DVWC06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	2	2	5973739.15	5973739.15	204.2645	204.2645
23.12	DVGOPR06	GNRL DENTAL VISITS - OTH PRIVATE AMT 06	Sum of DVOR06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	182	182	553562981.61	553552176.44	276.8286	276.8232
23.13	DVGOPU06	GNRL DENTAL VISITS - OTH PUBLIC AMT 06	Sum of DVOR06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	39	39	38536100.54	38537733.07	209.1949	209.2037
23.14	DVGOSR06	GNRL DENT VSTS - OT UNCLASS SRCE AMT 06	Sum of DVOT06X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	116	116	554065929.84	554054790.67	545.7865	545.7755
24.0	DVORTH06	# ORTHODONTIST VISITS 06	Count of DVIS records with ORTHODNT = 1	820	820	35735962.39	35735962.39	4.1683	4.1683
24.1	DVOTCH06	ORTHODONTIST VISIT CHARGES 06	Sum of DVTC06X from DVIS records with ORTHODNT = 1	677	677	14917082322.86	14917058008.18	2186.411	2186.407
24.2	DVOEXP06	TOTAL ORTHODONTIST EXP 06	Sum of DVXP06X from DVIS records with ORTHODNT = 1	628	628	12435089897.25	12435065684.14	1986.17	1986.166

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
24.3	DVOSLF06	ORTHODONTIST VISITS -SELF/FAMILY AMT 06	Sum of DVSF06X from DVIS records with ORTHODNT = 1	433	433	7171325948.52	7171299767.96	1546.194	1546.189
24.4	DVOMCR06	ORTHODONTIST VISITS -MEDICARE AMT 06	Sum of DVMR06X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.5	DVOMCD06	ORTHODONTIST VISITS -MEDICAID AMT 06	Sum of DVMD06X from DVIS records with ORTHODNT = 1	105	105	630964746.34	630948735.37	1092.393	1092.365
24.6	DVOPRV06	ORTHODONTIST VISITS -PRIVATE INS AMT 06	Sum of DVPV06X from DVIS records with ORTHODNT = 1	297	297	4381146920.22	4381111889.54	1249.849	1249.839
24.7	DVOVA06	ORTHODONTIST VISITS-VA AMT 06	Sum of DVVA06X from DVIS records with ORTHODNT = 1	1	1	1749461.65	1749461.65	300	300
24.8	DVOTRI06	ORTHODONTIST VISITS-TRICARE AMT 06	Sum of DVTR06X from DVIS records with ORTHODNT = 1	4	4	80762917.20	80754499.75	2243.633	2243.399
24.9	DVOOFD06	ORTHODONTIST VISITS-OTHR FED AMT 06	Sum of DVOF06X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.10	DVOSTL06	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 06	Sum of DVSL06X from DVIS records with ORTHODNT = 1	10	10	67080400.32	67074905.86	950.7569	950.679
24.11	DVOWCP06	ORTHODONTIST VISITS-WORKERS COMP AMT 06	Sum of DVWC06X from DVIS records with ORTHODNT = 1	2	2	1992623.53	1992623.53	99.3049	99.3049
24.12	DVOOPR06	ORTHODONTIST VISITS-OTHR PRIVATE AMT 06	Sum of DVOR06X from DVIS records with ORTHODNT = 1	11	11	63513412.01	63513412.01	667.8851	667.8851
24.13	DVOOPU06	ORTHODONTIST VISITS-OTHR PUBLIC AMT 06	Sum of DVOU06X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.14	DVOOSR06	ORTHODONT VSTS - OT UNCLASS SRCE AMT 06	Sum of DVOT06X from DVIS records with ORTHODNT = 1	3	3	36620388.48	36620388.48	982.1353	982.1353

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
25.1	HHTOTD06	# HOME HEALTH PROVIDER DAYS, 06	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	817	817	465750895.74	465750895.74	68.9292	68.9292
26.1	HHAGD06	# AGENCY HOME HEALTH PROVIDER DAYS, 06	Sum of HHDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDAYS = -9) then HHDAYS not counted from ANY HVIS records for that person.	660	660	291646548.48	291646548.48	54.22	54.22
26.2	HHATCH06	HOME HEALTH AGENCY VISIT CHARGES 06	Sum of HHTC06X from HVIS records with MPCELIG = 1.	712	712	34776125303.30	34776045455.89	5852.93	5852.916
26.3	HHAEXP06	TOTAL HOME HEALTH AGENCY EXP 06	Sum of HHXP06X from HVIS records with MPCELIG = 1.	705	705	30925095152.85	30924977749.30	5254.608	5254.588
26.4	HHASLF06	HOME HLTH AGENCY - SELF/FAMILY AMT 06	Sum of HHSF06X from HVIS records with MPCELIG = 1.	112	112	1331388894.66	1331381751.03	1259.212	1259.205
26.5	HHAMCR06	HOME HLTH AGENCY - MEDICARE AMT 06	Sum of HHMR06X from HVIS records with MPCELIG = 1.	387	387	15495161036.15	15495121580.84	4567.1	4567.088
26.6	HHAMCD06	HOME HLTH AGENCY - MEDICAID AMT 06	Sum of HHMD06X from HVIS records with MPCELIG = 1.	248	248	9671360848.09	9671319056.88	6309.7	6309.672

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
26.7	HHAPRV06	HOME HLTH AGENCY - PRIVATE INS AMT 06	Sum of HHPV06X from HVIS records with MPCELIG = 1.	89	89	1843083238.64	1843050101.38	1806.899	1806.867
26.8	HHAVA06	HOME HLTH AGENCY-VA AMT 06	Sum of HHVA06X from HVIS records with MPCELIG = 1.	5	5	18406149.39	18402171.65	402.5551	402.4681
26.9	HHATRI06	HOME HLTH AGENCY-TRICARE AMT 06	Sum of HHTR06X from HVIS records with MPCELIG = 1.	5	5	4241714.52	4229012.57	83.2029	82.9537
26.10	HHAOFD06	HOME HLTH AGENCY-OTHER FED AMT 06	Sum of HHOF06X from HVIS records with MPCELIG = 1.	53	53	261617452.91	261633010.22	784.3973	784.444
26.11	HHASTL06	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 06	Sum of HHSL06X from HVIS records with MPCELIG = 1.	146	146	2104038935.15	2104071348.51	1926.82	1926.849
26.12	HHAWCP06	HOME HLTH AGENCY-WORKERS COMP AMT 06	Sum of HHWC06X from HVIS records with MPCELIG = 1.	0	0	.	.	0	0
26.13	HHAOPR06	HOME HLTH AGENCY - OTH PRIVATE AMT 06	Sum of HHOR06X from HVIS records with MPCELIG = 1.	12	12	124813725.79	124808009.09	870.5411	870.5012
26.14	HHAOPU06	HOME HLTH AGENCY - OTH PUBLIC AMT 06	Sum of HHOU06X from HVIS records with MPCELIG = 1.	2	2	7040058.26	7041539.05	285.6809	285.7409
26.15	HHAOSR06	H HLTH AGENCY - OT UNCLASS SRCE AMT 06	Sum of HHOT06X from HVIS records with MPCELIG = 1.	10	10	63926395.29	63920168.08	668.7557	668.6906

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
27.1	HHINDD06	# NON-AGENCY HOME HEALTH PROVIDR DAYS 06	Sum of HHDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	83	83	64523610.95	64523610.95	80.8105	80.8105
27.2	HHNTCH06	HOME HEALTH NON-AGENCY VISIT CHARGES 06	Sum of HHTC06X from HVIS records with MPCELIG = 2	96	96	2956598605.93	2956597204.31	3238.359	3238.358
27.3	HHNEXP06	TOTAL HOME HEALTH NON-AGNCY EXP 06	Sum of HHXP06X from HVIS records with MPCELIG = 2	90	90	2908080874.80	2908067282.51	3455.37	3455.354
27.4	HHNSLF06	HOME HLTH NON-AGNCY -SELF/FAM AMT 06	Sum of HHSF06X from HVIS records with MPCELIG = 2	64	64	2055298314.39	2055298314.39	3015.645	3015.645
27.5	HHNMCR06	HOME HLTH NON-AGNCY -MEDICARE AMT 06	Sum of HHMR06X from HVIS records with MPCELIG = 2	5	5	23726158.38	23724998.19	656.192	656.1599
27.6	HHNMCD06	HOME HLTH NON-AGNCY -MEDICAID AMT 06	Sum of HHMD06X from HVIS records with MPCELIG = 2	23	23	402848430.90	402834803.46	2803.433	2803.338
27.7	HHNPRV06	HOME HLTH NON-AGNCY -PRIV INS AMT 06	Sum of HHPV06X from HVIS records with MPCELIG = 2	9	9	219329505.51	219328345.31	2550.518	2550.505
27.8	HHNVA06	HOME HLTH NON-AGNCY-VA AMT 06	Sum of HHVA06X from HVIS records with MPCELIG = 2	5	5	17285033.19	17283872.99	299.4358	299.4157
27.9	HHNTRI06	HOME HLTH NON-AGNCY-TRICARE AMT 06	Sum of HHTR06X from HVIS records with MPCELIG = 2	0	0	.	.	0	0

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
27.10	HHNOFD06	HOME HLTH NON-AGNCY-OTHR FED AMT 06	Sum of HHOF06X from HVIS records with MPCELIG = 2	2	2	65892289.06	65892289.06	5702.459	5702.459
27.11	HHNSTL06	HOME HLTH NON-AGNCY-OTHR ST/LOCL AMT 06	Sum of HHSL06X from HVIS records with MPCELIG = 2	4	4	91588409.04	91588409.04	4368.864	4368.864
27.12	HHNWCP06	HOME HLTH NON-AGNCY-WORKERS COMP AMT 06	Sum of HHWC06X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.13	HHNOPR06	HOME HLTH NON-AGNCY-OTH PRIVATE AMT 06	Sum of HHOR06X from HVIS records with MPCELIG = 2	1	1	4016763.43	4016763.43	520	520
27.14	HHNOPU06	HOME HLTH NON-AGNCY-OTH PUBLIC AMT 06	Sum of HHOU06X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.15	HHNOSR06	H HLTH NON-AGNCY-OT UNCLASS SRCE AMT 06	Sum of HHOT06X from HVIS records with MPCELIG = 2	1	1	28099486.65	28099486.65	1605	1605
28.1	HHINFD06	# INFORMAL HOME HEALTH PROV DAYS, 06	Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	164	164	127084490.43	127084490.43	91.4285	91.4285
29.0	VISTCH06	GLASSES/CONTACT LENSES CHARGES 06	Sum of OMTC06X from OMED records with OMTYPEX = 1	4534	4534	12282307025.50	12282249856.13	263.9819	263.9806
29.1	VISEXP06	TOTAL GLASSES/CONTACT LENS EXPN 06	Sum of OMXP06X from OMED records with OMTYPEX = 1	4472	4472	11795525961.02	11795487311.69	256.4989	256.4981

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
29.2	VISSLF06	GLASSES/CNTCT LENSES -SELF/FAM AMT 06	Sum of OMSF06X from OMED records with OMTYPEX = 1	3738	3738	8411911753.03	8411875869.19	208.0199	208.019
29.3	VISMCR06	GLASSES/CNTCT LENSES-MEDICARE AMT 06	Sum of OMMR06X from OMED records with OMTYPEX = 1	77	77	143826953.49	143825685.88	202.6797	202.6779
29.4	VISMCD06	GLASSES/CNTCT LENSES-MEDICAID AMT 06	Sum of OMMD06X from OMED records with OMTYPEX = 1	544	544	569419497.64	569382086.99	187.972	187.7231
29.5	VISPRV06	GLASSES/CNTCT LENSES-PRIV INS AMT 06	Sum of OMPV06X from OMED records with OMTYPEX = 1	1063	1063	2347451959.94	2347440462.13	187.8445	187.8436
29.6	VISVA06	GLASSES/CNTCT LENSES-VA AMT 06	Sum of OMVA06X from OMED records with OMTYPEX = 1	33	33	71259239.21	71252339.32	251.8135	251.7891
29.7	VISTRI06	GLASSES/LENSES-TRICARE AMT 06	Sum of OMTR06X from OMED records with OMTYPEX = 1	19	19	31834643.80	31835668.42	170.8941	170.8996
29.8	VISOFD06	GLASSES/CNTCT LENSES-OTHR FED AMT 06	Sum of OMOF06X from OMED records with OMTYPEX = 1	10	10	9059147.68	9059147.68	106.3035	106.3035
29.9	VISSTL06	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 06	Sum of OMSL06X from OMED records with OMTYPEX = 1	42	42	69681141.33	69666704.81	190.0007	189.9614
29.10	VISWCP06	GLASSES/CNTCT LENSES-WORKERS COMP AMT 06	Sum of OMWC06X from OMED records with OMTYPEX = 1	1	1	39042.84	39042.84	10	10
29.11	VISOPR06	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 06	Sum of OMOR06X from OMED records with OMTYPEX = 1	47	47	102561291.19	102551695.29	223.938	223.9171
29.12	VISOPU06	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 06	Sum of OMOU06X from OMED records with OMTYPEX = 1	12	12	12408106.93	12405210.91	220.8698	220.8182
29.13	VISOSR06	GLASES/CNTCT LENSE-OT UNCLAS SRCE AMT 06	Sum of OMOT06X from OMED records with OMTYPEX = 1	18	18	26153398.23	26153398.23	198.5256	198.5256

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.0	OTHTCH06	OTHER EQUP/SUPPLIES CHARGES 06	Sum of OMTC06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1533	1533	11760977934.88	11760967214.96	779.7255	779.7248
30.1	OTHEXP06	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 06	Sum of OMXP06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1386	1386	8657660437.81	8657605335.71	637.0106	637.0066
30.2	OTHSLF06	OTHER EQUP/SUPPLIES - SELF/FAM AMT 06	Sum of OMSF06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	857	857	4075298146.40	4075276095.28	446.6768	446.6744
30.3	OTHMCR06	OTHER EQUP/SUPPLIES-MEDICARE AMT 06	Sum of OMMR06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	181	181	1263790128.91	1263755220.34	673.399	673.3804
30.4	OTHMCD06	OTHER EQUP/SUPPLIES-MEDICAID AMT 06	Sum of OMMD06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	287	287	982417382.06	982349399.76	543.2231	543.1855
30.5	OTHPRV06	OTHER EQUP/SUPPLIES-PRIV INS AMT 06	Sum of OMPV06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	328	328	1597337208.08	1597227976.24	436.6728	436.6429
30.6	OTHVA06	OTHER EQUP/SUPPLY-VA AMT 06	Sum of OMVA06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	70	70	475492939.21	475442442.81	655.6229	655.5533

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.7	OTHTRI06	OTHER EQUP/SUPPLY-TRICARE AMT 06	Sum of OMTR06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	14	14	77500135.79	77510663.93	644.3638	644.4513
30.8	OTHOFD06	OTHER EQUP/SUPPLIES-OTHR FEDRL AMT 06	Sum of OMOF06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	8426301.22	8412622.16	308	307.5
30.9	OTHSTL06	OTHER EQUP/SUPPLY-OTHR ST/LOCAL AMT 06	Sum of OMSL06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	6	6	15632125.59	15629592.02	318.9731	318.9214
30.10	OTHWCP06	OTHER EQUP/SUPPLY - WORKERS COMP AMT 06	Sum of OMWC06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	9	9	39700378.70	39694053.52	437.7341	437.6643
30.11	OTHOPR06	OTHER EQUP/SUPPLY-OTH PRIVATE AMT 06	Sum of OMOR06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	33	33	63883357.29	63840800.41	168.9089	168.7964
30.12	OTHOPU06	OTHER EQUP/SUPPLY - OTH PUBLIC AMT 06	Sum of OMOU06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	10	10	27361606.45	27359691.87	462.452	462.4196
30.13	OTHOSR06	OTH EQUP/SUPLY -OT UNCLASS SRCE AMT 06	Sum of OMOT06X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	12	12	31108900.75	31106777.37	194.5428	194.5295
31.0	RXTOT06	# PRESC MEDS INCL REFILLS 06	Count of PMED records	19363	19363	3097579692.58	3097579692.58	16.5225	16.5225

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
31.1	RXEXP06	TOTAL RX-EXP 06	Sum of RXXP06X from PMED records	19363	19363	223330492655.26	223329786062.30	1191.245	1191.241
31.2	RXSLF06	TOTAL RX-SELF/FAMILY AMT 06	Sum of RXSF06X from PMED records	17887	17887	77902831690.57	77900690188.08	436.9134	436.7121
31.3	RXMCR06	TOTAL RX--MEDICARE AMT 06	Sum of RXMR06X from PMED records	3385	3385	44338431280.52	44338307356.84	1454.808	1453.967
31.4	RXMCD06	TOTAL RX-MEDICAID AMT 06	Sum of RXMD06X from PMED records	3677	3677	15620308210.34	15620228831.81	729.9952	729.591
31.5	RXPRV06	TOTAL RX-PRIVATE INS AMT 06	Sum of RXPV06X from PMED records	8882	8882	72547324302.28	72547134975.63	698.4382	695.7139
31.6	RXVA06	TOTAL RX-VA AMT 06	Sum of RXVA06X from PMED records	713	713	6618618108.85	6618457425.39	896.0687	896.047
31.7	RXTRI06	TOTAL RX-TRICARE AMT 06	Sum of RXTR06X from PMED records	378	378	3299796787.11	3299815581.93	832.3547	829.0192
31.8	RXOFD06	TOTAL RX-OTHER FED AMT 06	Sum of RXOF06X from PMED records	24	24	162703406.95	162726040.23	664.8442	664.9367
31.9	RXSTL06	TOTAL RX-OTHER ST/LOCAL AMT 06	Sum of RXSL06X from PMED records	196	196	970031386.92	969981071.26	680.7723	680.737
31.10	RXWCP06	TOTAL RX-WORKERS COMP AMT 06	Sum of RXWC06X from PMED records	31	31	91673112.10	91659112.68	373.1702	373.1132
31.11	RXOPR06	TOTAL RX - OTH PRIVATE AMT 06	Sum of RXOR06X from PMED records	285	285	1338816951.57	1338797343.99	525.5302	525.5225
31.12	RXOPU06	TOTAL RX - OTH PUBLIC AMT 06	Sum of RXOU06X from PMED records	85	85	408523154.17	408493489.24	869.1766	869.1134
31.13	RXOSR06	TOT RX-OTH UNCLASS SRCE AMT 06	Sum of RXOT06X from PMED records	15	15	33511085.82	33494645.23	303.2962	303.1474

.

ABBREVIATIONS USED IN TABLE:

    PMED = PRESCRIBED MEDICINES FILE, HC-102A

    DVIS = DENTAL VISITS FILE, HC-102B

    OMED = OTHER MEDICAL EXPENSES FILE, HC-102C

    STAZ = HOSPITAL INPATIENT STAYS FILE, HC-102D

    EROM = EMERGENCY ROOM VISITS FILE, HC-102E

    OPAT = OUTPATIENT VISITS FILE, HC-102F

    MVIS = MEDICAL PROVIDER VISITS FILE, HC-102G

    HVIS = HOME HEALTH VISITS FILE, HC-102H

NOTE: EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL
    FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT
    DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND
    WEIGHTED MEAN FOR MOST VARIABLES.