

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
	3,875	169,378	9,394	13,996	7,532	137,869	342,044
-1 INAPPLICABLE	156	2,745	100	455	51	1,281	4,788
-9 NOT ASCERTAINED	24	394	18	51	9	605	1,101
005 OTHER FOOD POISONING*	3	24	0	0	19	20	66
008 INTESTINAL INFECTION NEC*	25	1,211	7	35	231	1,056	2,565
009 ILL-DEFINED INTEST INF*	4	23	0	0	7	39	73
011 PULMONARY TUBERCULOSIS*	1	10	0	1	0	5	17
034 STREP THROAT/SCARLET FEV*	1	576	0	15	54	582	1,228
038 SEPTICEMIA*	4	18	0	1	4	4	31
040 OTHER BACTERIAL DISEASES*	0	9	0	0	0	8	17
041 BACT INF IN OTH DIS/NOS*	23	258	12	25	48	279	645
042 HUMAN IMMUNO VIRUS DIS	0	93	0	14	1	141	249
052 CHICKENPOX*	0	9	0	0	0	2	11
053 HERPES ZOSTER*	0	143	4	2	14	155	318
054 HERPES SIMPLEX*	2	46	0	2	3	168	221
057 OTHER VIRAL EXANTHEMATA*	0	18	0	0	1	2	21

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

TABLE 1

MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
 LINKED TO CONDITION RECORDS (FROM FILE HC128)
 FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
070 VIRAL HEPATITIS*	4	164	39	48	1	58	314
074 COXSACKIE VIRAL DISEASE*	0	10	0	0	2	3	15
075 INFECTIOUS MONONUCLEOSIS	1	60	0	4	3	19	87
078 OTHER VIRAL DISEASE*	2	330	1	7	5	48	393
079 VIRAL INF IN OTH DIS/NOS*	23	326	0	15	84	231	679
088 OTH ARTHROPOD-BORNE DIS*	0	55	0	20	0	35	110
099 OTHER VENEREAL DISEASE*	0	2	0	1	4	8	15
110 DERMATOPHYTOSIS*	1	232	5	3	4	184	429
111 DERMATOMYCOSIS NEC/NOS*	0	35	0	2	0	44	81
112 CANDIDIASIS*	0	132	0	2	5	254	393
117 OTHER MYCOSES*	3	43	0	2	1	45	94
132 PEDICULOSIS AND PHTHIRUS*	0	21	0	1	2	15	39
133 ACARIASIS*	0	18	0	0	2	24	44
135 SARCOIDOSIS	2	44	1	0	1	19	67
136 INF/PARASITE DIS NEC/NOS*	6	91	7	8	15	210	337

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
139 LATE EFFECT INFECT NEC*	0	3	0	0	0	1	4
145 MALIG NEO MOUTH NEC/NOS*	1	104	4	44	0	1	154
149 OTH MALIG NEO OROPHARYNX*	2	115	11	31	2	8	169
150 MALIGNANT NEO ESOPHAGUS*	0	4	0	1	0	1	6
153 MALIGNANT NEOPLASM COLON*	7	151	41	84	1	13	297
154 MALIG NEO RECTUM/ANUS*	2	62	2	18	0	4	88
155 MALIGNANT NEOPLASM LIVER*	8	196	6	31	3	19	263
157 MALIGNANT NEO PANCREAS*	4	32	3	24	3	5	71
161 MALIGNANT NEO LARYNX*	2	5	0	0	1	2	10
162 MAL NEO TRACHEA/LUNG*	20	483	33	155	11	88	790
170 MAL NEO BONE/ARTIC CART*	5	122	11	30	1	15	184
171 MAL NEO SOFT TISSUE*	4	34	2	9	0	19	68
172 MALIGNANT MELANOMA SKIN*	3	157	12	6	0	16	194
173 OTHER MALIG NEOPL SKIN*	0	743	7	49	0	51	850
174 MALIG NEO FEMALE BREAST*	11	1,319	28	306	0	240	1,904
179 MALIG NEOPL UTERUS NOS	8	96	11	58	2	27	202

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
180 MALIGN NEOPL CERVIX UTERI*	1	74	7	24	1	4	111
185 MALIGN NEOPL PROSTATE	11	644	18	108	1	142	924
186 MALIGN NEOPL TESTIS*	0	10	0	0	0	6	16
188 MALIGN NEOPL BLADDER*	5	134	4	12	1	24	180
189 MAL NEO URINARY NEC/NOS*	11	57	8	50	3	15	144
193 MALIGN NEOPL THYROID	5	122	11	19	1	80	238
194 MAL NEO OTHER ENDOCRINE*	1	23	0	6	0	2	32
195 MAL NEO OTH/ILL-DEF SITE*	3	24	5	33	1	4	70
198 SEC MALIGN NEO OTH SITES*	2	70	8	16	1	24	121
199 MALIGNANT NEOPLASM NOS*	6	179	24	153	0	37	399
202 OTH MAL NEO LYMPH/HISTIO*	4	282	12	90	2	23	413
207 OTHER SPECIFIED LEUKEMIA*	3	90	0	20	1	15	129
208 LEUKEMIA-UNSPECIF CELL*	13	118	1	68	4	40	244
211 OTH BENIGN NEOPLASM GI*	6	72	5	18	7	12	120
213 BEN NEO BONE/ARTIC CART*	0	13	0	1	0	1	15

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
214 LIPOMA*	0	19	0	2	0	1	22
215 OTH BEN NEO SOFT TISSUE*	11	106	0	27	0	26	170
216 BENIGN NEOPLASM OF SKIN*	0	277	0	12	0	7	296
217 BENIGN NEOPLASM BREAST	0	15	0	7	0	3	25
218 UTERINE LEIOMYOMA*	11	64	0	8	10	15	108
225 BENIGN NEO NERVOUS SYST*	1	1	0	0	0	1	3
228 HEMANGIOMA/LYMPHANGIOMA*	0	2	0	1	0	0	3
229 BENIGN NEOPLASM NEC/NOS*	3	22	3	4	0	7	39
232 CARCINOMA IN SITU SKIN*	0	55	0	2	0	5	62
237 UNCER NEO ENDOCRINE/NERV*	0	31	1	1	0	1	34
238 UNC BEHAV NEO NEC/NOS*	0	169	0	46	1	14	230
239 UNSPECIFIED NEOPLASM*	27	433	17	124	18	79	698
240 GOITER, SIMPLE/NOS*	2	34	0	3	1	24	64
241 NONTOXIC NODULAR GOITER*	0	22	0	2	0	3	27
242 THYROTOXICOSIS*	6	198	7	20	3	235	469
244 ACQUIRED HYPOTHYROIDISM*	3	596	5	46	2	1,530	2,182

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
245 THYROIDITIS*	1	34	0	1	0	36	72
246 OTH DISORDERS OF THYROID*	8	684	29	59	2	1,510	2,292
250 DIABETES MELLITUS*	77	7,143	601	438	92	10,325	18,676
251 OTH PANCREATIC DISORDER*	3	31	0	5	6	11	56
252 PARATHYROID DISORDER*	1	54	0	6	0	11	72
253 PITUITARY/HYPOTHALM DIS*	1	4	0	1	0	6	12
255 ADRENAL GLAND DISORDERS*	0	14	0	0	1	25	40
256 OVARIAN DYSFUNCTION*	0	73	0	1	0	90	164
257 TESTICULAR DYSFUNCTION*	0	85	0	8	0	44	137
259 OTH ENDORINE DISORDERS*	0	92	0	18	1	210	321
263 PROT-CAL MALNUTR NEC/NOS*	2	0	0	0	2	1	5
266 B-COMPLEX DEFICIENCIES*	0	60	6	4	0	39	109
268 VITAMIN D DEFICIENCY*	0	74	0	15	0	108	197
269 OTH NUTRITION DEFICIENCY*	0	18	0	8	0	36	62
271 DIS CARBOHYDRATE METABOL*	0	19	0	0	0	6	25

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
272 DIS OF LIPOID METABOLISM*	12	6,328	196	382	10	9,959	16,887
274 GOUT*	5	276	28	10	17	601	937
275 DIS MINERAL METABOLISM*	1	46	0	3	1	64	115
276 FLUID/ELECTROLYTE DIS*	44	297	17	14	81	790	1,243
277 METABOLISM DIS NEC/NOS*	4	58	5	47	1	87	202
278 OBESITY/HYPERALIMENT*	4	218	0	20	0	56	298
279 DIS IMMUNE MECHANISM*	3	63	0	9	0	42	117
280 IRON DEFICIENCY ANEMIAS*	1	94	1	2	0	97	195
281 OTHER DEFICIENCY ANEMIA*	0	30	0	0	0	7	37
282 HEREDIT HEMOLYTIC ANEMIA*	6	52	0	19	5	53	135
285 ANEMIA NEC/NOS*	20	575	29	61	9	333	1,027
286 COAGULATION DEFECTS*	0	23	0	0	0	15	38
287 PURPURA & OTH HEMOR COND*	4	141	0	21	0	15	181
288 WBC DISORDERS*	4	66	10	2	4	19	105
289 OTHER BLOOD DISEASE*	4	138	0	22	4	108	276
294 OTHER ORGANIC PSYCH COND*	6	307	112	2	4	163	594

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
295 SCHIZOPHRENIC DISORDERS*	9	680	59	72	5	230	1,055
296 AFFECTIVE PSYCHOSES*	21	1,622	43	107	17	1,066	2,876
297 PARANOID STATES*	0	25	0	1	0	8	34
298 OTH NONORGANIC PSYCHOSES*	2	68	9	2	6	27	114
299 PSYCHOSES OF CHILDHOOD*	1	657	54	44	1	74	831
300 NEUROTIC DISORDERS*	34	4,252	157	130	93	3,248	7,914
301 PERSONALITY DISORDERS*	1	105	9	2	2	44	163
302 SEXUAL DISORDERS*	0	21	0	0	0	45	66
303 ALCOHOL DEPENDENCE SYNDR*	3	33	6	4	5	9	60
304 DRUG DEPENDENCE*	1	724	0	123	1	25	874
305 NONDEPENDENT DRUG ABUSE*	6	208	0	36	6	36	292
306 PSYCHOPHYSIOLOGIC DIS*	0	1	0	0	0	14	15
307 SPECIAL SYMPTOM NEC*	3	228	0	31	0	70	332
308 ACUTE REACTION TO STRESS*	8	598	5	17	12	213	853
309 ADJUSTMENT REACTION*	1	590	27	20	1	140	779

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
310 NONPSYCHOTIC BRAIN SYND*	0	68	0	1	0	5	74
311 DEPRESSIVE DISORDER NEC	32	5,343	205	175	25	4,069	9,849
312 CONDUCT DISTURBANCE NEC*	5	165	8	4	3	41	226
313 EMOTIONAL DIS CHILD/ADOL*	1	42	0	1	1	14	59
314 HYPERKINETIC SYNDROME*	3	2,216	39	26	6	1,525	3,815
315 SPECIFIC DEVELOP DELAYS*	0	192	42	11	0	1	246
317 MILD MENTAL RETARDATION	3	25	0	0	1	0	29
319 MENTAL RETARDATION NOS	3	21	35	0	1	9	69
322 MENINGITIS, UNSPECIFIED*	3	15	0	15	4	9	46
323 ENCEPHALOMYELITIS*	2	16	0	0	1	5	24
327 ORGANIC SLEEP DISORDERS*	0	7	4	2	0	6	19
331 CEREBRAL DEGENERATION*	7	175	158	6	5	187	538
332 PARKINSON'S DISEASE*	2	196	74	12	2	209	495
333 EXTRAPYRAMIDAL DIS NEC*	0	171	4	3	0	316	494
336 SPINAL CORD DISEASE NEC*	2	31	18	1	1	28	81
337 AUTONOMIC NERVE DISORDER*	0	24	0	0	0	34	58

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
338 PAIN, NOT ELSEWHERE CLASSIFIED	0	142	2	5	8	147	304
340 MULTIPLE SCLEROSIS	3	168	67	33	8	206	485
343 INFANTILE CEREBRAL PALSY*	1	98	64	4	0	20	187
344 OTH PARALYTIC SYNDROMES*	1	95	58	0	0	16	170
345 EPILEPSY*	4	144	30	17	19	266	480
346 MIGRAINE*	8	921	36	45	88	1,052	2,150
347 CATAPLEXY AND NARCOLEPSY	0	36	0	1	0	35	72
348 OTHER BRAIN CONDITIONS*	2	38	9	24	1	44	118
349 CNS DISORDER NEC/NOS*	0	97	0	6	0	69	172
350 TRIGEMINAL NERV DISORDER*	0	31	0	0	0	18	49
351 FACIAL NERVE DISORDERS*	0	29	6	5	9	20	69
353 NERVE ROOT/PLEXUS DIS*	0	32	0	0	0	13	45
354 MONONEURITIS UPPER LIMB*	2	439	29	95	10	109	684
355 MONONEURITIS LEG*	4	751	18	123	11	359	1,266
356 HERED PERIPH NEUROPATHY*	0	29	1	3	2	34	69

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
357 INFLAM/TOXIC NEUROPATHY*	5	18	8	2	1	12	46
358 MYONEURAL DISORDERS*	1	41	5	1	1	27	76
359 MUSCULAR DYSTROPHIES*	0	2	21	1	0	4	28
360 DISORDERS OF THE GLOBE*	1	323	18	6	16	239	603
361 RETINAL DETACHMENT*	0	87	7	4	1	13	112
362 RETINAL DISORDERS NEC*	0	308	5	24	0	72	409
363 CHOROIDAL DISORDERS*	0	8	0	1	0	0	9
364 IRIS/CILIARY BODY DIS*	0	22	0	0	0	9	31
365 GLAUCOMA*	0	743	42	17	0	895	1,697
366 CATARACT*	4	1,142	25	111	0	367	1,649
367 DISORDERS OF REFRACTION*	0	333	0	7	2	26	368
368 VISUAL DISTURBANCES*	1	187	0	2	1	28	219
369 BLINDNESS AND LOW VISION*	3	183	106	5	1	19	317
370 KERATITIS*	0	2	0	0	1	3	6
371 CORNEAL OPACITY/DISORDER*	0	20	0	0	0	7	27
372 DISORDERS OF CONJUNCTIVA*	0	157	0	2	17	188	364

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

TABLE 1

MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
 LINKED TO CONDITION RECORDS (FROM FILE HC128)
 FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
373 INFLAMMATION OF EYELIDS*	0	66	0	2	2	40	110
374 DISORDERS OF EYELIDS NEC*	0	41	0	1	0	10	52
375 LACRIMAL SYSTEM DISORDER*	0	177	0	9	2	235	423
377 DISORDERS OF OPTIC NERVE*	0	11	0	0	0	0	11
378 STRABISMUS*	0	21	0	4	0	1	26
379 EYE DISORDERS NEC*	2	299	12	10	8	158	489
380 DISORDER OF EXTERNAL EAR*	0	133	0	2	5	57	197
381 NONSUPPUR OTITIS MEDIA*	0	13	0	2	0	9	24
382 OTITIS MEDIA, SUPPUR/NOS*	3	1,589	3	77	165	1,547	3,384
384 DISORD TYMPANIC MEMB NEC*	0	40	0	8	4	20	72
385 DIS MID EAR/MASTOID NEC*	0	18	0	5	0	9	32
386 VERTIGINOUS SYNDROMES*	3	78	2	3	6	76	168
388 DISORDERS OF EAR NEC*	1	246	0	12	15	159	433
389 HEARING LOSS*	1	375	11	25	3	23	438
394 DISEASES OF MITRAL VALVE*	0	3	0	0	0	1	4

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
397 ENDOCARDIAL DISEASE NEC*	0	1	0	0	0	2	3
401 ESSENTIAL HYPERTENSION*	83	9,030	552	409	127	20,353	30,554
410 ACUTE MYOCARDIAL INFARCT*	84	795	182	303	78	1,019	2,461
413 ANGINA PECTORIS*	26	465	67	30	17	340	945
414 OTH CHR ISCHEMIC HRT DIS*	118	2,625	362	250	60	2,923	6,338
415 ACUTE PULMONARY HRT DIS*	8	146	15	14	6	38	227
416 CHR PULMONARY HEART DIS*	1	20	0	2	0	13	36
423 OTH PERICARDIAL DISEASE*	0	10	0	4	0	3	17
424 OTH ENDOCARDIAL DISEASE*	10	277	0	21	8	180	496
425 CARDIOMYOPATHY*	5	36	4	1	5	34	85
426 CONDUCTION DISORDERS*	2	32	0	3	0	11	48
427 CARDIAC DYSRHYTHMIAS*	47	956	55	71	42	747	1,918
428 HEART FAILURE*	68	474	138	51	47	491	1,269
429 ILL-DEFINED HEART DIS*	32	467	53	35	20	364	971
433 PRECEREBRAL OCCLUSION*	4	20	0	6	0	8	38
434 CEREBRAL ARTERY OCCLUS*	4	39	8	38	2	7	98

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

TABLE 1

MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
 LINKED TO CONDITION RECORDS (FROM FILE HC128)
 FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
435 TRANSIENT CEREB ISCHEMIA*	3	16	0	4	5	3	31
436 CVA	66	847	445	169	64	432	2,023
437 OTH CEREBROVASC DISEASE*	4	24	38	0	1	13	80
438 LATE EFF CEREBROVASC DIS*	0	3	4	4	1	2	14
440 ATHEROSCLEROSIS*	4	16	2	3	0	28	53
441 AORTIC ANEURYSM*	2	34	2	4	0	15	57
442 OTHER ANEURYSM*	7	18	3	17	7	11	63
443 OTH PERIPH VASCULAR DIS*	6	99	2	9	2	50	168
444 ARTERIAL EMBOLISM*	31	209	5	20	21	130	416
446 POLYARTERIT NODOSA ET AL*	1	6	0	18	1	2	28
447 OTHER ARTERIAL DISEASE*	4	41	9	26	0	20	100
448 DISEASE OF CAPILLARIES*	0	8	0	1	0	0	9
451 THROMBOPHLEBITIS*	0	10	0	1	0	0	11
453 OTH VENOUS THROMBOSIS*	14	215	9	40	11	128	417
454 VARICOSE VEINS, LEG*	1	132	0	14	1	24	172

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
455 HEMORRHOIDS*	3	139	0	15	10	80	247
456 VARICOSE VEINS NEC*	1	8	0	2	0	8	19
457 NONINFECT LYMPHATIC DIS*	1	91	9	16	0	13	130
458 HYPOTENSION*	9	32	6	2	9	18	76
459 OTH CIRCULATORY DISEASE*	21	253	33	29	24	156	516
460 ACUTE NASOPHARYNGITIS	5	1,489	0	26	74	1,142	2,736
461 ACUTE SINUSITIS*	0	9	0	2	2	11	24
462 ACUTE PHARYNGITIS	0	401	0	9	22	293	725
463 ACUTE TONSILLITIS	0	107	0	24	11	140	282
464 AC LARYNGITIS/TRACHEITIS*	0	60	0	1	21	43	125
465 AC URI MULT SITES/NOS*	5	249	0	11	34	286	585
466 AC BRONCHITIS/BRONCHIOL*	3	36	1	0	8	50	98
470 DEVIATED NASAL SEPTUM	1	57	0	8	1	15	82
471 NASAL POLYPS*	0	22	0	1	0	7	30
472 CHR PHARYNG/NASOPHARYNG*	0	4	0	0	1	13	18
473 CHRONIC SINUSITIS*	6	1,382	0	54	47	1,588	3,077

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
474 CHR T & A DIS*	1	78	0	8	6	31	124
477 ALLERGIC RHINITIS*	6	3,050	36	39	30	3,238	6,399
478 OTH UPPR RESPIRATORY DIS*	5	585	2	23	32	697	1,344
480 VIRAL PNEUMONIA*	1	2	0	0	3	8	14
482 OTH BACTERIAL PNEUMONIA*	2	1	0	0	1	4	8
485 BRONCHOPNEUMONIA ORG NOS	0	14	0	1	3	13	31
486 PNEUMONIA, ORGANISM NOS	142	539	54	50	156	482	1,423
487 INFLUENZA*	19	656	0	22	87	593	1,377
490 BRONCHITIS NOS	9	781	0	20	83	960	1,853
491 CHRONIC BRONCHITIS*	16	684	118	41	49	674	1,582
492 EMPHYSEMA*	20	556	130	47	16	610	1,379
493 ASTHMA*	54	2,366	179	126	209	4,735	7,669
496 CHR AIRWAY OBSTRUCT NEC	27	498	109	53	33	559	1,279
505 PNEUMOCONIOSIS NOS	0	15	0	0	0	15	30
511 PLEURISY*	3	23	0	1	4	9	40

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
514 PULM CONGEST/HYPOSTASIS	15	88	5	4	9	108	229
515 POSTINFLAM PULM FIBROSIS	2	77	2	3	2	12	98
518 OTHER LUNG DISEASES*	15	193	14	14	18	99	353
519 OTH RESP SYSTEM DISEASES*	6	179	22	2	26	226	461
520 TOOTH DEVELOP/ERUPT DIS*	0	20	0	0	3	45	68
521 HARD TISSUE DIS OF TEETH*	0	24	0	2	3	33	62
522 PULP & PERIAPICAL DIS*	3	29	0	3	29	429	493
523 GINGIVAL/PERIODONTAL DIS*	2	10	4	8	2	141	167
524 DENTOFACIAL ANOMALIES*	0	39	0	3	2	18	62
525 OTHER DENTAL DISORDER*	0	28	0	1	19	330	378
526 JAW DISEASES*	0	14	0	1	2	13	30
527 SALIVARY GLAND DISEASES*	1	30	0	2	3	27	63
528 ORAL SOFT TISSUE DISEASE*	1	44	0	6	2	126	179
529 TONGUE DISORDERS*	0	11	0	0	1	6	18
530 DISEASES OF ESOPHAGUS*	16	1,017	23	78	27	2,904	4,065
531 GASTRIC ULCER*	6	69	21	14	9	135	254

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
533 PEPTIC ULCER, SITE NOS*	3	17	3	3	3	9	38
535 GASTRITIS AND DUODENITIS*	12	217	10	11	31	266	547
536 STOMACH FUNCTION DISORD*	39	637	18	38	107	775	1,614
537 OTH GASTRODUODENAL DIS*	5	220	9	24	6	325	589
540 ACUTE APPENDICITIS*	6	7	6	1	4	12	36
541 APPENDICITIS NOS	24	22	0	8	25	27	106
550 INGUINAL HERNIA*	1	28	0	8	2	10	49
553 OTHER ABDOMINAL HERNIA*	25	288	7	78	22	129	549
555 REGIONAL ENTERITIS*	4	97	0	17	7	145	270
556 IDIOPATHIC PROCTOCOLITIS*	1	51	0	14	0	87	153
558 OTH NONINF GASTROENTERIT*	8	53	0	17	12	81	171
560 INTESTINAL OBSTRUCTION*	11	12	3	3	12	17	58
562 DIVERTICULA OF INTESTINE*	18	120	8	18	17	95	276
564 FUNCT DIGESTIVE DIS NEC*	3	327	32	33	34	462	891
565 ANAL FISSURE & FISTULA*	0	6	0	0	0	4	10

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
567 PERITONITIS*	4	9	6	6	0	5	30
568 OTH PERITONEAL DISORDERS*	0	4	0	2	1	2	9
569 OTH INTESTINAL DISORDERS*	20	127	0	33	17	83	280
571 CHR LIVER DIS/CIRRHOSIS*	10	101	2	11	3	66	193
573 OTH LIVER DISORDERS*	3	139	2	18	3	63	228
574 CHOLELITHIASIS*	26	84	4	50	28	57	249
575 OTH GALLBLADDER DISORDER*	49	227	14	49	58	90	487
576 OTH DIS OF BILIARY TRACT*	0	15	0	1	0	9	25
577 DISEASES OF PANCREAS*	22	100	0	5	20	29	176
578 GASTROINTESTINAL HEMORR*	10	40	0	8	14	13	85
579 INTESTINAL MALABSORPTION*	0	22	0	13	1	14	50
583 NEPHRITIS NOS*	0	15	6	6	0	12	39
585 CHRONIC RENAL FAILURE	3	221	37	6	1	20	288
586 RENAL FAILURE NOS	27	2,382	66	264	15	173	2,927
590 KIDNEY INFECTION*	14	110	11	7	40	141	323
591 HYDRONEPHROSIS	0	3	0	0	0	0	3

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
592 RENAL/URETERAL CALCULUS*	19	251	3	59	110	226	668
593 OTH RENAL & URETERAL DIS*	15	983	29	280	19	252	1,578
594 LOWER URIN TRACT CALCUL*	0	3	0	0	0	3	6
595 CYSTITIS*	11	431	17	12	36	306	813
596 OTHER BLADDER DISORDERS*	12	179	12	17	2	211	433
599 OTH URINARY TRACT DISOR*	32	771	26	50	105	671	1,655
600 HYPERPLASIA OF PROSTATE*	8	165	5	11	0	325	514
601 PROSTATIC INFLAMMATION*	1	36	0	6	5	38	86
602 OTH PROSTATIC DISORDERS*	6	155	6	20	5	341	533
604 ORCHITIS & EPIDIDYMITIS*	0	26	0	2	5	25	58
607 DISORDERS OF PENIS*	1	19	0	1	0	37	58
608 MALE GENITAL DIS NEC*	2	30	0	7	4	8	51
610 BENIGN MAMMARY DYSPLASIA*	2	71	0	78	1	6	158
611 OTHER BREAST DISORDERS*	0	196	5	44	1	26	272
614 FEMALE PELVIC INFLAM DIS*	1	7	0	2	6	11	27

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
615 UTERINE INFLAMMATORY DIS*	0	6	0	0	0	7	13
616 OTH FEMALE GEN INFLAM*	0	50	0	3	4	62	119
617 ENDOMETRIOSIS*	6	63	0	10	7	26	112
618 GENITAL PROLAPSE*	8	57	0	8	2	17	92
620 NONINFLAM DIS OVAR/ADNEX*	7	201	0	29	32	95	364
621 DISORDERS OF UTERUS NEC*	3	55	0	5	4	8	75
622 NONINFLAMM DIS CERVIX*	0	25	0	3	0	3	31
623 NONINFLAMM DIS VAGINA*	0	37	0	4	5	43	89
625 FEMALE GENITAL SYMPTOMS*	1	82	0	15	7	103	208
626 DISORDER OF MENSTRUATION*	3	168	0	20	9	142	342
627 MENOPAUSAL DISORDERS*	0	118	0	6	0	393	517
628 FEMALE INFERTILITY*	0	99	0	38	0	34	171
629 OTH FEMALE GENITAL DIS*	2	56	0	4	2	13	77
633 ECTOPIC PREGNANCY*	2	8	0	0	2	6	18
634 SPONTANEOUS ABORTION*	5	100	0	16	38	28	187
637 UNSPECIFIED ABORTION*	0	11	0	4	0	7	22

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
641 ANTEPART HEM & PLAC PREV*	1	18	0	2	3	0	24
642 HYPERTENSION COMPL PREG*	3	1	0	0	3	1	8
643 EXCESS VOMITING IN PREG*	3	13	2	1	4	12	35
644 EARLY/THREATENED LABOR*	7	1	0	0	6	4	18
646 OTHER COMPL OF PREGNANCY*	2	16	0	0	5	0	23
648 OTH CURRENT COND IN PREG*	1	94	0	8	2	44	149
650 NORMAL DELIVERY	70	38	4	0	9	39	160
669 OTH COMPL LABOR/DELIVERY*	6	7	1	1	1	44	60
674 PUERPERAL COMPL NEC/NOS*	0	1	0	0	0	14	15
676 OTH BREAST/LACT DIS PREG*	0	6	0	0	0	1	7
680 CARBUNCLE AND FURUNCLE*	2	56	0	28	13	61	160
681 CELLULITIS, FINGER/TOE*	0	44	0	1	1	29	75
682 OTHER CELLULITIS/ABSCESS*	13	153	3	11	35	133	348
683 ACUTE LYMPHADENITIS	0	13	0	4	3	6	26
684 IMPETIGO	0	23	0	1	0	22	46

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
685 PILONIDAL CYST*	0	12	0	4	1	7	24
686 OTH LOCAL SKIN INFECTION*	20	378	5	35	41	271	750
690 ERYTHEMATOSQUAMOUS DERM*	0	11	0	1	0	9	21
691 ATOPIC DERMATITIS*	0	21	0	1	0	28	50
692 CONTACT DERMATITIS*	2	515	0	9	23	557	1,106
693 DERMAT D/T INTERN AGENT*	0	64	0	2	8	48	122
695 ERYTHEMATOUS CONDITIONS*	0	84	0	0	0	167	251
696 PSORIASIS/LIKE DISORDERS*	2	282	8	23	2	222	539
697 LICHEN*	0	5	0	0	0	7	12
698 PRURITUS & LIKE COND*	0	27	0	0	1	81	109
700 CORNS AND CALLOSITIES	0	105	0	1	0	4	110
701 OTH SKIN HYPERTRO/ATROPH*	0	113	0	3	0	78	194
702 OTHER DERMATOSES*	0	8	0	0	0	1	9
703 DISEASES OF NAIL*	1	253	0	8	3	48	313
704 HAIR & FOLLICLE DISEASE*	0	55	0	2	3	58	118
705 DISORDERS OF SWEAT GLAND*	0	9	0	0	0	9	18

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
706 SEBACEOUS GLAND DISEASE*	1	634	0	32	12	731	1,410
707 CHRONIC ULCER OF SKIN*	9	182	28	70	16	181	486
708 URTICARIA*	0	61	0	4	10	73	148
709 OTHER SKIN DISORDERS*	2	396	15	37	5	226	681
710 DIFF CONNECTIVE TISS DIS*	4	275	6	18	12	245	560
711 ARTHROPATHY W INFECTION*	0	6	1	0	0	1	8
714 OTH INFLAMM POLYARTHROP*	4	1,579	240	92	9	1,199	3,123
715 OSTEOARTHROSIS ET AL*	13	2,354	230	102	7	1,354	4,060
716 ARTHROPATHIES NEC/NOS*	15	2,468	292	182	14	1,559	4,530
717 INTERNAL DERANGEMNT KNEE*	1	104	2	3	3	29	142
718 OTHER JOINT DERANGEMENT*	0	56	12	2	7	10	87
719 JOINT DISORDER NEC & NOS*	62	5,038	215	405	97	1,579	7,396
720 INFLAM SPONDYLOPATHIES*	0	32	1	3	1	20	57
721 SPONDYLOSIS ET AL*	1	193	0	4	0	42	240
722 INTERVERTEBRAL DISC DIS*	26	2,516	79	129	25	680	3,455

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
723 OTHER CERVICAL SPINE DIS*	3	1,756	4	19	16	206	2,004
724 BACK DISORDER NEC & NOS*	28	6,825	132	276	101	1,531	8,893
725 POLYMYALGIA RHEUMATICA	0	25	0	3	0	15	43
726 PERIPH ENTHESOPATHIES*	1	924	23	94	10	168	1,220
727 OTH DIS SYNOV/TEND/BURSA*	2	431	3	44	4	71	555
728 DIS OF MUSCLE/LIG/FASCIA*	11	890	30	79	24	320	1,354
729 OTHER SOFT TISSUE DIS*	18	2,269	101	204	74	1,167	3,833
730 OSTEOMYELITIS*	6	47	14	5	4	47	123
732 OSTEOCHONDROPATHIES*	0	19	0	3	0	2	24
733 OTH BONE & CARTILAGE DIS*	6	764	71	75	9	1,101	2,026
734 FLAT FOOT	0	33	0	2	1	2	38
735 ACQ DEFORMITIES OF TOE*	0	77	0	13	0	10	100
736 OTH ACQ LIMB DEFORMITIES*	0	60	0	0	0	5	65
737 CURVATURE OF SPINE*	5	567	8	23	1	75	679
738 OTHER ACQUIRED DEFORMITY*	1	36	0	2	1	0	40
741 SPINA BIFIDA*	0	10	0	0	0	3	13

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
742 OTH NERVOUS SYSTEM ANOM*	0	14	0	1	0	10	25
745 CARDIAC SEPTAL CLOS ANOM*	7	37	10	9	3	10	76
746 OTHER CONGEN HEART ANOM*	5	15	1	10	1	20	52
747 OTH CONG CIRC SYST ANOM*	4	20	10	6	1	6	47
748 RESPIRATORY SYST ANOMALY*	0	4	0	1	0	0	5
749 CLEFT PALATE & CLEFT LIP*	5	40	0	6	1	6	58
750 OTHER UPPER GI ANOMALY*	1	10	1	0	0	2	14
751 OTH ANOM DIGESTIVE SYST*	1	5	1	4	1	3	15
752 GENITAL ORGAN ANOMALIES*	1	7	0	2	0	4	14
753 URINARY SYSTEM ANOMALIES*	0	40	0	2	2	7	51
754 CONG MUSCULOSKEL DEFORM*	0	53	0	3	0	1	57
755 OTH CONGEN LIMB ANOMALY*	1	79	1	4	1	9	95
756 OTH MUSCULOSKELET ANOMAL*	2	180	1	7	1	33	224
757 CONGEN SKIN ANOMALIES*	0	11	0	1	1	7	20
758 CHROMOSOMAL ANOMALIES*	3	24	18	0	3	6	54

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
759 CONGEN ANOMALIES NEC/NOS*	1	73	0	3	2	8	87
765 SHORT GESTATION AND LOW WT*	9	35	3	3	1	0	51
767 BIRTH TRAUMA*	0	3	0	1	0	2	6
779 OTH PERINATAL CONDITION*	4	20	7	2	1	9	43
780 GENERAL SYMPTOMS*	76	3,417	301	238	290	3,825	8,147
781 NERV/MUSCULSKEL SYS SYMP*	1	369	21	22	10	142	565
782 SKIN/OTH INTEGUMENT SYMP*	18	1,123	48	78	64	1,025	2,356
783 NUTRIT/METAB/DEVEL SYMP*	3	367	65	18	6	80	539
784 SYMPTOMS INVOL HEAD/NECK*	14	949	42	50	102	439	1,596
785 CARDIOVASCULAR SYS SYMP*	26	416	7	61	41	312	863
786 RESP SYS/OTH CHEST SYMP*	83	1,228	48	104	225	999	2,687
787 GI SYSTEM SYMPTOMS*	24	453	10	28	82	669	1,266
788 URINARY SYSTEM SYMPTOMS*	4	279	2	26	7	391	709
789 OTH ABDOMEN/PELVIS SYMP*	20	259	6	33	68	121	507
790 ABNORMAL BLOOD FINDINGS*	11	237	23	54	6	145	476
791 ABNORMAL URINE FINDINGS*	0	11	0	0	0	5	16

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
792 ABN FIND-OTH BODY SUBST*	1	12	0	3	1	2	19
793 ABN FIND-BODY STRUCT NOS*	1	86	0	24	0	3	114
794 ABNORMAL FUNCTION STUDY*	1	46	8	8	1	22	86
795 ABN HISTOLOG/IMMUNO FIND*	0	49	0	4	0	8	61
796 OTHER ABNORMAL FINDINGS*	2	12	4	1	0	18	37
797 SENILITY W/O PSYCHOSIS	1	60	449	2	1	18	531
799 OTH ILL-DEF MORBID/MORTL*	2	842	67	143	3	126	1,183
802 FRACTURE OF FACE BONES*	3	36	3	6	21	29	98
803 OTHER SKULL FRACTURE*	2	10	0	0	2	1	15
805 VERTEBRL FX W/O CORD INJ*	6	154	31	8	11	52	262
807 FX RIB/STERN/LARYN/TRACH*	5	66	0	11	28	54	164
808 PELVIC FRACTURE*	5	11	0	0	4	4	24
810 CLAVICLE FRACTURE*	2	40	0	6	17	14	79
811 SCAPULA FRACTURE*	1	2	0	12	1	4	20
812 HUMERUS FRACTURE*	3	166	0	5	11	20	205

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
813 RADIUS & ULNA FRACTURE*	0	30	0	0	4	2	36
814 CARPAL FRACTURE*	3	200	5	68	42	35	353
815 METACARPAL FRACTURE*	0	76	6	8	14	17	121
816 FRACTURE PHALANGES, HAND*	1	125	0	10	27	27	190
818 FRACTURE ARM MULT/NOS*	7	174	3	11	58	38	291
820 FRACTURE NECK OF FEMUR*	12	79	31	2	8	6	138
821 OTHER FEMORAL FRACTURE*	9	93	17	4	12	9	144
822 PATELLA FRACTURE*	2	50	2	7	8	11	80
823 TIBIA & FIBULA FRACTURE*	2	108	3	5	5	12	135
824 ANKLE FRACTURE*	11	161	3	11	25	41	252
825 FX OF TARSAL/METATARSAL*	9	228	13	12	35	42	339
826 FRACTURE PHALANGES, FOOT*	1	48	3	2	15	24	93
827 LOWER LIMB FRACTURE NEC*	15	151	6	7	20	29	228
829 FRACTURE NOS*	2	50	17	5	7	13	94
830 JAW DISLOCATION*	0	0	0	1	0	1	2
831 SHOULDER DISLOCATION*	0	157	1	4	14	19	195

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
832 ELBOW DISLOCATION*	0	17	0	0	6	1	24
834 DISLOCATION OF FINGER*	0	8	0	0	2	0	10
835 DISLOCATION OF HIP*	3	99	0	8	6	12	128
836 DISLOCATION OF KNEE*	1	349	0	49	5	34	438
837 DISLOCATION OF ANKLE*	1	2	0	0	2	5	10
838 DISLOCATION OF FOOT*	0	5	0	0	1	0	6
839 DISLOCATION NEC*	0	275	0	2	3	21	301
840 SPRAIN SHOULDER & ARM*	8	1,018	17	226	17	134	1,420
841 SPRAIN ELBOW & FOREARM*	0	2	0	1	1	1	5
842 SPRAIN WRIST & HAND*	0	133	3	3	27	19	185
843 SPRAIN OF HIP & THIGH*	1	86	0	2	3	9	101
844 SPRAIN OF KNEE & LEG*	3	626	1	59	32	94	815
845 SPRAIN OF ANKLE & FOOT*	1	445	9	17	77	87	636
846 SPRAIN SACROILIAC REGION*	0	81	0	1	9	15	106
847 SPRAIN OF BACK NEC/NOS*	3	1,006	6	45	60	201	1,321

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
848 SPRAIN NEC*	1	360	0	42	25	96	524
850 CONCUSSION*	5	42	0	17	41	18	123
854 OTHER BRAIN INJURY*	5	177	16	7	46	17	268
862 INTRATHORACIC INJURY NEC*	1	4	0	1	0	0	6
863 GI TRACT INJURY*	0	5	0	2	0	0	7
869 INTERNAL INJURY NOS*	4	12	0	15	6	9	46
870 OCULAR ADNEXA OPEN WOUND*	0	1	0	3	7	3	14
871 EYEBALL OPEN WOUND*	0	4	0	0	7	4	15
872 OPEN WOUND OF EAR*	0	2	0	1	3	2	8
873 OTHER OPEN WOUND OF HEAD*	6	86	2	8	110	75	287
874 OPEN WOUND OF NECK*	1	6	0	0	2	6	15
876 OPEN WOUND OF BACK*	1	8	0	0	1	4	14
878 OPEN WOUND GENITAL ORGAN*	0	0	0	0	1	0	1
879 OPEN WOUND SITE NEC*	5	58	3	29	43	43	181
881 OPEN WOUND OF LOWER ARM*	0	12	0	0	4	3	19
882 OPEN WOUND OF HAND*	2	40	4	19	35	29	129

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

TABLE 1

MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
 LINKED TO CONDITION RECORDS (FROM FILE HC128)
 FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
883 OPEN WOUND OF FINGER*	1	93	1	12	54	47	208
884 OPEN WOUND ARM MULT/NOS*	0	5	0	3	17	6	31
886 TRAUM AMPUTATION FINGER*	1	26	0	0	4	2	33
890 OPEN WOUND OF HIP/THIGH*	0	1	0	1	0	1	3
891 OPEN WND KNEE/LEG/ANKLE*	4	115	8	7	33	27	194
892 OPEN WOUND OF FOOT*	1	56	9	0	19	13	98
893 OPEN WOUND OF TOE*	0	7	0	6	2	4	19
895 TRAUMATIC AMPUTATION TOE*	0	7	2	0	2	1	12
904 BLOOD VESSEL INJURY NEC*	0	6	0	0	1	0	7
908 LATE EFF INJURY NEC/NOS*	0	1	0	0	0	4	5
910 SUPERFICIAL INJURY HEAD*	0	30	0	1	9	16	56
913 SUPERFICIAL INJ FOREARM*	0	12	0	0	3	4	19
914 SUPERFICIAL INJ OF HAND*	0	0	0	0	1	1	2
915 SUPERFICIAL INJ FINGER*	1	5	0	0	2	5	13
916 SUPERFICIAL INJ HIP/LEG*	0	9	0	1	2	7	19

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
917 SUPERFICIAL INJ FOOT/TOE*	1	8	0	1	2	5	17
918 SUPERFIC INJ EYE/ADNEXA*	0	49	0	1	5	28	83
919 SUPERFICIAL INJ OTH SITE*	3	91	0	2	22	83	201
920 CONTUSION FACE/SCALP/NCK	1	18	0	5	18	3	45
921 CONTUSION EYE & ADNEXA*	2	73	1	0	10	30	116
922 CONTUSION OF TRUNK*	0	20	1	2	11	8	42
923 CONTUSION OF UPPER LIMB*	2	52	1	0	25	25	105
924 CONTUSION LEG & OTH SITE*	3	129	3	45	40	46	266
927 CRUSHING INJ UPPER LIMB*	0	6	0	0	1	2	9
930 FOREIGN BODY EXTERN EYE*	0	21	0	0	6	11	38
931 FOREIGN BODY IN EAR	0	3	0	0	3	3	9
932 FOREIGN BODY IN NOSE	0	0	0	1	1	0	2
933 FB PHARYNX & LARYNX*	0	5	3	7	1	0	16
938 FOREIGN BODY GI NOS	0	6	0	2	3	0	11
940 BURN OF EYE & ADNEXA*	0	1	0	0	1	5	7
941 BURN OF HEAD/FACE/NECK*	0	10	0	2	3	5	20

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
942 BURN OF TRUNK*	0	5	0	0	3	4	12
943 BURN OF ARM*	0	5	0	0	2	8	15
944 BURN OF HAND & WRIST*	2	16	0	0	9	20	47
945 BURN OF LEG*	0	6	0	0	3	9	18
946 BURN OF MULTIPLE SITE*	1	59	0	0	1	6	67
949 BURN UNSPECIFIED*	4	19	1	7	4	14	49
952 SPINAL CORD INJ W/O FX*	0	40	35	70	3	15	163
957 INJURY TO NERVE NEC/NOS*	0	21	9	3	0	5	38
958 EARLY COMPLIC OF TRAUMA*	0	5	0	0	0	5	10
959 INJURY NEC/NOS*	34	2,681	73	157	255	527	3,727
977 POIS-MEDICINAL NEC/NOS*	8	3	0	2	12	3	28
984 TOXIC EFF LEAD & COMPND*	0	5	0	0	0	0	5
986 TOX EFF CARBON MONOXIDE	3	0	0	0	3	0	6
987 TOXIDE EFF GAS/VAPOR NEC*	0	1	0	0	4	2	7
989 TOX EFF OTH NONMED SUBST*	1	66	0	4	52	82	205

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
990 EFFECTS RADIATION NOS	0	41	6	0	0	10	57
991 EFF REDUCED TEMPERATURE*	0	4	0	0	0	2	6
992 EFFECT OF HEAT/LIGHT*	2	3	0	0	8	0	13
993 EFFECTS OF AIR PRESSURE*	0	1	0	0	0	2	3
994 EFFECT EXTERNAL CAUS NEC*	1	3	0	0	2	6	12
995 CERTAIN ADVERSE EFF NEC*	14	206	3	20	62	188	493
996 REPLACE & GRAFT COMPLIC*	10	20	3	0	13	25	71
997 SURG COMPL-BODY SYST NEC*	0	5	0	0	0	1	6
998 OTH SURGICAL COMPL NEC*	8	76	7	5	14	50	160
999 COMPLIC MEDICAL CARE NEC*	1	3	0	1	1	6	12
V01 COMMUNICABLE DIS CONTACT*	0	5	0	0	0	3	8
V04 VACCIN FOR VIRAL DISEASE*	0	41	1	0	1	8	51
V05 OTH VACCIN FOR SINGL DIS*	0	6	0	8	0	7	21
V07 PROPHYLACTIC MEASURES*	0	69	5	1	0	187	262
V08 ASYMP HIV INFECTN STATUS	0	149	20	0	1	77	247
V09 INFCT MCRG RESISTNT DRUG*	3	23	3	0	7	16	52

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V10 HX OF MALIGNANT NEOPLASM*	0	9	0	1	0	4	14
V12 HX OF DISEASE NEC*	0	25	1	11	0	8	45
V13 HX OF OTHER DISEASES*	0	57	2	12	1	17	89
V15 OTH HX OF HEALTH HAZARDS*	2	61	1	1	6	17	88
V16 FAMILY HX-MALIGNANCY*	0	3	0	2	0	0	5
V20 HEALTH SUPERVISION CHILD*	0	68	0	1	0	1	70
V22 NORMAL PREGNANCY*	388	4,498	15	201	120	483	5,705
V23 SUPERVIS HIGH-RISK PREG*	1	47	0	4	0	2	54
V24 POSTPARTUM CARE/EXAM*	2	25	0	0	1	16	44
V25 CONTRACEPTIVE MANAGEMENT*	0	122	0	28	1	749	900
V26 PROCREATIVE MANAGEMENT*	0	37	0	1	0	15	53
V30 SINGLE LIVEBORN*	16	56	0	1	3	6	82
V40 MENTAL/BEHAVIORAL PROB*	5	363	29	1	6	43	447
V41 PROB W SPECIAL FUNCTIONS*	0	99	0	16	3	46	164
V42 ORGAN TRANSPLANT STATUS*	1	89	2	16	0	33	141

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V43 ORGAN REPLACEMENT NEC*	5	81	4	10	0	13	113
V45 OTH POSTSURGICAL STATES*	6	131	26	8	3	58	232
V47 OTH PROBL W INTERNAL ORG*	2	75	0	10	0	50	137
V48 HEAD/NECK/TRUNK PROBLEMS*	0	17	0	1	0	15	33
V49 LIMB PROBLEM/PROBLEM NEC*	0	46	13	5	1	11	76
V50 OTHER ELECTIVE SURGERY*	0	10	0	1	0	8	19
V52 FITTING OF PROSTHESIS*	0	20	0	3	0	10	33
V53 ADJUSTMENT OF OTH DEVICE*	3	85	9	9	1	9	116
V54 OTH ORTHOPEDIC AFTERCARE*	1	83	2	3	0	17	106
V55 ATTEN TO ARTIFICIAL OPEN*	0	9	1	0	0	2	12
V56 DIALYSIS ENCOUNTER*	3	676	15	106	0	10	810
V57 REHABILITATION PROCEDURE*	0	190	2	19	0	6	217
V58 ENCOUNTR PROC/AFTRCR NEC*	4	292	5	24	4	80	409
V61 OTH FAMILY CIRCUMSTANCES*	0	94	0	0	0	0	94
V62 OTH PSYCHOSOCIAL CIRCUM*	1	198	0	68	0	15	282
V65 OTHER REASON FOR CONSULT*	3	525	6	9	1	198	742

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V67 FOLLOW-UP EXAMINATION*	0	155	0	4	0	40	199
V68 ADMINISTRATIVE ENCOUNTER*	2	370	14	22	2	1,619	2,029
V69 PROB RELATED TO LIFESTYLE*	0	34	0	1	0	15	50
V70 GENERAL MEDICAL EXAM*	6	475	0	72	1	81	635
V71 OBSERVATION-SUSPECT COND*	7	404	0	15	36	29	491
V72 SPECIAL EXAMINATIONS*	0	511	14	53	0	303	881
V73 SCREENING FOR VIRAL DIS*	0	4	0	1	0	0	5
V74 SCREENING-BACTERIAL DIS*	0	13	0	1	0	0	14
V76 SCREENING-MALIG NEOPLASM*	0	60	0	10	0	13	83
V77 SCREEN-ENDO/NUTR/METAB*	0	156	2	4	0	336	498
V79 SCREENING-MENTAL DISORD*	0	2	0	0	0	1	3
V80 SCREEN-NEURO/EYE/EAR DIS*	0	19	0	0	0	15	34
V81 SCREEN-HEART/RESP/GU DIS*	0	114	1	9	2	238	364
V82 SCREEN-OTHER CONDITIONS*	0	32	0	3	0	63	98

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,512,061	29,285,405	946,211	4,877,680	467,617	12,955,149	50,044,123
-9 NOT ASCERTAINED	256,191	3,593,426	133,459	503,747	108,845	4,664,384	9,260,052
005 OTHER FOOD POISONING*	44,243	236,774	0	0	178,199	221,293	680,509
008 INTESTINAL INFECTION NEC*	196,113	9,742,978	29,326	258,208	1,583,993	7,648,243	19,458,861
009 ILL-DEFINED INTEST INF*	37,909	304,287	0	0	81,373	315,525	739,093
011 PULMONARY TUBERCULOSIS*	3,303	26,600	0	2,826	0	22,826	55,555
034 STREP THROAT/SCARLET FEV*	7,082	6,147,233	0	124,959	397,531	5,943,047	12,619,853
038 SEPTICEMIA*	53,982	275,283	0	6,449	40,667	56,474	432,855
040 OTHER BACTERIAL DISEASES*	0	86,138	0	0	0	92,119	178,256
041 BACT INF IN OTH DIS/NOS*	211,381	3,131,472	135,007	209,965	384,637	2,980,135	7,052,596
042 HUMAN IMMUNO VIRUS DIS	0	788,127	0	61,153	3,333	1,227,158	2,079,771
052 CHICKENPOX*	0	110,267	0	0	0	36,214	146,482
053 HERPES ZOSTER*	0	1,466,285	21,248	28,910	84,532	1,545,292	3,146,267
054 HERPES SIMPLEX*	7,769	480,735	0	9,576	8,969	1,651,463	2,158,511
057 OTHER VIRAL EXANTHEMATA*	0	173,399	0	0	3,268	8,932	185,599

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
070 VIRAL HEPATITIS*	45,364	1,414,050	317,091	341,977	20,646	483,247	2,622,375
074 COXSACKIE VIRAL DISEASE*	0	69,092	0	0	3,572	43,879	116,542
075 INFECTIOUS MONONUCLEOSIS	13,812	747,595	0	51,571	55,531	223,607	1,092,116
078 OTHER VIRAL DISEASE*	17,170	3,972,409	4,927	61,930	39,438	535,834	4,631,708
079 VIRAL INF IN OTH DIS/NOS*	191,803	3,616,558	0	135,859	658,379	2,058,838	6,661,437
088 OTH ARTHROPOD-BORNE DIS*	0	840,862	0	259,596	0	435,388	1,535,845
099 OTHER VENEREAL DISEASE*	0	12,814	0	10,112	18,432	45,782	87,140
110 DERMATOPHYTOSIS*	2,308	2,046,853	10,115	37,457	42,242	1,607,696	3,746,672
111 DERMATOMYCOSIS NEC/NOS*	0	271,471	0	6,278	0	266,093	543,842
112 CANDIDIASIS*	0	1,397,764	0	26,914	54,081	2,621,982	4,100,742
117 OTHER MYCOSES*	8,586	392,525	0	24,362	3,303	347,585	776,361
132 PEDICULOSIS AND PHTHIRUS*	0	180,413	0	3,346	5,293	109,515	298,566
133 ACARIASIS*	0	76,120	0	0	18,010	110,777	204,906
135 SARCOIDOSIS	22,745	378,409	11,373	0	11,373	132,016	555,916
136 INF/PARASITE DIS NEC/NOS*	48,884	730,701	27,453	52,804	152,211	1,664,597	2,676,650
139 LATE EFFECT INFECT NEC*	0	37,677	0	0	0	13,141	50,818

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
145 MALIG NEO MOUTH NEC/NOS*	3,359	1,825,448	25,328	829,044	0	14,141	2,697,321
149 OTH MALIG NEO OROPHARYNX*	10,395	917,182	30,914	269,645	13,430	61,676	1,303,242
150 MALIGNANT NEO ESOPHAGUS*	0	11,361	0	14,375	0	14,375	40,111
153 MALIGNANT NEOPLASM COLON*	78,426	1,844,751	410,703	489,468	12,527	159,706	2,995,580
154 MALIG NEO RECTUM/ANUS*	35,077	958,070	35,077	260,382	0	63,239	1,351,845
155 MALIGNANT NEOPLASM LIVER*	69,981	1,425,513	12,201	208,112	30,882	149,807	1,896,495
157 MALIGNANT NEO PANCREAS*	35,428	239,059	20,253	127,820	15,830	24,826	463,215
161 MALIGNANT NEO LARYNX*	7,596	21,575	0	0	4,704	7,464	41,339
162 MAL NEO TRACHEA/LUNG*	233,063	5,636,273	227,425	1,409,694	128,410	1,025,169	8,660,034
170 MAL NEO BONE/ARTIC CART*	31,709	1,117,446	217,061	255,366	9,676	76,752	1,708,011
171 MAL NEO SOFT TISSUE*	37,144	572,529	18,572	83,574	0	192,952	904,771
172 MALIGNANT MELANOMA SKIN*	38,218	1,756,358	46,878	88,516	0	172,709	2,102,679
173 OTHER MALIG NEOPL SKIN*	0	10,702,307	67,824	618,616	0	733,101	12,121,848
174 MALIG NEO FEMALE BREAST*	99,638	11,473,280	134,171	3,541,134	0	2,678,520	17,926,744
179 MALIG NEOPL UTERUS NOS	52,062	721,205	180,715	579,909	7,373	185,857	1,727,123

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
180 MALIG NEOPL CERVIX UTERI*	6,473	670,243	67,350	147,139	6,473	57,457	955,135
185 MALIGN NEOPL PROSTATE	86,367	7,724,528	103,249	1,186,444	10,014	1,716,675	10,827,275
186 MALIGN NEOPL TESTIS*	0	166,833	0	0	0	83,351	250,184
188 MALIGN NEOPL BLADDER*	50,972	1,599,353	16,147	238,467	5,178	309,006	2,219,122
189 MAL NEO URINARY NEC/NOS*	151,072	649,069	47,326	697,187	48,104	144,459	1,737,217
193 MALIGN NEOPL THYROID	59,777	1,481,846	71,858	219,043	2,041	857,717	2,692,282
194 MAL NEO OTHER ENDOCRINE*	11,583	246,787	0	62,958	0	16,628	337,955
195 MAL NEO OTH/ILL-DEF SITE*	35,712	258,198	25,749	754,413	6,815	47,118	1,128,004
198 SEC MALIG NEO OTH SITES*	36,882	1,289,396	43,610	237,159	18,441	258,059	1,883,547
199 MALIGNANT NEOPLASM NOS*	64,265	1,404,342	235,540	940,625	0	320,958	2,965,730
202 OTH MAL NEO LYMPH/HISTIO*	32,414	3,779,023	99,227	643,983	10,227	264,419	4,829,293
207 OTHER SPECIFIED LEUKEMIA*	27,329	1,009,319	0	233,355	3,994	154,716	1,428,713
208 LEUKEMIA-UNSPECIF CELL*	64,825	1,227,400	4,174	434,341	15,222	267,787	2,013,750
211 OTH BENIGN NEOPLASM GI*	53,845	635,973	41,470	172,572	57,879	73,760	1,035,500
213 BEN NEO BONE/ARTIC CART*	0	30,162	0	2,514	0	2,514	35,189
214 LIPOMA*	0	197,578	0	19,648	0	2,873	220,099

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
215 OTH BEN NEO SOFT TISSUE*	79,900	976,818	0	271,644	0	342,670	1,671,032
216 BENIGN NEOPLASM OF SKIN*	0	3,365,215	0	153,062	0	78,391	3,596,667
217 BENIGN NEOPLASM BREAST	0	89,561	0	31,895	0	8,275	129,732
218 UTERINE LEIOMYOMA*	95,352	657,651	0	39,119	28,855	187,777	1,008,755
225 BENIGN NEO NERVOUS SYST*	14,120	19,153	0	0	0	14,120	47,393
228 HEMANGIOMA/LYMPHANGIOMA*	0	30,181	0	5,620	0	0	35,801
229 BENIGN NEOPLASM NEC/NOS*	35,021	398,927	50,242	35,373	0	137,814	657,377
232 CARCINOMA IN SITU SKIN*	0	734,571	0	19,389	0	73,917	827,878
237 UNCER NEO ENDOCRINE/NERV*	0	327,386	2,604	8,654	0	14,422	353,067
238 UNC BEHAV NEO NEC/NOS*	0	3,410,110	0	713,949	20,865	133,150	4,278,074
239 UNSPECIFIED NEOPLASM*	267,006	4,969,475	207,470	1,215,484	132,177	625,234	7,416,846
240 GOITER, SIMPLE/NOS*	41,874	406,691	0	42,560	12,948	316,224	820,297
241 NONTOXIC NODULAR GOITER*	0	173,043	0	17,167	0	44,579	234,789
242 THYROTOXICOSIS*	44,471	2,027,125	62,878	178,602	19,541	2,331,758	4,664,376
244 ACQUIRED HYPOTHYROIDISM*	28,284	7,062,076	48,937	590,030	3,528	18,142,577	25,875,434

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
245 THYROIDITIS*	14,035	302,309	0	23,277	0	271,026	610,647
246 OTH DISORDERS OF THYROID*	50,398	5,894,890	193,003	602,918	22,208	15,462,753	22,226,169
250 DIABETES MELLITUS*	512,911	56,321,985	3,515,189	3,513,853	542,421	88,669,308	153,075,667
251 OTH PANCREATIC DISORDER*	39,335	160,264	0	6,212	52,041	37,609	295,462
252 PARATHYROID DISORDER*	16,558	720,564	0	105,930	0	136,805	979,857
253 PITUITARY/HYPOTHALM DIS*	7,232	62,313	0	8,353	0	96,302	174,199
255 ADRENAL GLAND DISORDERS*	0	208,761	0	0	16,803	395,667	621,230
256 OVARIAN DYSFUNCTION*	0	964,899	0	4,785	0	1,248,301	2,217,986
257 TESTICULAR DYSFUNCTION*	0	1,275,393	0	130,077	0	534,282	1,939,752
259 OTH ENDORINE DISORDERS*	0	934,899	0	105,889	2,354	2,275,369	3,318,510
263 PROT-CAL MALNUTR NEC/NOS*	27,461	0	0	0	27,461	11,926	66,848
266 B-COMPLEX DEFICIENCIES*	0	727,634	70,872	11,527	0	466,044	1,276,077
268 VITAMIN D DEFICIENCY*	0	714,275	0	132,548	0	1,171,010	2,017,833
269 OTH NUTRITION DEFICIENCY*	0	131,597	0	116,952	0	253,987	502,536
271 DIS CARBOHYDRATE METABOL*	0	96,403	0	0	0	34,028	130,431
272 DIS OF LIPOID METABOLISM*	74,382	56,710,499	899,582	3,612,270	82,639	102,180,229	163,559,601

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
274 GOUT*	52,069	2,655,988	130,228	80,393	135,691	6,090,614	9,144,984
275 DIS MINERAL METABOLISM*	8,961	435,018	0	34,878	8,961	449,748	937,567
276 FLUID/ELECTROLYTE DIS*	407,935	2,665,812	177,535	139,992	737,790	6,798,303	10,927,367
277 METABOLISM DIS NEC/NOS*	40,619	647,780	48,186	443,298	5,702	1,128,129	2,313,712
278 OBESITY/HYPERALIMENT*	78,601	2,773,039	0	263,147	0	556,792	3,671,580
279 DIS IMMUNE MECHANISM*	47,710	790,675	0	121,824	0	397,159	1,357,368
280 IRON DEFICIENCY ANEMIAS*	9,745	865,019	7,502	37,363	0	832,038	1,751,667
281 OTHER DEFICIENCY ANEMIA*	0	314,910	0	0	0	90,873	405,783
282 HEREDIT HEMOLYTIC ANEMIA*	15,137	342,371	0	318,935	15,330	324,469	1,016,242
285 ANEMIA NEC/NOS*	231,612	4,265,313	107,962	526,263	49,189	2,355,157	7,535,496
286 COAGULATION DEFECTS*	0	219,766	0	0	0	132,740	352,505
287 PURPURA & OTH HEMOR COND*	84,668	2,235,780	0	246,140	0	255,514	2,822,101
288 WBC DISORDERS*	62,695	961,952	24,995	26,419	24,451	373,361	1,473,874
289 OTHER BLOOD DISEASE*	92,367	1,976,988	0	276,538	87,731	813,613	3,247,238
294 OTHER ORGANIC PSYCH COND*	35,940	2,520,459	962,623	10,695	44,819	1,416,509	4,991,045

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
295 SCHIZOPHRENIC DISORDERS*	137,476	5,615,880	465,159	526,506	111,405	1,808,097	8,664,524
296 AFFECTIVE PSYCHOSES*	201,272	16,748,980	244,958	574,601	165,312	10,800,331	28,735,453
297 PARANOID STATES*	0	315,570	0	7,586	0	73,079	396,235
298 OTH NONORGANIC PSYCHOSES*	5,058	450,740	76,896	44,055	32,676	244,657	854,082
299 PSYCHOSES OF CHILDHOOD*	20,112	8,619,203	513,288	407,680	8,124	701,440	10,269,848
300 NEUROTIC DISORDERS*	263,580	42,350,613	874,814	937,231	633,171	34,668,305	79,727,714
301 PERSONALITY DISORDERS*	8,124	1,683,698	73,118	20,667	21,205	483,531	2,290,343
302 SEXUAL DISORDERS*	0	364,179	0	0	0	483,334	847,512
303 ALCOHOL DEPENDENCE SYNDR*	42,622	326,386	44,969	152,291	63,100	110,451	739,819
304 DRUG DEPENDENCE*	9,528	5,535,114	0	822,088	14,004	335,574	6,716,308
305 NONDEPENDENT DRUG ABUSE*	49,480	1,456,115	0	346,840	27,787	458,616	2,338,839
306 PSYCHOPHYSIOLOGIC DIS*	0	10,637	0	0	0	161,269	171,905
307 SPECIAL SYMPTOM NEC*	63,739	3,170,754	0	167,071	0	753,329	4,154,892
308 ACUTE REACTION TO STRESS*	60,688	5,576,240	26,215	99,694	75,026	2,188,628	8,026,492
309 ADJUSTMENT REACTION*	20,112	5,247,242	214,083	61,898	14,635	1,170,994	6,728,964
310 NONPSYCHOTIC BRAIN SYND*	0	158,530	0	9,950	0	20,381	188,861

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
311 DEPRESSIVE DISORDER NEC	274,183	54,404,683	1,043,145	1,282,693	248,370	43,566,484	100,819,558
312 CONDUCT DISTURBANCE NEC*	17,543	1,569,228	34,747	89,123	8,772	338,923	2,058,336
313 EMOTIONAL DIS CHILD/ADOL*	10,875	372,042	0	10,875	10,875	150,808	555,475
314 HYPERKINETIC SYNDROME*	24,675	18,328,234	117,424	180,120	52,324	13,982,919	32,685,697
315 SPECIFIC DEVELOP DELAYS*	0	2,053,263	353,857	60,403	0	5,791	2,473,314
317 MILD MENTAL RETARDATION	34,616	288,463	0	0	11,539	0	334,617
319 MENTAL RETARDATION NOS	10,946	170,879	250,756	0	8,124	89,301	530,005
322 MENINGITIS, UNSPECIFIED*	19,079	434,858	0	712,807	23,782	198,371	1,388,896
323 ENCEPHALOMYELITIS*	4,651	171,162	0	0	2,325	61,027	239,164
327 ORGANIC SLEEP DISORDERS*	0	62,039	57,472	18,453	0	69,580	207,544
331 CEREBRAL DEGENERATION*	57,751	1,291,667	1,484,500	50,347	51,665	1,706,748	4,642,679
332 PARKINSON'S DISEASE*	28,874	1,804,430	723,334	93,799	5,505	2,176,085	4,832,027
333 EXTRAPYRAMIDAL DIS NEC*	0	1,973,196	57,472	21,644	0	3,882,856	5,935,168
336 SPINAL CORD DISEASE NEC*	19,696	359,582	157,658	7,654	12,042	307,768	864,400
337 AUTONOMIC NERVE DISORDER*	0	205,979	0	0	0	359,958	565,937

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
338 PAIN, NOT ELSEWHERE CLASSIFIED	0	1,593,616	23,344	49,890	66,905	1,311,889	3,045,644
340 MULTIPLE SCLEROSIS	30,996	1,933,529	796,281	278,815	126,007	2,174,159	5,339,787
343 INFANTILE CEREBRAL PALSY*	12,000	952,792	732,706	43,476	0	176,701	1,917,674
344 OTH PARALYTIC SYNDROMES*	23,152	1,276,539	220,845	0	0	307,101	1,827,636
345 EPILEPSY*	28,800	1,439,355	113,709	51,743	149,338	2,887,033	4,669,979
346 MIGRAINE*	101,966	12,163,393	185,228	286,135	786,408	11,544,989	25,068,118
347 CATAPLEXY AND NARCOLEPSY	0	318,575	0	12,188	0	344,013	674,776
348 OTHER BRAIN CONDITIONS*	9,920	337,406	63,801	67,801	5,337	486,225	970,490
349 CNS DISORDER NEC/NOS*	0	1,532,687	0	68,177	0	653,925	2,254,790
350 TRIGEMINAL NERV DISORDER*	0	167,118	0	0	0	127,233	294,350
351 FACIAL NERVE DISORDERS*	0	149,027	58,725	24,123	49,922	116,830	398,627
353 NERVE ROOT/PLEXUS DIS*	0	168,480	0	0	0	142,698	311,179
354 MONONEURITIS UPPER LIMB*	36,701	5,061,992	331,126	1,389,761	92,723	1,121,235	8,033,539
355 MONONEURITIS LEG*	23,888	7,922,111	153,453	1,259,350	103,944	3,840,046	13,302,792
356 HERED PERIPH NEUROPATHY*	0	471,841	4,159	36,630	6,530	410,757	929,917
357 INFLAM/TOXIC NEUROPATHY*	99,937	322,901	114,348	28,587	14,294	131,446	711,513

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
358 MYONEURAL DISORDERS*	20,171	656,544	74,204	20,171	20,171	153,155	944,415
359 MUSCULAR DYSTROPHIES*	0	15,278	30,504	15,771	0	37,939	99,492
360 DISORDERS OF THE GLOBE*	12,095	3,139,562	140,324	40,818	113,201	2,247,245	5,693,246
361 RETINAL DETACHMENT*	0	886,258	13,333	10,250	22,487	96,388	1,028,716
362 RETINAL DISORDERS NEC*	0	4,074,280	60,607	133,643	0	899,976	5,168,506
363 CHOROIDAL DISORDERS*	0	112,949	0	11,851	0	0	124,800
364 IRIS/CILIARY BODY DIS*	0	312,384	0	0	0	106,771	419,155
365 GLAUCOMA*	0	7,317,323	246,085	88,954	0	9,320,852	16,973,213
366 CATARACT*	39,701	12,222,727	98,274	1,241,637	0	3,666,623	17,268,962
367 DISORDERS OF REFRACTION*	0	3,248,396	0	52,675	6,552	219,485	3,527,108
368 VISUAL DISTURBANCES*	10,355	1,840,096	0	16,429	2,336	219,375	2,088,592
369 BLINDNESS AND LOW VISION*	63,599	1,319,970	709,374	68,269	13,419	219,781	2,394,412
370 KERATITIS*	0	14,715	0	0	10,725	25,440	50,880
371 CORNEAL OPACITY/DISORDER*	0	261,453	0	0	0	109,587	371,040
372 DISORDERS OF CONJUNCTIVA*	0	1,450,470	0	19,519	183,954	1,844,873	3,498,816

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
373 INFLAMMATION OF EYELIDS*	0	663,930	0	6,665	9,792	404,644	1,085,031
374 DISORDERS OF EYELIDS NEC*	0	589,933	0	3,214	0	114,854	708,001
375 LACRIMAL SYSTEM DISORDER*	0	1,734,154	0	76,781	4,803	2,293,043	4,108,781
377 DISORDERS OF OPTIC NERVE*	0	98,224	0	0	0	0	98,224
378 STRABISMUS*	0	216,985	0	32,592	0	13,210	262,788
379 EYE DISORDERS NEC*	6,440	2,606,402	74,836	58,710	31,143	1,418,410	4,195,942
380 DISORDER OF EXTERNAL EAR*	0	1,645,072	0	22,797	48,143	607,970	2,323,982
381 NONSUPPUR OTITIS MEDIA*	0	131,227	0	8,398	0	123,193	262,818
382 OTITIS MEDIA, SUPPUR/NOS*	14,505	15,919,292	29,688	617,383	1,253,297	14,297,492	32,131,659
384 DISORD TYMPANIC MEMB NEC*	0	430,192	0	83,881	0	177,426	691,499
385 DIS MID EAR/MASTOID NEC*	0	225,475	0	38,871	0	89,265	353,611
386 VERTIGINOUS SYNDROMES*	27,888	859,208	26,176	29,541	69,732	849,519	1,862,065
388 DISORDERS OF EAR NEC*	2,336	2,537,157	0	97,860	71,994	1,450,390	4,159,736
389 HEARING LOSS*	2,336	3,397,704	82,054	238,778	7,007	285,128	4,013,006
394 DISEASES OF MITRAL VALVE*	0	24,042	0	0	0	2,530	26,573
397 ENDOCARDIAL DISEASE NEC*	0	15,394	0	0	0	30,787	46,181

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
401 ESSENTIAL HYPERTENSION*	707,692	77,448,220	3,119,663	3,325,074	939,881	189,774,384	275,314,914
410 ACUTE MYOCARDIAL INFARCT*	711,758	7,538,566	1,405,590	4,458,574	675,490	9,981,716	24,771,694
413 ANGINA PECTORIS*	203,742	4,473,609	451,231	216,248	200,827	3,268,292	8,813,948
414 OTH CHR ISCHEMIC HRT DIS*	1,126,283	27,004,808	2,534,273	2,771,437	643,477	29,530,284	63,610,563
415 ACUTE PULMONARY HRT DIS*	160,073	2,204,185	47,631	224,109	135,791	395,592	3,167,381
416 CHR PULMONARY HEART DIS*	6,400	116,472	0	10,276	0	91,099	224,247
423 OTH PERICARDIAL DISEASE*	0	97,907	0	43,756	0	34,383	176,046
424 OTH ENDOCARDIAL DISEASE*	112,857	3,523,524	0	273,131	72,658	2,035,874	6,018,044
425 CARDIOMYOPATHY*	11,373	275,142	29,167	5,072	11,373	169,376	501,502
426 CONDUCTION DISORDERS*	26,759	374,427	0	33,892	0	132,754	567,832
427 CARDIAC DYSRHYTHMIAS*	399,384	10,392,654	516,497	876,968	341,031	8,568,797	21,095,331
428 HEART FAILURE*	613,336	4,701,749	1,006,804	590,485	398,272	4,754,700	12,065,346
429 ILL-DEFINED HEART DIS*	319,758	5,055,959	289,949	362,634	197,334	3,664,265	9,889,897
433 PRECEREBRAL OCCLUSION*	29,496	209,666	0	56,429	0	55,096	350,687
434 CEREBRAL ARTERY OCCLUS*	76,307	1,397,620	210,016	1,387,015	49,769	127,339	3,248,067

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
435 TRANSIENT CEREB ISCHEMIA*	15,199	98,159	0	53,900	42,846	25,302	235,406
436 CVA	592,335	8,402,946	3,685,334	1,724,769	584,129	3,961,522	18,951,035
437 OTH CEREBROVASC DISEASE*	62,173	263,961	513,890	0	8,294	130,842	979,160
438 LATE EFF CEREBROVASC DIS*	0	39,884	48,561	57,517	5,887	14,367	166,216
440 ATHEROSCLEROSIS*	49,148	113,726	9,474	35,850	0	280,941	489,138
441 AORTIC ANEURYSM*	12,048	371,822	28,696	44,087	0	101,561	558,215
442 OTHER ANEURYSM*	88,371	210,919	13,787	219,307	101,487	126,146	760,017
443 OTH PERIPH VASCULAR DIS*	95,027	1,008,253	38,495	154,810	24,286	497,637	1,818,507
444 ARTERIAL EMBOLISM*	255,731	2,121,704	54,513	202,796	105,383	1,010,561	3,750,689
446 POLYARTERIT NODOSA ET AL*	19,159	94,862	0	344,862	19,159	29,614	507,656
447 OTHER ARTERIAL DISEASE*	29,064	481,700	85,506	323,788	0	219,072	1,139,131
448 DISEASE OF CAPILLARIES*	0	108,490	0	2,886	0	0	111,376
451 THROMBOPHLEBITIS*	0	40,519	0	10,561	0	0	51,080
453 OTH VENOUS THROMBOSIS*	200,230	2,747,809	110,252	271,043	144,322	1,489,702	4,963,360
454 VARICOSE VEINS, LEG*	7,755	1,188,730	0	102,211	7,755	164,951	1,471,402
455 HEMORRHOIDS*	17,143	1,412,580	0	112,113	74,503	865,037	2,481,376

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
456 VARICOSE VEINS NEC*	13,404	172,592	0	34,876	0	100,010	320,883
457 NONINFECT LYMPHATIC DIS*	14,563	1,121,156	131,066	196,991	0	160,433	1,624,209
458 HYPOTENSION*	103,552	266,408	27,688	55,284	76,510	229,057	758,499
459 OTH CIRCULATORY DISEASE*	184,309	2,098,172	270,545	277,138	203,854	1,371,749	4,405,767
460 ACUTE NASOPHARYNGITIS	16,844	11,864,395	0	164,255	486,760	8,888,966	21,421,220
461 ACUTE SINUSITIS*	0	69,590	0	15,339	25,349	127,640	237,917
462 ACUTE PHARYNGITIS	0	3,850,130	0	65,684	139,613	2,528,574	6,584,001
463 ACUTE TONSILLITIS	0	1,108,620	0	252,272	106,639	1,535,398	3,002,929
464 AC LARYNGITIS/TRACHEITIS*	0	684,297	0	3,452	208,990	516,526	1,413,265
465 AC URI MULT SITES/NOS*	18,446	2,906,915	0	48,632	217,044	3,029,209	6,220,246
466 AC BRONCHITIS/BRONCHIOL*	14,196	403,419	15,518	0	47,393	449,698	930,224
470 DEVIATED NASAL SEPTUM	5,552	639,703	0	63,444	15,628	171,631	895,958
471 NASAL POLYPS*	0	351,982	0	11,455	0	83,260	446,697
472 CHR PHARYNG/NASOPHARYNG*	0	44,239	0	0	1,485	137,680	183,404
473 CHRONIC SINUSITIS*	67,934	16,448,544	0	656,041	394,187	18,400,143	35,966,849

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
474 CHR T & A DIS*	5,552	714,133	0	84,453	55,729	266,235	1,126,102
477 ALLERGIC RHINITIS*	37,525	34,267,589	106,281	366,924	199,791	32,688,091	67,666,201
478 OTH UPPR RESPIRATORY DIS*	64,416	4,559,308	17,585	211,658	212,222	5,205,493	10,270,681
480 VIRAL PNEUMONIA*	15,970	36,675	0	0	7,206	108,085	167,936
482 OTH BACTERIAL PNEUMONIA*	21,599	9,156	0	0	10,800	39,912	81,468
485 BRONCHOPNEUMONIA ORG NOS	0	179,351	0	15,162	26,697	142,985	364,195
486 PNEUMONIA, ORGANISM NOS	1,207,021	5,590,657	430,415	391,577	1,127,270	4,411,282	13,158,221
487 INFLUENZA*	185,061	5,827,858	0	234,173	573,005	5,157,591	11,977,688
490 BRONCHITIS NOS	48,319	8,446,105	0	194,830	564,480	9,832,601	19,086,335
491 CHRONIC BRONCHITIS*	90,879	5,741,851	815,050	349,756	319,108	5,588,494	12,905,138
492 EMPHYSEMA*	173,792	5,341,579	986,928	349,785	112,531	6,668,743	13,633,358
493 ASTHMA*	317,934	19,357,554	1,132,670	702,161	1,319,235	40,794,259	63,623,813
496 CHR AIRWAY OBSTRUCT NEC	236,816	4,689,362	1,096,901	303,166	298,777	6,010,815	12,635,838
505 PNEUMOCONIOSIS NOS	0	226,925	0	0	0	185,323	412,248
511 PLEURISY*	22,787	381,456	0	17,943	54,949	130,398	607,533
514 PULM CONGEST/HYPOSTASIS	93,188	629,628	11,153	13,795	58,438	941,268	1,747,471

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
515 POSTINFLAM PULM FIBROSIS	35,660	1,047,273	23,476	29,443	23,476	228,994	1,388,323
518 OTHER LUNG DISEASES*	189,280	1,868,830	152,799	190,053	187,022	955,664	3,543,648
519 OTH RESP SYSTEM DISEASES*	45,052	1,558,578	43,820	62,177	205,826	2,113,251	4,028,705
520 TOOTH DEVELOP/ERUPT DIS*	0	189,483	0	0	22,139	465,740	677,362
521 HARD TISSUE DIS OF TEETH*	0	182,852	0	14,053	24,748	264,127	485,781
522 PULP & PERIAPICAL DIS*	19,606	304,739	0	30,011	224,601	4,024,213	4,603,170
523 GINGIVAL/PERIODONTAL DIS*	19,061	117,488	38,122	13,117	14,847	1,463,240	1,665,876
524 DENTOFACIAL ANOMALIES*	0	343,792	0	47,020	5,811	263,400	660,023
525 OTHER DENTAL DISORDER*	0	214,307	0	3,495	121,994	3,023,772	3,363,567
526 JAW DISEASES*	0	114,302	0	11,696	10,904	133,751	270,653
527 SALIVARY GLAND DISEASES*	9,533	322,587	0	15,688	24,478	320,787	693,072
528 ORAL SOFT TISSUE DISEASE*	6,043	405,176	0	77,687	8,142	1,093,471	1,590,519
529 TONGUE DISORDERS*	0	67,570	0	0	7,395	33,411	108,377
530 DISEASES OF ESOPHAGUS*	153,101	10,352,406	91,320	805,781	239,466	30,468,085	42,110,159
531 GASTRIC ULCER*	54,344	467,828	83,912	106,326	62,078	993,813	1,768,301

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
533 PEPTIC ULCER, SITE NOS*	37,459	143,134	60,391	22,869	37,459	85,610	386,923
535 GASTRITIS AND DUODENITIS*	88,359	1,469,620	30,113	81,377	176,052	1,439,373	3,284,895
536 STOMACH FUNCTION DISORD*	304,610	5,884,430	185,581	391,320	722,042	7,054,561	14,542,543
537 OTH GASTRODUODENAL DIS*	53,249	1,914,662	55,395	249,148	38,564	2,742,419	5,053,437
540 ACUTE APPENDICITIS*	88,937	140,472	73,020	7,177	62,626	175,475	547,706
541 APPENDICITIS NOS	232,808	307,330	0	88,840	292,341	289,661	1,210,979
550 INGUINAL HERNIA*	3,302	369,790	0	103,864	12,907	110,089	599,952
553 OTHER ABDOMINAL HERNIA*	304,016	3,011,953	77,289	843,735	208,602	1,312,795	5,758,390
555 REGIONAL ENTERITIS*	63,408	1,254,116	0	322,383	83,851	2,085,744	3,809,503
556 IDIOPATHIC PROCTOCOLITIS*	4,008	888,636	0	232,184	0	1,370,118	2,494,947
558 OTH NONINF GASTROENTERIT*	31,509	528,735	0	73,319	60,834	703,626	1,398,024
560 INTESTINAL OBSTRUCTION*	150,360	127,425	0	27,322	160,321	214,556	679,984
562 DIVERTICULA OF INTESTINE*	168,130	1,295,927	91,321	128,174	156,548	1,165,597	3,005,697
564 FUNCT DIGESTIVE DIS NEC*	24,434	3,048,823	188,090	397,247	274,347	4,063,524	7,996,465
565 ANAL FISSURE & FISTULA*	0	57,800	0	0	0	33,409	91,209
567 PERITONITIS*	50,042	84,391	85,730	93,970	0	47,036	361,169

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
568 OTH PERITONEAL DISORDERS*	0	22,288	0	3,592	1,796	28,720	56,396
569 OTH INTESTINAL DISORDERS*	197,291	1,236,184	0	394,190	167,407	711,346	2,706,418
571 CHR LIVER DIS/CIRRHOSIS*	60,651	833,324	8,643	77,273	16,071	512,342	1,508,305
573 OTH LIVER DISORDERS*	25,998	1,141,590	15,640	121,736	15,620	537,624	1,858,207
574 CHOLELITHIASIS*	222,760	518,795	50,839	347,284	226,504	440,391	1,806,573
575 OTH GALLBLADDER DISORDER*	365,986	2,239,216	92,390	567,059	377,453	755,475	4,397,579
576 OTH DIS OF BILIARY TRACT*	0	90,989	0	14,956	0	134,602	240,546
577 DISEASES OF PANCREAS*	190,017	1,105,156	0	62,354	173,076	232,733	1,763,336
578 GASTROINTESTINAL HEMORR*	100,040	307,931	0	87,162	137,192	134,017	766,342
579 INTESTINAL MALABSORPTION*	0	359,542	0	214,389	7,232	141,417	722,581
583 NEPHRITIS NOS*	0	250,361	180,064	32,118	0	106,330	568,874
585 CHRONIC RENAL FAILURE	24,607	1,963,631	228,029	40,968	13,026	237,390	2,507,652
586 RENAL FAILURE NOS	182,795	14,156,990	613,400	1,399,702	122,436	1,557,849	18,033,171
590 KIDNEY INFECTION*	98,158	873,688	56,439	78,611	265,381	1,109,988	2,482,264
591 HYDRONEPHROSIS	0	23,144	0	0	0	0	23,144

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
592 RENAL/URETERAL CALCULUS*	214,832	2,649,149	37,177	521,451	957,479	2,032,457	6,412,546
593 OTH RENAL & URETERAL DIS*	128,137	5,312,571	248,446	2,088,084	150,908	1,985,759	9,913,904
594 LOWER URIN TRACT CALCUL*	0	33,711	0	0	0	41,475	75,186
595 CYSTITIS*	78,061	3,594,474	254,461	128,937	244,721	3,052,857	7,353,512
596 OTHER BLADDER DISORDERS*	101,595	1,888,964	63,870	177,308	34,613	2,096,348	4,362,698
599 OTH URINARY TRACT DISOR*	300,203	8,683,321	446,938	591,066	728,268	6,997,905	17,747,701
600 HYPERPLASIA OF PROSTATE*	62,638	1,970,077	85,114	121,704	0	3,941,970	6,181,503
601 PROSTATIC INFLAMMATION*	1,019	314,174	0	13,748	39,308	258,177	626,426
602 OTH PROSTATIC DISORDERS*	47,868	1,642,161	31,542	245,008	31,365	3,559,192	5,557,136
604 ORCHITIS & EPIDIDYMITIS*	0	344,504	0	31,551	68,085	325,196	769,337
607 DISORDERS OF PENIS*	10,613	198,380	0	4,401	0	469,494	682,888
608 MALE GENITAL DIS NEC*	18,078	375,187	0	99,282	36,863	146,009	675,420
610 BENIGN MAMMARY DYSPLASIA*	29,321	709,740	0	1,070,231	5,254	74,517	1,889,063
611 OTHER BREAST DISORDERS*	0	1,838,980	25,702	443,996	14,220	194,029	2,516,928
614 FEMALE PELVIC INFLAM DIS*	2,545	89,090	0	7,544	72,986	136,421	308,586
615 UTERINE INFLAMMATORY DIS*	0	80,003	0	0	0	96,797	176,800

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
616 OTH FEMALE GEN INFLAM*	0	512,996	0	25,603	39,295	543,378	1,121,272
617 ENDOMETRIOSIS*	72,606	610,195	0	131,053	74,023	333,588	1,221,464
618 GENITAL PROLAPSE*	77,289	621,916	0	81,262	8,589	177,711	966,768
620 NONINFLAM DIS OVAR/ADNEX*	37,607	1,903,238	0	191,123	216,436	867,935	3,216,339
621 DISORDERS OF UTERUS NEC*	19,568	509,602	0	55,041	46,234	126,599	757,044
622 NONINFLAMM DIS CERVIX*	0	244,242	0	38,760	0	11,457	294,459
623 NONINFLAMM DIS VAGINA*	0	357,582	0	37,392	20,371	422,107	837,452
625 FEMALE GENITAL SYMPTOMS*	5,184	719,920	0	74,705	62,978	1,082,606	1,945,394
626 DISORDER OF MENSTRUATION*	35,567	1,456,470	0	220,007	69,307	1,350,123	3,131,475
627 MENOPAUSAL DISORDERS*	0	1,377,883	0	82,157	0	4,622,709	6,082,749
628 FEMALE INFERTILITY*	0	849,783	0	67,771	0	305,331	1,222,885
629 OTH FEMALE GENITAL DIS*	9,743	534,320	0	32,769	10,926	111,396	699,154
633 ECTOPIC PREGNANCY*	16,982	134,140	0	0	8,834	101,184	261,140
634 SPONTANEOUS ABORTION*	51,129	869,431	0	114,040	225,078	220,685	1,480,362
637 UNSPECIFIED ABORTION*	0	62,664	0	27,566	0	37,863	128,094

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
641 ANTEPART HEM & PLAC PREV*	0	64,844	0	6,334	15,782	0	86,960
642 HYPERTENSION COMPL PREG*	30,993	9,045	0	0	17,005	5,668	62,711
643 EXCESS VOMITING IN PREG*	10,524	49,737	7,016	3,508	14,032	105,782	190,598
644 EARLY/THREATENED LABOR*	41,586	4,859	0	0	18,964	19,756	85,165
646 OTHER COMPL OF PREGNANCY*	0	75,972	0	0	17,775	0	93,746
648 OTH CURRENT COND IN PREG*	2,740	418,893	0	26,474	8,594	294,908	751,609
650 NORMAL DELIVERY	512,633	300,584	35,295	0	36,339	310,314	1,195,166
669 OTH COMPL LABOR/DELIVERY*	24,085	24,666	36,504	3,308	502	358,520	447,585
674 PUERPERAL COMPL NEC/NOS*	0	3,983	0	0	0	96,815	100,798
676 OTH BREAST/LACT DIS PREG*	0	25,451	0	0	0	3,995	29,447
680 CARBUNCLE AND FURUNCLE*	16,708	409,824	0	419,758	71,748	372,829	1,290,867
681 CELLULITIS, FINGER/TOE*	0	427,721	0	15,626	2,062	262,371	707,780
682 OTHER CELLULITIS/ABSCESS*	128,781	2,124,774	25,313	206,772	339,016	1,265,340	4,089,996
683 ACUTE LYMPHADENITIS	0	226,624	0	57,155	34,270	57,731	375,781
684 IMPETIGO	0	202,064	0	11,716	0	217,344	431,123
685 PILONIDAL CYST*	0	138,151	0	37,439	14,187	84,083	273,860

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
686 OTH LOCAL SKIN INFECTION*	227,555	3,260,792	48,259	324,598	378,558	2,328,201	6,567,963
690 ERYTHEMATOSQUAMOUS DERM*	0	135,744	0	6,072	0	122,516	264,332
691 ATOPIC DERMATITIS*	0	232,229	0	10,247	0	299,352	541,829
692 CONTACT DERMATITIS*	11,109	4,496,637	0	39,447	161,113	5,288,585	9,996,891
693 DERMAT D/T INTERN AGENT*	0	488,644	0	26,180	95,464	447,760	1,058,047
695 ERYTHEMATOUS CONDITIONS*	0	946,375	0	0	0	2,144,644	3,091,019
696 PSORIASIS/LIKE DISORDERS*	25,909	3,003,964	50,631	269,813	19,066	2,480,964	5,850,346
697 LICHEN*	0	78,337	0	0	0	73,305	151,642
698 PRURITUS & LIKE COND*	0	218,077	0	0	6,343	639,190	863,610
700 CORNS AND CALLOSITIES	0	1,093,161	0	2,012	0	22,918	1,118,091
701 OTH SKIN HYPERTRO/ATROPH*	0	1,350,303	0	43,571	0	908,473	2,302,347
702 OTHER DERMATOSES*	0	111,032	0	0	0	15,082	126,114
703 DISEASES OF NAIL*	3,088	2,664,755	0	78,066	7,907	370,429	3,124,245
704 HAIR & FOLLICLE DISEASE*	0	525,316	0	20,167	13,909	748,865	1,308,257
705 DISORDERS OF SWEAT GLAND*	0	88,174	0	0	0	66,912	155,086

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
706 SEBACEOUS GLAND DISEASE*	3,601	7,188,234	0	266,724	77,630	8,665,246	16,201,435
707 CHRONIC ULCER OF SKIN*	84,305	1,360,000	156,432	599,418	109,135	1,625,866	3,935,157
708 URTICARIA*	0	672,786	0	31,928	58,357	676,893	1,439,965
709 OTHER SKIN DISORDERS*	25,683	4,366,349	86,204	173,768	56,316	2,289,071	6,997,392
710 DIFF CONNECTIVE TISS DIS*	20,759	2,362,092	54,998	109,321	55,572	1,923,375	4,526,118
711 ARTHROPATHY W INFECTION*	0	31,914	5,210	0	0	5,862	42,986
714 OTH INFLAMM POLYARTHROP*	29,725	13,293,183	1,630,488	455,163	44,322	11,271,740	26,724,620
715 OSTEOARTHROSIS ET AL*	144,170	26,962,499	1,756,568	986,687	67,962	14,208,057	44,125,943
716 ARTHROPATHIES NEC/NOS*	154,139	21,497,522	1,934,503	1,537,523	103,857	13,076,160	38,303,704
717 INTERNAL DERANGEMNT KNEE*	24,214	1,454,769	48,427	17,885	31,932	319,507	1,896,735
718 OTHER JOINT DERANGEMENT*	0	531,791	170,264	6,442	30,562	92,560	831,619
719 JOINT DISORDER NEC & NOS*	656,382	54,890,162	1,705,722	4,354,493	657,640	14,143,919	76,408,318
720 INFLAM SPONDYLOPATHIES*	0	347,478	12,362	21,984	11,492	167,767	561,083
721 SPONDYLOSIS ET AL*	4,858	2,047,565	0	60,602	0	315,375	2,428,400
722 INTERVERTEBRAL DISC DIS*	325,401	27,781,480	707,035	1,622,144	280,522	7,243,641	37,960,224
723 OTHER CERVICAL SPINE DIS*	36,571	21,804,792	45,273	167,063	128,159	2,057,963	24,239,821

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
724 BACK DISORDER NEC & NOS*	273,806	77,858,608	1,031,547	2,955,498	703,060	14,012,473	96,834,991
725 POLYMYALGIA RHEUMATICA	0	231,751	0	21,629	0	147,976	401,356
726 PERIPH ENTHESOPATHIES*	13,716	10,966,532	292,302	1,012,762	88,150	1,967,885	14,341,346
727 OTH DIS SYNOV/TEND/BURSA*	14,249	4,899,739	27,581	614,086	48,136	802,179	6,405,970
728 DIS OF MUSCLE/LIG/FASCIA*	111,506	10,750,730	367,630	650,726	211,404	2,993,168	15,085,164
729 OTHER SOFT TISSUE DIS*	110,339	24,665,698	1,017,702	1,564,847	544,167	11,451,959	39,354,713
730 OSTEOMYELITIS*	27,643	373,524	83,078	39,081	7,518	362,239	893,083
732 OSTEOCHONDROPATHIES*	0	137,380	0	10,207	0	20,414	168,000
733 OTH BONE & CARTILAGE DIS*	44,627	7,607,116	761,468	895,169	80,873	12,090,283	21,479,536
734 FLAT FOOT	0	299,463	0	14,665	4,747	19,433	338,308
735 ACQ DEFORMITIES OF TOE*	0	1,126,028	0	187,321	0	115,223	1,428,573
736 OTH ACQ LIMB DEFORMITIES*	0	979,827	0	0	0	62,282	1,042,109
737 CURVATURE OF SPINE*	69,529	6,933,531	100,558	214,305	1,902	739,630	8,059,455
738 OTHER ACQUIRED DEFORMITY*	3,020	383,217	0	12,547	23,580	0	422,364
741 SPINA BIFIDA*	0	21,949	0	0	0	20,989	42,939

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
742 OTH NERVOUS SYSTEM ANOM*	0	196,975	0	13,765	0	173,170	383,910
745 CARDIAC SEPTAL CLOS ANOM*	96,951	465,041	70,876	113,111	41,550	169,855	957,384
746 OTHER CONGEN HEART ANOM*	47,110	125,577	2,718	83,649	7,893	184,094	451,041
747 OTH CONG CIRC SYST ANOM*	53,398	214,954	56,791	82,100	13,850	47,201	468,294
748 RESPIRATORY SYST ANOMALY*	0	56,102	0	11,609	0	0	67,710
749 CLEFT PALATE & CLEFT LIP*	45,383	225,603	0	52,027	12,181	75,345	410,539
750 OTHER UPPER GI ANOMALY*	2,981	54,755	2,718	0	0	10,381	70,835
751 OTH ANOM DIGESTIVE SYST*	10,014	73,701	2,718	50,610	10,014	38,593	185,649
752 GENITAL ORGAN ANOMALIES*	14,701	123,772	0	11,193	0	72,461	222,126
753 URINARY SYSTEM ANOMALIES*	0	398,541	0	21,505	6,252	37,130	463,427
754 CONG MUSCULOSKEL DEFORM*	0	716,376	0	23,551	0	9,256	749,183
755 OTH CONGEN LIMB ANOMALY*	3,970	1,045,640	2,718	83,258	4,075	77,272	1,216,933
756 OTH MUSCULOSKELET ANOMAL*	19,434	1,883,980	6,584	53,347	9,717	391,463	2,364,525
757 CONGEN SKIN ANOMALIES*	0	67,458	0	5,589	5,589	84,724	163,360
758 CHROMOSOMAL ANOMALIES*	29,056	217,126	180,463	0	41,966	68,239	536,850
759 CONGEN ANOMALIES NEC/NOS*	14,210	370,109	0	11,703	28,421	47,658	472,102

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
765 SHORT GESTATION AND LOW WT*	73,271	273,776	22,530	21,725	13,850	0	405,151
767 BIRTH TRAUMA*	0	31,065	0	0	0	0	31,065
779 OTH PERINATAL CONDITION*	11,071	63,221	27,492	18,895	3,312	28,508	152,498
780 GENERAL SYMPTOMS*	690,507	31,816,254	2,039,004	2,210,387	2,076,917	36,062,167	74,895,235
781 NERV/MUSCULSKEL SYS SYMP*	2,336	3,555,064	197,590	241,942	63,931	1,531,419	5,592,281
782 SKIN/OTH INTEGUMENT SYMP*	141,795	9,953,046	250,521	794,094	403,382	9,880,534	21,423,373
783 NUTRIT/METAB/DEVEL SYMP*	38,033	3,380,795	495,989	222,932	74,488	693,527	4,905,764
784 SYMPTOMS INVOL HEAD/NECK*	80,968	8,937,376	295,609	377,207	615,857	3,474,784	13,781,800
785 CARDIOVASCULAR SYS SYMP*	250,872	4,162,935	38,077	666,394	242,483	3,260,516	8,621,277
786 RESP SYS/OTH CHEST SYMP*	649,075	11,254,736	333,830	1,037,335	1,719,123	7,766,482	22,760,581
787 GI SYSTEM SYMPTOMS*	204,747	4,299,205	136,653	213,550	479,312	6,222,782	11,556,249
788 URINARY SYSTEM SYMPTOMS*	76,911	2,689,565	25,672	263,179	97,986	4,055,253	7,208,566
789 OTH ABDOMEN/PELVIS SYMP*	143,154	2,298,458	77,827	283,465	489,599	963,593	4,256,095
790 ABNORMAL BLOOD FINDINGS*	117,274	2,596,121	162,764	720,363	66,329	1,460,381	5,123,232
791 ABNORMAL URINE FINDINGS*	0	114,316	0	0	0	38,718	153,034

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
792 ABN FIND-OTH BODY SUBST*	11,079	138,755	0	19,219	11,079	7,967	188,100
793 ABN FIND-BODY STRUCT NOS*	4,574	754,846	0	313,829	0	18,471	1,091,720
794 ABNORMAL FUNCTION STUDY*	6,828	391,822	42,262	82,343	13,081	164,920	701,256
795 ABN HISTOLOG/IMMUNO FIND*	0	420,147	0	23,052	0	63,381	506,580
796 OTHER ABNORMAL FINDINGS*	14,883	169,430	40,645	6,959	0	147,601	379,517
797 SENILITY W/O PSYCHOSIS	15,274	671,454	4,337,781	19,051	15,274	201,939	5,260,772
799 OTH ILL-DEF MORBID/MORTL*	17,020	8,469,232	408,011	2,748,508	17,206	1,045,764	12,705,741
802 FRACTURE OF FACE BONES*	18,297	377,208	9,446	96,913	212,292	313,669	1,027,826
803 OTHER SKULL FRACTURE*	8,397	24,945	0	0	4,770	3,627	41,738
805 VERTEBRL FX W/O CORD INJ*	81,517	1,872,144	264,275	128,166	137,625	522,760	3,006,486
807 FX RIB/STERN/LARYN/TRACH*	70,847	766,615	0	104,191	300,497	625,471	1,867,622
808 PELVIC FRACTURE*	26,210	135,116	0	0	38,812	29,825	229,964
810 CLAVICLE FRACTURE*	28,355	345,920	0	52,139	133,533	99,550	659,497
811 SCAPULA FRACTURE*	25,484	23,266	0	305,805	25,484	80,822	460,860
812 HUMERUS FRACTURE*	23,577	1,360,968	0	44,245	115,881	235,310	1,779,981
813 RADIUS & ULNA FRACTURE*	0	328,024	0	0	31,137	26,352	385,513

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
814 CARPAL FRACTURE*	45,439	2,619,927	108,026	1,643,720	442,113	371,445	5,230,671
815 METACARPAL FRACTURE*	0	864,689	23,276	36,782	116,129	107,674	1,148,550
816 FRACTURE PHALANGES, HAND*	722	1,084,508	0	70,365	245,517	302,951	1,704,063
818 FRACTURE ARM MULT/NOS*	42,760	1,933,281	21,259	115,005	515,762	366,932	2,994,999
820 FRACTURE NECK OF FEMUR*	191,343	630,415	441,155	17,215	116,730	46,496	1,443,354
821 OTHER FEMORAL FRACTURE*	84,979	538,215	186,330	50,101	126,155	70,547	1,056,327
822 PATELLA FRACTURE*	24,500	610,540	23,002	121,284	100,632	71,418	951,376
823 TIBIA & FIBULA FRACTURE*	13,788	1,336,427	34,276	29,218	33,694	98,271	1,545,675
824 ANKLE FRACTURE*	169,629	1,658,155	62,739	97,384	206,568	470,634	2,665,109
825 FX OF TARSAL/METATARSAL*	115,165	2,386,487	110,744	73,604	343,981	492,751	3,522,732
826 FRACTURE PHALANGES, FOOT*	6,462	506,668	19,385	24,023	118,083	234,958	909,579
827 LOWER LIMB FRACTURE NEC*	184,776	2,265,939	73,898	70,925	301,803	459,880	3,357,221
829 FRACTURE NOS*	44,092	1,090,248	94,089	114,231	62,417	134,149	1,539,226
830 JAW DISLOCATION*	0	0	0	0	0	0	0
831 SHOULDER DISLOCATION*	0	2,284,126	11,965	32,729	216,462	217,583	2,762,865

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
832 ELBOW DISLOCATION*	0	216,367	0	0	33,967	2,324	252,658
834 DISLOCATION OF FINGER*	0	101,151	0	0	8,413	0	109,565
835 DISLOCATION OF HIP*	23,043	1,314,131	0	58,857	63,613	146,874	1,606,519
836 DISLOCATION OF KNEE*	21,997	4,063,735	0	741,497	9,603	344,493	5,181,325
837 DISLOCATION OF ANKLE*	2,363	4,725	0	0	2,363	11,813	21,263
838 DISLOCATION OF FOOT*	0	57,348	0	0	9,105	0	66,453
839 DISLOCATION NEC*	0	3,079,938	0	21,783	27,568	147,959	3,277,248
840 SPRAIN SHOULDER & ARM*	111,264	11,012,796	225,601	2,792,562	161,623	1,411,015	15,714,860
841 SPRAIN ELBOW & FOREARM*	0	3,377	0	1,315	18,404	18,404	41,500
842 SPRAIN WRIST & HAND*	0	1,341,718	19,089	24,240	276,012	266,380	1,927,439
843 SPRAIN OF HIP & THIGH*	7,893	1,267,462	0	16,612	19,670	46,553	1,358,189
844 SPRAIN OF KNEE & LEG*	38,487	7,792,273	7,897	604,407	341,698	1,173,929	9,958,691
845 SPRAIN OF ANKLE & FOOT*	13,716	3,726,508	94,030	127,249	632,318	769,627	5,363,448
846 SPRAIN SACROILIAC REGION*	0	731,832	0	7,494	85,429	135,394	960,149
847 SPRAIN OF BACK NEC/NOS*	32,241	12,401,552	48,299	555,363	504,123	1,752,160	15,293,738
848 SPRAIN NEC*	26,406	3,701,370	0	510,044	286,312	1,067,572	5,591,705

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
850 CONCUSSION*	65,605	323,678	0	347,962	551,593	207,025	1,495,863
854 OTHER BRAIN INJURY*	56,473	1,440,060	90,300	41,984	386,647	178,531	2,193,994
862 INTRATHORACIC INJURY NEC*	20,486	81,246	0	12,887	0	0	114,619
863 GI TRACT INJURY*	0	77,356	0	18,206	0	0	95,562
869 INTERNAL INJURY NOS*	46,077	85,081	0	328,418	56,983	118,439	634,997
870 OCULAR ADNEXA OPEN WOUND*	0	3,618	0	24,538	62,789	22,853	113,799
871 EYEBALL OPEN WOUND*	0	12,283	0	0	43,214	30,167	85,664
872 OPEN WOUND OF EAR*	0	10,118	0	3,879	22,163	13,457	49,618
873 OTHER OPEN WOUND OF HEAD*	35,032	846,589	6,597	98,126	1,036,214	775,296	2,797,853
874 OPEN WOUND OF NECK*	2,810	40,584	0	0	10,122	57,284	110,800
876 OPEN WOUND OF BACK*	17,024	126,117	0	0	17,024	52,782	212,948
878 OPEN WOUND GENITAL ORGAN*	0	0	0	0	3,592	0	3,592
879 OPEN WOUND SITE NEC*	20,276	639,817	21,198	353,624	434,708	413,983	1,883,607
881 OPEN WOUND OF LOWER ARM*	0	163,322	0	0	47,692	26,508	237,522
882 OPEN WOUND OF HAND*	41,096	301,266	62,449	370,392	357,865	244,515	1,377,584

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
883 OPEN WOUND OF FINGER*	722	954,513	9,559	134,992	543,730	389,456	2,032,971
884 OPEN WOUND ARM MULT/NOS*	0	92,414	0	56,724	169,000	59,438	377,576
886 TRAUM AMPUTATION FINGER*	5,446	176,020	0	0	26,523	10,638	218,627
890 OPEN WOUND OF HIP/THIGH*	0	0	0	0	0	0	0
891 OPEN WND KNEE/LEG/ANKLE*	23,116	1,106,973	53,125	76,431	323,593	241,491	1,824,729
892 OPEN WOUND OF FOOT*	8,804	304,106	37,083	0	110,514	108,966	569,472
893 OPEN WOUND OF TOE*	0	66,232	0	39,152	35,940	16,699	158,024
895 TRAUMATIC AMPUTATION TOE*	0	80,411	32,994	0	21,541	16,497	151,443
904 BLOOD VESSEL INJURY NEC*	0	70,838	0	0	11,424	0	82,262
908 LATE EFF INJURY NEC/NOS*	0	29,263	0	0	0	44,337	73,600
910 SUPERFICIAL INJURY HEAD*	0	148,150	0	6,119	52,671	99,341	306,281
913 SUPERFICIAL INJ FOREARM*	0	160,548	0	0	11,866	43,287	215,701
914 SUPERFICIAL INJ OF HAND*	0	0	0	0	4,963	4,963	9,925
915 SUPERFICIAL INJ FINGER*	2,493	75,297	0	0	7,318	40,345	125,454
916 SUPERFICIAL INJ HIP/LEG*	0	65,483	0	9,205	17,230	54,945	146,863
917 SUPERFICIAL INJ FOOT/TOE*	7,752	58,807	0	3,488	14,351	37,278	121,677

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
918 SUPERFIC INJ EYE/ADNEXA*	0	633,027	0	7,498	55,796	326,441	1,022,763
919 SUPERFICIAL INJ OTH SITE*	14,308	895,515	0	11,562	199,376	613,531	1,734,292
920 CONTUSION FACE/SCALP/NCK	2,310	157,395	0	27,844	151,687	23,473	362,708
921 CONTUSION EYE & ADNEXA*	8,134	726,894	6,093	0	100,838	236,131	1,078,090
922 CONTUSION OF TRUNK*	0	155,600	10,494	6,058	122,654	115,114	409,920
923 CONTUSION OF UPPER LIMB*	13,660	415,862	6,093	0	273,071	215,524	924,211
924 CONTUSION LEG & OTH SITE*	31,841	1,465,959	27,987	527,723	418,759	529,099	3,001,370
927 CRUSHING INJ UPPER LIMB*	0	76,073	0	0	19,795	26,920	122,789
930 FOREIGN BODY EXTERN EYE*	0	282,322	0	0	71,136	131,606	485,064
931 FOREIGN BODY IN EAR	0	35,417	0	0	20,615	14,557	70,589
932 FOREIGN BODY IN NOSE	0	0	0	5,611	3,353	0	8,964
933 FB PHARYNX & LARYNX*	0	106,727	64,036	149,418	19,238	0	339,420
938 FOREIGN BODY GI NOS	0	46,588	0	16,053	16,349	0	78,991
940 BURN OF EYE & ADNEXA*	0	6,630	0	0	15,654	62,673	84,957
941 BURN OF HEAD/FACE/NECK*	0	72,790	0	12,902	18,216	33,761	137,668

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
942 BURN OF TRUNK*	0	63,275	0	0	22,807	35,248	121,330
943 BURN OF ARM*	0	50,206	0	0	7,891	52,880	110,976
944 BURN OF HAND & WRIST*	23,251	161,890	0	0	54,261	200,612	440,014
945 BURN OF LEG*	0	88,354	0	0	36,617	145,923	270,894
946 BURN OF MULTIPLE SITE*	4,644	272,934	0	0	4,644	46,486	328,707
949 BURN UNSPECIFIED*	68,909	164,765	5,047	141,380	74,924	213,015	668,041
952 SPINAL CORD INJ W/O FX*	0	342,264	137,008	135,758	48,901	134,442	798,373
957 INJURY TO NERVE NEC/NOS*	0	273,551	123,440	103,443	0	47,669	548,102
958 EARLY COMPLIC OF TRAUMA*	0	59,430	0	0	0	87,445	146,875
959 INJURY NEC/NOS*	294,292	28,194,478	769,493	1,669,418	2,086,550	4,800,184	37,814,414
977 POIS-MEDICINAL NEC/NOS*	69,150	16,069	0	16,218	131,357	16,771	249,566
984 TOXIC EFF LEAD & COMPND*	0	30,388	0	0	0	0	30,388
986 TOX EFF CARBON MONOXIDE	43,351	0	0	0	43,351	0	86,702
987 TOXIDE EFF GAS/VAPOR NEC*	0	7,832	0	0	33,767	15,663	57,262
989 TOX EFF OTH NONMED SUBST*	15,372	624,000	0	45,132	407,295	762,484	1,854,282
990 EFFECTS RADIATION NOS	0	301,825	31,299	0	0	74,419	407,544

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
991 EFF REDUCED TEMPERATURE*	0	57,799	0	0	0	19,958	77,757
992 EFFECT OF HEAT/LIGHT*	13,357	20,452	0	0	77,936	0	111,745
993 EFFECTS OF AIR PRESSURE*	0	12,550	0	0	0	15,175	27,725
994 EFFECT EXTERNAL CAUS NEC*	6,317	37,354	0	0	6,317	43,799	93,787
995 CERTAIN ADVERSE EFF NEC*	164,462	2,151,984	21,808	326,271	677,503	2,025,791	5,367,818
996 REPLACE & GRAFT COMPLIC*	70,763	231,505	37,177	0	91,444	364,000	794,890
997 SURG COMPL-BODY SYST NEC*	0	75,128	0	0	0	16,760	91,888
998 OTH SURGICAL COMPL NEC*	85,892	974,619	79,901	3,467	100,860	567,233	1,811,971
999 COMPLIC MEDICAL CARE NEC*	6,057	19,604	0	8,896	8,896	29,646	73,099
V01 COMMUNICABLE DIS CONTACT*	0	50,730	0	0	0	16,704	67,435
V04 VACCIN FOR VIRAL DISEASE*	0	488,306	12,559	0	12,812	119,242	632,919
V05 OTH VACCIN FOR SINGL DIS*	0	43,258	0	28,662	0	68,428	140,348
V07 PROPHYLACTIC MEASURES*	0	536,642	18,235	4,482	0	2,091,819	2,651,178
V08 ASYMP HIV INFECTN STATUS	0	1,049,136	137,438	0	3,333	510,583	1,700,490
V09 INFCT MCRG RESISTNT DRUG*	26,402	161,762	39,170	0	93,320	232,864	553,518

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V10 HX OF MALIGNANT NEOPLASM*	0	108,500	0	19,092	0	52,843	180,435
V12 HX OF DISEASE NEC*	0	442,541	3,916	138,513	0	133,682	718,652
V13 HX OF OTHER DISEASES*	0	444,205	10,455	69,468	1,580	155,520	681,229
V15 OTH HX OF HEALTH HAZARDS*	32,808	675,855	6,114	5,058	45,062	187,428	952,325
V16 FAMILY HX-MALIGNANCY*	0	32,355	0	22,199	0	0	54,554
V20 HEALTH SUPERVISION CHILD*	0	532,410	0	4,856	0	12,992	550,257
V22 NORMAL PREGNANCY*	2,521,063	32,909,789	93,585	1,494,675	602,414	3,199,362	40,820,887
V23 SUPERVIS HIGH-RISK PREG*	4,744	362,237	0	22,371	0	18,880	408,233
V24 POSTPARTUM CARE/EXAM*	6,446	122,372	0	0	19,493	124,326	272,637
V25 CONTRACEPTIVE MANAGEMENT*	0	1,208,816	0	314,609	6,183	9,136,865	10,666,473
V26 PROCREATIVE MANAGEMENT*	0	350,327	0	2,519	0	152,466	505,311
V30 SINGLE LIVEBORN*	233,903	1,151,036	0	2,333	7,193	34,967	1,429,432
V40 MENTAL/BEHAVIORAL PROB*	20,026	1,681,251	86,741	9,650	33,214	268,703	2,099,584
V41 PROB W SPECIAL FUNCTIONS*	0	800,284	0	177,112	53,797	460,090	1,491,283
V42 ORGAN TRANSPLANT STATUS*	16,218	653,508	19,168	210,074	0	380,493	1,279,460
V43 ORGAN REPLACEMENT NEC*	20,853	645,617	23,372	20,441	0	90,217	800,500

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V45 OTH POSTSURGICAL STATES*	88,325	1,766,712	234,508	110,801	26,843	678,800	2,905,989
V47 OTH PROBL W INTERNAL ORG*	7,129	313,561	0	147,062	0	542,794	1,010,546
V48 HEAD/NECK/TRUNK PROBLEMS*	0	239,217	0	6,775	0	126,267	372,260
V49 LIMB PROBLEM/PROBLEM NEC*	0	328,057	110,290	41,726	10,318	76,888	567,279
V50 OTHER ELECTIVE SURGERY*	0	63,584	0	10,090	0	27,368	101,042
V52 FITTING OF PROSTHESIS*	0	144,098	0	5,640	0	108,597	258,334
V53 ADJUSTMENT OF OTH DEVICE*	56,579	901,775	42,149	75,383	1,827	92,976	1,170,689
V54 OTH ORTHOPEDIC AFTERCARE*	6,797	721,488	6,669	38,979	0	132,464	906,397
V55 ATTEN TO ARTIFICIAL OPEN*	0	67,363	2,718	0	0	6,640	76,720
V56 DIALYSIS ENCOUNTER*	6,572	2,916,451	93,534	312,557	0	37,273	3,366,388
V57 REHABILITATION PROCEDURE*	0	2,611,672	15,041	79,247	0	79,623	2,785,583
V58 ENCOUNTR PROC/AFTRCR NEC*	62,375	3,232,436	60,754	306,442	33,970	763,352	4,459,328
V61 OTH FAMILY CIRCUMSTANCES*	0	841,834	0	0	0	0	841,834
V62 OTH PSYCHOSOCIAL CIRCUM*	6,332	1,366,180	0	430,555	0	133,541	1,936,608
V65 OTHER REASON FOR CONSULT*	33,991	5,588,466	52,910	180,551	15,759	2,325,895	8,197,572

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 1
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V67 FOLLOW-UP EXAMINATION*	0	1,149,222	0	37,194	0	376,429	1,562,845
V68 ADMINISTRATIVE ENCOUNTER*	19,681	3,833,575	67,621	407,038	17,919	16,713,715	21,059,549
V69 PROB RELATED TO LIFESTYLE*	0	185,007	0	3,762	0	188,436	377,205
V70 GENERAL MEDICAL EXAM*	20,761	4,170,945	0	465,127	2,505	663,210	5,322,548
V71 OBSERVATION-SUSPECT COND*	53,803	2,570,582	0	318,209	295,303	360,472	3,598,369
V72 SPECIAL EXAMINATIONS*	0	4,928,259	109,302	600,042	0	3,524,392	9,161,995
V73 SCREENING FOR VIRAL DIS*	0	28,274	0	4,064	0	0	32,338
V74 SCREENING-BACTERIAL DIS*	0	145,854	0	7,503	0	0	153,357
V76 SCREENING-MALIG NEOPLASM*	0	633,096	0	111,560	0	132,564	877,219
V77 SCREEN-ENDO/NUTR/METAB*	0	1,313,708	24,281	16,023	0	3,154,352	4,508,364
V79 SCREENING-MENTAL DISORD*	0	19,029	0	0	0	5,604	24,633
V80 SCREEN-NEURO/EYE/EAR DIS*	0	145,346	0	0	0	116,843	262,189
V81 SCREEN-HEART/RESP/GU DIS*	0	1,135,744	15,759	103,697	15,205	2,407,895	3,678,300
V82 SCREEN-OTHER CONDITIONS*	0	339,390	0	35,528	0	633,788	1,008,705

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-126A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D

EROM = EMERGENCY ROOM VISITS FILE, HC-126E

OPAT = OUTPATIENT VISITS FILE, HC-126F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G

HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	3,650	164,908	9,198	13,256	7,431	136,205	334,648
02 OTHER SKULL/BRAIN OPS*	0	9	0	1	2	3	15
03 SPINAL CORD & CANAL OPS*	7	110	5	9	1	20	152
04 CRAN & PERIPH NERVE OPS*	0	33	0	3	0	6	42
06 THYROID/PARATHYROID OPS*	2	28	0	1	0	31	62
08 EYELID OPERATIONS*	0	5	0	0	0	2	7
11 OPERATIONS ON CORNEA*	0	9	0	2	0	28	39
13 OPERATIONS ON LENS*	0	124	0	13	0	43	180
14 POSTERIOR SEGMENT OPS*	0	14	0	0	0	6	20
16 ORBIT/EYEBALL OPS*	0	38	0	4	0	15	57
18 EXTERNAL EAR OPERATIONS*	0	18	0	4	0	8	30
20 OTHER MID & INNER EAR OP*	2	43	0	14	1	16	76
21 OPERATIONS ON NOSE*	1	29	0	1	0	3	34
22 NASAL SINUS OPERATIONS*	0	0	0	4	0	7	11
23 TOOTH REMOVAL & RESTORAT*	3	33	0	5	2	545	588
24 OTH OPS ON TEETH & GUMS*	0	18	0	0	0	45	63

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
27 OTHER MOUTH & FACE OPS*	0	7	0	2	2	22	33
28 TONSIL & ADENOID OPS*	3	31	0	11	0	27	72
29 OPERATIONS ON PHARYNX*	0	2	0	1	1	0	4
33 OTHER BRONCHIAL/LUNG OPS*	1	18	6	26	0	1	52
35 HEART VALVES & SEPTA OPS*	3	28	0	2	1	10	44
36 OPS ON HEART VESSELS*	4	49	7	3	2	28	93
37 OTHER HEART/PERICARD OPS*	5	60	20	5	3	25	118
38 VESSEL INC/EXCIS/OCCLUS*	0	23	1	3	1	8	36
39 OTHER OPS ON VESSELS*	6	331	29	117	1	25	509
41 BONE MARROW & SPLEEN OPS*	2	8	6	57	0	16	89
44 OTHER GASTRIC OPERATIONS*	4	36	0	1	1	16	58
45 INTEST INCIS/EXCIS/ANAST*	6	82	0	25	2	19	134
46 OTHER INTESTINAL OPS*	4	10	3	1	0	1	19
47 OPERATIONS ON APPENDIX*	9	12	0	1	5	15	42
49 OPERATIONS ON ANUS*	1	6	0	4	0	3	14

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
50 OPERATIONS ON LIVER*	0	17	0	3	0	13	33
51 BILIARY TRACT OPERATION*	21	72	9	19	16	37	174
53 REPAIR OF HERNIA*	6	24	0	8	1	11	50
54 OTHER ABDOMEN REGION OPS*	1	12	0	1	0	10	24
55 OPERATIONS ON KIDNEY*	4	55	3	18	0	71	151
56 OPERATIONS ON URETER*	2	6	0	1	0	1	10
57 URINARY BLADDER OPS*	2	18	0	4	0	11	35
59 OTHER URINARY TRACT OPS*	0	4	0	0	0	1	5
60 PROSTATE & SEMIN VES OPS*	5	16	0	0	2	4	27
63 SPERM CORD/EPID/VAS OPS*	1	17	0	2	3	10	33
64 OPERATIONS ON PENIS*	0	17	0	4	0	2	23
65 OPERATIONS ON OVARY*	1	7	0	1	1	5	15
66 FALLOPIAN TUBE OPERATION*	0	4	0	2	0	5	11
67 OPERATIONS ON CERVIX*	0	7	0	1	0	2	10
68 OTHER UTERINE INCIS/EXC*	13	32	0	9	1	50	105
69 OTHER UTERUS/SUPPORT OPS*	1	20	0	7	4	9	41

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
70 VAGINA & CUL-DE-SAC OPS*	1	17	0	11	0	5	34
74 C-SECTION/REMOVAL FETUS*	5	3	0	0	1	18	27
76 FACIAL BONE & JOINT OPS*	2	9	0	1	2	0	14
77 INCIS/EXCIS/DIV BONE NEC*	1	51	0	7	0	11	70
78 OTH BONE OPS EXCPT FACE*	9	166	7	11	1	40	234
79 REDUCTION FX/DISLOCATION*	1	2	0	0	1	0	4
80 INCISION/EXCISION JOINT*	0	60	0	13	0	9	82
81 JOINT REPAIR*	66	1,053	76	132	1	222	1,550
82 HAND MUSCL/TEND/FASC OPS*	0	3	0	1	0	0	4
83 OTHER MUS/TEN/FAS/BUR OP*	3	101	1	7	0	9	121
84 OTHER MUSCULOSKELET PROC*	5	69	1	75	0	17	167
85 OPERATIONS ON THE BREAST*	2	54	0	11	1	17	85
86 SKIN & SUBQ OPERATIONS*	4	344	1	11	32	42	434
87 DIAGNOSTIC RADIOLOGY*	1	24	0	11	0	0	36
88 OTHER DX RADIOLOGY*	0	30	0	2	1	1	34

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
89 INTERVIEW/CONSULT/EXAM*	1	22	0	5	0	1	29
92 NUCLEAR MEDICINE*	0	5	0	0	0	1	6
93 PT, REHAB & RELATED PROC*	0	559	0	31	0	3	593
94 PSYCHE RELATED PROCEDURE*	0	89	0	0	1	3	93
95 EYE & EAR DX/TREATMENT*	0	17	0	0	0	0	17
96 NON-OP INTUBAT & IRRIGAT*	1	23	20	1	2	2	49
97 REPLACE & REMOV DEVICES*	0	19	0	6	1	7	33
98 NONOP REMOVE FOREIGN BOD*	0	3	0	0	0	1	4
99 OTHER NONOPERATIVE PROC*	3	205	1	4	4	19	236

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	32,339,526	1618352569	68,778,674	131,438,644	59,450,239	1317735340	3228094993
02 OTHER SKULL/BRAIN OPS*	0	130,785	0	3,564	21,313	41,927	197,589
03 SPINAL CORD & CANAL OPS*	59,085	1,179,624	26,377	66,188	12,042	167,361	1,510,676
04 CRAN & PERIPH NERVE OPS*	0	457,163	0	25,004	0	76,623	558,790
06 THYROID/PARATHYROID OPS*	21,403	384,580	0	16,558	0	323,357	745,898
08 EYELID OPERATIONS*	0	89,909	0	0	0	38,928	128,837
11 OPERATIONS ON CORNEA*	0	94,239	0	35,499	0	313,310	443,047
13 OPERATIONS ON LENS*	0	1,425,205	0	162,707	0	515,060	2,102,972
14 POSTERIOR SEGMENT OPS*	0	65,590	0	0	0	21,775	87,365
16 ORBIT/EYEBALL OPS*	0	409,670	0	50,633	0	129,923	590,227
18 EXTERNAL EAR OPERATIONS*	0	125,912	0	11,240	0	44,088	181,240
20 OTHER MID & INNER EAR OP*	14,428	399,822	0	125,604	0	143,925	683,779
21 OPERATIONS ON NOSE*	7,002	310,749	0	3,695	0	12,531	333,977
22 NASAL SINUS OPERATIONS*	0	0	0	29,174	0	70,232	99,405
23 TOOTH REMOVAL & RESTORAT*	21,186	309,309	0	50,956	15,994	5,298,783	5,696,228
24 OTH OPS ON TEETH & GUMS*	0	204,233	0	0	0	543,617	747,850

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
27 OTHER MOUTH & FACE OPS*	0	91,950	0	31,447	25,138	211,279	359,814
28 TONSIL & ADENOID OPS*	11,939	236,750	0	106,123	0	226,586	581,399
29 OPERATIONS ON PHARYNX*	0	17,810	0	14,660	3,081	0	35,551
33 OTHER BRONCHIAL/LUNG OPS*	25,099	239,600	75,062	323,294	0	3,329	666,384
35 HEART VALVES & SEPTA OPS*	47,280	310,387	0	16,922	15,469	117,803	507,861
36 OPS ON HEART VESSELS*	63,683	623,242	73,602	30,112	28,377	377,006	1,196,022
37 OTHER HEART/PERICARD OPS*	34,217	743,470	204,253	62,298	28,489	240,418	1,313,145
38 VESSEL INC/EXCIS/OCCLUS*	0	284,830	22,037	35,594	11,626	121,948	476,035
39 OTHER OPS ON VESSELS*	39,686	1,954,767	196,653	484,430	13,316	372,833	3,061,685
41 BONE MARROW & SPLEEN OPS*	17,666	81,164	52,998	499,879	0	136,206	787,913
44 OTHER GASTRIC OPERATIONS*	36,540	292,527	0	2,541	11,909	110,909	454,427
45 INTEST INCIS/EXCIS/ANAST*	73,493	761,322	0	274,897	6,628	294,596	1,410,935
46 OTHER INTESTINAL OPS*	40,799	108,672	41,646	14,210	0	14,210	219,538
47 OPERATIONS ON APPENDIX*	91,904	97,413	0	2,587	70,867	132,030	394,801
49 OPERATIONS ON ANUS*	3,946	78,284	0	55,725	0	24,388	162,344

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
50 OPERATIONS ON LIVER*	0	109,258	0	8,989	0	85,289	203,537
51 BILIARY TRACT OPERATION*	192,295	812,311	77,895	250,079	135,103	362,608	1,830,292
53 REPAIR OF HERNIA*	74,762	272,158	0	117,274	7,571	118,372	590,136
54 OTHER ABDOMEN REGION OPS*	14,107	243,653	0	11,900	0	100,744	370,405
55 OPERATIONS ON KIDNEY*	44,715	890,314	20,484	114,376	0	649,634	1,719,522
56 OPERATIONS ON URETER*	30,485	91,454	0	2,670	0	16,603	141,211
57 URINARY BLADDER OPS*	21,726	188,374	0	48,553	0	131,121	389,774
59 OTHER URINARY TRACT OPS*	0	28,631	0	0	0	3,930	32,561
60 PROSTATE & SEMIN VES OPS*	55,079	241,734	0	0	10,713	54,797	362,323
63 SPERM CORD/EPID/VAS OPS*	2,528	199,167	0	40,662	35,967	115,791	394,115
64 OPERATIONS ON PENIS*	0	159,772	0	50,680	0	22,138	232,590
65 OPERATIONS ON OVARY*	3,609	36,914	0	20,075	3,314	21,935	85,847
66 FALLOPIAN TUBE OPERATION*	0	21,799	0	9,443	0	34,016	65,259
67 OPERATIONS ON CERVIX*	0	63,301	0	7,897	0	16,772	87,969
68 OTHER UTERINE INCIS/EXC*	109,112	268,118	0	45,540	3,510	559,227	985,507
69 OTHER UTERUS/SUPPORT OPS*	1,818	167,375	0	72,183	8,793	51,559	301,726

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
70 VAGINA & CUL-DE-SAC OPS*	4,106	217,376	0	175,034	0	61,755	458,272
74 C-SECTION/REMOVAL FETUS*	20,760	5,623	0	0	502	94,044	120,928
76 FACIAL BONE & JOINT OPS*	12,463	73,898	0	27,821	20,932	0	135,114
77 INCIS/EXCIS/DIV BONE NEC*	6,712	520,680	0	102,693	0	99,931	730,016
78 OTH BONE OPS EXCPT FACE*	39,002	2,001,829	52,477	159,233	2,430	407,219	2,662,191
79 REDUCTION FX/DISLOCATION*	7,583	15,612	0	0	7,583	0	30,777
80 INCISION/EXCISION JOINT*	0	710,900	0	235,197	0	191,319	1,137,417
81 JOINT REPAIR*	785,767	12,865,247	975,172	1,881,889	9,316	2,417,509	18,934,900
82 HAND MUSCL/TEND/FASC OPS*	0	36,192	0	12,064	0	0	48,256
83 OTHER MUS/TEN/FAS/BUR OP*	26,099	1,357,749	16,806	90,801	0	99,995	1,591,449
84 OTHER MUSCULOSKELET PROC*	25,595	1,047,548	4,770	560,623	0	237,400	1,875,936
85 OPERATIONS ON THE BREAST*	23,049	565,367	0	92,738	4,304	179,930	865,388
86 SKIN & SUBQ OPERATIONS*	12,200	3,936,541	7,621	122,279	309,072	308,498	4,696,211
87 DIAGNOSTIC RADIOLOGY*	9,098	210,254	0	110,554	0	0	329,907
88 OTHER DX RADIOLOGY*	0	384,551	0	44,002	16,228	10,442	455,223

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 2
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
89 INTERVIEW/CONSULT/EXAM*	11,495	162,715	0	60,275	0	16,845	251,329
92 NUCLEAR MEDICINE*	0	49,318	0	0	0	5,238	54,556
93 PT, REHAB & RELATED PROC*	0	5,066,822	0	191,202	0	37,116	5,295,141
94 PSYCHE RELATED PROCEDURE*	0	654,202	0	0	17,437	32,771	704,410
95 EYE & EAR DX/TREATMENT*	0	115,470	0	0	0	0	115,470
96 NON-OP INTUBAT & IRRIGAT*	10,304	236,288	101,474	10,304	20,608	20,101	399,079
97 REPLACE & REMOV DEVICES*	0	259,822	0	90,901	2,360	83,163	436,246
98 NONOP REMOVE FOREIGN BOD*	0	36,761	0	0	0	11,279	48,040
99 OTHER NONOPERATIVE PROC*	20,959	1,695,826	12,559	36,195	66,123	129,538	1,961,200

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC128 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	156	2,745	100	455	51	1,281	4,788
-9 NOT ASCERTAINED	24	394	18	51	9	605	1,101
001 TUBERCULOSIS	1	10	0	1	0	5	17
002 SEPTICEMIA (EXCEPT IN LABOR)	7	35	0	2	5	13	62
003 BACTERIAL INFECTION, UNSPECIFIED SIT	26	296	11	26	55	301	715
004 MYCOSES	2	433	5	8	9	518	975
005 HIV INFECTION	0	242	20	14	2	218	496
006 HEPATITIS	6	215	41	62	2	73	399
007 VIRAL INFECTION	28	928	3	31	111	613	1,714
008 OTHER INFECTIONS, INCLUDING PARASITI	8	229	8	26	20	298	589
009 SEXUALLY TRANSMITTED INFECTIONS (NOT	0	6	3	1	4	10	24
010 IMMUNIZATIONS AND SCREENING FOR INFE	0	77	1	12	1	23	114
011 CANCER OF HEAD AND NECK	6	240	20	76	4	11	357
012 CANCER OF ESOPHAGUS	0	4	0	1	0	1	6
013 CANCER OF STOMACH	1	53	8	18	0	10	90
014 CANCER OF COLON	7	151	41	84	1	13	297
015 CANCER OF RECTUM AND ANUS	2	62	2	18	0	4	88

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
016 CANCER OF LIVER AND INTRAHEPATIC BIL	8	196	6	31	3	19	263
017 CANCER OF PANCREAS	4	32	3	24	3	5	71
018 CANCER OF OTHER GI ORGANS, PERITONEU	1	16	2	12	0	6	37
019 CANCER OF BRONCHUS, LUNG	20	484	33	155	11	91	794
021 CANCER OF BONE AND CONNECTIVE TISSUE	9	156	13	39	1	34	252
022 MELANOMAS OF SKIN	3	157	12	6	0	16	194
023 OTHER NON-EPITHELIAL CANCER OF SKIN	0	799	7	51	0	56	913
024 CANCER OF BREAST	11	1,342	28	311	0	242	1,934
025 CANCER OF UTERUS	3	52	10	6	1	18	90
026 CANCER OF CERVIX	1	80	7	24	1	4	117
027 CANCER OF OVARY	5	45	1	52	1	9	113
028 CANCER OF OTHER FEMALE GENITAL ORGAN	0	11	4	104	0	4	123
029 CANCER OF PROSTATE	11	644	18	108	1	142	924
030 CANCER OF TESTIS	0	10	0	0	0	6	16
032 CANCER OF BLADDER	5	134	4	12	1	24	180
033 CANCER OF KIDNEY AND RENAL PELVIS	10	50	8	15	3	15	101
036 CANCER OF THYROID	5	122	11	19	1	80	238

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
038 NON-HODGKIN'S LYMPHOMA	4	279	12	90	2	23	410
039 LEUKEMIAS	16	208	1	88	5	55	373
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	4	78	0	76	0	8	166
042 SECONDARY MALIGNANCIES	2	70	8	16	1	24	121
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	4	75	10	14	0	14	117
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	27	633	18	171	19	94	962
045 MAINTENANCE CHEMOTHERAPY, RADIOTHERA	0	0	0	0	0	3	3
046 BENIGN NEOPLASM OF UTERUS	11	64	0	8	10	15	108
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	21	527	8	73	7	58	694
048 THYROID DISORDERS	20	1,577	41	131	9	3,358	5,136
049 DIABETES MELLITUS WITHOUT COMPLICATI	73	7,090	605	458	85	10,349	18,660
050 DIABETES MELLITUS WITH COMPLICATIONS	6	107	0	5	7	35	160
051 OTHER ENDOCRINE DISORDERS	5	350	0	39	8	387	789
052 NUTRITIONAL DEFICIENCIES	2	152	6	27	2	184	373
053 DISORDERS OF LIPID METABOLISM	12	6,274	196	379	10	9,927	16,798
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	5	276	28	10	17	601	937
055 FLUID AND ELECTROLYTE DISORDERS	44	297	17	14	81	790	1,243

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
056 CYSTIC FIBROSIS	2	21	1	7	0	43	74
057 IMMUNITY DISORDERS	3	63	0	9	0	42	117
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	9	694	54	84	8	265	1,114
059 DEFICIENCY AND OTHER ANEMIA	21	706	30	63	9	441	1,270
061 SICKLE CELL ANEMIA	6	45	0	19	5	49	124
062 COAGULATION AND HEMORRHAGIC DISORDER	5	178	0	22	1	37	243
063 DISEASES OF WHITE BLOOD CELLS	4	66	10	2	4	19	105
064 OTHER HEMATOLOGIC CONDITIONS	2	146	0	21	2	98	269
076 MENINGITIS (EXCEPT THAT CAUSED BY TU	3	15	0	15	4	9	46
077 ENCEPHALITIS (EXCEPT THAT CAUSED BY	2	16	0	0	1	5	24
078 OTHER CNS INFECTION AND POLIOMYELITI	0	3	1	0	0	1	5
079 PARKINSON'S DISEASE	2	196	74	12	2	209	495
080 MULTIPLE SCLEROSIS	3	168	67	33	8	206	485
081 OTHER HEREDITARY AND DEGENERATIVE NE	2	205	39	4	1	357	608
082 PARALYSIS	2	193	122	4	0	36	357
083 EPILEPSY, CONVULSIONS	22	454	99	38	60	731	1,404
084 HEADACHE, INCLUDING MIGRAINE	12	1,665	71	71	146	1,455	3,420

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
085 COMA, STUPOR, AND BRAIN DAMAGE	2	21	0	2	4	0	29
086 CATARACT	4	1,142	25	111	0	367	1,649
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	0	395	12	28	1	85	521
088 GLAUCOMA	0	743	42	17	0	895	1,697
089 BLINDNESS AND VISION DEFECTS	4	716	106	16	4	74	920
090 INFLAMMATION, INFECTION OF EYE (EXCE	1	509	1	8	36	472	1,027
091 OTHER EYE DISORDERS	2	779	30	31	13	465	1,320
092 OTITIS MEDIA AND RELATED CONDITIONS	3	1,646	3	87	169	1,576	3,484
093 CONDITIONS ASSOCIATED WITH DIZZINESS	10	405	40	24	65	251	795
094 OTHER EAR AND SENSE ORGAN DISORDERS	2	830	11	49	25	257	1,174
095 OTHER NERVOUS SYSTEM DISORDERS	19	2,452	121	325	69	1,107	4,093
096 HEART VALVE DISORDERS	16	476	3	47	13	276	831
097 PERI-, ENDO-, AND MYOCARDITIS, CARDI	6	47	4	5	6	39	107
098 ESSENTIAL HYPERTENSION	83	9,035	552	410	127	20,354	30,561
100 ACUTE MYOCARDIAL INFARCTION	84	795	182	303	78	1,019	2,461
101 CORONARY ATHEROSCLEROSIS AND OTHER H	146	3,111	431	281	77	3,286	7,332
102 NONSPECIFIC CHEST PAIN	45	270	15	43	141	114	628

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
103 PULMONARY HEART DISEASE	9	166	15	16	6	51	263
104 OTHER AND ILL-DEFINED HEART DISEASE	32	470	53	35	20	367	977
105 CONDUCTION DISORDERS	9	132	15	9	2	30	197
106 CARDIAC DYSRHYTHMIAS	59	1,104	60	97	68	910	2,298
107 CARDIAC ARREST AND VENTRICULAR FIBRI	1	33	0	1	4	28	67
108 CONGESTIVE HEART FAILURE, NONHYPERTE	68	474	138	51	47	491	1,269
109 ACUTE CEREBROVASCULAR DISEASE	71	900	477	207	69	442	2,166
110 OCCLUSION OR STENOSIS OF PRECEREBRAL	4	20	0	6	0	8	38
111 OTHER AND ILL-DEFINED CEREBROVASCULA	3	23	14	0	0	11	51
112 TRANSIENT CEREBRAL ISCHEMIA	3	16	0	4	5	3	31
113 LATE EFFECTS OF CEREBROVASCULAR DISE	0	3	4	4	1	2	14
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	12	102	4	10	5	62	195
115 AORTIC, PERIPHERAL, AND VISCERAL ART	9	52	5	21	7	26	120
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	31	209	5	20	21	130	416
117 OTHER CIRCULATORY DISEASE	37	374	40	74	33	227	785
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	14	225	9	41	11	128	428
119 VARICOSE VEINS OF LOWER EXTREMITY	1	132	0	14	1	24	172

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
120 HEMORRHOIDS	3	139	0	15	10	80	247
121 OTHER DISEASES OF VEINS AND LYMPHATI	1	101	17	28	0	18	165
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	147	567	55	52	164	526	1,511
123 INFLUENZA	19	656	0	22	87	593	1,377
124 ACUTE AND CHRONIC TONSILLITIS	1	185	0	32	17	171	406
125 ACUTE BRONCHITIS	3	36	1	0	8	50	98
126 OTHER UPPER RESPIRATORY INFECTIONS	17	4,154	0	117	254	3,935	8,477
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	72	2,519	357	161	181	2,803	6,093
128 ASTHMA	54	2,366	179	126	209	4,735	7,669
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	8	36	1	2	6	11	64
131 RESPIRATORY FAILURE, INSUFFICIENCY,	1	0	0	0	2	4	7
132 LUNG DISEASE DUE TO EXTERNAL AGENTS	2	18	2	0	3	15	40
133 OTHER LOWER RESPIRATORY DISEASE	66	1,488	74	86	132	1,323	3,169
134 OTHER UPPER RESPIRATORY DISEASE	21	3,789	38	82	99	3,999	8,028
135 INTESTINAL INFECTION	32	1,259	7	38	257	1,120	2,713
136 DISORDERS OF TEETH AND JAW	5	206	4	21	60	1,098	1,394
137 DISEASES OF MOUTH, EXCLUDING DENTAL	2	85	0	8	6	159	260

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
138 ESOPHAGEAL DISORDERS	13	1,014	23	75	25	2,908	4,058
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	6	68	22	12	7	128	243
140 GASTRITIS AND DUODENITIS	12	217	10	11	31	266	547
141 OTHER DISORDERS OF STOMACH AND DUODE	43	854	26	62	111	1,100	2,196
142 APPENDICITIS AND OTHER APPENDICEAL C	36	33	6	9	31	44	159
143 ABDOMINAL HERNIA	26	316	7	86	24	139	598
144 REGIONAL ENTERITIS AND ULCERATIVE CO	5	148	0	31	7	232	423
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	11	12	3	3	12	17	58
146 DIVERTICULOSIS AND DIVERTICULITIS	18	120	8	18	17	95	276
147 ANAL AND RECTAL CONDITIONS	2	22	0	2	5	13	44
148 PERITONITIS AND INTESTINAL ABSCESS	4	9	6	6	0	5	30
149 BILIARY TRACT DISEASE	75	328	18	102	86	156	765
151 OTHER LIVER DISEASES	23	282	19	50	16	131	521
152 PANCREATIC DISORDERS (NOT DIABETES)	22	100	0	5	20	29	176
153 GASTROINTESTINAL HEMORRHAGE	21	87	2	21	24	36	191
154 NONINFECTIOUS GASTROENTERITIS	8	53	0	17	12	81	171
155 OTHER GASTROINTESTINAL DISORDERS	25	806	51	103	76	974	2,035

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
156 NEPHRITIS, NEPHROSIS, RENAL SCLEROSI	0	15	6	6	0	12	39
157 ACUTE AND UNSPECIFIED RENAL FAILURE	27	2,382	66	264	15	173	2,927
158 CHRONIC RENAL FAILURE	6	923	41	118	1	44	1,133
159 URINARY TRACT INFECTIONS	51	1,177	51	51	168	1,040	2,538
160 CALCULUS OF URINARY TRACT	19	273	3	65	112	238	710
161 OTHER DISEASES OF KIDNEY AND URETERS	15	996	41	280	19	252	1,603
162 OTHER DISEASES OF BLADDER AND URETHR	14	192	12	19	4	214	455
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	10	437	11	40	16	494	1,008
164 HYPERPLASIA OF PROSTATE	8	165	5	11	0	325	514
165 INFLAMMATORY CONDITIONS OF MALE GENI	1	68	0	9	10	69	157
166 OTHER MALE GENITAL DISORDERS	9	198	6	27	9	380	629
167 NONMALIGNANT BREAST CONDITIONS	2	311	5	139	2	33	492
168 INFLAMMATORY DISEASES OF FEMALE PELV	1	63	0	5	10	80	159
169 ENDOMETRIOSIS	6	63	0	10	7	26	112
170 PROLAPSE OF FEMALE GENITAL ORGANS	8	57	0	8	2	17	92
171 MENSTRUAL DISORDERS	4	197	0	32	14	185	432
172 OVARIAN CYST	7	186	0	27	32	84	336

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
173 MENOPAUSAL DISORDERS	0	129	0	6	0	468	603
174 FEMALE INFERTILITY	0	99	0	38	0	34	171
175 OTHER FEMALE GENITAL DISORDERS	5	246	0	22	13	139	425
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	160	0	29	1	764	954
177 SPONTANEOUS ABORTION	5	100	0	16	38	28	187
178 INDUCED ABORTION	0	11	0	4	0	7	22
180 ECTOPIC PREGNANCY	2	8	0	0	2	6	18
181 OTHER COMPLICATIONS OF PREGNANCY	4	38	2	2	9	14	69
182 HEMORRHAGE DURING PREGNANCY, ABRUPTI	1	18	0	2	5	0	26
183 HYPERTENSION COMPLICATING PREGNANCY,	3	1	0	0	3	1	8
184 EARLY OR THREATENED LABOR	7	1	0	0	6	4	18
186 DIABETES OR ABNORMAL GLUCOSE TOLERAN	0	46	0	5	0	16	67
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	8	61	1	5	1	61	137
196 NORMAL PREGNANCY AND/OR DELIVERY	460	4,564	19	201	130	539	5,913
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	35	666	8	80	91	523	1,403
198 OTHER INFLAMMATORY CONDITION OF SKIN	3	412	8	24	5	486	938
199 CHRONIC ULCER OF SKIN	9	182	28	70	16	181	486

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
200 OTHER SKIN DISORDERS	4	2,179	21	95	52	1,711	4,062
201 INFECTIVE ARTHRITIS AND OSTEOMYELITIS	6	53	15	5	4	48	131
202 RHEUMATOID ARTHRITIS AND RELATED DIS	4	1,607	241	93	9	1,212	3,166
203 OSTEOARTHRITIS	13	2,354	230	102	7	1,354	4,060
204 OTHER NON-TRAUMATIC JOINT DISORDERS	77	7,556	519	589	117	3,147	12,005
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	58	11,294	215	430	143	2,466	14,606
206 OSTEOPOROSIS	1	352	62	29	1	756	1,201
207 PATHOLOGICAL FRACTURE	1	34	0	14	0	2	51
208 ACQUIRED FOOT DEFORMITIES	1	246	0	25	1	28	301
209 OTHER ACQUIRED DEFORMITIES	4	97	0	2	2	19	124
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	4	275	6	18	12	245	560
211 OTHER CONNECTIVE TISSUE DISEASE	35	4,597	177	442	114	1,762	7,127
212 OTHER BONE DISEASE AND MUSCULOSKELET	6	929	17	58	8	402	1,420
213 CARDIAC AND CIRCULATORY CONGENITAL A	16	72	21	25	5	36	175
214 DIGESTIVE CONGENITAL ANOMALIES	2	15	2	4	1	5	29
215 GENITOURINARY CONGENITAL ANOMALIES	1	47	0	4	2	11	65
216 NERVOUS SYSTEM CONGENITAL ANOMALIES	0	24	0	1	0	13	38

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
217 OTHER CONGENITAL ANOMALIES	12	464	20	25	9	70	600
218 LIVEBORN	16	56	0	1	3	6	82
219 SHORT GESTATION, LOW BIRTH WEIGHT, A	9	35	3	3	1	0	51
223 BIRTH TRAUMA	0	3	0	1	0	2	6
224 OTHER PERINATAL CONDITIONS	5	16	7	3	1	6	38
225 JOINT DISORDERS AND DISLOCATIONS, TR	6	1,022	3	67	43	123	1,264
226 FRACTURE OF NECK OF FEMUR (HIP)	12	79	31	2	8	6	138
227 SPINAL CORD INJURY	0	40	35	70	3	15	163
228 SKULL AND FACE FRACTURES	5	46	3	6	23	30	113
229 FRACTURE OF UPPER LIMB	18	832	15	122	175	158	1,320
230 FRACTURE OF LOWER LIMB	49	840	47	48	120	170	1,274
231 OTHER FRACTURES	17	277	48	25	49	124	540
232 SPRAINS AND STRAINS	17	3,757	36	396	251	656	5,113
233 INTRACRANIAL INJURY	10	219	16	24	87	35	391
234 CRUSHING INJURY OR INTERNAL INJURY	7	57	3	21	9	17	114
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	13	165	5	41	174	137	535
236 OPEN WOUNDS OF EXTREMITIES	10	374	27	48	170	136	765

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
237 COMPLICATION OF DEVICE, IMPLANT OR G	11	20	3	0	13	25	72
238 COMPLICATIONS OF SURGICAL PROCEDURES	9	93	8	6	18	67	201
239 SUPERFICIAL INJURY, CONTUSION	13	507	6	59	152	265	1,002
240 BURNS	7	121	1	9	26	71	235
242 POISONING BY OTHER MEDICATIONS AND D	17	58	3	20	41	60	199
243 POISONING BY NONMEDICINAL SUBSTANCES	4	72	0	4	59	84	223
244 OTHER INJURIES AND CONDITIONS DUE TO	42	3,259	86	182	317	604	4,490
245 SYNCOPE	7	86	0	12	26	12	143
246 FEVER OF UNKNOWN ORIGIN	14	349	1	17	123	312	816
247 LYMPHADENITIS	1	67	0	12	7	35	122
249 SHOCK	1	2	0	0	1	0	4
250 NAUSEA AND VOMITING	10	181	6	10	50	273	530
251 ABDOMINAL PAIN	15	227	0	31	58	109	440
252 MALAISE AND FATIGUE	8	256	40	33	16	85	438
253 ALLERGIC REACTIONS	5	776	0	19	71	837	1,708
254 REHABILITATION CARE, FITTING OF PROS	0	196	2	20	0	13	231
255 ADMINISTRATIVE/SOCIAL ADMISSION	5	1,154	20	32	3	1,793	3,007

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
256 MEDICAL EXAMINATION/EVALUATION	1	694	14	53	1	262	1,025
257 OTHER AFTERCARE	5	504	6	29	4	117	665
258 OTHER SCREENING FOR SUSPECTED CONDIT	0	381	3	26	2	669	1,081
259 RESIDUAL CODES, UNCLASSIFIED	49	3,552	309	353	54	3,635	7,952
650 ADJUSTMENT DISORDER	0	163	7	0	0	38	208
651 ANXIETY DISORDER	42	4,763	177	131	105	3,323	8,541
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	9	2,398	47	27	10	1,578	4,069
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	13	459	702	11	8	361	1,554
654 DEVELOPMENTAL DISORDERS	6	391	80	40	2	18	537
655 DISORDERS USUALLY DIAGNOSED IN INFAN	1	690	54	45	1	92	883
657 MOOD DISORDERS	54	7,449	253	317	43	5,371	13,487
658 PERSONALITY DISORDERS	1	105	9	2	2	44	163
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	11	773	68	75	11	265	1,203
660 ALCOHOL-RELATED DISORDERS	8	211	6	5	11	15	256
661 SUBSTANCE-RELATED DISORDERS	3	847	0	153	3	64	1,070
662 SUICIDE AND INTENTIONAL SELF-INFLICT	1	138	0	68	0	1	208
663 SCREENING AND HISTORY OF MENTAL HEAL	5	236	0	74	1	76	392

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
670 MISCELLANEOUS MENTAL DISORDERS	8	521	26	9	6	183	753

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,512,061	29,285,405	946,211	4,877,680	467,617	12,955,149	50,044,123
-9 NOT ASCERTAINED	256,191	3,593,426	133,459	503,747	108,845	4,664,384	9,260,052
001 TUBERCULOSIS	3,303	26,600	0	2,826	0	22,826	55,555
002 SEPTICEMIA (EXCEPT IN LABOR)	73,282	441,265	0	18,421	44,331	122,866	700,166
003 BACTERIAL INFECTION, UNSPECIFIED SIT	237,783	3,405,311	139,286	213,021	477,957	3,190,527	7,663,885
004 MYCOSES	4,289	4,054,724	10,115	91,709	96,323	4,787,409	9,044,570
005 HIV INFECTION	0	1,837,263	137,438	61,153	6,665	1,737,741	3,780,261
006 HEPATITIS	64,646	1,827,020	325,734	438,097	28,937	635,566	3,320,000
007 VIRAL INFECTION	230,554	10,466,642	14,722	306,938	848,699	5,972,806	17,840,363
008 OTHER INFECTIONS, INCLUDING PARASITI	71,629	2,221,132	38,826	286,251	186,886	2,434,261	5,238,985
009 SEXUALLY TRANSMITTED INFECTIONS (NOT	0	34,395	16,186	10,112	18,432	56,572	135,697
010 IMMUNIZATIONS AND SCREENING FOR INFE	0	781,173	12,559	49,053	12,812	218,257	1,073,855
011 CANCER OF HEAD AND NECK	28,165	2,881,812	81,991	1,105,504	24,949	83,281	4,205,702
012 CANCER OF ESOPHAGUS	0	11,361	0	14,375	0	14,375	40,111
013 CANCER OF STOMACH	6,573	261,116	102,343	60,354	0	94,673	525,060
014 CANCER OF COLON	78,426	1,844,751	410,703	489,468	12,527	159,706	2,995,580
015 CANCER OF RECTUM AND ANUS	35,077	958,070	35,077	260,382	0	63,239	1,351,845

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
016 CANCER OF LIVER AND INTRAHEPATIC BIL	69,981	1,425,513	12,201	208,112	30,882	149,807	1,896,495
017 CANCER OF PANCREAS	35,428	239,059	20,253	127,820	15,830	24,826	463,215
018 CANCER OF OTHER GI ORGANS, PERITONEU	8,148	130,530	16,295	125,311	0	60,360	340,644
019 CANCER OF BRONCHUS, LUNG	233,063	5,644,818	227,425	1,409,694	128,410	1,050,804	8,694,213
021 CANCER OF BONE AND CONNECTIVE TISSUE	68,853	1,689,975	235,633	338,940	9,676	269,704	2,612,782
022 MELANOMAS OF SKIN	38,218	1,756,358	46,878	88,516	0	172,709	2,102,679
023 OTHER NON-EPITHELIAL CANCER OF SKIN	0	11,462,077	67,824	638,006	0	807,018	12,974,924
024 CANCER OF BREAST	99,638	11,650,168	134,171	3,580,181	0	2,713,538	18,177,697
025 CANCER OF UTERUS	11,521	386,969	173,213	29,954	3,375	152,417	757,450
026 CANCER OF CERVIX	6,473	712,886	67,350	147,139	6,473	57,457	997,778
027 CANCER OF OVARY	40,541	349,617	7,502	549,955	3,998	33,440	985,053
028 CANCER OF OTHER FEMALE GENITAL ORGAN	0	43,873	25,704	602,948	0	20,663	693,188
029 CANCER OF PROSTATE	86,367	7,724,528	103,249	1,186,444	10,014	1,716,675	10,827,275
030 CANCER OF TESTIS	0	166,833	0	0	0	83,351	250,184
032 CANCER OF BLADDER	50,972	1,599,353	16,147	238,467	5,178	309,006	2,219,122
033 CANCER OF KIDNEY AND RENAL PELVIS	137,844	556,473	47,326	234,205	48,104	144,459	1,168,411
036 CANCER OF THYROID	59,777	1,481,846	71,858	219,043	2,041	857,717	2,692,282

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
038 NON-HODGKIN'S LYMPHOMA	32,414	3,751,461	99,227	643,983	10,227	264,419	4,801,731
039 LEUKEMIAS	92,155	2,236,719	4,174	667,696	19,216	422,503	3,442,463
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	53,707	883,458	0	1,306,858	0	83,081	2,327,105
042 SECONDARY MALIGNANCIES	36,882	1,289,396	43,610	237,159	18,441	258,059	1,883,547
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	49,545	745,059	91,198	112,965	0	118,117	1,116,884
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	267,006	8,706,971	210,074	1,938,087	153,042	772,806	12,047,986
045 MAINTENANCE CHEMOTHERAPY, RADIOTHERA	0	0	0	0	0	26,273	26,273
046 BENIGN NEOPLASM OF UTERUS	95,352	657,651	0	39,119	28,855	187,777	1,008,755
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	182,886	5,743,569	91,712	715,293	57,879	660,417	7,451,756
048 THYROID DISORDERS	179,062	15,922,438	304,819	1,454,555	71,306	36,727,867	54,660,047
049 DIABETES MELLITUS WITHOUT COMPLICATI	477,437	56,068,154	3,530,707	3,898,564	488,893	89,056,987	153,520,741
050 DIABETES MELLITUS WITH COMPLICATIONS	47,852	806,728	0	17,579	53,529	261,886	1,187,573
051 OTHER ENDOCRINE DISORDERS	63,125	4,305,878	0	361,246	71,199	4,631,004	9,432,452
052 NUTRITIONAL DEFICIENCIES	27,461	1,573,506	70,872	261,027	27,461	1,902,967	3,863,294
053 DISORDERS OF LIPID METABOLISM	74,382	56,087,025	899,582	3,586,323	82,639	101,863,194	162,593,145
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	52,069	2,655,988	130,228	80,393	135,691	6,090,614	9,144,984
055 FLUID AND ELECTROLYTE DISORDERS	407,935	2,665,812	177,535	139,992	737,790	6,798,303	10,927,367

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
056 CYSTIC FIBROSIS	26,084	262,050	12,854	89,979	0	558,826	949,794
057 IMMUNITY DISORDERS	47,710	790,675	0	121,824	0	397,159	1,357,368
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	129,055	7,519,849	475,606	900,223	89,151	2,551,192	11,665,076
059 DEFICIENCY AND OTHER ANEMIA	241,357	5,485,208	115,464	563,626	49,189	3,305,383	9,760,227
061 SICKLE CELL ANEMIA	15,137	302,405	0	318,935	15,330	297,155	948,962
062 COAGULATION AND HEMORRHAGIC DISORDER	145,518	3,185,052	0	265,933	60,850	446,825	4,104,179
063 DISEASES OF WHITE BLOOD CELLS	62,695	961,952	24,995	26,419	24,451	373,361	1,473,874
064 OTHER HEMATOLOGIC CONDITIONS	26,881	1,487,074	0	250,122	26,881	762,001	2,552,959
076 MENINGITIS (EXCEPT THAT CAUSED BY TU	19,079	434,858	0	712,807	23,782	198,371	1,388,896
077 ENCEPHALITIS (EXCEPT THAT CAUSED BY	4,651	171,162	0	0	2,325	61,027	239,164
078 OTHER CNS INFECTION AND POLIOMYELITI	0	37,677	4,927	0	0	13,141	55,745
079 PARKINSON'S DISEASE	28,874	1,804,430	723,334	93,799	5,505	2,176,085	4,832,027
080 MULTIPLE SCLEROSIS	30,996	1,933,529	796,281	278,815	126,007	2,174,159	5,339,787
081 OTHER HEREDITARY AND DEGENERATIVE NE	19,696	2,376,589	240,323	29,298	12,042	4,388,981	7,066,929
082 PARALYSIS	35,152	2,229,330	953,550	43,476	0	483,802	3,745,311
083 EPILEPSY, CONVULSIONS	156,602	3,459,540	468,530	184,169	431,342	6,540,898	11,241,080
084 HEADACHE, INCLUDING MIGRAINE	122,620	19,131,738	464,861	458,006	1,109,952	14,754,642	36,041,818

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

TABLE 3

MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
 LINKED TO CONDITION RECORDS (FROM FILE HC128)
 FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
085 COMA, STUPOR, AND BRAIN DAMAGE	25,488	63,297	0	5,297	11,372	0	105,453
086 CATARACT	39,701	12,222,727	98,274	1,241,637	0	3,666,623	17,268,962
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	0	4,960,538	73,940	143,893	22,487	996,363	6,197,222
088 GLAUCOMA	0	7,317,323	246,085	88,954	0	9,320,852	16,973,213
089 BLINDNESS AND VISION DEFECTS	73,954	6,454,074	709,374	152,691	22,307	663,043	8,075,444
090 INFLAMMATION, INFECTION OF EYE (EXCE	4,824	4,988,869	6,525	50,061	314,178	4,538,324	9,902,782
091 OTHER EYE DISORDERS	13,711	7,534,650	215,160	214,722	61,258	4,468,232	12,507,732
092 OTITIS MEDIA AND RELATED CONDITIONS	14,505	16,558,795	29,688	709,662	1,253,297	14,598,111	33,164,059
093 CONDITIONS ASSOCIATED WITH DIZZINESS	64,190	4,829,966	297,412	275,364	601,262	2,653,048	8,721,241
094 OTHER EAR AND SENSE ORGAN DISORDERS	4,671	8,344,694	82,054	464,285	165,939	2,524,308	11,585,950
095 OTHER NERVOUS SYSTEM DISORDERS	208,210	25,792,788	1,023,028	3,682,901	510,078	11,115,771	42,332,776
096 HEART VALVE DISORDERS	185,334	5,240,644	31,147	541,772	106,385	2,967,302	9,072,584
097 PERI-, ENDO-, AND MYOCARDITIS, CARDI	17,663	388,443	29,167	48,828	17,663	234,546	736,309
098 ESSENTIAL HYPERTENSION	707,692	77,481,297	3,119,663	3,331,689	939,881	189,781,000	275,361,222
100 ACUTE MYOCARDIAL INFARCTION	711,758	7,538,566	1,405,590	4,458,574	675,490	9,981,716	24,771,694
101 CORONARY ATHEROSCLEROSIS AND OTHER H	1,364,932	31,780,622	3,020,412	2,992,855	844,304	33,131,065	73,134,190
102 NONSPECIFIC CHEST PAIN	343,910	3,186,488	135,007	417,657	1,107,045	954,370	6,144,476

PMED = PRESCRIBED MEDICINES FILE, HC-126A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
 EROM = EMERGENCY ROOM VISITS FILE, HC-126E
 OPAT = OUTPATIENT VISITS FILE, HC-126F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
 HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
103 PULMONARY HEART DISEASE	166,473	2,320,657	47,631	234,385	135,791	486,691	3,391,629
104 OTHER AND ILL-DEFINED HEART DISEASE	319,758	5,097,964	289,949	362,634	197,334	3,726,054	9,993,691
105 CONDUCTION DISORDERS	136,756	1,586,431	145,870	101,087	24,212	376,842	2,371,197
106 CARDIAC DYSRHYTHMIAS	473,838	11,794,822	534,800	1,174,987	476,764	10,262,892	24,718,102
107 CARDIAC ARREST AND VENTRICULAR FIBRI	4,682	471,597	0	21,230	41,281	366,340	905,129
108 CONGESTIVE HEART FAILURE, NONHYPERTE	613,336	4,701,749	1,006,804	590,485	398,272	4,754,700	12,065,346
109 ACUTE CEREBROVASCULAR DISEASE	676,936	10,003,076	4,288,664	3,111,784	670,827	4,135,954	22,887,240
110 OCCLUSION OR STENOSIS OF PRECEREBRAL	29,496	209,666	0	56,429	0	55,096	350,687
111 OTHER AND ILL-DEFINED CEREBROVASCULA	53,879	247,573	120,577	0	0	98,066	520,094
112 TRANSIENT CEREBRAL ISCHEMIA	15,199	98,159	0	53,900	42,846	25,302	235,406
113 LATE EFFECTS OF CEREBROVASCULAR DISE	0	39,884	48,561	57,517	5,887	14,367	166,216
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	153,462	970,188	47,970	178,704	51,412	638,064	2,039,800
115 AORTIC, PERIPHERAL, AND VISCERAL ART	100,419	582,741	42,483	263,395	101,487	227,707	1,318,232
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	255,731	2,121,704	54,513	202,796	105,383	1,010,561	3,750,689
117 OTHER CIRCULATORY DISEASE	355,627	3,406,732	253,613	960,102	274,796	2,079,615	7,330,486
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	200,230	2,788,329	110,252	281,604	144,322	1,489,702	5,014,439
119 VARICOSE VEINS OF LOWER EXTREMITY	7,755	1,188,730	0	102,211	7,755	164,951	1,471,402

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
120 HEMORRHOIDS	17,143	1,412,580	0	112,113	74,503	865,037	2,481,376
121 OTHER DISEASES OF VEINS AND LYMPHATI	14,563	1,304,473	261,192	383,029	0	255,836	2,219,093
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	1,251,195	5,907,140	449,122	410,042	1,175,275	4,945,274	14,138,048
123 INFLUENZA	185,061	5,827,858	0	234,173	573,005	5,157,591	11,977,688
124 ACUTE AND CHRONIC TONSILLITIS	5,552	1,822,753	0	336,724	162,367	1,801,634	4,129,030
125 ACUTE BRONCHITIS	14,196	403,419	15,518	0	47,393	449,698	930,224
126 OTHER UPPER RESPIRATORY INFECTIONS	110,305	41,886,170	0	1,075,306	1,869,473	39,350,843	84,292,098
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	549,806	24,218,897	2,898,879	1,197,538	1,294,896	28,100,653	58,260,670
128 ASTHMA	317,934	19,357,554	1,132,670	702,161	1,319,235	40,794,259	63,623,813
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	98,856	488,898	11,373	30,890	78,718	167,448	876,184
131 RESPIRATORY FAILURE, INSUFFICIENCY,	17,468	0	0	0	20,660	57,946	96,074
132 LUNG DISEASE DUE TO EXTERNAL AGENTS	33,784	277,601	33,784	0	44,088	185,323	574,581
133 OTHER LOWER RESPIRATORY DISEASE	524,969	13,076,088	388,830	930,109	993,489	10,967,029	26,880,514
134 OTHER UPPER RESPIRATORY DISEASE	176,016	40,485,795	123,866	719,656	684,185	38,528,810	80,718,328
135 INTESTINAL INFECTION	278,265	10,293,870	29,326	287,703	1,843,564	8,203,093	20,935,822
136 DISORDERS OF TEETH AND JAW	38,667	1,951,830	38,122	154,431	425,044	10,595,230	13,203,324
137 DISEASES OF MOUTH, EXCLUDING DENTAL	15,575	795,333	0	93,374	40,016	1,447,670	2,391,968

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
138 ESOPHAGEAL DISORDERS	128,276	10,317,762	91,320	777,109	220,352	30,501,914	42,036,732
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	57,188	416,845	118,995	85,634	60,020	923,855	1,662,536
140 GASTRITIS AND DUODENITIS	88,359	1,469,620	30,113	81,377	176,052	1,439,373	3,284,895
141 OTHER DISORDERS OF STOMACH AND DUODE	350,107	7,767,199	233,223	640,468	727,830	9,796,980	19,515,808
142 APPENDICITIS AND OTHER APPENDICEAL C	379,726	490,166	73,020	96,016	365,514	505,264	1,909,706
143 ABDOMINAL HERNIA	307,317	3,381,744	77,289	947,600	221,508	1,422,884	6,358,342
144 REGIONAL ENTERITIS AND ULCERATIVE CO	67,416	2,142,752	0	554,568	83,851	3,455,862	6,304,449
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	150,360	127,425	0	27,322	160,321	214,556	679,984
146 DIVERTICULOSIS AND DIVERTICULITIS	168,130	1,295,927	91,321	128,174	156,548	1,165,597	3,005,697
147 ANAL AND RECTAL CONDITIONS	25,020	206,326	0	9,615	81,119	145,084	467,163
148 PERITONITIS AND INTESTINAL ABSCESS	50,042	84,391	85,730	93,970	0	47,036	361,169
149 BILIARY TRACT DISEASE	588,746	2,867,326	143,230	947,625	603,956	1,330,468	6,481,351
151 OTHER LIVER DISEASES	167,341	2,495,617	198,143	526,381	107,155	1,162,804	4,657,440
152 PANCREATIC DISORDERS (NOT DIABETES)	190,017	1,105,156	0	62,354	173,076	232,733	1,763,336
153 GASTROINTESTINAL HEMORRHAGE	223,124	823,564	25,308	239,040	223,906	348,696	1,883,638
154 NONINFECTIOUS GASTROENTERITIS	31,509	528,735	0	73,319	60,834	703,626	1,398,024
155 OTHER GASTROINTESTINAL DISORDERS	223,333	7,790,040	252,943	1,295,761	527,158	8,956,856	19,046,091

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
156 NEPHRITIS, NEPHROSIS, RENAL SCLEROSI	0	250,361	180,064	32,118	0	106,330	568,874
157 ACUTE AND UNSPECIFIED RENAL FAILURE	182,795	14,156,990	613,400	1,399,702	122,436	1,557,849	18,033,171
158 CHRONIC RENAL FAILURE	31,180	4,982,416	274,240	392,295	13,026	386,851	6,080,008
159 URINARY TRACT INFECTIONS	450,957	11,640,611	717,027	632,622	1,155,026	10,397,563	24,993,806
160 CALCULUS OF URINARY TRACT	214,832	2,783,020	37,177	572,070	988,434	2,130,898	6,726,431
161 OTHER DISEASES OF KIDNEY AND URETERS	128,137	5,378,957	298,719	2,088,084	150,908	1,985,759	10,030,563
162 OTHER DISEASES OF BLADDER AND URETHR	113,585	2,008,395	63,870	190,763	46,604	2,121,394	4,544,612
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	102,021	4,445,583	143,320	388,125	138,384	5,074,217	10,291,650
164 HYPERPLASIA OF PROSTATE	62,638	1,970,077	85,114	121,704	0	3,941,970	6,181,503
165 INFLAMMATORY CONDITIONS OF MALE GENI	1,019	692,201	0	52,297	107,394	621,127	1,474,037
166 OTHER MALE GENITAL DISORDERS	76,560	2,182,205	31,542	341,694	68,229	4,136,940	6,837,169
167 NONMALIGNANT BREAST CONDITIONS	29,321	2,965,378	25,702	1,745,666	19,473	271,722	5,057,263
168 INFLAMMATORY DISEASES OF FEMALE PELV	2,545	682,089	0	33,147	112,281	776,596	1,606,658
169 ENDOMETRIOSIS	72,606	610,195	0	131,053	74,023	333,588	1,221,464
170 PROLAPSE OF FEMALE GENITAL ORGANS	77,289	621,916	0	81,262	8,589	177,711	966,768
171 MENSTRUAL DISORDERS	40,752	1,763,041	0	276,255	118,622	1,825,999	4,024,668
172 OVARIAN CYST	37,607	1,780,905	0	191,123	216,436	728,494	2,954,565

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
173 MENOPAUSAL DISORDERS	0	1,448,409	0	82,157	0	5,603,822	7,134,388
174 FEMALE INFERTILITY	0	849,783	0	67,771	0	305,331	1,222,885
175 OTHER FEMALE GENITAL DISORDERS	29,311	2,235,605	0	194,386	91,194	1,429,696	3,980,192
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	1,576,798	0	317,128	6,183	9,289,331	11,189,440
177 SPONTANEOUS ABORTION	51,129	869,431	0	114,040	225,078	220,685	1,480,362
178 INDUCED ABORTION	0	62,664	0	27,566	0	37,863	128,094
180 ECTOPIC PREGNANCY	16,982	134,140	0	0	8,834	101,184	261,140
181 OTHER COMPLICATIONS OF PREGNANCY	10,524	181,324	7,016	9,842	34,284	118,450	361,440
182 HEMORRHAGE DURING PREGNANCY, ABRUPTI	0	64,844	0	6,334	21,898	0	93,075
183 HYPERTENSION COMPLICATING PREGNANCY,	30,993	9,045	0	0	17,005	5,668	62,711
184 EARLY OR THREATENED LABOR	41,586	4,859	0	0	18,964	19,756	85,165
186 DIABETES OR ABNORMAL GLUCOSE TOLERAN	0	166,167	0	10,850	0	95,065	272,082
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	31,569	416,338	36,504	25,679	502	478,211	988,803
196 NORMAL PREGNANCY AND/OR DELIVERY	3,040,142	33,347,648	128,879	1,494,675	658,246	3,637,898	42,307,488
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	373,044	6,563,325	73,571	1,015,910	805,570	4,530,167	13,361,589
198 OTHER INFLAMMATORY CONDITION OF SKIN	30,100	4,395,071	50,631	275,885	33,791	5,460,619	10,246,098
199 CHRONIC ULCER OF SKIN	84,305	1,360,000	156,432	599,418	109,135	1,625,866	3,935,157

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
200 OTHER SKIN DISORDERS	32,372	22,892,929	166,477	679,217	335,773	18,025,715	42,132,483
201 INFECTIVE ARTHRITIS AND OSTEOMYELITI	27,643	405,438	88,288	39,081	7,518	368,101	936,069
202 RHEUMATOID ARTHRITIS AND RELATED DIS	29,725	13,609,597	1,642,850	459,333	44,322	11,379,721	27,165,547
203 OSTEOARTHRITIS	144,170	26,962,499	1,756,568	986,687	67,962	14,208,057	44,125,943
204 OTHER NON-TRAUMATIC JOINT DISORDERS	810,521	76,851,380	3,810,490	5,898,458	774,754	27,308,408	115,454,009
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	640,635	129,523,510	1,783,855	4,823,120	1,123,233	23,689,239	161,583,593
206 OSTEOPOROSIS	11,237	3,118,895	687,321	339,868	0	8,037,803	12,195,124
207 PATHOLOGICAL FRACTURE	11,609	495,646	0	182,563	0	11,609	701,426
208 ACQUIRED FOOT DEFORMITIES	6,712	3,036,193	0	306,223	4,747	295,827	3,649,701
209 OTHER ACQUIRED DEFORMITIES	55,096	988,949	0	8,106	25,483	113,690	1,191,324
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	20,759	2,362,092	54,998	109,321	55,572	1,923,375	4,526,118
211 OTHER CONNECTIVE TISSUE DISEASE	259,392	51,633,324	1,871,744	3,881,714	903,756	17,540,807	76,090,737
212 OTHER BONE DISEASE AND MUSCULOSKELET	39,234	10,811,574	174,704	601,691	80,873	4,704,745	16,412,821
213 CARDIAC AND CIRCULATORY CONGENITAL A	197,458	805,573	130,385	278,860	63,293	401,150	1,876,719
214 DIGESTIVE CONGENITAL ANOMALIES	12,995	128,456	5,436	50,610	10,014	48,974	256,484
215 GENITOURINARY CONGENITAL ANOMALIES	14,701	522,312	0	32,697	6,252	109,591	685,554
216 NERVOUS SYSTEM CONGENITAL ANOMALIES	0	218,924	0	13,765	0	194,160	426,849

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
217 OTHER CONGENITAL ANOMALIES	112,053	4,582,393	189,765	241,083	101,949	753,957	5,981,201
218 LIVEBORN	233,903	1,151,036	0	2,333	7,193	34,967	1,429,432
219 SHORT GESTATION, LOW BIRTH WEIGHT, A	73,271	273,776	22,530	21,725	13,850	0	405,151
223 BIRTH TRAUMA	0	31,065	0	0	0	0	31,065
224 OTHER PERINATAL CONDITIONS	11,071	52,334	27,492	28,984	3,312	21,480	144,673
225 JOINT DISORDERS AND DISLOCATIONS, TR	71,616	12,644,386	60,392	872,751	420,331	1,194,785	15,264,261
226 FRACTURE OF NECK OF FEMUR (HIP)	191,343	630,415	441,155	17,215	116,730	46,496	1,443,354
227 SPINAL CORD INJURY	0	342,264	137,008	135,758	48,901	134,442	798,373
228 SKULL AND FACE FRACTURES	26,694	402,152	9,446	96,913	217,062	317,296	1,069,564
229 FRACTURE OF UPPER LIMB	205,111	9,260,680	191,336	2,345,609	1,664,329	1,629,810	15,296,874
230 FRACTURE OF LOWER LIMB	599,298	9,331,694	510,375	466,538	1,230,917	1,906,854	14,045,675
231 OTHER FRACTURES	183,893	3,264,108	323,038	308,019	500,578	1,281,912	5,861,548
232 SPRAINS AND STRAINS	230,006	41,978,888	394,917	4,639,286	2,325,587	6,641,035	56,209,719
233 INTRACRANIAL INJURY	122,078	1,763,738	90,300	389,946	938,239	385,556	3,689,857
234 CRUSHING INJURY OR INTERNAL INJURY	104,253	675,908	57,599	417,110	107,401	237,592	1,599,863
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	75,142	1,679,126	27,796	480,167	1,629,826	1,365,823	5,257,880
236 OPEN WOUNDS OF EXTREMITIES	89,051	3,368,924	224,811	677,691	1,636,397	1,149,073	7,145,947

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
237 COMPLICATION OF DEVICE, IMPLANT OR G	76,821	231,505	37,177	0	91,444	364,000	800,947
238 COMPLICATIONS OF SURGICAL PROCEDURES	93,644	1,257,796	87,653	12,363	149,764	686,504	2,287,723
239 SUPERFICIAL INJURY, CONTUSION	80,498	5,050,360	50,669	608,368	1,466,303	2,392,932	9,649,129
240 BURNS	96,804	880,842	5,047	154,282	235,013	790,599	2,162,589
242 POISONING BY OTHER MEDICATIONS AND D	154,218	683,856	21,808	333,052	404,003	586,483	2,183,420
243 POISONING BY NONMEDICINAL SUBSTANCES	58,723	662,220	0	45,132	484,413	778,147	2,028,634
244 OTHER INJURIES AND CONDITIONS DUE TO	333,370	32,863,817	907,182	2,209,632	2,590,433	5,673,423	44,577,857
245 SYNCOPE	81,480	902,575	0	97,004	253,347	124,438	1,458,844
246 FEVER OF UNKNOWN ORIGIN	101,087	2,529,597	7,335	152,492	674,457	1,615,203	5,080,172
247 LYMPHADENITIS	4,636	847,250	0	133,453	52,114	261,170	1,298,623
249 SHOCK	6,692	11,147	0	0	3,701	0	21,540
250 NAUSEA AND VOMITING	74,945	1,751,561	114,213	43,225	297,037	2,428,299	4,709,279
251 ABDOMINAL PAIN	94,943	2,013,403	0	259,485	401,862	859,061	3,628,753
252 MALAISE AND FATIGUE	56,362	2,471,528	401,320	118,969	124,977	1,003,553	4,176,709
253 ALLERGIC REACTIONS	73,152	6,916,344	0	122,296	679,726	8,122,024	15,913,543
254 REHABILITATION CARE, FITTING OF PROS	0	2,631,587	15,041	80,805	0	145,647	2,873,079
255 ADMINISTRATIVE/SOCIAL ADMISSION	53,671	11,461,847	120,530	592,445	33,679	18,687,092	30,949,265

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
256 MEDICAL EXAMINATION/EVALUATION	3,407	6,866,985	109,302	595,495	2,505	2,938,377	10,516,072
257 OTHER AFTERCARE	69,172	4,857,837	63,975	356,864	33,970	1,110,829	6,492,647
258 OTHER SCREENING FOR SUSPECTED CONDIT	0	3,567,223	40,040	266,807	15,205	6,527,837	10,417,112
259 RESIDUAL CODES, UNCLASSIFIED	597,143	33,896,850	1,845,434	4,946,784	449,266	36,193,082	77,928,559
650 ADJUSTMENT DISORDER	0	1,508,193	85,824	0	0	332,628	1,926,644
651 ANXIETY DISORDER	340,847	45,899,153	1,012,658	922,811	719,300	34,963,270	83,858,039
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	53,093	20,066,812	152,171	190,995	71,971	14,453,473	34,988,515
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	101,368	3,891,000	6,759,711	90,043	75,838	3,235,033	14,152,993
654 DEVELOPMENTAL DISORDERS	45,562	3,362,713	614,213	205,752	19,663	175,233	4,423,135
655 DISORDERS USUALLY DIAGNOSED IN INFAN	20,112	8,887,292	513,288	431,884	8,124	876,357	10,737,058
657 MOOD DISORDERS	478,988	76,683,336	1,304,734	2,022,710	417,215	57,073,654	137,980,636
658 PERSONALITY DISORDERS	8,124	1,683,698	73,118	20,667	21,205	483,531	2,290,343
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	142,534	6,382,191	542,055	578,147	144,081	2,125,833	9,914,840
660 ALCOHOL-RELATED DISORDERS	89,636	1,324,987	44,969	158,721	105,857	147,415	1,871,585
661 SUBSTANCE-RELATED DISORDERS	19,592	6,244,273	0	937,960	34,954	834,695	8,071,475
662 SUICIDE AND INTENTIONAL SELF-INFLICT	6,332	847,178	0	430,555	0	5,357	1,289,421
663 SCREENING AND HISTORY OF MENTAL HEAL	17,354	1,840,140	0	659,097	6,646	770,453	3,293,691

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H

HC-126I
TABLE 3
MEPS 2009

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC126A - HC126H)
LINKED TO CONDITION RECORDS (FROM FILE HC128)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
670 MISCELLANEOUS MENTAL DISORDERS	83,765	4,745,503	77,140	116,176	33,214	1,705,235	6,761,032

PMED = PRESCRIBED MEDICINES FILE, HC-126A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-126D
EROM = EMERGENCY ROOM VISITS FILE, HC-126E
OPAT = OUTPATIENT VISITS FILE, HC-126F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-126G
HVIS = HOME HEALTH VISITS FILE, HC-126H