

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
	3,483	182,130	11,798	13,883	8,355	137,902	357,551
-1 INAPPLICABLE	148	2,332	111	389	40	1,211	4,231
-9 NOT ASCERTAINED	379	13,545	984	2,047	616	9,333	26,904
005 OTHER FOOD POISONING*	5	28	0	4	16	26	79
008 INTESTINAL INFECTION NEC*	17	325	15	7	106	225	695
009 ILL-DEFINED INTEST INF*	9	28	1	3	4	19	64
034 STREP THROAT/SCARLET FEV*	4	450	1	9	65	494	1,023
041 BACT INF IN OTH DIS/NOS*	18	275	45	24	21	271	654
053 HERPES ZOSTER*	0	185	3	9	21	214	432
054 HERPES SIMPLEX*	2	37	0	2	3	156	200
070 VIRAL HEPATITIS*	1	104	0	27	0	25	157
074 COXSACKIE VIRAL DISEASE*	0	16	0	1	2	5	24
075 INFECTIOUS MONONUCLEOSIS	1	26	0	1	5	20	53
078 OTHER VIRAL DISEASE*	0	285	0	6	5	40	336
079 VIRAL INF IN OTH DIS/NOS*	10	236	0	9	63	150	468
088 OTH ARTHROPOD-BORNE DIS*	1	74	3	4	6	26	114

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
110 DERMATOPHYTOSIS*	0	227	7	3	3	186	426
111 DERMATOMYCOSIS NEC/NOS*	0	28	0	1	0	25	54
112 CANDIDIASIS*	1	160	0	3	8	252	424
117 OTHER MYCOSES*	0	30	0	7	1	45	83
132 PEDICULOSIS AND PHTHIRUS*	0	14	0	0	0	11	25
136 INF/PARASITE DIS NEC/NOS*	10	110	6	10	10	282	428
153 MALIGNANT NEOPLASM COLON*	27	176	18	88	7	30	346
162 MAL NEO TRACHEA/LUNG*	8	275	11	117	4	33	448
172 MALIGNANT MELANOMA SKIN*	4	204	2	17	2	28	257
173 OTHER MALIG NEOPL SKIN*	2	617	3	19	4	75	720
179 MALIG NEOPL UTERUS NOS	3	88	15	33	2	13	154
188 MALIGN NEOPL BLADDER*	5	184	22	18	0	12	241
189 MAL NEO URINARY NEC/NOS*	3	95	6	12	1	32	149
193 MALIGN NEOPL THYROID	2	96	8	27	0	99	232
195 MAL NEO OTH/ILL-DEF SITE*	3	141	12	77	0	32	265

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
199 MALIGNANT NEOPLASM NOS*	7	189	5	45	4	70	320
202 OTH MAL NEO LYMPH/HISTIO*	4	395	6	97	3	29	534
208 LEUKEMIA-UNSPECIF CELL*	8	121	5	14	4	15	167
211 OTH BENIGN NEOPLASM GI*	1	22	0	18	1	24	66
214 LIPOMA*	0	54	0	5	0	4	63
215 OTH BEN NEO SOFT TISSUE*	6	135	0	26	5	41	213
216 BENIGN NEOPLASM OF SKIN*	0	189	0	10	0	15	214
218 UTERINE LEIOMYOMA*	3	42	0	9	0	10	64
229 BENIGN NEOPLASM NEC/NOS*	3	82	0	14	1	11	111
232 CARCINOMA IN SITU SKIN*	0	87	0	0	0	3	90
238 UNC BEHAV NEO NEC/NOS*	1	114	0	8	2	13	138
239 UNSPECIFIED NEOPLASM*	17	574	14	88	11	94	798
240 GOITER, SIMPLE/NOS*	1	23	0	3	0	9	36
241 NONTOXIC NODULAR GOITER*	2	67	0	19	0	13	101
242 THYROTOXICOSIS*	1	233	11	26	1	233	505
244 ACQUIRED HYPOTHYROIDISM*	0	547	5	33	4	1,253	1,842

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
245 THYROIDITIS*	0	38	0	2	0	43	83
246 OTH DISORDERS OF THYROID*	1	830	45	43	6	1,569	2,494
250 DIABETES MELLITUS*	77	7,943	820	427	93	11,224	20,584
251 OTH PANCREATIC DISORDER*	4	60	10	8	12	30	124
256 OVARIAN DYSFUNCTION*	0	51	0	3	0	85	139
257 TESTICULAR DYSFUNCTION*	0	153	0	1	0	77	231
259 OTH ENDORINE DISORDERS*	1	137	0	6	1	221	366
266 B-COMPLEX DEFICIENCIES*	0	164	8	4	0	61	237
269 OTH NUTRITION DEFICIENCY*	0	201	14	10	0	453	678
272 DIS OF LIPOID METABOLISM*	9	5,759	432	295	5	9,313	15,813
275 DIS MINERAL METABOLISM*	1	43	1	8	0	68	121
277 METABOLISM DIS NEC/NOS*	5	66	2	9	3	46	131
278 OBESITY/HYPERALIMENT*	14	218	11	60	2	50	355
279 DIS IMMUNE MECHANISM*	0	41	6	14	0	28	89
280 IRON DEFICIENCY ANEMIAS*	2	139	0	15	4	147	307

NOTE: '\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
285 ANEMIA NEC/NOS*	25	564	12	97	27	389	1,114
286 COAGULATION DEFECTS*	4	62	2	4	2	33	107
287 PURPURA & OTH HEMOR COND*	0	35	0	2	0	10	47
288 WBC DISORDERS*	1	137	3	7	1	7	156
289 OTHER BLOOD DISEASE*	0	58	0	4	1	43	106
294 OTHER ORGANIC PSYCH COND*	5	135	172	7	1	167	487
295 SCHIZOPHRENIC DISORDERS*	12	875	70	33	5	299	1,294
296 AFFECTIVE PSYCHOSES*	33	2,094	167	46	18	1,075	3,433
298 OTH NONORGANIC PSYCHOSES*	1	89	1	0	5	36	132
299 PERVASIVE DEVELOPMNT DISORDERS	1	711	114	18	0	93	937
300 NEUROTIC DISORDERS*	39	5,577	223	106	104	3,763	9,812
301 PERSONALITY DISORDERS*	3	96	0	6	4	33	142
303 ALCOHOL DEPENDENCE SYNDR*	4	193	4	10	3	5	219
304 DRUG DEPENDENCE*	0	836	0	204	0	16	1,056
305 NONDEPENDENT DRUG ABUSE*	0	5	0	0	0	21	26
307 SPECIAL SYMPTOM NEC*	1	69	0	5	3	64	142

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
308 ACUTE REACTION TO STRESS*	5	725	1	8	20	221	980
309 ADJUSTMENT REACTION*	2	1,137	30	28	6	198	1,401
311 DEPRESSIVE DISORDER NEC	42	6,466	221	177	33	3,931	10,870
312 CONDUCT DISTURBANCE NEC*	0	353	37	7	3	68	468
314 HYPERKINETIC SYNDROME*	6	3,064	131	44	10	1,569	4,824
315 SPECIFIC DEVELOP DELAYS*	0	421	85	37	0	14	557
331 CEREBRAL DEGENERATION*	3	183	171	7	2	93	459
332 PARKINSON'S DISEASE*	2	133	66	3	1	153	358
333 EXTRAPYRAMIDAL DIS NEC*	0	100	8	2	1	308	419
338 PAIN, NOT ELSEWHERE CLASSIFIED	3	478	42	30	16	240	809
340 MULTIPLE SCLEROSIS	0	309	121	74	5	151	660
344 OTH PARALYTIC SYNDROMES*	0	261	103	33	1	43	441
345 EPILEPSY*	13	176	39	26	28	350	632
346 MIGRAINE*	7	850	8	24	80	929	1,898
348 OTHER BRAIN CONDITIONS*	5	51	11	10	7	36	120

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
349 CNS DISORDER NEC/NOS*	8	537	41	39	20	289	934
351 FACIAL NERVE DISORDERS*	4	32	0	2	7	40	85
354 MONONEURITIS UPPER LIMB*	3	558	17	88	5	91	762
355 MONONEURITIS LEG*	1	723	61	31	20	493	1,329
360 DISORDERS OF THE GLOBE*	0	228	0	2	9	197	436
361 RETINAL DETACHMENT*	2	89	0	9	1	26	127
362 RETINAL DISORDERS NEC*	1	325	25	8	0	34	393
365 GLAUCOMA*	2	863	40	38	1	813	1,757
367 DISORDERS OF REFRACTION*	1	439	0	5	1	21	467
368 VISUAL DISTURBANCES*	0	225	2	5	1	28	261
369 BLINDNESS AND LOW VISION*	0	114	67	3	1	28	213
371 CORNEAL OPACITY/DISORDER*	0	70	0	13	0	24	107
372 DISORDERS OF CONJUNCTIVA*	0	200	0	4	17	206	427
373 INFLAMMATION OF EYELIDS*	0	50	0	3	2	46	101
374 DISORDERS OF EYELIDS NEC*	0	58	0	4	1	12	75
375 LACRIMAL SYSTEM DISORDER*	0	123	0	5	0	195	323

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
379 EYE DISORDERS NEC*	0	346	14	11	8	216	595
380 DISORDER OF EXTERNAL EAR*	0	129	0	5	4	36	174
381 NONSUPPUR OTITIS MEDIA*	0	33	9	5	1	18	66
382 OTITIS MEDIA, SUPPUR/NOS*	2	1,318	0	47	146	1,219	2,732
384 DISORD TYMPANIC MEMB NEC*	1	50	0	5	5	19	80
386 VERTIGINOUS SYNDROMES*	1	49	0	1	1	32	84
388 DISORDERS OF EAR NEC*	2	226	3	7	16	121	375
389 HEARING LOSS*	0	408	34	36	0	18	496
401 ESSENTIAL HYPERTENSION*	92	8,448	751	283	196	19,888	29,658
410 ACUTE MYOCARDIAL INFARCT*	47	697	186	151	57	912	2,050
413 ANGINA PECTORIS*	8	264	53	21	13	223	582
414 OTH CHR ISCHEMIC HRT DIS*	64	2,230	292	286	46	2,000	4,918
424 OTH ENDOCARDIAL DISEASE*	7	169	18	35	4	107	340
425 CARDIOMYOPATHY*	1	18	0	3	0	34	56
426 CONDUCTION DISORDERS*	0	32	0	1	1	20	54

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
427 CARDIAC DYSRHYTHMIAS*	43	957	34	142	57	712	1,945
428 HEART FAILURE*	54	482	95	87	45	407	1,170
429 ILL-DEFINED HEART DIS*	21	433	45	57	38	387	981
436 CVA	52	482	413	95	55	365	1,462
437 OTH CEREBROVASC DISEASE*	8	86	53	134	8	13	302
440 ATHEROSCLEROSIS*	0	15	0	0	0	10	25
441 AORTIC ANEURYSM*	4	25	0	3	1	8	41
442 OTHER ANEURYSM*	5	26	0	8	2	7	48
443 OTH PERIPH VASCULAR DIS*	3	69	4	8	0	63	147
444 ARTERIAL EMBOLISM*	19	274	18	27	28	122	488
447 OTHER ARTERIAL DISEASE*	4	97	1	14	5	41	162
453 OTH VENOUS THROMBOSIS*	9	137	8	7	3	82	246
454 VARICOSE VEINS, LEG*	0	82	1	7	0	8	98
455 HEMORRHOIDS*	1	105	0	28	14	105	253
458 HYPOTENSION*	7	50	9	5	16	25	112
459 OTH CIRCULATORY DISEASE*	24	324	5	26	29	161	569

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
460 ACUTE NASOPHARYNGITIS	3	1,335	1	24	61	1,023	2,447
462 ACUTE PHARYNGITIS	0	291	0	18	20	238	567
463 ACUTE TONSILLITIS	4	94	0	15	18	72	203
464 AC LARYNGITIS/TRACHEITIS*	1	55	0	1	18	51	126
465 AC URI MULT SITES/NOS*	5	262	0	14	33	280	594
466 AC BRONCHITIS/BRONCHIOL*	3	64	0	3	18	113	201
470 DEVIATED NASAL SEPTUM	2	51	0	7	0	18	78
473 CHRONIC SINUSITIS*	4	1,029	0	31	47	1,276	2,387
474 CHR T & A DIS*	2	67	0	14	4	31	118
477 ALLERGIC RHINITIS*	0	3,158	11	39	44	3,019	6,271
478 OTH UPPR RESPIRATORY DIS*	5	384	1	26	33	550	999
486 PNEUMONIA, ORGANISM NOS	116	457	58	43	149	449	1,272
487 INFLUENZA*	18	857	6	21	153	781	1,836
490 BRONCHITIS NOS	16	566	8	28	101	881	1,600
491 CHRONIC BRONCHITIS*	12	518	113	36	49	515	1,243

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
492 EMPHYSEMA*	8	322	153	12	10	379	884
493 ASTHMA*	53	2,154	190	76	264	4,734	7,471
496 CHR AIRWAY OBSTRUCT NEC	46	522	112	37	49	813	1,579
514 PULM CONGEST/HYPOSTASIS	5	42	14	4	9	58	132
518 OTHER LUNG DISEASES*	19	221	46	66	23	164	539
519 OTH RESP SYSTEM DISEASES*	7	168	6	10	24	216	431
520 TOOTH DEVELOP/ERUPT DIS*	0	15	0	0	7	125	147
521 HARD TISSUE DIS OF TEETH*	2	11	0	3	4	53	73
522 PULP & PERIAPICAL DIS*	1	18	0	4	32	458	513
523 GINGIVAL/PERIODONTAL DIS*	1	18	0	1	4	132	156
524 DENTOFACIAL ANOMALIES*	0	75	6	2	2	12	97
525 OTHER DENTAL DISORDER*	1	34	2	2	34	353	426
526 JAW DISEASES*	1	18	0	0	3	26	48
527 SALIVARY GLAND DISEASES*	0	15	0	2	1	22	40
528 ORAL SOFT TISSUE DISEASE*	0	27	0	1	7	72	107
531 GASTRIC ULCER*	2	6	0	1	5	12	26

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
535 GASTRITIS AND DUODENITIS*	11	273	0	22	56	303	665
536 STOMACH FUNCTION DISORD*	26	553	36	52	130	754	1,551
537 OTH GASTRODUODENAL DIS*	4	165	7	14	10	314	514
553 OTHER ABDOMINAL HERNIA*	24	341	21	134	20	154	694
555 REGIONAL ENTERITIS*	2	140	0	17	8	119	286
556 IDIOPATHIC PROCTOCOLITIS*	3	39	0	9	4	77	132
558 OTH NONINF GASTROENTERIT*	7	69	9	7	18	83	193
560 INTESTINAL OBSTRUCTION*	14	42	0	10	23	28	117
562 DIVERTICULA OF INTESTINE*	12	159	2	20	31	107	331
564 FUNCT DIGESTIVE DIS NEC*	6	295	16	16	55	579	967
569 OTH INTESTINAL DISORDERS*	15	134	3	16	17	87	272
571 CHR LIVER DIS/CIRRHOSIS*	5	100	2	18	15	78	218
573 OTH LIVER DISORDERS*	12	81	12	13	10	36	164
574 CHOLELITHIASIS*	22	75	2	22	41	49	211
575 OTH GALLBLADDER DISORDER*	25	136	6	39	39	92	337

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
578 GASTROINTESTINAL HEMORR*	5	62	0	9	13	18	107
579 INTESTINAL MALABSORPTION*	0	36	0	3	6	13	58
585 CHRONIC RENAL FAILURE	1	452	11	9	2	38	513
586 RENAL FAILURE NOS	26	3,135	41	462	20	123	3,807
590 KIDNEY INFECTION*	13	157	3	18	28	134	353
592 RENAL/URETERAL CALCULUS*	22	251	8	54	115	212	662
593 OTH RENAL & URETERAL DIS*	10	2,283	54	164	12	312	2,835
595 CYSTITIS*	10	192	3	19	34	230	488
599 OTH URINARY TRACT DISOR*	24	740	5	34	122	761	1,686
600 HYPERPLASIA OF PROSTATE*	3	174	6	6	1	308	498
602 OTH PROSTATIC DISORDERS*	2	164	6	14	3	419	608
607 DISORDERS OF PENIS*	0	16	0	2	2	86	106
608 MALE GENITAL DIS NEC*	0	32	0	4	3	11	50
610 BENIGN MAMMARY DYSPLASIA*	0	50	0	10	0	1	61
611 OTHER BREAST DISORDERS*	2	190	0	43	3	20	258
616 OTH FEMALE GEN INFLAM*	5	68	0	1	11	98	183

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
617 ENDOMETRIOSIS*	3	49	0	6	2	29	89
618 GENITAL PROLAPSE*	8	102	2	11	1	14	138
620 NONINFLAM DIS OVAR/ADNEX*	4	122	0	22	32	56	236
621 DISORDERS OF UTERUS NEC*	3	50	0	10	1	16	80
622 NONINFLAMM DIS CERVIX*	1	31	0	3	0	4	39
623 NONINFLAMM DIS VAGINA*	4	77	0	15	15	39	150
625 FEMALE GENITAL SYMPTOMS*	4	139	0	16	16	122	297
626 DISORDER OF MENSTRUATION*	5	184	2	32	19	143	385
627 MENOPAUSAL DISORDERS*	2	90	6	3	1	312	414
629 OTH FEMALE GENITAL DIS*	3	38	0	2	1	21	65
634 SPONTANEOUS ABORTION*	5	114	0	39	35	42	235
644 EARLY/THREATENED LABOR*	7	6	3	4	10	5	35
646 OTHER COMPL OF PREGNANCY*	9	117	1	23	18	39	207
650 NORMAL DELIVERY	69	55	3	0	9	40	176
669 OTH COMPL LABOR/DELIVERY*	11	46	3	8	2	70	140

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
680 CARBUNCLE AND FURUNCLE*	2	51	5	2	13	61	134
681 CELLULITIS, FINGER/TOE*	0	25	0	3	1	13	42
682 OTHER CELLULITIS/ABSCESS*	19	158	14	25	52	173	441
684 IMPETIGO	0	18	0	0	2	30	50
686 OTH LOCAL SKIN INFECTION*	15	417	22	64	43	217	778
691 ATOPIC DERMATITIS*	0	24	0	1	6	53	84
692 CONTACT DERMATITIS*	1	409	3	28	31	609	1,081
693 DERMAT D/T INTERN AGENT*	1	77	0	2	6	50	136
695 ERYTHEMATOUS CONDITIONS*	0	47	0	0	0	123	170
696 PSORIASIS/LIKE DISORDERS*	1	221	4	4	3	221	454
698 PRURITUS & LIKE COND*	0	38	3	1	0	93	135
700 CORNS AND CALLOSITIES	0	116	0	11	0	6	133
701 OTH SKIN HYPERTRO/ATROPH*	1	102	3	1	1	19	127
702 OTHER DERMATOSES*	0	31	0	0	0	9	40
703 DISEASES OF NAIL*	0	266	0	7	0	50	323
704 HAIR & FOLLICLE DISEASE*	0	73	0	7	7	69	156

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
705 DISORDERS OF SWEAT GLAND*	0	37	0	1	1	34	73
706 SEBACEOUS GLAND DISEASE*	2	663	3	50	21	673	1,412
707 CHRONIC ULCER OF SKIN*	6	239	50	25	9	141	470
708 URTICARIA*	1	52	0	2	18	67	140
709 OTHER SKIN DISORDERS*	2	476	3	49	5	319	854
710 DIFF CONNECTIVE TISS DIS*	4	285	13	29	20	311	662
715 OSTEOARTHROSIS ET AL*	17	2,679	312	147	19	1,295	4,469
716 ARTHROPATHIES NEC/NOS*	3	2,533	316	171	26	1,377	4,426
717 INTERNAL DERANGEMNT KNEE*	6	145	24	14	2	34	225
718 OTHER JOINT DERANGEMENT*	1	64	2	5	2	6	80
719 JOINT DISORDER NEC & NOS*	46	6,142	367	356	100	1,950	8,961
721 SPONDYLOSIS ET AL*	2	280	2	43	6	64	397
722 INTERVERTEBRAL DISC DIS*	22	2,282	13	109	27	628	3,081
723 OTHER CERVICAL SPINE DIS*	0	1,587	42	65	31	244	1,969
724 BACK DISORDER NEC & NOS*	17	7,673	241	305	151	2,003	10,390

NOTE: '\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
726 PERIPH ENTHESOPATHIES*	7	1,411	12	103	21	198	1,752
727 OTH DIS SYNOV/TEND/BURSA*	3	599	14	67	21	118	822
728 DIS OF MUSCLE/LIG/FASCIA*	7	1,000	28	62	29	495	1,621
729 OTHER SOFT TISSUE DIS*	15	2,520	269	198	81	1,434	4,517
733 OTH BONE & CARTILAGE DIS*	8	716	69	98	8	750	1,649
734 FLAT FOOT	0	86	0	5	0	1	92
735 ACQ DEFORMITIES OF TOE*	1	88	0	8	0	10	107
737 CURVATURE OF SPINE*	5	646	22	36	7	59	775
755 OTH CONGEN LIMB ANOMALY*	1	42	0	2	1	6	52
756 OTH MUSCULOSKELET ANOMAL*	1	157	2	5	1	21	187
759 CONGEN ANOMALIES NEC/NOS*	3	354	84	53	5	35	534
779 OTH PERINATAL CONDITION*	10	13	38	1	1	5	68
780 GENERAL SYMPTOMS*	89	3,099	305	224	363	4,172	8,252
781 NERV/MUSCULSKEL SYS SYMP*	0	251	56	9	4	51	371
782 SKIN/OTH INTEGUMENT SYMP*	15	1,122	38	75	60	1,188	2,498
783 NUTRIT/METAB/DEVEL SYMP*	1	185	30	23	0	68	307

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
784 SYMPTOMS INVOL HEAD/NECK*	10	1,639	52	78	110	466	2,355
785 CARDIOVASCULAR SYS SYMP*	12	359	32	45	35	189	672
786 RESP SYS/OTH CHEST SYMP*	105	1,418	78	159	240	1,205	3,205
787 GI SYSTEM SYMPTOMS*	19	411	10	35	90	930	1,495
788 URINARY SYSTEM SYMPTOMS*	3	270	21	21	8	314	637
789 OTH ABDOMEN/PELVIS SYMP*	11	285	2	36	77	130	541
790 ABNORMAL BLOOD FINDINGS*	4	267	1	15	17	186	490
791 ABNORMAL URINE FINDINGS*	3	34	0	2	0	11	50
793 ABN FIND-BODY STRUCT NOS*	0	22	0	15	0	0	37
794 ABNORMAL FUNCTION STUDY*	0	12	0	1	0	26	39
795 ABN HISTOLOG/IMMUNO FIND*	1	29	0	2	0	1	33
796 OTHER ABNORMAL FINDINGS*	1	28	0	2	1	9	41
797 SENILITY W/O PSYCHOSIS	2	46	540	5	2	15	610
799 OTH ILL-DEF MORBID/MORTL*	4	1,073	49	85	8	101	1,320
805 VERTEBRL FX W/O CORD INJ*	5	178	8	27	10	56	284

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
807 FX RIB/STERN/LARYN/TRACH*	10	82	15	7	24	26	164
810 CLAVICLE FRACTURE*	0	70	0	6	10	16	102
812 HUMERUS FRACTURE*	9	140	14	12	23	28	226
814 CARPAL FRACTURE*	2	130	2	21	28	26	209
815 METACARPAL FRACTURE*	1	68	0	13	22	24	128
816 FRACTURE PHALANGES, HAND*	1	139	0	7	31	26	204
818 FRACTURE ARM MULT/NOS*	4	127	10	16	43	33	233
820 FRACTURE NECK OF FEMUR*	12	84	9	7	13	14	139
822 PATELLA FRACTURE*	2	169	2	4	11	34	222
824 ANKLE FRACTURE*	10	242	3	15	37	43	350
825 FX OF TARSAL/METATARSAL*	3	245	9	26	24	27	334
826 FRACTURE PHALANGES, FOOT*	0	95	1	10	17	25	148
827 LOWER LIMB FRACTURE NEC*	15	260	6	40	28	54	403
829 FRACTURE NOS*	9	136	12	12	12	27	208
831 SHOULDER DISLOCATION*	1	62	5	16	15	18	117
836 DISLOCATION OF KNEE*	2	252	0	77	7	51	389

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
839 DISLOCATION NEC*	0	680	0	4	15	19	718
840 SPRAIN SHOULDER & ARM*	3	1,121	7	142	23	129	1,425
842 SPRAIN WRIST & HAND*	0	109	0	25	15	23	172
843 SPRAIN OF HIP & THIGH*	0	78	1	5	3	15	102
844 SPRAIN OF KNEE & LEG*	4	574	1	42	25	72	718
845 SPRAIN OF ANKLE & FOOT*	1	480	7	35	87	87	697
847 SPRAIN OF BACK NEC/NOS*	0	828	0	33	48	168	1,077
848 SPRAIN NEC*	0	424	1	35	32	82	574
850 CONCUSSION*	6	65	1	15	28	18	133
854 OTHER BRAIN INJURY*	0	105	14	1	3	15	138
873 OTHER OPEN WOUND OF HEAD*	3	67	1	4	88	80	243
879 OPEN WOUND SITE NEC*	7	115	14	4	65	60	265
882 OPEN WOUND OF HAND*	2	64	1	19	26	30	142
883 OPEN WOUND OF FINGER*	0	84	0	2	61	54	201
884 OPEN WOUND ARM MULT/NOS*	1	27	2	1	13	18	62

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
891 OPEN WND KNEE/LEG/ANKLE*	2	93	24	22	21	32	194
892 OPEN WOUND OF FOOT*	4	82	15	4	25	32	162
893 OPEN WOUND OF TOE*	9	121	40	0	13	14	197
910 SUPERFICIAL INJURY HEAD*	0	11	0	1	2	1	15
916 SUPERFICIAL INJ HIP/LEG*	0	16	0	0	6	9	31
918 SUPERFIC INJ EYE/ADNEXA*	0	36	0	0	5	26	67
919 SUPERFICIAL INJ OTH SITE*	1	152	6	2	33	110	304
920 CONTUSION FACE/SCALP/NCK	1	27	0	1	19	6	54
921 CONTUSION EYE & ADNEXA*	0	57	0	0	20	21	98
922 CONTUSION OF TRUNK*	2	72	3	5	16	39	137
923 CONTUSION OF UPPER LIMB*	0	49	3	1	13	14	80
924 CONTUSION LEG & OTH SITE*	8	199	18	16	46	37	324
930 FOREIGN BODY EXTERN EYE*	0	31	0	6	5	16	58
933 FB PHARYNX & LARYNX*	0	19	0	1	21	5	46
945 BURN OF LEG*	2	8	3	4	8	11	36
949 BURN UNSPECIFIED*	2	15	0	2	11	31	61

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
959 INJURY NEC/NOS*	49	3,163	173	199	333	643	4,560
977 POIS-MEDICINAL NEC/NOS*	4	8	0	26	9	2	49
989 TOX EFF OTH NONMED SUBST*	4	113	0	2	53	90	262
994 EFFECT EXTERNAL CAUS NEC*	1	6	0	1	5	19	32
995 CERTAIN ADVERSE EFF NEC*	11	199	12	3	77	168	470
996 REPLACE & GRAFT COMPLIC*	13	50	2	13	9	47	134
998 OTH SURGICAL COMPL NEC*	8	53	5	3	8	88	165
999 COMPLIC MEDICAL CARE NEC*	0	2	0	0	1	4	7
V04 VACCIN FOR VIRAL DISEASE*	0	102	0	3	0	8	113
V05 OTH VACCIN FOR SINGL DIS*	1	48	0	3	1	16	69
V07 PROPHYLACTIC MEASURES*	1	30	1	3	1	246	282
V15 OTH HX OF HEALTH HAZARDS*	1	139	0	0	2	38	180
V20 HEALTH SUPERVISION CHILD*	1	120	0	2	0	1	124
V22 NORMAL PREGNANCY*	324	4,509	11	277	131	450	5,702
V24 POSTPARTUM CARE/EXAM*	0	60	0	2	0	19	81

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V25 CONTRACEPTIVE MANAGEMENT*	0	180	0	18	1	742	941
V26 PROCREATIVE MANAGEMENT*	0	63	6	1	0	31	101
V30 SINGLE LIVEBORN*	12	17	0	0	0	6	35
V40 MENTAL/BEHAVIORAL PROB*	2	251	24	46	7	69	399
V41 PROB W SPECIAL FUNCTIONS*	0	111	0	4	1	25	141
V43 ORGAN REPLACEMENT NEC*	23	434	44	24	0	82	607
V45 OTH POSTSURGICAL STATES*	10	318	16	49	4	108	505
V47 OTH PROBL W INTERNAL ORG*	0	114	0	1	1	39	155
V49 LIMB PROBLEM/PROBLEM NEC*	2	120	38	4	2	21	187
V50 OTHER ELECTIVE SURGERY*	3	51	0	12	1	26	93
V52 FITTING OF PROSTHESIS*	1	8	0	0	1	16	26
V53 ADJUSTMENT OF OTH DEVICE*	7	151	0	12	2	11	183
V58 ENCOUNTR PROC/AFTRCR NEC*	0	478	47	85	7	96	713
V61 OTH FAMILY CIRCUMSTANCES*	0	67	10	0	0	3	80
V62 OTH PSYCHOSOCIAL CIRCUM*	0	184	0	0	1	7	192
V65 OTHER REASON FOR CONSULT*	0	772	0	16	0	215	1,003

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V67 FOLLOW-UP EXAMINATION*	2	204	4	2	3	52	267
V68 ADMINISTRATIVE ENCOUNTER*	2	678	21	35	2	1,925	2,663
V69 PROB RELATED TO LIFESTYLE*	0	45	0	0	0	15	60
V70 GENERAL MEDICAL EXAM*	3	1,082	69	23	1	83	1,261
V71 OBSERVATION-SUSPECT COND*	6	556	13	23	53	58	709
V72 SPECIAL EXAMINATIONS*	2	773	7	59	1	268	1,110
V76 SCREENING-MALIG NEOPLASM*	0	95	0	13	0	20	128
V77 SCREEN-ENDO/NUTR/METAB*	0	216	12	11	0	458	697
V81 SCREEN-HEART/RESP/GU DIS*	1	103	22	5	4	284	419
V82 SCREEN-OTHER CONDITIONS*	0	53	0	5	0	41	99

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,761,400	26,727,303	938,858	6,675,834	504,792	13,711,198	50,319,385
-9 NOT ASCERTAINED	4,127,413	129,275,336	8,743,110	19,456,653	5,853,015	97,726,425	265,181,952
005 OTHER FOOD POISONING*	30,327	213,155	0	68,794	117,833	178,667	608,776
008 INTESTINAL INFECTION NEC*	215,727	3,352,434	118,469	65,362	803,602	1,845,801	6,401,395
009 ILL-DEFINED INTEST INF*	109,801	244,111	18,166	18,166	52,209	148,573	591,025
034 STREP THROAT/SCARLET FEV*	38,500	5,333,517	1,726	159,744	432,117	5,498,914	11,464,519
041 BACT INF IN OTH DIS/NOS*	201,581	2,568,766	156,026	175,521	212,356	2,683,237	5,997,487
053 HERPES ZOSTER*	0	2,306,893	45,308	117,235	343,171	2,495,587	5,308,194
054 HERPES SIMPLEX*	0	327,502	0	9,630	29,319	2,004,260	2,370,711
070 VIRAL HEPATITIS*	0	535,654	0	156,695	0	231,680	924,029
074 COXSACKIE VIRAL DISEASE*	0	204,553	0	12,154	16,981	35,849	269,536
075 INFECTIOUS MONONUCLEOSIS	0	324,174	0	7,220	64,550	213,252	609,195
078 OTHER VIRAL DISEASE*	0	4,077,318	0	76,487	92,255	382,320	4,628,380
079 VIRAL INF IN OTH DIS/NOS*	104,775	2,681,995	0	92,779	561,955	1,720,181	5,161,685
088 OTH ARTHROPOD-BORNE DIS*	17,683	1,434,389	45,754	46,215	75,303	405,766	2,025,110

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
110 DERMATOPHYTOSIS*	0	2,159,329	97,922	21,634	14,154	1,560,935	3,853,974
111 DERMATOMYCOSIS NEC/NOS*	0	229,794	0	8,800	0	214,058	452,652
112 CANDIDIASIS*	6,386	1,506,869	0	27,392	68,203	2,477,295	4,086,145
117 OTHER MYCOSES*	0	278,473	0	107,459	2,371	309,809	698,112
132 PEDICULOSIS AND PHTHIRUS*	0	84,145	0	0	0	42,329	126,474
136 INF/PARASITE DIS NEC/NOS*	118,171	1,014,820	25,869	80,497	84,969	2,451,350	3,775,676
153 MALIGNANT NEOPLASM COLON*	282,579	1,196,674	263,875	1,348,044	120,075	226,842	3,438,089
162 MAL NEO TRACHEA/LUNG*	83,079	2,084,522	123,457	768,663	26,604	395,187	3,481,512
172 MALIGNANT MELANOMA SKIN*	56,936	2,998,664	34,641	186,946	27,072	310,604	3,614,864
173 OTHER MALIG NEOPL SKIN*	19,179	10,251,205	28,769	306,373	34,020	1,099,530	11,739,077
179 MALIG NEOPL UTERUS NOS	41,815	1,283,274	168,352	175,168	19,878	163,171	1,851,657
188 MALIG NEOPL BLADDER*	2,104	942,861	292,672	247,780	0	179,866	1,665,283
189 MAL NEO URINARY NEC/NOS*	45,689	1,038,322	19,206	107,528	0	260,010	1,470,755
193 MALIG NEOPL THYROID	13,515	1,132,308	195,222	347,670	0	1,258,868	2,947,583
195 MAL NEO OTH/ILL-DEF SITE*	28,396	1,660,427	78,431	682,776	0	505,262	2,955,293
199 MALIGNANT NEOPLASM NOS*	64,934	1,729,585	38,004	456,027	35,358	276,991	2,600,899

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

---

ICD9CODX: WEIGHTED COUNTS

---

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
202 OTH MAL NEO LYMPH/HISTIO*	36,596	3,416,136	92,182	664,743	57,685	209,362	4,476,704
208 LEUKEMIA-UNSPECIF CELL*	85,485	1,491,014	49,872	189,315	52,499	123,789	1,991,973
211 OTH BENIGN NEOPLASM GI*	9,981	292,140	0	241,391	9,981	481,083	1,034,577
214 LIPOMA*	0	521,546	0	21,130	0	58,533	601,210
215 OTH BEN NEO SOFT TISSUE*	59,108	1,197,954	0	211,902	30,128	292,595	1,791,687
216 BENIGN NEOPLASM OF SKIN*	0	2,631,784	0	91,926	0	209,550	2,933,260
218 UTERINE LEIOMYOMA*	98,027	513,050	0	51,474	0	106,057	768,607
229 BENIGN NEOPLASM NEC/NOS*	11,567	1,102,567	0	168,544	3,835	54,345	1,340,859
232 CARCINOMA IN SITU SKIN*	0	1,567,586	0	0	0	58,154	1,625,741
238 UNC BEHAV NEO NEC/NOS*	5,246	1,321,726	0	70,738	11,938	143,683	1,553,332
239 UNSPECIFIED NEOPLASM*	227,829	5,492,677	99,951	985,217	90,398	879,788	7,775,861
240 GOITER, SIMPLE/NOS*	10,121	296,160	0	23,400	0	78,883	408,564
241 NONTOXIC NODULAR GOITER*	16,480	1,092,405	0	276,356	0	185,302	1,570,543
242 THYROTOXICOSIS*	11,325	2,667,301	119,045	316,786	2,643	2,640,734	5,757,833
244 ACQUIRED HYPOTHYROIDISM*	0	6,826,187	53,662	415,629	79,315	16,533,751	23,908,544

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
245 THYROIDITIS*	0	483,385	0	18,860	0	523,371	1,025,615
246 OTH DISORDERS OF THYROID*	4,422	8,107,293	179,780	421,731	24,272	17,770,448	26,507,946
250 DIABETES MELLITUS*	423,744	67,744,789	5,062,994	3,700,450	606,972	101,058,928	178,597,877
251 OTH PANCREATIC DISORDER*	26,549	614,580	66,566	43,352	110,493	236,289	1,097,830
256 OVARIAN DYSFUNCTION*	0	800,379	0	79,247	0	1,262,046	2,141,673
257 TESTICULAR DYSFUNCTION*	0	1,912,965	0	11,628	0	1,271,483	3,196,077
259 OTH ENDORINE DISORDERS*	6,931	1,481,148	0	61,163	18,166	2,763,866	4,331,273
266 B-COMPLEX DEFICIENCIES*	0	2,340,442	74,219	46,669	0	926,455	3,387,785
269 OTH NUTRITION DEFICIENCY*	0	2,127,363	110,690	82,657	0	4,640,720	6,961,429
272 DIS OF LIPOID METABOLISM*	72,354	53,431,251	2,133,724	3,213,590	33,832	102,584,135	161,468,885
275 DIS MINERAL METABOLISM*	10,655	355,112	10,655	58,748	0	571,437	1,006,607
277 METABOLISM DIS NEC/NOS*	53,909	677,749	4,571	41,224	48,455	568,081	1,393,988
278 OBESITY/HYPERALIMENT*	191,207	1,655,407	207,744	416,055	174,317	452,689	3,097,419
279 DIS IMMUNE MECHANISM*	0	373,370	92,182	122,634	0	229,356	817,542
280 IRON DEFICIENCY ANEMIAS*	18,762	1,205,680	0	426,751	28,196	1,305,501	2,984,890
285 ANEMIA NEC/NOS*	205,241	5,287,052	145,388	1,362,941	186,871	2,954,954	10,142,447

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
286 COAGULATION DEFECTS*	28,134	569,497	13,003	57,859	13,003	298,176	979,672
287 PURPURA & OTH HEMOR COND*	0	231,099	0	43,212	0	50,166	324,477
288 WBC DISORDERS*	12,557	2,228,708	75,012	142,693	4,942	57,578	2,521,490
289 OTHER BLOOD DISEASE*	0	730,673	0	39,275	9,301	413,933	1,193,182
294 OTHER ORGANIC PSYCH COND*	189,192	1,699,321	1,783,235	88,015	6,415	2,335,445	6,101,623
295 SCHIZOPHRENIC DISORDERS*	77,377	7,179,206	599,737	233,918	26,731	2,170,322	10,287,292
296 AFFECTIVE PSYCHOSES*	386,888	23,454,059	1,451,062	458,791	146,067	12,140,680	38,037,547
298 OTH NONORGANIC PSYCHOSES*	16,341	817,519	19,684	0	80,870	265,421	1,199,835
299 PERVASIVE DEVELOPMNT DISORDERS	14,253	7,301,242	1,212,810	128,101	0	803,744	9,460,151
300 NEUROTIC DISORDERS*	441,362	58,649,802	1,658,250	724,092	914,025	45,949,380	108,336,911
301 PERSONALITY DISORDERS*	44,242	947,892	0	71,348	37,045	240,117	1,340,645
303 ALCOHOL DEPENDENCE SYNDR*	53,547	2,622,745	13,635	76,200	39,137	52,666	2,857,930
304 DRUG DEPENDENCE*	0	11,318,080	0	814,959	0	211,135	12,344,174
305 NONDEPENDENT DRUG ABUSE*	0	29,531	0	0	0	199,430	228,961
307 SPECIAL SYMPTOM NEC*	7,624	644,139	0	34,129	13,728	878,624	1,578,244

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
308 ACUTE REACTION TO STRESS*	50,905	7,694,801	13,429	55,821	171,930	2,604,849	10,591,735
309 ADJUSTMENT REACTION*	28,099	13,493,558	206,846	420,365	71,160	2,248,672	16,468,701
311 DEPRESSIVE DISORDER NEC	410,484	64,410,158	1,220,367	1,998,382	314,889	45,084,540	113,438,820
312 CONDUCT DISTURBANCE NEC*	0	2,806,114	231,252	43,677	10,807	528,253	3,620,103
314 HYPERKINETIC SYNDROME*	32,658	28,164,502	1,244,125	212,903	53,423	14,942,609	44,650,221
315 SPECIFIC DEVELOP DELAYS*	0	2,725,001	537,472	243,161	0	111,733	3,617,367
331 CEREBRAL DEGENERATION*	26,052	886,662	880,308	144,952	12,579	957,651	2,908,204
332 PARKINSON'S DISEASE*	12,631	1,405,646	448,262	86,895	2,781	1,786,142	3,742,357
333 EXTRAPYRAMIDAL DIS NEC*	0	1,386,581	33,222	58,457	3,819	4,319,809	5,801,888
338 PAIN, NOT ELSEWHERE CLASSIFIED	27,640	4,928,235	271,056	372,372	80,848	2,319,084	7,999,234
340 MULTIPLE SCLEROSIS	0	4,446,198	845,310	512,973	24,584	2,076,498	7,905,564
344 OTH PARALYTIC SYNDROMES*	0	4,273,354	1,078,873	231,929	2,651	299,617	5,886,425
345 EPILEPSY*	92,112	1,569,705	360,147	148,748	137,203	2,878,266	5,186,181
346 MIGRAINE*	86,972	9,418,004	29,305	226,886	585,745	10,870,471	21,217,383
348 OTHER BRAIN CONDITIONS*	18,291	484,030	58,235	91,629	19,077	307,625	978,887
349 CNS DISORDER NEC/NOS*	83,263	6,813,749	362,645	408,422	286,124	3,740,113	11,694,315

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
351 FACIAL NERVE DISORDERS*	32,071	251,351	0	25,445	75,953	392,889	777,711
354 MONONEURITIS UPPER LIMB*	59,418	5,361,052	94,811	819,402	41,446	700,859	7,076,986
355 MONONEURITIS LEG*	7,469	10,368,777	406,377	264,635	162,500	5,652,248	16,862,005
360 DISORDERS OF THE GLOBE*	0	1,704,378	0	19,686	93,146	1,540,912	3,358,122
361 RETINAL DETACHMENT*	30,190	1,206,784	0	160,517	6,093	369,924	1,773,508
362 RETINAL DISORDERS NEC*	18,054	4,637,440	87,607	158,298	0	397,349	5,298,748
365 GLAUCOMA*	16,022	9,140,604	183,153	260,782	7,883	8,700,320	18,308,764
367 DISORDERS OF REFRACTION*	4,464	4,127,316	0	31,275	4,464	283,846	4,451,365
368 VISUAL DISTURBANCES*	0	2,184,217	6,963	72,584	4,464	284,233	2,552,461
369 BLINDNESS AND LOW VISION*	0	1,268,995	717,821	35,859	13,274	350,558	2,386,507
371 CORNEAL OPACITY/DISORDER*	0	1,091,478	0	375,833	0	411,650	1,878,961
372 DISORDERS OF CONJUNCTIVA*	0	1,937,310	0	23,090	149,747	1,992,543	4,102,691
373 INFLAMMATION OF EYELIDS*	0	608,387	0	122,347	18,909	558,560	1,308,203
374 DISORDERS OF EYELIDS NEC*	0	1,012,853	0	43,214	16,986	133,942	1,206,996
375 LACRIMAL SYSTEM DISORDER*	0	1,162,313	0	44,653	0	2,141,332	3,348,298

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
379 EYE DISORDERS NEC*	0	3,750,565	53,952	82,333	21,795	2,131,581	6,040,225
380 DISORDER OF EXTERNAL EAR*	0	1,650,217	0	80,924	42,421	379,052	2,152,613
381 NONSUPPUR OTITIS MEDIA*	0	361,339	35,383	31,280	15,176	211,879	655,056
382 OTITIS MEDIA, SUPPUR/NOS*	9,253	14,484,434	0	538,364	1,022,595	12,129,966	28,184,611
384 DISORD TYMPANIC MEMB NEC*	15,725	594,729	0	52,010	32,619	171,847	866,930
386 VERTIGINOUS SYNDROMES*	5,114	844,413	0	5,478	5,114	554,976	1,415,096
388 DISORDERS OF EAR NEC*	15,462	2,271,526	12,825	114,369	121,888	1,118,413	3,654,482
389 HEARING LOSS*	0	4,432,438	227,597	364,057	0	175,760	5,199,852
401 ESSENTIAL HYPERTENSION*	650,079	73,772,336	5,187,647	2,306,193	1,350,505	199,455,133	282,721,893
410 ACUTE MYOCARDIAL INFARCT*	549,900	8,273,182	1,895,963	1,619,759	558,404	11,749,167	24,646,375
413 ANGINA PECTORIS*	98,607	2,936,747	688,904	189,551	109,986	2,358,343	6,382,137
414 OTH CHR ISCHEMIC HRT DIS*	600,668	27,210,656	2,675,906	4,116,751	466,892	23,815,323	58,886,196
424 OTH ENDOCARDIAL DISEASE*	103,593	2,344,036	514,851	535,423	105,029	1,785,512	5,388,445
425 CARDIOMYOPATHY*	4,053	240,341	0	57,341	0	392,964	694,699
426 CONDUCTION DISORDERS*	0	468,589	0	18,296	12,333	283,778	782,997
427 CARDIAC DYSRHYTHMIAS*	618,797	14,509,707	374,930	2,241,381	720,484	10,315,433	28,780,731

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
428 HEART FAILURE*	473,794	3,922,123	739,638	693,209	399,543	4,263,885	10,492,192
429 ILL-DEFINED HEART DIS*	174,817	4,706,155	219,786	489,028	339,220	3,607,705	9,536,709
436 CVA	449,980	5,007,651	2,937,652	670,908	452,595	3,982,903	13,501,689
437 OTH CEREBROVASC DISEASE*	88,999	882,801	228,378	1,189,416	83,374	114,087	2,587,055
440 ATHEROSCLEROSIS*	0	284,853	0	0	0	136,228	421,081
441 AORTIC ANEURYSM*	33,744	399,182	0	43,051	6,643	59,485	542,104
442 OTHER ANEURYSM*	43,590	319,167	0	90,625	29,198	49,071	531,650
443 OTH PERIPH VASCULAR DIS*	22,876	793,790	66,066	83,994	0	968,231	1,934,957
444 ARTERIAL EMBOLISM*	225,013	4,076,122	287,294	314,493	371,876	1,694,955	6,969,753
447 OTHER ARTERIAL DISEASE*	40,733	1,421,206	8,060	305,886	42,591	522,496	2,340,972
453 OTH VENOUS THROMBOSIS*	178,075	1,873,144	78,745	71,615	98,765	778,943	3,079,286
454 VARICOSE VEINS, LEG*	0	900,710	2,098	80,342	0	122,873	1,106,023
455 HEMORRHOIDS*	2,634	1,434,807	0	395,183	115,321	1,282,711	3,230,655
458 HYPOTENSION*	62,182	524,896	34,557	35,792	135,384	197,532	990,345
459 OTH CIRCULATORY DISEASE*	287,492	3,199,196	23,427	278,549	305,423	1,328,105	5,422,193

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
460 ACUTE NASOPHARYNGITIS	65,826	10,677,089	17,180	150,587	368,660	7,380,819	18,660,161
462 ACUTE PHARYNGITIS	0	2,985,909	0	212,940	128,666	1,925,505	5,253,020
463 ACUTE TONSILLITIS	19,864	706,060	0	102,879	166,451	613,437	1,608,690
464 AC LARYNGITIS/TRACHEITIS*	31,055	659,104	0	5,676	166,812	739,814	1,602,460
465 AC URI MULT SITES/NOS*	23,875	3,114,764	0	476,079	251,753	3,315,798	7,182,269
466 AC BRONCHITIS/BRONCHIOL*	30,446	691,996	0	30,798	150,526	1,358,046	2,261,812
470 DEVIATED NASAL SEPTUM	35,019	863,365	0	131,903	0	328,374	1,358,661
473 CHRONIC SINUSITIS*	37,675	13,427,338	0	407,240	437,367	16,245,348	30,554,967
474 CHR T & A DIS*	49,060	946,692	0	117,334	18,290	442,903	1,574,278
477 ALLERGIC RHINITIS*	0	34,128,916	83,530	324,973	299,280	29,423,572	64,260,272
478 OTH UPPR RESPIRATORY DIS*	47,130	3,343,059	2,880	298,432	203,469	4,360,300	8,255,270
486 PNEUMONIA, ORGANISM NOS	1,385,893	5,787,893	557,180	635,857	1,549,494	5,234,411	15,150,729
487 INFLUENZA*	131,140	7,748,340	20,775	194,304	1,073,329	6,888,048	16,055,936
490 BRONCHITIS NOS	144,051	6,367,271	38,176	374,053	827,546	9,627,818	17,378,915
491 CHRONIC BRONCHITIS*	124,178	5,319,986	938,177	803,873	355,060	5,663,907	13,205,181
492 EMPHYSEMA*	60,409	3,590,911	1,184,769	134,127	70,579	5,489,370	10,530,164

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

---

ICD9CODX: WEIGHTED COUNTS

---

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
493 ASTHMA*	480,092	18,776,835	1,233,185	627,292	1,699,485	42,527,917	65,344,806
496 CHR AIRWAY OBSTRUCT NEC	741,639	6,163,541	1,356,110	375,999	776,378	9,275,247	18,688,915
514 PULM CONGEST/HYPOSTASIS	29,707	403,995	150,094	26,696	74,145	574,232	1,258,868
518 OTHER LUNG DISEASES*	265,986	2,622,875	447,369	1,161,972	230,663	2,034,511	6,763,376
519 OTH RESP SYSTEM DISEASES*	78,533	2,018,802	16,873	113,747	128,603	2,275,895	4,632,453
520 TOOTH DEVELOP/ERUPT DIS*	0	137,358	0	0	66,194	1,365,953	1,569,505
521 HARD TISSUE DIS OF TEETH*	11,797	67,919	0	9,509	18,459	632,068	739,751
522 PULP & PERIAPICAL DIS*	3,994	223,704	0	38,732	209,080	4,206,309	4,681,819
523 GINGIVAL/PERIODONTAL DIS*	3,994	184,337	0	1,358	17,583	1,192,235	1,399,507
524 DENTOFACIAL ANOMALIES*	0	1,102,368	66,509	22,170	7,775	60,687	1,259,509
525 OTHER DENTAL DISORDER*	4,363	277,842	111,156	16,294	244,728	3,000,292	3,654,676
526 JAW DISEASES*	3,718	153,412	0	0	7,634	275,034	439,799
527 SALIVARY GLAND DISEASES*	0	125,776	0	18,994	3,736	212,717	361,224
528 ORAL SOFT TISSUE DISEASE*	0	205,372	0	19,754	48,917	740,346	1,014,390
531 GASTRIC ULCER*	44,276	107,156	0	4,419	95,969	153,890	405,710

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
535 GASTRITIS AND DUODENITIS*	125,339	1,873,830	0	126,633	551,026	1,964,349	4,641,177
536 STOMACH FUNCTION DISORD*	157,412	5,050,268	166,274	496,146	877,541	6,571,773	13,319,414
537 OTH GASTRODUODENAL DIS*	42,111	1,449,341	47,118	181,278	69,452	2,989,770	4,779,070
553 OTHER ABDOMINAL HERNIA*	256,493	3,444,283	218,178	1,290,379	187,427	1,809,565	7,206,325
555 REGIONAL ENTERITIS*	10,949	1,420,504	0	383,309	64,946	1,260,638	3,140,347
556 IDIOPATHIC PROCTOCOLITIS*	10,891	615,930	0	137,964	16,315	1,241,429	2,022,529
558 OTH NONINF GASTROENTERIT*	46,554	914,848	212,565	109,124	156,303	899,234	2,338,628
560 INTESTINAL OBSTRUCTION*	109,837	515,250	0	78,930	261,985	256,823	1,222,824
562 DIVERTICULA OF INTESTINE*	132,620	2,093,179	37,636	185,404	301,542	1,182,550	3,932,930
564 FUNCT DIGESTIVE DIS NEC*	77,917	2,778,333	177,982	113,279	314,564	5,177,535	8,639,609
569 OTH INTESTINAL DISORDERS*	172,559	2,042,246	23,164	212,725	151,383	1,044,573	3,646,649
571 CHR LIVER DIS/CIRRHOSIS*	61,283	869,733	20,738	306,237	240,611	707,521	2,206,122
573 OTH LIVER DISORDERS*	131,355	871,154	39,180	183,558	90,176	326,428	1,641,851
574 CHOLELITHIASIS*	145,226	559,842	6,493	187,994	260,339	324,886	1,484,780
575 OTH GALLBLADDER DISORDER*	291,487	1,909,601	55,192	620,110	355,508	1,019,403	4,251,302
578 GASTROINTESTINAL HEMORR*	35,935	580,053	0	95,299	109,514	136,541	957,341

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
579 INTESTINAL MALABSORPTION*	0	529,285	0	12,056	29,509	88,429	659,279
585 CHRONIC RENAL FAILURE	3,875	7,499,392	88,656	65,144	7,750	422,807	8,087,623
586 RENAL FAILURE NOS	239,883	23,213,024	287,474	2,839,603	263,680	884,887	27,728,551
590 KIDNEY INFECTION*	147,036	1,633,947	39,291	128,094	220,619	1,089,161	3,258,148
592 RENAL/URETERAL CALCULUS*	222,066	2,534,922	17,712	805,564	1,017,163	2,498,976	7,096,403
593 OTH RENAL & URETERAL DIS*	112,506	14,633,277	264,820	1,550,298	100,928	2,563,520	19,225,349
595 CYSTITIS*	80,829	2,107,165	37,444	170,814	240,823	2,470,694	5,107,769
599 OTH URINARY TRACT DISOR*	200,831	7,862,339	48,977	378,963	956,609	8,261,887	17,709,606
600 HYPERPLASIA OF PROSTATE*	26,922	2,088,111	15,696	83,564	8,614	4,421,912	6,644,819
602 OTH PROSTATIC DISORDERS*	30,267	1,814,923	34,425	140,487	52,372	4,567,105	6,639,579
607 DISORDERS OF PENIS*	0	159,989	0	15,526	10,125	1,433,163	1,618,803
608 MALE GENITAL DIS NEC*	0	331,307	0	52,227	30,900	97,707	512,140
610 BENIGN MAMMARY DYSPLASIA*	0	553,911	0	104,324	0	2,986	661,220
611 OTHER BREAST DISORDERS*	24,707	1,725,885	0	451,078	30,788	307,448	2,539,906
616 OTH FEMALE GEN INFLAM*	44,162	547,190	0	3,028	77,394	798,903	1,470,677

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
617 ENDOMETRIOSIS*	32,212	659,703	0	79,737	26,475	298,441	1,096,569
618 GENITAL PROLAPSE*	96,255	1,083,161	29,452	174,614	3,034	207,461	1,593,978
620 NONINFLAM DIS OVAR/ADNEX*	31,141	1,444,250	0	127,033	298,453	628,716	2,529,592
621 DISORDERS OF UTERUS NEC*	26,331	468,648	0	99,709	3,865	107,982	706,534
622 NONINFLAMM DIS CERVIX*	24,318	503,699	0	19,557	0	97,274	644,848
623 NONINFLAMM DIS VAGINA*	55,681	650,408	0	203,602	134,839	343,003	1,387,533
625 FEMALE GENITAL SYMPTOMS*	58,803	1,190,427	0	103,913	68,538	1,088,332	2,510,012
626 DISORDER OF MENSTRUATION*	65,335	1,551,959	5,610	294,010	131,392	1,484,170	3,532,475
627 MENOPAUSAL DISORDERS*	13,006	885,186	36,471	41,302	4,197	4,077,404	5,057,565
629 OTH FEMALE GENITAL DIS*	21,525	463,113	0	15,177	6,415	291,484	797,713
634 SPONTANEOUS ABORTION*	21,395	1,732,292	0	523,565	300,188	689,938	3,267,378
644 EARLY/THREATENED LABOR*	86,390	61,717	9,450	15,532	98,158	48,461	319,708
646 OTHER COMPL OF PREGNANCY*	85,084	791,223	34,395	143,518	99,719	383,381	1,537,320
650 NORMAL DELIVERY	608,214	584,843	27,183	0	70,830	529,699	1,820,769
669 OTH COMPL LABOR/DELIVERY*	104,143	294,446	43,773	176,761	16,176	633,802	1,269,100
680 CARBUNCLE AND FURUNCLE*	10,436	318,670	23,155	20,334	89,418	431,773	893,786

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
681 CELLULITIS, FINGER/TOE*	0	330,428	0	19,525	1,752	105,292	456,996
682 OTHER CELLULITIS/ABSCESS*	236,377	2,014,959	185,854	304,286	377,657	1,760,295	4,879,429
684 IMPETIGO	0	257,210	0	0	6,087	410,895	674,193
686 OTH LOCAL SKIN INFECTION*	131,406	4,148,054	154,646	1,456,205	474,465	2,110,238	8,475,014
691 ATOPIC DERMATITIS*	0	262,717	0	4,557	68,330	659,214	994,818
692 CONTACT DERMATITIS*	5,763	3,800,279	55,200	231,917	200,747	5,333,181	9,627,087
693 DERMAT D/T INTERN AGENT*	2,366	838,714	0	0	46,446	504,422	1,391,948
695 ERYTHEMATOUS CONDITIONS*	0	672,253	0	0	0	1,994,154	2,666,406
696 PSORIASIS/LIKE DISORDERS*	32,901	2,449,572	23,855	35,119	41,602	2,997,223	5,580,272
698 PRURITUS & LIKE COND*	0	362,455	18,324	4,058	0	883,777	1,268,615
700 CORNS AND CALLOSITIES	0	1,373,295	0	228,131	0	61,149	1,662,574
701 OTH SKIN HYPERTRO/ATROPH*	6,262	1,328,378	18,787	3,062	4,442	156,799	1,517,729
702 OTHER DERMATOSES*	0	552,130	0	0	0	127,813	679,943
703 DISEASES OF NAIL*	0	3,128,511	0	82,885	0	460,988	3,672,384
704 HAIR & FOLLICLE DISEASE*	0	738,340	0	22,762	33,544	801,818	1,596,464

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
705 DISORDERS OF SWEAT GLAND*	0	431,179	0	8,551	5,010	324,277	769,017
706 SEBACEOUS GLAND DISEASE*	10,278	7,400,258	8,927	616,809	229,253	8,565,458	16,830,984
707 CHRONIC ULCER OF SKIN*	60,163	2,160,714	426,135	325,042	175,999	1,425,506	4,573,559
708 URTICARIA*	6,477	663,437	0	17,304	108,888	605,132	1,401,238
709 OTHER SKIN DISORDERS*	23,541	5,722,092	11,407	468,226	19,540	3,201,942	9,446,748
710 DIFF CONNECTIVE TISS DIS*	12,877	2,979,289	157,458	224,373	64,000	2,956,907	6,394,905
715 OSTEOARTHRISIS ET AL*	209,428	33,314,285	2,551,230	1,372,873	136,263	13,349,719	50,933,797
716 ARTHROPATHIES NEC/NOS*	37,624	25,037,913	2,394,912	2,066,345	183,123	12,859,339	42,579,255
717 INTERNAL DERANGEMNT KNEE*	63,665	1,734,038	144,152	256,422	4,940	298,846	2,502,063
718 OTHER JOINT DERANGEMENT*	16,012	640,546	5,169	33,491	34,473	67,223	796,914
719 JOINT DISORDER NEC & NOS*	553,726	71,688,134	2,788,603	3,172,093	736,349	18,564,996	97,503,901
721 SPONDYLOSIS ET AL*	25,603	3,120,047	5,470	389,940	52,650	677,010	4,270,720
722 INTERVERTEBRAL DISC DIS*	230,739	26,228,291	101,083	1,157,051	248,895	6,121,007	34,087,066
723 OTHER CERVICAL SPINE DIS*	0	18,731,210	518,043	638,026	242,862	2,269,002	22,399,143
724 BACK DISORDER NEC & NOS*	252,515	89,152,092	1,738,221	3,110,207	1,174,379	18,911,543	114,338,958
726 PERIPH ENTHESOPATHIES*	83,820	17,225,725	101,106	807,113	174,694	2,243,347	20,635,804

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
727 OTH DIS SYNOV/TEND/BURSA*	49,068	7,659,644	154,641	1,476,431	229,507	1,321,629	10,890,921
728 DIS OF MUSCLE/LIG/FASCIA*	84,210	11,751,080	278,121	734,955	168,134	4,953,944	17,970,444
729 OTHER SOFT TISSUE DIS*	124,066	27,305,081	2,521,087	2,216,863	618,991	14,744,505	47,530,594
733 OTH BONE & CARTILAGE DIS*	186,092	7,822,161	562,233	929,282	156,834	8,125,609	17,782,211
734 FLAT FOOT	0	740,443	0	26,984	0	12,939	780,365
735 ACQ DEFORMITIES OF TOE*	4,400	1,036,166	0	110,539	0	63,170	1,214,275
737 CURVATURE OF SPINE*	34,060	8,792,122	179,922	286,528	42,594	593,036	9,928,263
755 OTH CONGEN LIMB ANOMALY*	35,202	336,999	0	8,367	10,053	124,959	515,580
756 OTH MUSCULOSKELET ANOMAL*	41,285	1,888,595	15,788	65,142	41,285	184,661	2,236,757
759 CONGEN ANOMALIES NEC/NOS*	37,088	4,672,991	637,057	530,775	21,458	350,132	6,249,501
779 OTH PERINATAL CONDITION*	73,247	113,623	87,169	9,476	8,633	18,353	310,501
780 GENERAL SYMPTOMS*	793,202	31,722,976	2,687,180	2,125,808	2,581,732	42,117,274	82,028,173
781 NERV/MUSCULSKEL SYS SYMP*	0	3,984,539	698,968	126,344	64,095	490,593	5,364,539
782 SKIN/OTH INTEGUMENT SYMP*	149,941	11,959,854	478,547	955,572	389,060	12,318,677	26,251,651
783 NUTRIT/METAB/DEVEL SYMP*	8,029	2,303,577	301,426	334,332	0	679,160	3,626,523

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
784 SYMPTOMS INVOL HEAD/NECK*	55,517	12,723,037	419,309	576,417	657,382	4,079,275	18,510,936
785 CARDIOVASCULAR SYS SYMP*	133,027	3,648,902	133,382	451,585	368,267	1,863,272	6,598,434
786 RESP SYS/OTH CHEST SYMP*	1,052,137	13,168,098	446,118	2,239,540	1,986,512	10,130,694	29,023,099
787 GI SYSTEM SYMPTOMS*	176,120	3,786,882	124,134	273,653	711,703	9,043,991	14,116,483
788 URINARY SYSTEM SYMPTOMS*	29,046	2,889,139	267,140	289,202	52,448	3,826,001	7,352,977
789 OTH ABDOMEN/PELVIS SYMP*	83,500	3,110,661	17,782	484,245	564,045	998,050	5,258,283
790 ABNORMAL BLOOD FINDINGS*	31,300	3,217,099	15,561	177,313	143,880	2,022,497	5,607,651
791 ABNORMAL URINE FINDINGS*	11,179	291,077	0	29,790	0	91,327	423,373
793 ABN FIND-BODY STRUCT NOS*	0	257,884	0	173,999	0	0	431,883
794 ABNORMAL FUNCTION STUDY*	0	123,271	0	2,634	0	312,516	438,421
795 ABN HISTOLOG/IMMUNO FIND*	24,318	445,351	0	23,315	0	5,939	498,923
796 OTHER ABNORMAL FINDINGS*	2,785	364,251	0	6,363	0	163,844	537,244
797 SENILITY W/O PSYCHOSIS	12,867	194,534	4,188,781	16,637	12,867	97,671	4,523,356
799 OTH ILL-DEF MORBID/MORTL*	35,747	9,211,374	331,174	147,715	94,714	1,191,413	11,012,136
805 VERTEBRL FX W/O CORD INJ*	32,629	1,594,607	90,009	217,741	91,141	694,323	2,720,450
807 FX RIB/STERN/LARYN/TRACH*	104,664	1,126,665	209,611	132,093	198,554	306,792	2,078,379

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
810 CLAVICLE FRACTURE*	0	1,025,670	0	56,170	117,305	194,085	1,393,230
812 HUMERUS FRACTURE*	153,080	2,193,562	136,389	82,941	299,515	356,848	3,222,334
814 CARPAL FRACTURE*	10,017	1,344,799	21,294	337,819	269,880	288,044	2,271,854
815 METACARPAL FRACTURE*	5,270	591,255	0	81,994	154,018	174,956	1,007,493
816 FRACTURE PHALANGES, HAND*	30,655	1,469,633	0	112,845	273,887	331,342	2,218,361
818 FRACTURE ARM MULT/NOS*	57,333	1,681,570	53,163	171,210	398,924	259,421	2,621,619
820 FRACTURE NECK OF FEMUR*	212,733	1,141,200	198,962	65,420	217,547	215,550	2,051,412
822 PATELLA FRACTURE*	53,475	1,380,322	22,130	39,493	97,376	290,156	1,882,951
824 ANKLE FRACTURE*	75,980	2,334,067	19,157	142,221	329,795	444,004	3,345,224
825 FX OF TARSAL/METATARSAL*	40,768	2,542,743	56,513	202,165	224,153	218,009	3,284,352
826 FRACTURE PHALANGES, FOOT*	0	1,008,096	13,931	70,218	139,332	214,850	1,446,428
827 LOWER LIMB FRACTURE NEC*	232,479	2,626,962	108,222	264,843	214,938	522,284	3,969,728
829 FRACTURE NOS*	145,114	1,907,006	234,784	162,987	153,776	317,407	2,921,074
831 SHOULDER DISLOCATION*	7,552	984,258	42,840	112,824	185,280	159,002	1,491,756
836 DISLOCATION OF KNEE*	16,477	3,858,722	0	458,097	62,043	502,856	4,898,195

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
839 DISLOCATION NEC*	0	8,985,216	0	31,049	176,221	190,050	9,382,536
840 SPRAIN SHOULDER & ARM*	43,003	13,457,274	146,132	1,329,112	187,308	1,146,881	16,309,709
842 SPRAIN WRIST & HAND*	0	1,459,066	0	198,697	202,451	182,517	2,042,730
843 SPRAIN OF HIP & THIGH*	0	886,034	5,869	27,603	3,223	151,494	1,074,223
844 SPRAIN OF KNEE & LEG*	60,260	5,933,696	2,864	599,127	263,517	795,542	7,655,005
845 SPRAIN OF ANKLE & FOOT*	12,640	6,226,008	85,874	282,942	874,813	828,002	8,310,279
847 SPRAIN OF BACK NEC/NOS*	0	11,375,779	0	421,583	395,667	1,642,731	13,835,760
848 SPRAIN NEC*	0	6,457,914	12,654	341,512	311,094	782,968	7,906,142
850 CONCUSSION*	46,186	655,996	5,426	151,175	263,633	222,585	1,345,001
854 OTHER BRAIN INJURY*	0	1,340,859	221,963	4,428	15,973	162,269	1,745,492
873 OTHER OPEN WOUND OF HEAD*	53,978	681,144	19,383	34,451	790,222	770,475	2,349,652
879 OPEN WOUND SITE NEC*	61,624	1,092,593	319,063	21,228	681,778	661,301	2,837,587
882 OPEN WOUND OF HAND*	39,056	778,994	5,393	83,035	276,234	241,759	1,424,472
883 OPEN WOUND OF FINGER*	0	916,729	0	35,866	564,859	590,824	2,108,278
884 OPEN WOUND ARM MULT/NOS*	51,578	361,256	34,435	4,513	126,827	181,002	759,611
891 OPEN WND KNEE/LEG/ANKLE*	44,591	494,976	126,297	214,436	317,624	319,055	1,516,980

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
892 OPEN WOUND OF FOOT*	34,610	584,935	64,571	104,528	275,075	408,893	1,472,614
893 OPEN WOUND OF TOE*	82,351	1,341,546	260,646	0	83,472	152,600	1,920,613
910 SUPERFICIAL INJURY HEAD*	0	150,692	0	11,625	9,673	8,095	180,085
916 SUPERFICIAL INJ HIP/LEG*	0	197,110	0	0	70,945	97,010	365,066
918 SUPERFIC INJ EYE/ADNEXA*	0	442,423	0	0	36,222	294,317	772,963
919 SUPERFICIAL INJ OTH SITE*	2,788	1,687,725	9,588	31,382	237,167	950,783	2,919,433
920 CONTUSION FACE/SCALP/NCK	8,237	146,734	0	3,903	110,102	39,961	308,937
921 CONTUSION EYE & ADNEXA*	0	737,013	0	0	195,725	130,133	1,062,871
922 CONTUSION OF TRUNK*	17,037	1,257,317	59,006	81,240	150,513	454,529	2,019,643
923 CONTUSION OF UPPER LIMB*	0	371,128	33,143	14,013	144,962	87,270	650,517
924 CONTUSION LEG & OTH SITE*	131,346	3,042,748	181,206	132,805	481,783	272,945	4,242,834
930 FOREIGN BODY EXTERN EYE*	0	388,882	0	46,454	50,186	230,818	716,341
933 FB PHARYNX & LARYNX*	0	178,919	0	2,899	230,716	23,509	436,043
945 BURN OF LEG*	8,712	45,142	17,751	32,652	61,175	71,943	237,375
949 BURN UNSPECIFIED*	7,247	139,757	0	12,942	116,651	305,113	581,709

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.  
SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
959 INJURY NEC/NOS*	502,671	31,702,981	1,754,424	2,100,036	3,122,288	5,894,892	45,077,291
977 POIS-MEDICINAL NEC/NOS*	52,415	137,028	0	759,134	72,725	10,351	1,031,653
989 TOX EFF OTH NONMED SUBST*	39,429	957,858	0	50,473	444,089	918,913	2,410,762
994 EFFECT EXTERNAL CAUS NEC*	11,927	38,672	0	9,721	61,436	216,768	338,524
995 CERTAIN ADVERSE EFF NEC*	147,003	2,240,784	178,485	26,570	921,580	1,509,681	5,024,102
996 REPLACE & GRAFT COMPLIC*	90,615	472,598	7,563	135,126	55,301	464,945	1,226,149
998 OTH SURGICAL COMPL NEC*	114,470	789,120	18,687	45,417	78,222	789,155	1,835,070
999 COMPLIC MEDICAL CARE NEC*	0	10,721	0	0	2,143	21,019	33,882
V04 VACCIN FOR VIRAL DISEASE*	0	1,169,125	0	46,877	0	86,725	1,302,727
V05 OTH VACCIN FOR SINGL DIS*	0	373,027	0	11,767	0	167,328	552,122
V07 PROFHYLACTIC MEASURES*	17,047	271,800	26,290	43,557	17,047	3,096,039	3,471,780
V15 OTH HX OF HEALTH HAZARDS*	6,378	2,142,841	0	0	16,143	388,172	2,553,534
V20 HEALTH SUPERVISION CHILD*	1,882	1,398,721	0	13,353	0	1,882	1,415,839
V22 NORMAL PREGNANCY*	2,924,499	41,399,620	76,996	2,464,729	1,032,852	3,499,169	51,397,865
V24 POSTPARTUM CARE/EXAM*	0	1,149,485	0	6,698	0	240,097	1,396,280
V25 CONTRACEPTIVE MANAGEMENT*	0	1,349,573	0	132,426	10,653	9,084,362	10,577,014

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V26 PROCREATIVE MANAGEMENT*	0	912,838	122,426	16,267	0	394,330	1,445,861
V30 SINGLE LIVEBORN*	211,042	196,742	0	0	0	143,228	551,011
V40 MENTAL/BEHAVIORAL PROB*	2,460	2,345,562	118,581	136,014	30,482	430,119	3,063,218
V41 PROB W SPECIAL FUNCTIONS*	0	709,945	0	21,873	6,439	222,620	960,878
V43 ORGAN REPLACEMENT NEC*	345,727	6,384,784	556,504	257,031	0	1,212,621	8,756,667
V45 OTH POSTSURGICAL STATES*	120,529	3,740,112	126,160	497,755	44,065	1,335,581	5,864,201
V47 OTH PROBL W INTERNAL ORG*	0	406,776	0	17,863	2,592	410,124	837,355
V49 LIMB PROBLEM/PROBLEM NEC*	102,217	1,522,708	334,164	28,006	7,593	141,799	2,136,487
V50 OTHER ELECTIVE SURGERY*	65,925	866,485	0	133,493	2,831	202,701	1,271,435
V52 FITTING OF PROSTHESIS*	6,583	107,997	0	0	3,135	199,946	317,661
V53 ADJUSTMENT OF OTH DEVICE*	88,714	2,383,213	0	163,504	10,749	49,578	2,695,757
V58 ENCOUNTR PROC/AFTRCR NEC*	0	5,786,699	243,157	929,150	50,548	1,140,407	8,149,961
V61 OTH FAMILY CIRCUMSTANCES*	0	980,128	101,064	0	0	71,117	1,152,308
V62 OTH PSYCHOSOCIAL CIRCUM*	0	1,425,619	0	0	2,956	75,019	1,503,594
V65 OTHER REASON FOR CONSULT*	0	6,744,664	0	81,277	0	2,226,232	9,052,172

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 1  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9CODX

---

ICD9CODX: WEIGHTED COUNTS

---

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V67 FOLLOW-UP EXAMINATION*	22,918	1,478,136	57,029	45,728	7,952	646,060	2,257,823
V68 ADMINISTRATIVE ENCOUNTER*	31,767	7,547,293	158,489	273,355	7,658	21,849,491	29,868,052
V69 PROB RELATED TO LIFESTYLE*	0	567,419	0	0	0	168,091	735,510
V70 GENERAL MEDICAL EXAM*	11,119	11,018,745	400,617	116,180	0	776,858	12,323,518
V71 OBSERVATION-SUSPECT COND*	39,602	3,514,544	128,774	115,414	346,245	398,654	4,543,234
V72 SPECIAL EXAMINATIONS*	14,760	9,232,187	14,186	1,014,226	18,979	3,410,928	13,705,264
V76 SCREENING-MALIG NEOPLASM*	0	997,287	0	145,343	0	242,573	1,385,202
V77 SCREEN-ENDO/NUTR/METAB*	0	1,836,871	99,661	113,613	0	4,701,050	6,751,195
V81 SCREEN-HEART/RESP/GU DIS*	2,477	979,449	179,780	82,617	16,117	3,212,998	4,473,438
V82 SCREEN-OTHER CONDITIONS*	0	608,434	0	62,415	0	450,675	1,121,525

---

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.  
SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	3,236	176,500	11,605	12,980	8,251	136,047	348,619
-9 NOT ASCERTAINED	2	20	0	5	1	5	33
00 PROCEDURES/INTERVENTIONS, NEC	7	44	3	8	2	24	88
03 SPINAL CORD & CANAL OPS*	7	92	3	13	0	36	151
06 THYROID/PARATHYROID OPS*	2	50	0	16	0	54	122
11 OPERATIONS ON CORNEA*	0	37	0	4	0	22	63
13 OPERATIONS ON LENS*	0	218	0	25	0	116	359
16 ORBIT/EYEBALL OPS*	1	104	1	17	2	37	162
20 OTHER MID & INNER EAR OP*	0	64	9	30	4	19	126
21 OPERATIONS ON NOSE*	3	35	5	5	3	16	67
23 TOOTH REMOVAL & RESTORAT*	1	27	3	8	3	685	727
24 OTH OPS ON TEETH & GUMS*	1	6	0	3	0	32	42
27 OTHER MOUTH & FACE OPS*	2	8	0	1	2	33	46
28 TONSIL & ADENOID OPS*	4	33	0	27	3	51	118
36 OPS ON HEART VESSELS*	8	25	8	3	5	18	67
37 OTHER HEART/PERICARD OPS*	10	72	3	19	3	23	130

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
39 OTHER OPS ON VESSELS*	6	1,014	17	183	3	36	1,259
44 OTHER GASTRIC OPERATIONS*	13	76	7	10	1	29	136
45 INTEST INCIS/EXCIS/ANAST*	1	82	0	26	1	43	153
47 OPERATIONS ON APPENDIX*	9	8	0	2	8	7	34
51 BILIARY TRACT OPERATION*	16	47	2	15	12	26	118
53 REPAIR OF HERNIA*	5	17	8	5	2	10	47
54 OTHER ABDOMEN REGION OPS*	2	33	0	8	1	18	62
55 OPERATIONS ON KIDNEY*	1	28	9	7	0	79	124
59 OTHER URINARY TRACT OPS*	5	37	1	3	1	13	60
63 SPERM CORD/EPID/VAS OPS*	5	19	1	2	1	14	42
68 OTHER UTERINE INCIS/EXC*	23	63	1	11	1	35	134
69 OTHER UTERUS/SUPPORT OPS*	4	56	9	22	1	25	117
74 C-SECTION/REMOVAL FETUS*	15	23	0	0	3	20	61
78 OTH BONE OPS EXCPT FACE*	14	177	10	34	3	57	295
81 JOINT REPAIR*	63	895	73	148	5	133	1,317

NOTE: '\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
83 OTHER MUS/TEN/FAS/BUR OP*	2	404	0	32	7	23	468
84 OTHER MUSCULOSKELET PROC*	4	187	9	59	6	23	288
85 OPERATIONS ON THE BREAST*	0	28	0	18	0	6	52
86 SKIN & SUBQ OPERATIONS*	9	356	6	18	16	36	441
87 DIAGNOSTIC RADIOLOGY*	0	44	1	20	0	0	65
88 OTHER DX RADIOLOGY*	0	36	4	7	1	6	54
89 INTERVIEW/CONSULT/EXAM*	0	28	0	6	0	1	35
93 PT, REHAB & RELATED PROC*	0	555	0	35	0	2	592
94 PSYCHE RELATED PROCEDURE*	1	322	0	1	0	7	331
96 NON-OP INTUBAT & IRRIGAT*	0	23	0	1	0	6	30
99 OTHER NONOPERATIVE PROC*	1	237	0	46	3	29	316

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	33,530,952	1838567235	92,409,264	130,569,644	70,107,159	1407323184	3572507439
-9 NOT ASCERTAINED	35,341	132,976	0	59,161	9,788	58,902	296,167
00 PROCEDURES/INTERVENTIONS, NEC	35,996	498,044	22,050	101,622	6,314	142,582	806,608
03 SPINAL CORD & CANAL OPS*	37,779	647,455	25,204	117,436	0	231,055	1,058,929
06 THYROID/PARATHYROID OPS*	20,296	492,975	0	256,166	0	558,694	1,328,131
11 OPERATIONS ON CORNEA*	0	209,288	0	25,026	0	223,529	457,844
13 OPERATIONS ON LENS*	0	2,764,274	0	345,685	0	1,475,671	4,585,630
16 ORBIT/EYEBALL OPS*	5,759	1,105,353	7,228	104,894	11,993	365,675	1,600,901
20 OTHER MID & INNER EAR OP*	0	657,637	22,130	205,514	38,204	279,649	1,203,135
21 OPERATIONS ON NOSE*	54,222	458,830	150,187	77,292	90,112	270,343	1,100,985
23 TOOTH REMOVAL & RESTORAT*	3,994	305,761	18,324	47,864	26,739	7,173,732	7,576,413
24 OTH OPS ON TEETH & GUMS*	36,626	55,079	0	10,481	0	342,601	444,786
27 OTHER MOUTH & FACE OPS*	10,178	17,900	0	7,852	21,584	448,404	505,918
28 TONSIL & ADENOID OPS*	26,461	381,565	0	309,954	78,579	524,775	1,321,334
36 OPS ON HEART VESSELS*	83,606	366,302	65,151	43,582	50,380	266,153	875,174
37 OTHER HEART/PERICARD OPS*	123,117	734,212	7,089	172,140	20,993	276,318	1,333,870

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
39 OTHER OPS ON VESSELS*	103,729	7,724,320	106,072	1,223,426	14,849	354,984	9,527,380
44 OTHER GASTRIC OPERATIONS*	98,955	608,354	55,261	76,361	2,898	165,598	1,007,428
45 INTEST INCIS/EXCIS/ANAST*	4,698	977,070	0	199,992	4,698	458,518	1,644,976
47 OPERATIONS ON APPENDIX*	168,841	118,075	0	18,249	105,988	67,966	479,119
51 BILIARY TRACT OPERATION*	212,197	670,481	31,337	290,452	136,779	300,066	1,641,312
53 REPAIR OF HERNIA*	58,884	147,902	119,665	46,495	45,258	144,887	563,091
54 OTHER ABDOMEN REGION OPS*	21,802	505,844	0	180,930	3,240	326,732	1,038,548
55 OPERATIONS ON KIDNEY*	3,455	234,816	42,940	55,220	0	1,093,597	1,430,028
59 OTHER URINARY TRACT OPS*	44,625	234,253	6,270	18,502	3,034	83,421	390,105
63 SPERM CORD/EPID/VAS OPS*	51,629	229,064	19,763	21,617	11,370	105,493	438,935
68 OTHER UTERINE INCIS/EXC*	294,830	878,757	2,980	180,238	7,987	588,475	1,953,268
69 OTHER UTERUS/SUPPORT OPS*	32,415	564,615	32,969	214,677	2,891	198,964	1,046,531
74 C-SECTION/REMOVAL FETUS*	103,457	130,539	0	0	8,828	258,364	501,187
78 OTH BONE OPS EXCPT FACE*	194,145	1,977,014	106,042	1,008,358	45,820	731,640	4,063,019
81 JOINT REPAIR*	751,512	10,851,237	722,389	2,515,350	36,131	1,721,027	16,597,646

NOTE: '\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.

SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 2  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
83 OTHER MUS/TEN/FAS/BUR OP*	24,863	3,439,696	0	200,192	19,562	250,901	3,935,214
84 OTHER MUSCULOSKELET PROC*	18,411	1,651,184	73,298	1,507,448	28,455	315,928	3,594,723
85 OPERATIONS ON THE BREAST*	0	259,702	0	144,022	0	27,865	431,589
86 SKIN & SUBQ OPERATIONS*	83,053	4,919,745	37,574	249,823	242,464	518,297	6,050,955
87 DIAGNOSTIC RADIOLOGY*	0	406,448	19,763	328,005	0	0	754,216
88 OTHER DX RADIOLOGY*	0	615,104	19,657	67,085	2,415	52,470	756,730
89 INTERVIEW/CONSULT/EXAM*	0	442,416	0	101,337	0	2,221	545,973
93 PT, REHAB & RELATED PROC*	0	6,688,653	0	1,302,217	0	17,392	8,008,263
94 PSYCHE RELATED PROCEDURE*	4,856	3,728,379	0	6,898	0	45,446	3,785,580
96 NON-OP INTUBAT & IRRIGAT*	0	266,392	0	3,667	0	59,819	329,878
99 OTHER NONOPERATIVE PROC*	0	2,215,822	0	490,967	7,479	382,065	3,096,334

NOTE: '\*\*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.  
SEE HC162 DOCUMENT FOR ADDITIONAL INFORMATION  
PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

---

CCCODEX: UNWEIGHTED COUNTS

---

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	148	2,332	111	389	40	1,211	4,231
-9 NOT ASCERTAINED	12	417	22	47	18	495	1,011
002 SEPTICEMIA (EXCEPT IN LABOR)	13	33	21	4	6	30	107
003 BACTERIAL INFECTION, UNSPECIFIED SIT	20	324	48	25	29	321	767
004 MYCOSES	1	445	7	14	12	508	987
005 HIV INFECTION	0	159	14	12	1	284	470
006 HEPATITIS	1	138	0	31	1	38	209
007 VIRAL INFECTION	14	819	3	28	100	590	1,554
008 OTHER INFECTIONS, INCLUDING PARASITI	11	247	20	19	20	356	673
010 IMMUNIZATIONS AND SCREENING FOR INFE	1	197	0	8	3	37	246
011 CANCER OF HEAD AND NECK	2	87	12	60	0	19	180
014 CANCER OF COLON	27	176	18	88	7	30	346
018 CANCER OF OTHER GI ORGANS, PERITONEU	23	329	32	60	15	52	511
019 CANCER OF BRONCHUS, LUNG	8	275	11	117	4	33	448
022 MELANOMAS OF SKIN	4	204	2	17	2	28	257
023 OTHER NON-EPITHELIAL CANCER OF SKIN	2	704	3	19	4	78	810
024 CANCER OF BREAST	12	1,013	47	353	6	250	1,681

---

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
025 CANCER OF UTERUS	3	88	15	33	2	13	154
026 CANCER OF CERVIX	4	42	0	7	0	4	57
028 CANCER OF OTHER FEMALE GENITAL ORGAN	6	189	6	64	9	24	298
029 CANCER OF PROSTATE	4	601	10	145	1	96	857
032 CANCER OF BLADDER	5	184	22	18	0	12	241
038 NON-HODGKIN'S LYMPHOMA	4	400	6	99	3	32	544
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	20	546	32	189	5	193	985
042 SECONDARY MALIGNANCIES	1	60	15	6	1	32	115
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	7	189	5	45	4	70	320
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	18	688	14	96	13	107	936
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	13	531	0	85	7	106	742
048 THYROID DISORDERS	5	1,754	61	129	11	3,153	5,113
049 DIABETES MELLITUS WITHOUT COMPLICATI	76	7,869	810	422	91	11,252	20,520
050 DIABETES MELLITUS WITH COMPLICATIONS	4	202	10	8	7	84	315
051 OTHER ENDOCRINE DISORDERS	5	453	10	23	13	414	918
052 NUTRITIONAL DEFICIENCIES	0	381	22	15	0	542	960
053 DISORDERS OF LIPID METABOLISM	9	5,751	432	293	5	9,302	15,792

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

---

CCCODEX: UNWEIGHTED COUNTS

---

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	3	454	38	13	21	791	1,320
055 FLUID AND ELECTROLYTE DISORDERS	53	219	33	57	108	719	1,189
057 IMMUNITY DISORDERS	0	46	6	14	0	29	95
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	21	520	44	102	5	245	937
059 DEFICIENCY AND OTHER ANEMIA	27	703	12	112	31	536	1,421
062 COAGULATION AND HEMORRHAGIC DISORDER	6	153	2	11	6	56	234
063 DISEASES OF WHITE BLOOD CELLS	1	140	3	7	1	7	159
064 OTHER HEMATOLOGIC CONDITIONS	9	108	13	45	11	110	296
079 PARKINSON'S DISEASE	2	133	66	3	1	153	358
080 MULTIPLE SCLEROSIS	0	309	121	74	5	151	660
081 OTHER HEREDITARY AND DEGENERATIVE NE	2	146	18	8	1	343	518
082 PARALYSIS	0	261	103	33	1	43	441
083 EPILEPSY, CONVULSIONS	42	415	132	64	94	826	1,573
084 HEADACHE, INCLUDING MIGRAINE	11	1,552	24	71	153	1,314	3,125
086 CATARACT	0	1,212	6	115	1	445	1,779
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	4	439	25	18	1	68	555
088 GLAUCOMA	2	863	40	38	1	813	1,757

---

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
089 BLINDNESS AND VISION DEFECTS	2	790	69	16	3	94	974
090 INFLAMMATION, INFECTION OF EYE (EXCE	0	450	0	11	25	449	935
091 OTHER EYE DISORDERS	0	923	14	35	17	509	1,498
092 OTITIS MEDIA AND RELATED CONDITIONS	3	1,401	9	57	152	1,256	2,878
093 CONDITIONS ASSOCIATED WITH DIZZINESS	20	429	18	29	74	236	806
094 OTHER EAR AND SENSE ORGAN DISORDERS	2	866	37	57	20	188	1,170
095 OTHER NERVOUS SYSTEM DISORDERS	28	3,672	268	218	101	1,313	5,600
096 HEART VALVE DISORDERS	16	399	57	76	7	196	751
098 ESSENTIAL HYPERTENSION	96	8,455	751	284	199	19,894	29,679
100 ACUTE MYOCARDIAL INFARCTION	47	697	186	151	57	912	2,050
101 CORONARY ATHEROSCLEROSIS AND OTHER H	76	2,553	346	341	60	2,268	5,644
102 NONSPECIFIC CHEST PAIN	53	432	16	72	137	159	869
103 PULMONARY HEART DISEASE	14	157	15	44	14	94	338
104 OTHER AND ILL-DEFINED HEART DISEASE	22	454	45	62	38	422	1,043
105 CONDUCTION DISORDERS	10	281	15	19	6	68	399
106 CARDIAC DYSRHYTHMIAS	50	1,121	39	155	88	835	2,288
108 CONGESTIVE HEART FAILURE, NONHYPERTE	58	482	100	87	48	407	1,182

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
109 ACUTE CEREBROVASCULAR DISEASE	59	507	421	97	71	374	1,529
111 OTHER AND ILL-DEFINED CEREBROVASCULA	9	86	53	134	8	13	303
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	3	58	1	6	0	40	108
115 AORTIC, PERIPHERAL, AND VISCERAL ART	9	51	0	11	3	15	89
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	19	274	18	27	28	122	488
117 OTHER CIRCULATORY DISEASE	33	452	24	66	51	289	915
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	10	155	10	7	3	90	275
119 VARICOSE VEINS OF LOWER EXTREMITY	0	82	1	7	0	8	98
120 HEMORRHOIDS	1	109	0	28	14	109	261
121 OTHER DISEASES OF VEINS AND LYMPHATI	4	80	1	2	0	14	101
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	116	461	58	44	149	451	1,279
123 INFLUENZA	18	857	6	21	153	781	1,836
124 ACUTE AND CHRONIC TONSILLITIS	6	161	0	29	22	103	321
125 ACUTE BRONCHITIS	3	64	0	3	18	113	201
126 OTHER UPPER RESPIRATORY INFECTIONS	17	3,422	2	97	244	3,362	7,144
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	82	1,928	386	113	209	2,588	5,306
128 ASTHMA	53	2,154	190	76	264	4,734	7,471

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	9	95	0	2	18	28	152
133 OTHER LOWER RESPIRATORY DISEASE	85	1,450	129	171	160	1,492	3,487
134 OTHER UPPER RESPIRATORY DISEASE	10	3,711	21	79	105	3,642	7,568
135 INTESTINAL INFECTION	31	381	16	14	126	270	838
136 DISORDERS OF TEETH AND JAW	7	241	8	13	87	1,307	1,663
137 DISEASES OF MOUTH, EXCLUDING DENTAL	1	50	14	3	13	117	198
138 ESOPHAGEAL DISORDERS	23	1,002	50	105	57	3,092	4,329
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	3	62	0	5	13	97	180
140 GASTRITIS AND DUODENITIS	11	273	0	22	56	303	665
141 OTHER DISORDERS OF STOMACH AND DUODE	30	718	43	66	140	1,068	2,065
142 APPENDICITIS AND OTHER APPENDICEAL C	33	42	6	5	47	37	170
143 ABDOMINAL HERNIA	24	341	21	134	20	154	694
144 REGIONAL ENTERITIS AND ULCERATIVE CO	5	179	0	26	12	196	418
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	14	42	0	10	23	29	118
146 DIVERTICULOSIS AND DIVERTICULITIS	12	159	2	20	31	107	331
147 ANAL AND RECTAL CONDITIONS	3	33	0	6	6	26	74
149 BILIARY TRACT DISEASE	48	212	8	62	82	142	554

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
151 OTHER LIVER DISEASES	22	330	14	55	28	153	602
152 PANCREATIC DISORDERS (NOT DIABETES)	27	78	6	8	16	88	223
153 GASTROINTESTINAL HEMORRHAGE	14	102	1	15	27	43	202
154 NONINFECTIOUS GASTROENTERITIS	7	69	9	7	18	83	193
155 OTHER GASTROINTESTINAL DISORDERS	26	732	55	71	108	1,213	2,205
157 ACUTE AND UNSPECIFIED RENAL FAILURE	26	3,135	41	462	20	123	3,807
159 URINARY TRACT INFECTIONS	43	938	11	59	174	1,050	2,275
160 CALCULUS OF URINARY TRACT	23	270	8	71	120	225	717
161 OTHER DISEASES OF KIDNEY AND URETERS	15	3,943	111	399	16	453	4,937
162 OTHER DISEASES OF BLADDER AND URETHR	3	216	5	25	6	187	442
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	10	593	21	38	21	445	1,128
164 HYPERPLASIA OF PROSTATE	3	174	6	6	1	308	498
165 INFLAMMATORY CONDITIONS OF MALE GENI	1	67	0	17	5	40	130
166 OTHER MALE GENITAL DISORDERS	2	229	6	25	8	521	791
167 NONMALIGNANT BREAST CONDITIONS	2	274	0	70	4	21	371
168 INFLAMMATORY DISEASES OF FEMALE PELV	5	71	0	1	11	100	188
169 ENDOMETRIOSIS	3	49	0	6	2	29	89

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
170 PROLAPSE OF FEMALE GENITAL ORGANS	8	102	2	11	1	14	138
171 MENSTRUAL DISORDERS	6	221	2	39	23	205	496
172 OVARIAN CYST	4	122	0	22	33	61	242
173 MENOPAUSAL DISORDERS	2	98	6	5	1	393	505
175 OTHER FEMALE GENITAL DISORDERS	17	364	0	48	30	146	605
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	306	6	28	1	823	1,164
177 SPONTANEOUS ABORTION	5	114	0	39	35	42	235
181 OTHER COMPLICATIONS OF PREGNANCY	16	123	4	27	30	44	244
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	14	94	8	21	4	78	219
196 NORMAL PREGNANCY AND/OR DELIVERY	397	4,628	14	280	140	511	5,970
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	36	669	41	94	111	494	1,445
198 OTHER INFLAMMATORY CONDITION OF SKIN	2	388	7	5	3	482	887
199 CHRONIC ULCER OF SKIN	6	239	50	25	9	141	470
200 OTHER SKIN DISORDERS	6	2,364	11	159	75	1,828	4,443
202 RHEUMATOID ARTHRITIS AND RELATED DIS	8	1,633	278	74	15	1,206	3,214
203 OSTEOARTHRITIS	17	2,679	312	147	19	1,295	4,469
204 OTHER NON-TRAUMATIC JOINT DISORDERS	53	8,761	690	536	134	3,358	13,532

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	41	11,852	298	522	215	2,941	15,869
206 OSTEOPOROSIS	0	334	60	36	0	417	847
208 ACQUIRED FOOT DEFORMITIES	1	292	0	27	0	23	343
209 OTHER ACQUIRED DEFORMITIES	1	302	7	17	0	22	349
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	4	291	13	30	20	332	690
211 OTHER CONNECTIVE TISSUE DISEASE	55	6,010	406	436	155	2,309	9,371
212 OTHER BONE DISEASE AND MUSCULOSKELET	13	865	30	83	15	392	1,398
213 CARDIAC AND CIRCULATORY CONGENITAL A	8	50	17	19	2	20	116
215 GENITOURINARY CONGENITAL ANOMALIES	1	77	23	6	3	14	124
217 OTHER CONGENITAL ANOMALIES	5	553	86	60	7	62	773
218 LIVEBORN	12	17	0	0	0	6	35
224 OTHER PERINATAL CONDITIONS	10	38	38	5	2	13	106
225 JOINT DISORDERS AND DISLOCATIONS, TR	12	1,236	36	133	46	129	1,592
226 FRACTURE OF NECK OF FEMUR (HIP)	12	84	9	7	13	14	139
228 SKULL AND FACE FRACTURES	6	36	1	1	18	11	73
229 FRACTURE OF UPPER LIMB	17	682	27	88	159	155	1,128
230 FRACTURE OF LOWER LIMB	30	1,011	21	95	117	183	1,457

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
231 OTHER FRACTURES	24	418	35	46	49	110	682
232 SPRAINS AND STRAINS	8	3,614	17	317	233	576	4,765
233 INTRACRANIAL INJURY	6	228	15	20	52	40	361
234 CRUSHING INJURY OR INTERNAL INJURY	7	35	0	2	7	9	60
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	10	182	15	8	153	140	508
236 OPEN WOUNDS OF EXTREMITIES	18	471	82	48	159	180	958
237 COMPLICATION OF DEVICE, IMPLANT OR G	16	55	2	13	12	50	148
238 COMPLICATIONS OF SURGICAL PROCEDURES	9	60	5	4	11	103	192
239 SUPERFICIAL INJURY, CONTUSION	14	631	32	27	161	267	1,132
240 BURNS	5	42	10	18	40	72	187
242 POISONING BY OTHER MEDICATIONS AND D	12	80	12	27	40	42	213
243 POISONING BY NONMEDICINAL SUBSTANCES	4	113	0	2	53	90	262
244 OTHER INJURIES AND CONDITIONS DUE TO	51	3,847	193	249	420	757	5,517
245 SYNCOPE	7	53	0	4	32	11	107
246 FEVER OF UNKNOWN ORIGIN	13	350	8	16	133	329	849
247 LYMPHADENITIS	1	50	0	7	3	19	80
250 NAUSEA AND VOMITING	10	173	5	9	54	399	650

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
251 ABDOMINAL PAIN	11	285	2	36	77	130	541
252 MALAISE AND FATIGUE	0	251	15	8	16	73	363
253 ALLERGIC REACTIONS	7	819	3	37	109	927	1,902
254 REHABILITATION CARE, FITTING OF PROS	2	717	12	158	0	4	893
255 ADMINISTRATIVE/SOCIAL ADMISSION	3	1,716	31	41	3	2,120	3,914
256 MEDICAL EXAMINATION/EVALUATION	3	1,433	45	69	1	189	1,740
257 OTHER AFTERCARE	3	746	57	91	14	154	1,065
258 OTHER SCREENING FOR SUSPECTED CONDIT	1	472	34	34	4	803	1,348
259 RESIDUAL CODES, UNCLASSIFIED	58	3,845	286	328	98	4,077	8,692
650 ADJUSTMENT DISORDER	0	191	6	1	1	37	236
651 ANXIETY DISORDER	46	6,846	234	138	125	3,867	11,256
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	6	3,417	168	51	13	1,637	5,292
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	10	368	883	19	5	276	1,561
654 DEVELOPMENTAL DISORDERS	0	630	121	38	0	32	821
655 DISORDERS USUALLY DIAGNOSED IN INFAN	1	910	114	19	0	109	1,153
657 MOOD DISORDERS	75	8,962	402	226	55	5,284	15,004
658 PERSONALITY DISORDERS	3	100	0	6	4	33	146

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

---

CCCODEX: UNWEIGHTED COUNTS

---

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	13	964	71	33	10	335	1,426
660 ALCOHOL-RELATED DISORDERS	6	199	4	10	9	5	233
661 SUBSTANCE-RELATED DISORDERS	2	1,039	12	217	0	64	1,334
663 SCREENING AND HISTORY OF MENTAL HEAL	3	355	33	11	3	62	467
670 MISCELLANEOUS MENTAL DISORDERS	4	604	36	57	15	186	902

---

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,761,400	26,727,303	938,858	6,675,834	504,792	13,711,198	50,319,385
-9 NOT ASCERTAINED	123,872	3,950,249	335,277	563,408	189,897	5,190,016	10,352,718
002 SEPTICEMIA (EXCEPT IN LABOR)	88,846	313,190	88,247	57,933	63,783	195,114	807,114
003 BACTERIAL INFECTION, UNSPECIFIED SIT	222,188	2,952,277	205,669	185,511	247,417	3,014,247	6,827,309
004 MYCOSES	6,386	4,174,464	97,922	165,285	84,729	4,562,098	9,090,884
005 HIV INFECTION	0	982,628	68,753	91,838	2,355	2,052,822	3,198,397
006 HEPATITIS	0	841,038	0	175,754	7,589	360,177	1,384,559
007 VIRAL INFECTION	110,020	10,204,462	45,308	315,504	1,113,476	6,885,031	18,673,802
008 OTHER INFECTIONS, INCLUDING PARASITI	135,855	2,889,735	118,123	185,974	186,172	3,087,553	6,603,412
010 IMMUNIZATIONS AND SCREENING FOR INFE	0	1,988,782	0	66,495	18,531	335,085	2,408,894
011 CANCER OF HEAD AND NECK	23,216	655,497	78,431	349,894	0	351,929	1,458,967
014 CANCER OF COLON	282,579	1,196,674	263,875	1,348,044	120,075	226,842	3,438,089
018 CANCER OF OTHER GI ORGANS, PERITONEU	238,271	2,627,456	287,592	512,847	212,631	601,957	4,480,754
019 CANCER OF BRONCHUS, LUNG	83,079	2,084,522	123,457	768,663	26,604	395,187	3,481,512
022 MELANOMAS OF SKIN	56,936	2,998,664	34,641	186,946	27,072	310,604	3,614,864
023 OTHER NON-EPITHELIAL CANCER OF SKIN	19,179	11,818,792	28,769	306,373	34,020	1,157,684	13,364,817
024 CANCER OF BREAST	100,463	10,191,125	551,582	3,388,834	47,024	2,825,641	17,104,669

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
025 CANCER OF UTERUS	41,815	1,283,274	168,352	175,168	19,878	163,171	1,851,657
026 CANCER OF CERVIX	85,207	277,301	0	46,094	0	20,992	429,593
028 CANCER OF OTHER FEMALE GENITAL ORGAN	24,119	966,402	43,710	257,120	32,670	123,732	1,447,754
029 CANCER OF PROSTATE	61,865	8,159,592	59,619	733,912	11,283	1,034,793	10,061,065
032 CANCER OF BLADDER	2,104	942,861	292,672	247,780	0	179,866	1,665,283
038 NON-HODGKIN'S LYMPHOMA	36,596	3,458,577	92,182	681,719	57,685	234,827	4,561,585
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	225,336	6,065,180	326,650	1,666,413	52,499	2,034,728	10,370,806
042 SECONDARY MALIGNANCIES	13,833	484,141	86,615	37,184	7,185	243,731	872,688
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	64,934	1,729,585	38,004	456,027	35,358	276,991	2,600,899
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	233,075	6,814,404	99,951	1,055,955	102,337	1,023,472	9,329,193
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	178,684	6,317,929	0	837,072	43,944	1,213,614	8,591,243
048 THYROID DISORDERS	42,347	19,613,724	352,486	1,482,861	106,230	38,073,564	59,671,212
049 DIABETES MELLITUS WITHOUT COMPLICATI	407,734	67,096,650	4,996,466	3,657,690	600,764	101,523,061	178,282,364
050 DIABETES MELLITUS WITH COMPLICATIONS	31,125	1,977,102	66,528	73,617	38,736	783,550	2,970,658
051 OTHER ENDOCRINE DISORDERS	33,480	5,053,324	66,566	225,954	128,659	5,355,859	10,863,843
052 NUTRITIONAL DEFICIENCIES	0	4,581,361	184,909	141,209	0	5,752,056	10,659,535
053 DISORDERS OF LIPID METABOLISM	72,354	53,358,238	2,133,724	3,186,741	33,832	102,430,528	161,215,417

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	42,683	4,425,215	141,407	158,400	133,458	8,604,711	13,505,874
055 FLUID AND ELECTROLYTE DISORDERS	625,895	2,525,763	378,153	670,494	944,946	7,981,841	13,127,093
057 IMMUNITY DISORDERS	0	416,699	92,182	122,634	0	234,031	865,546
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	263,799	5,064,857	524,396	877,208	222,771	2,447,484	9,400,516
059 DEFICIENCY AND OTHER ANEMIA	224,003	6,492,732	145,388	1,789,692	215,067	4,260,455	13,127,337
062 COAGULATION AND HEMORRHAGIC DISORDER	52,395	1,298,533	13,003	199,202	75,865	461,539	2,100,538
063 DISEASES OF WHITE BLOOD CELLS	12,557	2,313,668	75,012	142,693	4,942	57,578	2,606,450
064 OTHER HEMATOLOGIC CONDITIONS	81,660	1,022,454	53,913	216,939	90,990	764,680	2,230,636
079 PARKINSON'S DISEASE	12,631	1,405,646	448,262	86,895	2,781	1,786,142	3,742,357
080 MULTIPLE SCLEROSIS	0	4,446,198	845,310	512,973	24,584	2,076,498	7,905,564
081 OTHER HEREDITARY AND DEGENERATIVE NE	19,943	1,793,218	98,264	130,444	3,819	4,733,412	6,779,099
082 PARALYSIS	0	4,273,354	1,078,873	231,929	2,651	299,617	5,886,425
083 EPILEPSY, CONVULSIONS	341,760	3,167,676	1,050,607	395,351	507,130	6,731,337	12,193,861
084 HEADACHE, INCLUDING MIGRAINE	111,172	16,763,199	108,258	617,687	1,026,487	14,350,524	32,977,327
086 CATARACT	0	15,364,684	34,698	1,686,309	20,972	5,243,725	22,350,387
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	50,755	6,210,542	87,607	321,325	6,093	896,290	7,572,612
088 GLAUCOMA	16,022	9,140,604	183,153	260,782	7,883	8,700,320	18,308,764

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
089 BLINDNESS AND VISION DEFECTS	8,231	7,639,272	724,785	151,921	22,201	1,049,490	9,595,900
090 INFLAMMATION, INFECTION OF EYE (EXCE	0	4,300,891	0	182,447	203,861	4,195,528	8,882,728
091 OTHER EYE DISORDERS	0	9,821,852	53,952	566,156	139,914	5,436,278	16,018,151
092 OTITIS MEDIA AND RELATED CONDITIONS	24,978	15,440,501	35,383	621,654	1,070,389	12,513,692	29,706,597
093 CONDITIONS ASSOCIATED WITH DIZZINESS	163,446	5,059,163	215,870	269,041	560,196	2,530,051	8,797,766
094 OTHER EAR AND SENSE ORGAN DISORDERS	15,462	9,624,786	240,422	645,887	164,309	1,754,373	12,445,238
095 OTHER NERVOUS SYSTEM DISORDERS	265,301	39,189,618	2,253,737	2,146,164	954,516	14,181,592	58,990,927
096 HEART VALVE DISORDERS	180,662	4,703,414	664,377	887,953	122,192	2,794,934	9,353,533
098 ESSENTIAL HYPERTENSION	676,416	73,823,210	5,187,647	2,320,384	1,404,076	199,605,336	283,017,069
100 ACUTE MYOCARDIAL INFARCTION	549,900	8,273,182	1,895,963	1,619,759	558,404	11,749,167	24,646,375
101 CORONARY ATHEROSCLEROSIS AND OTHER H	758,287	30,853,518	3,381,798	4,609,164	586,772	26,732,776	66,922,316
102 NONSPECIFIC CHEST PAIN	613,874	4,786,869	70,969	1,116,895	1,245,611	1,396,106	9,230,323
103 PULMONARY HEART DISEASE	178,729	1,057,934	77,311	281,479	128,322	752,649	2,476,425
104 OTHER AND ILL-DEFINED HEART DISEASE	178,870	4,972,527	219,786	586,756	339,220	4,020,862	10,318,020
105 CONDUCTION DISORDERS	115,325	3,452,831	109,171	261,071	64,955	860,822	4,864,174
106 CARDIAC DYSRHYTHMIAS	700,725	16,046,977	398,605	2,365,159	1,051,045	11,432,615	31,995,126
108 CONGESTIVE HEART FAILURE, NONHYPERTE	538,468	3,922,123	889,824	693,209	489,654	4,263,885	10,797,164

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

## TABLE 3

MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
 LINKED TO CONDITION RECORDS (FROM FILE HC162)  
 FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
109 ACUTE CEREBROVASCULAR DISEASE	523,555	5,257,716	3,140,874	678,772	639,559	4,020,931	14,261,406
111 OTHER AND ILL-DEFINED CEREBROVASCULA	93,601	882,801	228,378	1,189,416	83,374	114,087	2,591,657
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	22,876	673,162	15,058	58,585	0	466,482	1,236,163
115 AORTIC, PERIPHERAL, AND VISCERAL ART	77,334	718,348	0	133,676	35,841	108,556	1,073,754
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	225,013	4,076,122	287,294	314,493	371,876	1,694,955	6,969,753
117 OTHER CIRCULATORY DISEASE	402,735	4,696,270	169,682	930,632	502,563	2,833,540	9,535,422
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	191,611	2,082,461	94,117	71,615	98,765	869,165	3,407,734
119 VARICOSE VEINS OF LOWER EXTREMITY	0	900,710	2,098	80,342	0	122,873	1,106,023
120 HEMORRHOIDS	2,634	1,452,838	0	395,183	115,321	1,300,742	3,266,717
121 OTHER DISEASES OF VEINS AND LYMPHATI	21,066	1,153,169	5,304	13,521	0	172,118	1,365,179
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	1,385,893	5,846,255	557,180	650,448	1,549,494	5,263,592	15,252,862
123 INFLUENZA	131,140	7,748,340	20,775	194,304	1,073,329	6,888,048	16,055,936
124 ACUTE AND CHRONIC TONSILLITIS	68,923	1,652,751	0	220,213	184,741	1,056,340	3,182,969
125 ACUTE BRONCHITIS	30,446	691,996	0	30,798	150,526	1,358,046	2,261,812
126 OTHER UPPER RESPIRATORY INFECTIONS	196,931	36,197,721	18,906	1,412,265	1,785,375	35,106,198	74,717,396
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	1,070,277	21,441,709	3,517,232	1,688,052	2,029,563	30,056,342	59,803,174
128 ASTHMA	480,092	18,776,835	1,233,185	627,292	1,699,485	42,527,917	65,344,806

PMED = PRESCRIBED MEDICINES FILE, HC-160A

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D

EROM = EMERGENCY ROOM VISITS FILE, HC-160E

OPAT = OUTPATIENT VISITS FILE, HC-160F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G

HVIS = HOME HEALTH VISITS FILE, HC-160H

## TABLE 3

MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
 LINKED TO CONDITION RECORDS (FROM FILE HC162)  
 FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	97,134	860,974	0	10,438	163,376	251,522	1,383,444
133 OTHER LOWER RESPIRATORY DISEASE	819,280	13,842,627	1,011,067	2,529,701	1,181,831	13,683,609	33,068,115
134 OTHER UPPER RESPIRATORY DISEASE	110,186	39,474,574	163,774	817,838	634,877	34,782,195	75,983,445
135 INTESTINAL INFECTION	355,855	3,809,700	136,635	152,322	973,644	2,173,041	7,601,197
136 DISORDERS OF TEETH AND JAW	34,449	2,958,926	177,665	91,390	574,589	12,729,212	16,566,231
137 DISEASES OF MOUTH, EXCLUDING DENTAL	30,037	445,602	172,316	38,748	149,428	1,194,833	2,030,964
138 ESOPHAGEAL DISORDERS	298,213	10,995,300	402,421	1,668,998	466,097	34,881,300	48,712,329
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	45,154	554,793	0	24,755	139,532	780,955	1,545,189
140 GASTRITIS AND DUODENITIS	125,339	1,873,830	0	126,633	551,026	1,964,349	4,641,177
141 OTHER DISORDERS OF STOMACH AND DUODE	199,523	6,499,609	213,392	677,424	946,993	9,561,543	18,098,484
142 APPENDICITIS AND OTHER APPENDICEAL C	281,564	308,433	173,019	20,578	371,707	224,831	1,380,132
143 ABDOMINAL HERNIA	256,493	3,444,283	218,178	1,290,379	187,427	1,809,565	7,206,325
144 REGIONAL ENTERITIS AND ULCERATIVE CO	21,840	2,036,434	0	521,273	81,262	2,502,068	5,162,876
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	109,837	515,250	0	78,930	261,985	261,511	1,227,512
146 DIVERTICULOSIS AND DIVERTICULITIS	132,620	2,093,179	37,636	185,404	301,542	1,182,550	3,932,930
147 ANAL AND RECTAL CONDITIONS	14,902	514,737	0	81,688	28,270	279,478	919,075
149 BILIARY TRACT DISEASE	446,386	2,479,116	61,685	829,385	641,863	1,351,918	5,810,351

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
 EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
 OPAT = OUTPATIENT VISITS FILE, HC-160F  
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
 HVIS = HOME HEALTH VISITS FILE, HC-160H



HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
151 OTHER LIVER DISEASES	239,680	3,409,737	59,918	832,694	339,979	1,683,802	6,565,810
152 PANCREATIC DISORDERS (NOT DIABETES)	402,854	1,242,763	194,780	106,116	297,214	1,301,670	3,545,397
153 GASTROINTESTINAL HEMORRHAGE	149,200	1,193,280	2,427	146,932	301,858	399,369	2,193,065
154 NONINFECTIOUS GASTROENTERITIS	46,554	914,848	212,565	109,124	156,303	899,234	2,338,628
155 OTHER GASTROINTESTINAL DISORDERS	301,682	7,893,413	500,604	562,449	762,586	11,519,062	21,539,796
157 ACUTE AND UNSPECIFIED RENAL FAILURE	239,883	23,213,024	287,474	2,839,603	263,680	884,887	27,728,551
159 URINARY TRACT INFECTIONS	412,102	10,177,541	125,712	562,766	1,343,823	10,718,133	23,340,078
160 CALCULUS OF URINARY TRACT	224,782	2,698,393	17,712	894,183	1,059,862	2,561,348	7,456,279
161 OTHER DISEASES OF KIDNEY AND URETERS	145,242	31,453,877	773,483	3,239,760	121,483	3,989,684	39,723,530
162 OTHER DISEASES OF BLADDER AND URETHR	35,862	2,049,172	28,092	299,751	70,149	2,322,722	4,805,748
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	56,819	5,354,288	267,140	495,856	151,064	5,531,354	11,856,522
164 HYPERPLASIA OF PROSTATE	26,922	2,088,111	15,696	83,564	8,614	4,421,912	6,644,819
165 INFLAMMATORY CONDITIONS OF MALE GENI	4,506	414,400	0	246,667	59,360	311,339	1,036,272
166 OTHER MALE GENITAL DISORDERS	30,267	2,477,790	34,425	252,427	93,397	6,136,473	9,024,779
167 NONMALIGNANT BREAST CONDITIONS	24,707	2,645,961	0	733,685	32,930	310,433	3,747,717
168 INFLAMMATORY DISEASES OF FEMALE PELV	44,162	582,359	0	3,028	77,394	822,349	1,529,292
169 ENDOMETRIOSIS	32,212	659,703	0	79,737	26,475	298,441	1,096,569

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
170 PROLAPSE OF FEMALE GENITAL ORGANS	96,255	1,083,161	29,452	174,614	3,034	207,461	1,593,978
171 MENSTRUAL DISORDERS	88,191	1,934,411	5,610	318,982	146,395	2,027,525	4,521,116
172 OVARIAN CYST	31,141	1,444,250	0	127,033	302,986	715,802	2,621,213
173 MENOPAUSAL DISORDERS	13,006	982,141	36,471	58,569	4,197	5,231,296	6,325,679
175 OTHER FEMALE GENITAL DISORDERS	208,541	3,618,148	0	522,358	209,123	1,418,202	5,976,372
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	2,869,085	122,426	194,998	10,653	9,927,237	13,124,398
177 SPONTANEOUS ABORTION	21,395	1,732,292	0	523,565	300,188	689,938	3,267,378
181 OTHER COMPLICATIONS OF PREGNANCY	171,473	852,940	43,845	159,051	212,072	431,842	1,871,222
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	140,187	800,697	84,127	346,317	33,497	690,330	2,095,155
196 NORMAL PREGNANCY AND/OR DELIVERY	3,539,619	43,136,404	104,179	2,474,272	1,103,682	4,272,157	54,630,312
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	378,219	7,069,322	363,655	1,800,351	949,379	4,818,493	15,379,419
198 OTHER INFLAMMATORY CONDITION OF SKIN	52,284	4,405,049	42,180	39,177	41,602	6,397,983	10,978,275
199 CHRONIC ULCER OF SKIN	60,163	2,160,714	426,135	325,042	175,999	1,425,506	4,573,559
200 OTHER SKIN DISORDERS	51,875	26,902,543	57,737	1,769,498	506,323	20,049,087	49,337,062
202 RHEUMATOID ARTHRITIS AND RELATED DIS	76,635	13,243,293	1,941,545	655,084	84,454	11,522,763	27,523,774
203 OSTEOARTHRITIS	209,428	33,314,285	2,551,230	1,372,873	136,263	13,349,719	50,933,797
204 OTHER NON-TRAUMATIC JOINT DISORDERS	633,167	97,478,504	5,253,488	5,291,448	967,459	31,603,018	141,227,085

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	508,857	137,231,639	2,362,817	5,295,224	1,718,786	27,978,562	175,095,886
206 OSTEOPOROSIS	0	2,903,316	488,750	240,444	0	4,075,336	7,707,845
208 ACQUIRED FOOT DEFORMITIES	4,400	2,657,823	0	189,050	0	176,747	3,028,020
209 OTHER ACQUIRED DEFORMITIES	9,381	4,552,506	91,060	194,573	0	473,017	5,320,536
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	12,877	3,026,600	157,458	228,898	64,000	3,092,250	6,582,082
211 OTHER CONNECTIVE TISSUE DISEASE	778,650	71,261,084	3,934,334	5,355,492	1,202,806	24,128,419	106,660,785
212 OTHER BONE DISEASE AND MUSCULOSKELET	220,153	10,447,469	244,645	815,582	199,427	4,546,845	16,474,121
213 CARDIAC AND CIRCULATORY CONGENITAL A	44,720	848,794	375,831	288,645	5,450	198,761	1,762,202
215 GENITOURINARY CONGENITAL ANOMALIES	6,162	1,271,476	551,519	102,774	31,107	113,843	2,076,881
217 OTHER CONGENITAL ANOMALIES	113,576	6,898,584	652,845	604,284	72,796	659,752	9,001,838
218 LIVEBORN	211,042	196,742	0	0	0	143,228	551,011
224 OTHER PERINATAL CONDITIONS	73,247	402,946	87,169	74,719	11,465	50,373	699,918
225 JOINT DISORDERS AND DISLOCATIONS, TR	116,678	16,700,548	221,829	1,024,105	488,126	1,225,104	19,776,389
226 FRACTURE OF NECK OF FEMUR (HIP)	212,733	1,141,200	198,962	65,420	217,547	215,550	2,051,412
228 SKULL AND FACE FRACTURES	75,888	382,006	11,865	3,372	201,769	98,191	773,090
229 FRACTURE OF UPPER LIMB	256,354	8,508,277	236,756	1,023,347	1,555,019	1,635,857	13,215,610
230 FRACTURE OF LOWER LIMB	402,702	9,892,190	219,953	718,940	1,005,594	1,689,303	13,928,682

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
231 OTHER FRACTURES	282,407	4,964,033	534,403	512,821	463,666	1,334,515	8,091,846
232 SPRAINS AND STRAINS	115,904	45,795,771	253,393	3,200,576	2,238,072	5,530,134	57,133,849
233 INTRACRANIAL INJURY	46,186	2,960,332	227,389	205,905	517,017	455,132	4,411,961
234 CRUSHING INJURY OR INTERNAL INJURY	71,116	285,113	0	41,105	107,245	90,458	595,037
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	115,602	1,773,737	338,445	55,679	1,472,000	1,431,776	5,187,239
236 OPEN WOUNDS OF EXTREMITIES	252,186	4,478,436	491,343	442,378	1,644,092	1,894,132	9,202,567
237 COMPLICATION OF DEVICE, IMPLANT OR G	120,279	519,048	7,563	135,126	84,965	493,928	1,360,908
238 COMPLICATIONS OF SURGICAL PROCEDURES	125,151	858,920	18,687	57,658	102,371	961,186	2,123,973
239 SUPERFICIAL INJURY, CONTUSION	187,171	8,081,060	298,570	291,290	1,440,578	2,359,227	12,657,896
240 BURNS	25,810	319,316	78,729	168,816	319,020	573,320	1,485,011
242 POISONING BY OTHER MEDICATIONS AND D	126,147	1,206,616	178,485	772,223	448,885	398,254	3,130,610
243 POISONING BY NONMEDICINAL SUBSTANCES	39,429	957,858	0	50,473	444,089	918,913	2,410,762
244 OTHER INJURIES AND CONDITIONS DUE TO	501,232	37,436,046	1,911,002	2,653,763	3,793,834	6,903,852	53,199,728
245 SYNCOPE	59,289	607,856	0	74,472	362,295	188,698	1,292,611
246 FEVER OF UNKNOWN ORIGIN	131,178	1,856,095	49,333	135,540	857,419	1,477,611	4,507,176
247 LYMPHADENITIS	17,297	696,985	0	141,421	46,213	299,785	1,201,702
250 NAUSEA AND VOMITING	91,010	1,419,751	41,591	100,251	382,209	3,788,266	5,823,078

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
251 ABDOMINAL PAIN	83,500	3,110,661	17,782	484,245	564,045	998,050	5,258,283
252 MALAISE AND FATIGUE	0	3,026,666	154,294	138,371	120,965	726,106	4,166,402
253 ALLERGIC REACTIONS	94,255	8,002,196	55,200	276,682	985,974	8,426,589	17,840,895
254 REHABILITATION CARE, FITTING OF PROS	14,549	5,029,053	88,328	1,675,939	0	35,704	6,843,574
255 ADMINISTRATIVE/SOCIAL ADMISSION	33,649	17,315,270	259,553	320,651	10,614	23,845,521	41,785,259
256 MEDICAL EXAMINATION/EVALUATION	17,237	16,839,213	280,958	1,066,130	18,979	2,245,599	20,468,115
257 OTHER AFTERCARE	40,100	8,372,557	382,130	1,049,149	76,914	1,888,473	11,809,322
258 OTHER SCREENING FOR SUSPECTED CONDIT	2,477	4,448,160	279,442	403,988	16,117	8,607,295	13,757,479
259 RESIDUAL CODES, UNCLASSIFIED	667,954	40,239,591	2,903,161	2,615,726	967,968	44,969,140	92,363,541
650 ADJUSTMENT DISORDER	0	2,553,528	52,577	2,926	7,722	543,233	3,159,986
651 ANXIETY DISORDER	520,367	71,565,390	1,750,764	1,172,450	1,122,814	46,394,925	122,526,709
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	32,658	30,970,617	1,475,377	256,580	64,229	15,470,862	48,270,323
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	228,110	2,782,927	6,852,324	249,604	31,860	3,393,177	13,538,004
654 DEVELOPMENTAL DISORDERS	0	4,044,890	678,102	249,647	0	165,088	5,137,726
655 DISORDERS USUALLY DIAGNOSED IN INFAN	14,253	9,053,377	1,212,810	143,292	0	1,013,092	11,436,824
657 MOOD DISORDERS	797,372	93,583,462	2,746,614	2,482,075	487,535	61,089,962	161,187,019
658 PERSONALITY DISORDERS	44,242	986,705	0	71,348	37,045	240,117	1,379,458

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H

HC-160I  
TABLE 3  
MEPS 2013

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC160A - HC160H)  
LINKED TO CONDITION RECORDS (FROM FILE HC162)  
FOR EACH VALUE OF CCCODEX

---

CCCODEX: WEIGHTED COUNTS

---

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	93,718	7,996,726	619,422	233,918	107,601	2,435,743	11,487,127
660 ALCOHOL-RELATED DISORDERS	61,523	2,655,046	13,635	76,200	63,223	52,666	2,922,293
661 SUBSTANCE-RELATED DISORDERS	11,836	13,084,132	28,225	874,129	0	753,518	14,751,841
663 SCREENING AND HISTORY OF MENTAL HEAL	19,011	2,400,104	154,581	37,096	21,615	444,715	3,077,122
670 MISCELLANEOUS MENTAL DISORDERS	26,259	4,957,645	159,601	230,554	106,868	1,796,456	7,277,383

---

PMED = PRESCRIBED MEDICINES FILE, HC-160A  
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-160D  
EROM = EMERGENCY ROOM VISITS FILE, HC-160E  
OPAT = OUTPATIENT VISITS FILE, HC-160F  
MVIS = MEDICAL PROVIDER VISITS FILE, HC-160G  
HVIS = HOME HEALTH VISITS FILE, HC-160H