#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH01	TOTAL HEALTH CARE CHARGES 01, EXCL. RX	Sum of (DVTC01X from DVIS records) + (OMTC01X from OMED records) + (OPFTC01X + OPDTC01X from OPAT records) + (ERFTC01X + ERDTC01X from EROM records) + (IPFTC01X + IPDTC01X from STAZ records) + (HPTC01X + HATC01X from HVIS records) + (OBTC01X from MVIS records)	26150	26150	1081459970347.30	1081454183655.00	4534.62	4534.60
0.2	TOTEXP01X	TOTAL HEALTH CARE EXP 01	Sum of (DVXP01X from DVIS records) + (OMXP01X from OMED records) + (OPFXP01X + OPDXP01X from OPAT records) + (ERFXP01X + ERDXP01X from EROM records) + (IPFXP01X + IPDXP01X from STAZ records) + (HPXP01X + HAXP01X from HVIS records) + (OBXP01X from MVIS records) + (RXXP01X from PMED records)	26602	26602	726354166774.76	726348555881.95	2993.86	2993.83

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF01	TOTAL AMT PAID BY SELF/FAMILY 01	Sum of (DVSF01X from DVIS records) + (OMSF01X from OMED records) + (OPFSF01X + OPDSF01X from OPAT records) + (ERFSF01X + ERDSF01X from EROM records) + (IPFSF01X + IPDSF01X from STAZ records) + (HPSF01X + HASF01X from HVIS records) + (OBSF01X from MVIS records) + (RXSF01X from PMED records)	24254	24260	143409175806.88	143406792664.34	636.23	636.09
0.4	TOTMCR01	TOTAL AMT PAID BY MEDICARE 01	Sum of (DVMR01X from DVIS records) + (OMMR01X from OMED records) + (OPFMR01X + OPDMR01X from OPAT records) + (ERFMR01X + ERDMR01X from EROM records) + (IPFMR01X + IPDMR01X from STAZ records) + (HPMR01X + HAMR01X from HVIS records) + (OBMR01X from MVIS records) + (RXMR01X from PMED records)	4036	4036	156657417014.21	156656607528.43	4152.33	4152.31

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD01	TOTAL AMT PAID BY MEDICAID 01	Sum of (DVMD01X from DVIS records) + (OMMD01X from OMED records) + (OPFMD01X + OPDMD01X from OPAT records) + (ERFMD01X + ERDMD01X from EROM records) + (IPFMD01X + IPDMD01X from STAZ records) + (HPMD01X + HAMD01X from HVIS records) + (OBMD01X from MVIS records) + (RXMD01X from PMED records)	4799	4800	62561642240.52	62560574904.41	1866.65	1866.05
0.6	TOTPRV01	TOTAL AMT PAID BY PRIVATE INS 01	Sum of (DVPV01X from DVIS records) + (OMPV01X from OMED records) + (OPFPV01X + OPDPV01X from OPAT records) + (ERFPV01X + ERDPV01X from EROM records) + (IPFPV01X + IPDPV01X from STAZ records) + (HPPV01X + HAPV01X from HVIS records) + (OBPV01X from MVIS records) + (RXPV01X from PMED records)	17046	17048	300317346564.65	300313063749.08	1772.91	1772.78

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA01	TOTL AMT PAID BY VA 01	Sum of (DVVA01X from DVIS records) + (OMVA01X from OMED records) + (OPFVA01X + OPDVA01X from OPAT records) + (ERFVA01X + ERDVA01X from EROM records) + (IPFVA01X + IPDVA01X from STAZ records) + (HPVA01X + HAVA01X from HVIS records) + (OBVA01X from MVIS records) + (RXVA01X from PMED records)	1288	1290	14178982182.66	14178283029.11	1149.59	1148.92
0.8	TOTTRI01	TOTL AMT PAID BY TRICARE	Sum of (DVTR01X from DVIS records) + (OMTR01X from OMED records) + (OPFTR01X + OPDTR01X from OPAT records) + (ERFTR01X + ERDTR01X from EROM records) + (IPFTR01X + IPDTR01X from STAZ records) + (HPTR01X + HATR01X from HVIS records) + (OBTR01X from MVIS records) + (RXTR01X from PMED records)	350	350	2430027871.37	2430000477.32	774.57	774.56

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD01	TOTL AMT PAID BY OTHER FEDERAL 01	Sum of (DVOF01X from DVIS records) + (OMOF01X from OMED records) + (OPF0F01X + OPD0F01X from OPAT records) + (ERF0F01X + ERD0F01X from EROM records) + (IPF0F01X + IPD0F01X from STAZ records) + (HP0F01X + HA0F01X from HVIS records) + (OB0F01X from MVIS records) + (RX0F01X from PMED records)	309	309	1534519697.39	1534363288.00	585.60	585.54
0.10	TOTSTL01	TOTL AMT PAID BY OTH ST/LOCAL 01	Sum of (DVSL01X from DVIS records) + (OMSL01X from OMED records) + (OPFSL01X + OPDSL01X from OPAT records) + (ERFSL01X + ERDSL01X from EROM records) + (IPFSL01X + IPDSL01X from STAZ records) + (HPSL01X + HASL01X from HVIS records) + (OBSL01X from MVIS records) + (RXSL01X from PMED records)	620	620	3738274561.11	3738100963.79	802.52	802.48

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP01	TOTL AMT PAID BY WORKERS COMP 01	Sum of (DVWC01X from DVIS records) + (OMWC01X from OMED records) + (OPFWC01X + OPDWC01X from OPAT records) + (ERFWC01X + ERDWC01X from EROM records) + (IPFWC01X + IPDWC01X from STAZ records) + (HPWC01X + HAWC01X from HVIS records) + (RYWC01X from MVIS records) + (RXWC01X from PMED records)	830	830	12312110556.29	12311934937.77	1645.24	1645.22
0.12	TOTOPR01	TOTL AMT PAID BY OTHER PRIVATE 01	Sum of (DVOR01X from DVIS records) + (OMOR01X from OMED records) + (OPFOR01X + OPDOR01X from OPAT records) + (ERFOR01X + ERDOR01X from EROM records) + (IPFOR01X + IPDOR01X from STAZ records) + (HPOR01X + HAOR01X from HVIS records) + (OBOR01X from MVIS records) + (RXOR01X from PMED records)	1774	1775	17715131105.60	17714844230.80	1175.32	1174.66

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	ТОТОРИ01	TOTL AMT PAID BY OTHER PUBLIC 01	Sum of (DVOU01X from DVIS records) + (OMOU01X from OMED records) + (OPFOU01X + OPDOU01X from OPAT records) + (ERFOU01X + ERDOU01X from EROM records) + (IPFOU01X + IPDOU01X from STAZ records) + (HPOU01X + HAOU01X from HVIS records) + (OBOU01X from MVIS records) + (RXOU01X from PMED records)	367	367	5204656356.12	5204641882.39	2041.43	2041.43
0.14	TOTOSR01	TOTL AMT PAID OTHR UNCLASS SOURCES 01	Sum of (DVOT01X from DVIS records) + (OMOT01X from OMED records) + (OPFOT01X + OPDOT01X from OPAT records) + (ERFOT01X + ERDOT01X from EROM records) + (IPFOT01X + IPDOT01X from STAZ records) + (HPOT01X + HAOT01X from HVIS records) + (OBOT01X from MVIS records) + (RXOT01X from PMED records)	1462	1462	6299579048.79	6299348226.51	476.83	476.82
1.0	OBTOTV01	# OFFICE-BASED PROVIDER VISITS 01	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	22553	22553	1354573765.28	1354573765.28	6.57	6.57

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.1	OBVTCH01	OFFICE-BASED PROVIDER VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22541	22541	253334223950.36	253331036636.12	1229.41	1229.40
1.2	OBVEXP01	TOTAL OFFICE- BASED EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	22059	22060	156733199231.77	156730880627.24	774.10	774.08
1.3	OBVSLF01	ALL OFFICE VISITS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	16945	16946	26824924388.18	26824244292.57	165.04	165.02
1.4	OBVMCR01	ALL OFFICE VISITS - MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3645	3645	29098414838.44	29098080279.09	851.28	851.27
1.5	OBVMCD01	ALL OFFICE VISITS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3529	3531	10756897481.84	10756612273.23	441.79	441.38
1.6	OBVPRV01	ALL OFFICE VISITS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	13852	13852	72391880632.23	72389801296.22	523.86	523.85
1.7	OBVVA01	ALL OFFICE VISITS-VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	634	634	3228821743.70	3228470371.86	545.13	545.07
1.8	OBVTRI01	ALL OFFICE VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	197	197	650736868.94	650727175.27	361.48	361.48
1.9	OBVOFD01	ALL OFFICE VISITS-OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	224	224	569143347.76	569090210.79	296.68	296.65

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.10	OBVSTL01	ALL OFFICE VISITS-OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	344	344	661273217.54	661137281.26	261.21	261.16
1.11	OBVWCP01	ALL OFFICE VISITS - WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	585	585	4232296730.97	4232194560.26	819.02	819.00
1.12	OBVOPR01	ALL OFFICE VISITS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	1260	1261	4691063980.79	4690804765.27	427.07	426.87
1.13	OBVOPU01	ALL OFFICE VISITS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	225	225	489273023.69	489269411.46	321.86	321.85
1.14	OBVOSR01	ALL OFF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	972	972	3140631422.24	3140448709.97	371.88	371.85
2.0	OBDRV01	# OFFICE-BASED PHYSICIAN VISITS, 1019	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21366	21366	954962287.85	954962287.85	4.89	4.89
2.1	OBDTCH01	OFFICE-BASED PHYSICIAN VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21352	21352	195038913926.94	195036171086.43	999.24	999.22
2.2	OBDEXP01	TOTAL OFF- BASED DR EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20924	20925	117978881382.12	117976924358.68	614.55	614.53

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES

FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H) WEIGHT = PERWT01F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.3	OBDSLF01	DR OFFICE VISITS -SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	15760	15761	17883747110.35	17883202866.99	118.15	118.14
2.4	OBDMCR01	DR OFFICE VISITS -MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3558	3558	23232403579.58	23231910241.13	698.12	698.10
2.5	OBDMCD01	DR OFFICE VISITS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3323	3325	8465880977.02	8465480298.48	373.02	372.65
2.6	OBDPRV01	DR OFFICE VISITS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	13170	13170	55706963716.33	55705387975.90	424.15	424.14
2.7	OBDVA01	DR OFFICE VISITS -VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	508	508	2314819352.03	2314606530.80	498.17	498.12
2.8	OBDTRI01	DR OFFICE VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	178	178	519750666.39	519760471.63	317.92	317.93
2.9	OBDOFD01	DR OFFICE VISITS -OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	195	195	495450522.00	495388578.03	300.50	300.47

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.10	OBDSTL01	DR OFFICE VISITS -OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	296	296	494331354.31	494245329.99	238.45	238.41
2.11	OBDWCP01	DR OFFICE VISITS -WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	525	525	2857177157.36	2857162646.88	617.48	617.48
2.12	OBDOPR01	DR OFFICE VISITS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	1177	1178	3511460501.61	3511180768.32	341.90	341.72
2.13	OBDOPU01	DR OFFICE VISITS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	210	210	430221504.82	430233354.86	306.03	306.04
2.14	OBDOSR01	DR OFF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	742	742	2068473354.84	2068365295.66	327.19	327.17
3.0	OBOTHV01	# OFFICE-BASED NON-PHYSICAN VISITS 01	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	7813	7813	386143956.49	386143956.49	5.06	5.06

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.1	OBOTCH01	OFFICE-BASED NON-DR VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	7786	7786	55875697883.03	55874675894.56	735.43	735.42
3.2	OBOEXP01	TOTAL OFF- BASED NON-DR EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	7409	7409	37337128053.93	37336587979.60	514.27	514.26
3.3	OBOSLF01	NON-DR OFF VISTS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4765	4767	8534252619.12	8534014684.18	177.81	177.77
3.4	OBOMCR01	NON-DR OFF VISTS -MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1273	1274	5474031440.89	5474178587.01	430.80	430.67
3.5	OBOMCD01	NON-DR OFF VISTS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	761	761	2161808557.98	2161680963.43	369.73	369.71

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES

FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H) WEIGHT = PERWT01F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.6	OBOPRV01	NON-DR OFF VISTS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4279	4281	16339977412.38	16339329242.34	369.77	369.65
3.7	OBOVA01	NON-DR OFF VISTS -VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	233	233	900778228.13	900597220.93	417.91	417.82
3.8	OBOTRI01	NON-DR OFF VISTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	64	64	130710273.17	130673419.99	233.11	233.04
3.9	OBOOFD01	NON-DR OFF VISTS -OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	61	61	71954616.89	71945168.20	137.77	137.75
3.10	OBOSTL01	NON-DR OFF VISTS -OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	75	75	163999128.30	163965293.44	249.16	249.11

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.11	OBOWCP01	NON-DR OFF VISTS -WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	170	170	1364803158.17	1364779963.74	851.51	851.49
3.12	OBOOPR01	NON-DR OFF VISTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	290	290	1098039687.77	1097972016.63	407.61	407.58
3.13	OBOOPU01	NON-DR OFF VISTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	31	31	58522555.78	58511619.06	228.34	228.30
3.14	OBOOSR01	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	326	326	1038965772.66	1038939800.65	350.19	350.18
4.0	OBCHIR01	# OFFICE-BASED CHIROPRACTOR VISITS 01	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	931	931	78160720.49	78160720.49	8.31	8.31

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.1	OBCTCH01	OFFICE-BASED CHIRO VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	930	930	4750297898.56	4750302150.63	505.52	505.52
4.2	OBCEXP01	TOTAL OFF- BASED CHIRO EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	887	887	3950637926.03	3950671762.65	440.29	440.30
4.3	OBCSLF01	CHIRO OFF VISITS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	685	685	1448860353.56	1448836965.66	207.29	207.28
4.4	OBCMCR01	CHIRO OFF VISITS - MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	87	87	211863243.24	211835905.44	256.99	256.96
4.5	OBCMCD01	CHIRO OFF VISITS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	21	21	46906866.46	46912400.51	268.13	268.16
4.6	OBCPRV01	CHIRO OFF VISITS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	449	449	1568973583.04	1568943360.23	334.26	334.26

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.7	OBCVA01	CHIRO OFF VISITS -VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	16	16	18040870.09	18019609.71	149.05	148.88
4.8	OBCTRI01	CHIRO OFF VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	2	2	24582475.30	24576857.80	1053.28	1053.04
4.9	OBCOFD01	CHIRO OFF VISITS -OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00
4.10	OBCSTL01	CHIRO OFF VISITS -OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	4	4	6570695.59	6570695.59	174.32	174.32
4.11	OBCWCP01	CHIRO OFF VISITS - WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	35	35	252486703.88	252469842.77	876.66	876.60
4.12	OBCOPR01	CHIRO OFF VISTS - OTHR PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	26	26	87762585.23	87737621.05	321.27	321.18

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.13	OBCOPU01	CHIRO OFF VISTS - OTHR PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0.00	0.00	0.00	0.00
4.14	OBCOSR01	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	48	48	284795546.90	284768503.89	613.54	613.48
5.0	OBNURS01	# OFF-BASED NURSE/PRACTITI ONER VISITS 01	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2900	2900	79890999.52	79890999.52	2.86	2.86
5.1	OBNTCH01	OFFICE-BASED NURSE/PRAC VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2884	2884	12510858280.51	12510396091.89	450.50	450.48
5.2	OBNEXP01	TOTAL OFF- BASED NURSE/PRAC 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2598	2598	7395361255.65	7395111393.26	293.42	293.41
5.3	OBNSLF01	NURSE/PRAC OFF VISITS- SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1480	1481	892037975.08	891997802.04	60.76	60.73

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.4	OBNMCR01	NURSE/PRAC OFF VISITS - MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	499	499	1816987381.45	1817099320.39	357.16	357.19
5.5	OBNMCD01	NURSE/PRAC OFF VSTS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	301	301	398760976.41	398662979.09	170.32	170.27
5.6	OBNPRV01	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1384	1386	3403222277.52	3403031537.97	237.80	237.58
5.7	OBNVA01	NURSE/PRAC OFF VSTS-VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	70	70	187351527.96	187360203.01	306.94	306.96
5.8	OBNTRI01	NURSE/PRAC OFF VSTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	22	22	13766653.03	13765174.12	69.01	69.01
5.9	OBNOFD01	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	24	24	25833370.41	25825445.87	115.63	115.59

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.10	OBNSTL01	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	33	33	52018056.85	52010841.35	192.09	192.07
5.11	OBNWCP01	NURSE/PRAC OFF VSTS -WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	30	30	29841342.39	29847683.87	86.25	86.27
5.12	OBNOPR01	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	92	92	432457679.36	432402355.82	488.12	488.05
5.13	OBNOPU01	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	18	18	25568323.64	25549600.04	260.89	260.70
5.14	OBNOSR01	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	134	134	117559240.00	117558449.72	111.48	111.48
6.0	OBOPTO01	# OFFICE-BASED OPTOMETRIST VISITS, 1019	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1383	1383	16170023.99	16170023.99	1.18	1.18

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.1	OBETCH01	OFFICE-BASED OPTOMTRIST VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1376	1376	1936172414.83	1936150280.76	142.71	142.71
6.2	OBEEXP01	TOTAL OFF- BASED OPOTMETRIST EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1339	1339	1645291957.63	1645256413.32	124.82	124.82
6.3	OBESLF01	OPTOMETRIST OFF VSTS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1015	1015	850742209.35	850686017.69	82.31	82.30
6.4	OBEMCR01	OPTOMETRIST OFF VSTS - MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	90	90	88871490.86	88850707.54	105.80	105.77
6.5	OBEMCD01	OPTOMETRIST OFF VSTS - MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	109	109	55069419.71	55042017.47	78.95	78.91
6.6	OBEPRV01	OPTOMETRIST OFF VSTS - PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	544	544	563882819.60	563763192.21	97.87	97.85

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES

FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H)

WEIGHT = PERWT01F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.7	OBEVA01	OPTOMETRIST OFF VSTS -VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	30	30	24340256.37	24309670.40	90.46	90.34
6.8	OBETRI01	OPTOMETRIST OFF VSTS- TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	6	6	5133731.14	5127695.10	93.24	93.13
6.9	OBEOFD01	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	181609.65	178500.19	13.99	13.75
6.10	OBESTL01	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1	1	175797.52	175797.52	254.00	254.00
6.11	OBEWCP01	OPTOMETRIST OFF VSTS- WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	3	3	2494478.75	2501666.80	97.39	97.67
6.12	OBEOPR01	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	20	20	17841007.37	17843686.96	112.04	112.05

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.13	OBEOPU01	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	0	0	0.00	0.00	0.00	0.00
6.14	OBEOSR01	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	24	24	36772409.26	36777461.44	144.16	144.18
7.0	OBASST01	# OFF-BASED PHYSICIAN ASS T VSTS, 1019	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	560	560	10151074.36	10151074.36	1.75	1.75
7.1	OBATCH01	OFFICE-BASED PHYS ASST VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	559	559	1254807883.67	1254739744.47	217.48	217.46
7.2	OBAEXP01	TOTAL OFF- BASED PHYS ASS T EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	543	543	863289288.75	863168822.06	153.90	153.88
7.3	OBASLF01	PHYS ASS T OFF VSTS- SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	377	377	150108739.74	150080167.88	37.72	37.71

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.4	OBAMCR01	PHYS ASS T OFF VSTS-MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	72	73	61346700.71	61314890.82	81.98	81.46
7.5	OBAMCD01	PHYS ASS T OFF VSTS-MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	33	33	45332376.33	45348328.12	172.95	173.01
7.6	OBAPRV01	PHYS ASS T OFF VSTS-PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	372	372	498615871.67	498529124.74	123.34	123.32
7.7	OBAVA01	PHYS ASS T OFF VSTS-VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	15	15	23850610.00	23840998.70	185.39	185.31
7.8	OBATRI01	PHYS ASS T OFF VSTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	3104732.32	3106069.20	73.57	73.60
7.9	OBAOFD01	PHYS ASS T OFF VSTS -OTHER FED AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	932120.46	926361.12	35.02	34.80

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.10	OBASTL01	PHYS ASS T OFF VSTS -OTH ST/LOCL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	2	2	1348963.15	1351476.35	51.08	51.18
7.11	OBAWCP01	PHYS ASS T OFF VSTS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	7	7	35104288.29	35111062.32	564.02	564.13
7.12	OBAOPR01	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	25	25	9604069.05	9594038.67	45.76	45.71
7.13	OBAOPU01	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	2	2	1330727.17	1336636.59	98.79	99.23
7.14	OBAOSR01	P A OFF VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	11	11	32636684.37	32629667.54	298.49	298.43
8.0	OBTHER01	# OFF-BASED PHYSICL/OCC THRPY VSTS, 1019	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	633	633	63717155.56	63717155.56	9.80	9.80

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.1	OBTTCH01	OFFICE-BASED PT/OC VISIT CHARGES 01	Sum of OBTC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	632	632	8994606472.01	8994539642.73	1385.68	1385.67
8.2	OBTEXP01	TOT OFF-BASED PT EXP 01	Sum of OBXP01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	617	617	6869747541.85	6869632990.47	1084.42	1084.40
8.3	OBTSLF01	PT/OT OFF VISITS- SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	327	327	1178611236.79	1178584896.96	340.17	340.16
8.4	OBTMCR01	PT/OT OFF VISITS-MEDICARE AMT 01	Sum of OBMR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	119	119	856482409.71	856475696.72	682.98	682.97
8.5	OBTMCD01	PT/OT OFF VISITS-MEDICAID AMT 01	Sum of OBMD01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	38	38	237967189.90	237956613.67	738.12	738.09
8.6	OBTPRV01	PT/OT OFF VISITS-PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	402	402	3030735799.42	3030636486.14	709.10	709.08

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.7	OBTVA01	PT/OT OFF VISITS-VA AMT 01	Sum of OBVA01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	28	28	104247778.24	104237341.05	375.17	375.13
8.8	OBTTRI01	PT/OT OFF VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	6	6	7904806.33	7902643.02	179.86	179.81
8.9	OBTOFD01	PT/OT OFF VISITS -OTHER FED AMT 01	Sum of OBOF01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	2	2	3796329.55	3796344.53	347.68	347.68
8.10	OBTSTL01	PT/OT OFF VISITS-OTH ST/LOCL AMT 01	Sum of OBSL01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	6	6	42259498.57	42250346.23	618.97	618.84
8.11	OBTWCP01	PT/OT OFF VISITS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	76	76	852592756.59	852558955.81	1238.81	1238.76
8.12	OBTOPR01	PT/OT OFF VISITS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	23	23	155722309.92	155718991.08	770.74	770.73

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES

FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H) WEIGHT = PERWT01F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.13	OBTOPU01	PT/OT OFF VISITS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	1314931.82	1317506.51	143.00	143.28
8.14	OBTOSR01	PT/OT OF VSTS- OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	32	32	398197373.17	398197168.73	1096.04	1096.04
9.0	OPTOTV01	# OUTPATIENT DEPT PROVIDER VISITS 01	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	4489	4489	149459731.63	149459731.63	3.53	3.53
9.1	OPFTCH01	OPD PROVIDER VISIT CHARGES - FAC 01	Sum of OPFTC01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4471	4471	104698726184.85	104697605435.37	2483.11	2483.08
9.2	OPFEXP01	TOTAL OUTPATIENT FACILITY EXP 01	Sum of OPFXP01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4316	4316	53133000233.98	53132809561.98	1298.37	1298.36
9.3	OPFSLF01	ALL OPD VISITS- SELF/FAMILY AMT-FAC 01	Sum of OPFSF01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1750	1752	3610107099.84	3609910595.87	211.20	210.89
9.4	OPFMCR01	ALL OPD VISITS- MEDICARE AMT- FAC 01	Sum of OPFMR01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1150	1151	11671659949.14	11671503723.05	1074.10	1073.66
9.5	OPFMCD01	ALL OPD VISITS- MEDICAID AMT- FAC 01	Sum of OPFMD01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	518	518	2599217316.04	2599200102.83	708.05	708.05

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.6	OPFPRV01	ALL OPD VISITS- PRIV INS AMT- FAC 01	Sum of OPFPV01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2711	2712	28653235190.11	28652852789.56	1052.60	1052.51
9.7	OPFVA01	ALL OPD VISITS- VA AMT-FAC 01	Sum of OPFVA01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	155	156	1271589165.55	1271517318.32	870.90	869.56
9.8	OPFTRI01	ALL OPD VISITS- TRICARE AMT- FAC 01	Sum of OPFTR01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	45	45	211767553.58	211767386.93	546.80	546.80
9.9	OPFOFD01	ALL OPD VISITS- OTHER FED AMT- FAC 01	Sum of OPFOF01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	39	39	261160281.85	261140108.02	743.00	742.95
9.10	OPFSTL01	ALL OPD VISITS- OTH ST/LOCAL AMT-FAC 01	Sum of OPFSL01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	33	33	141453992.68	141453208.17	451.27	451.26
9.11	OPFWCP01	ALL OPD VISITS- WORKERS COMP AMT-FAC 01	Sum of OPFWC01X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	150	150	2122966364.38	2122988331.72	1544.96	1544.97
9.12	OPFOPR01	ALL OPD VISITS - OTH PRIVATE AMT-FAC 01	Sum of OPFOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	234	234	1834442584.16	1834416661.29	821.98	821.97
9.13	OPFOPU01	ALL OPD VISITS - OTH PUBLIC AMT- FAC 01	Sum of OPFOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	38	38	152221605.45	152231678.96	537.72	537.76
9.14	OPFOSR01	ALL OPD VSTS- OTH UNCLASS SRCE AMT-FAC 01	Sum of OPFOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	88	88	603828241.80	603827657.25	808.33	808.33

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.15	OPDEXP01	TOTAL OUTPATIENT PROVIDER EXP 01	Sum of OPDXP01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2823	2823	14882940625.14	14882845452.16	549.57	549.57
9.16	OPDTCH01	OPD PROVIDER VISIT CHARGES - DR 01	Sum of OPDTC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2896	2896	30759759816.82	30759255478.23	1106.74	1106.72
9.17	OPDSLF01	ALL OPD VISITS- SELF/FAMILY AMT-DR 01	Sum of OPDSF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	841	841	1039245375.55	1039200455.35	129.84	129.83
9.18	OPDMCR01	ALL OPD VISITS- MEDICARE AMT - DR 01	Sum of OPDMR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	865	865	2477772816.17	2477750771.93	300.98	300.98
9.19	OPDMCD01	ALL OPD VISITS- MEDICAID AMT - DR 01	Sum of OPDMD01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	321	321	589958183.39	590037896.48	247.81	247.85
9.20	OPDPRV01	ALL OPD VISITS- PRIV INS AMT-DR 01	Sum of OPDPV01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1954	1954	9864476305.64	9864300205.74	500.31	500.30
9.21	OPDVA01	ALL OPD VISITS- VA AMT-DR 01	Sum of OPDVA01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	34	34	53066367.12	53089956.89	155.15	155.22
9.22	OPDTRI01	ALL OPD VISITS- TRICARE AMT-DR 01	Sum of OPDTR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	20	20	27221284.93	27235171.16	157.38	157.46
9.23	OPDOFD01	ALL OPD VISITS- OTHER FED AMT- DR 01	Sum of OPDOF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	0	0	0.00	0.00	0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.24	OPDSTL01	ALL OPD VISITS- OTH ST/LOCAL AMT-DR 01	Sum of OPDSL01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	14	14	30021087.71	29996280.60	270.17	269.94
9.25	OPDWCP01	ALL OPD VISITS- WORKERS COMP AMT-DR 01	Sum of OPDWC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	52	52	230791674.74	230774535.90	506.09	506.05
9.26	OPDOPR01	ALL OPD VISITS - OTH PRIVATE AMT-DR 01	Sum of OPDOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	210	210	423133792.41	423197901.61	240.36	240.39
9.27	OPDOPU01	ALL OPD VISITS- OTH PUBLIC AMT- DR 01	Sum of OPDOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	26	26	32116360.08	32123199.80	142.18	142.21
9.28	OPDOSR01	ALL OPD VSTS- OTH UNCLASS SRCE AMT-DR 01	Sum of OPDOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	10	10	115129202.18	115139076.71	1098.65	1098.75
10.0	OPDRV01	# OUTPATIENT DEPT - DR VISITS 01	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2587	2587	52838317.28	52838317.28	2.21	2.21
10.1	OPVTCH01	OPD PHYSICIAN VISIT CHARGES - FAC 01	Sum of OPFTC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2570	2570	64991776051.96	64991424996.48	2740.43	2740.41
10.2	OPVEXP01	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 01	Sum of OPFXP01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2462	2462	32347711198.11	32347742964.04	1412.13	1412.13
10.3	OPVSLF01	OPD DR VISITS- SELF/FAMILY AMT-FAC 01	Sum of OPFSF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	978	978	2335006245.99	2334980300.23	244.48	244.48

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.4	OPVMCR01	OPD DR VISITS- MEDICARE AMT- FAC 01	Sum of OPFMR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	587	587	5994966281.41	5994959595.42	1113.64	1113.64
10.5	OPVMCD01	OPD DR VISITS- MEDICAID AMT- FAC 01	Sum of OPFMD01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	349	349	1579568345.77	1579572568.61	630.50	630.50
10.6	OPVPRV01	OPD DR VISITS- PRIV INS AMT- FAC 01	Sum of OPFPV01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1437	1437	18433721451.57	18433659015.58	1296.12	1296.12
10.7	OPVVA01	OPD DR VISITS- VA AMT-FAC 01	Sum of OPFVA01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	114	114	824359832.14	824347361.50	755.14	755.13
10.8	OPVTRI01	OPD DR VISITS- TRICARE AMT- FAC 01	Sum of OPFTR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	31	31	144906005.29	144921712.31	531.19	531.25
10.9	OPVOFD01	OPD DR VISITS- OTHER FED AMT- FAC 01	Sum of OPFOF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	26	26	149233994.60	149239958.45	681.34	681.37
10.10	OPVSTL01	OPD DR VISITS- OTH ST/LOCAL AMT-FAC 01	Sum of OPFSL01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	16	16	31959232.65	31954671.76	225.68	225.65

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.11	OPVWCP01	OPD DR VISITS- WORKERS COMP AMT-FAC 01	Sum of OPFWC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	97	97	1378024596.72	1378030072.06	1544.11	1544.11
10.12	OPVOPR01	OPD DR VISITS - OTH PRIVATE AMT-FAC 01	Sum of OPFOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	136	136	992271338.32	992289820.27	807.87	807.89
10.13	OPVOPU01	OPD DR VISITS- OTH PUBLIC AMT- FAC 01	Sum of OPFOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	28	28	117933787.31	117925755.21	579.27	579.23
10.14	OPVOSR01	OPD DR VSTS- OTH UNCLASS SRCE AMT-FAC 01	Sum of OPFOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	51	51	365876024.91	365862132.63	824.84	824.81
10.15	OPSEXP01	TOTAL OUTPATIENT PHYSICIAN - DR EXP 01	Sum of OPDXP01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1608	1608	10720353990.92	10720292434.92	708.48	708.48
10.16	OPSTCH01	OPD PHYSICIAN VISIT CHARGES - DR 01	Sum of OPDTC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1648	1648	22249367126.25	22249125241.02	1437.83	1437.81
10.17	OPSSLF01	OPD DR VISITS- SELF/FAMILY AMT-DR 01	Sum of OPDSF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	483	483	720169579.13	720107906.05	158.32	158.31

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.18	OPSMCR01	OPD DR VISITS- MEDICARE AMT- DR 01	Sum of OPDMR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	455	455	1547079414.36	1547189310.43	373.15	373.18
10.19	OPSMCD01	OPD DR VISITS- MEDICAID AMT- DR 01	Sum of OPDMD01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	214	214	487788411.25	487912358.05	307.53	307.61
10.20	OPSPRV01	OPD DR VISITS- PRIV INS AMT-DR 01	Sum of OPDPV01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1092	1092	7264248902.33	7264058460.08	667.42	667.40
10.21	OPSVA01	OPD DR VISITS- VA AMT-DR 01	Sum of OPDVA01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	9	9	10907956.75	10914875.41	99.99	100.05
10.22	OPSTRI01	OPD DR VISITS- TRICARE AMT-DR 01	Sum of OPDTR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	12	12	23080334.44	23087272.29	233.28	233.35
10.23	OPSOFD01	OPD DR VISITS- OTHER FED AMT- DR 01	Sum of OPDOF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	0	0	0.00	0.00	0.00	0.00
10.24	OPSSTL01	OPD DR VISITS- OTH ST/LOCAL AMT-DR 01	Sum of OPDSL01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	11	11	27909085.79	27893016.52	330.73	330.54

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES

FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H) WEIGHT = PERWT01F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.25	OPSWCP01	OPD DR VISITS- WORKERS COMP AMT-DR 01	Sum of OPDWC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	36	36	203976759.43	203987411.24	671.27	671.31
10.26	OPSOPR01	OPD DR VISITS - OTH PRIVATE AMT-DR 01	Sum of OPDOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	120	120	301661419.86	301657396.36	329.18	329.18
10.27	OPSOPU01	OPD DR VISITS- OTH PUBLIC AMT- DR 01	Sum of OPDOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	24	24	23193999.64	23188917.95	114.71	114.68
10.28	OPSOSR01	OPD DR VSTS- OTH UNCLASS SRCE AMT-DR 01	Sum of OPDOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	8	8	110285636.00	110295510.53	1521.16	1521.30
11.0	OPOTHV01	# OUTPATIENT DEPT NON-DR VISITS 01	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2656	2656	93496118.38	93496118.38	3.63	3.63
11.1	ОРОТСН01	OPD NON-PHYS VISIT CHARGES - FAC 01	Sum of OPFTC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2649	2649	37744161583.76	37743067566.98	1467.78	1467.73

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.2	OPOEXP01	TOTAL OUTPATIENT NON-DR - FAC EXP 01	Sum of OPFXP01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2570	2570	19924181664.95	19924012059.36	796.81	796.81
11.3	OPOSLF01	OPD NON-DR VISITS-SELF/FAM AMT-FAC 01	Sum of OPFSF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	917	919	1159686139.18	1159501057.35	127.67	127.31
11.4	OPOMCR01	OPD NON-DR VISITS-MEDICARE AMT-FAC 01	Sum of OPFMR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	779	780	5401203176.39	5401016901.00	716.63	716.20
11.5	OPOMCD01	OPD NON-DR VISITS-MEDICAID AMT-FAC 01	Sum of OPFMD01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	227	227	993331128.50	993289283.56	624.11	624.09
11.6	OPOPRV01	OPD NON-DR VISITS-PRIV INS AMT-FAC 01	Sum of OPFPV01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1692	1693	9885558999.09	9885364179.36	572.23	572.15

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.7	OPOVA01	OPD NON-DR VISITS-VA AMT- FAC 01	Sum of OPFVA01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	66	67	383551132.20	383502879.35	657.75	655.24
11.8	OPOTRI01	OPD NON-DR VISITS-TRICARE AMT-FAC 01	Sum of OPFTR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	23	23	66861545.58	66845674.62	360.16	360.07
11.9	OPOOFD01	OPD NON-DR VISITS-OTHER FED AMT-FAC 01	Sum of OPFOF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	18	18	99335440.68	99309303.00	547.59	547.44
11.10	OPOSTL01	OPD NON-DR VISITS-OTH ST/LOC AMT-FAC 01	Sum of OPFSL01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	20	20	109494760.03	109498536.40	522.49	522.51
11.11	OPOWCP01	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 01	Sum of OPFWC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	63	63	723514735.34	723539325.30	1270.57	1270.61

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.12	OPOOPR01	OPD NON-DR VISITS-OTH PRIVATE AMT- FAC 01	Sum of OPFOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	136	136	832985452.63	832955925.76	631.58	631.55
11.13	OPOOPU01	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 01	Sum of OPFOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	14	14	31901172.87	31911375.18	253.16	253.24
11.14	OPOOSR01	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 01	Sum of OPFOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	45	45	237271858.15	237277618.46	576.21	576.23
11.15	OPPEXP01	TOTAL OUTPATIENT NON-DR - DR EXP 01	Sum of OPDXP01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1548	1548	4039733575.62	4039698089.05	266.86	266.86
11.16	OPPTCH01	OPD NON-PHYS VISIT CHARGES - DR 01	Sum of OPDTC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1593	1593	8284942149.11	8284702725.10	530.42	530.40

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.17	OPPSLF01	OPD NON-DR VISITS-SELF/FAM AMT-DR 01	Sum of OPDSF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	403	403	311070852.67	311039770.27	79.89	79.88
11.18	OPPMCR01	OPD NON-DR VISITS-MEDICARE AMT-DR 01	Sum of OPDMR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	530	530	911555099.75	911484843.38	175.46	175.44
11.19	OPPMCD01	OPD NON-DR VISITS-MEDICAID AMT-DR 01	Sum of OPDMD01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	129	129	97045219.71	97023978.25	101.82	101.79
11.20	OPPPRV01	OPD NON-DR VISITS-PRIV INS AMT-DR 01	Sum of OPDPV01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1074	1074	2515877632.25	2515928473.23	228.51	228.51
11.21	OPPVA01	OPD NON-DR VISITS-VA AMT- DR 01	Sum of OPDVA01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	23	23	40397413.33	40414084.44	193.87	193.95

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.22	OPPTRI01	OPD NON-DR VISITS-TRICARE AMT-DR 01	Sum of OPDTR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	10	10	4140950.49	4147898.87	49.16	49.24
11.23	OPPOFD01	OPD NON-DR VISITS-OTHER FED AMT-DR 01	Sum of OPDOF01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	0	0	0.00	0.00	0.00	0.00
11.24	OPPSTL01	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 01	Sum of OPDSL01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	3	3	2112001.91	2103264.07	79.00	78.67
11.25	OPPWCP01	OPD NON-DR VISITS-WRKRS COMP AMT-DR 01	Sum of OPDWC01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	17	17	26592748.09	26563098.50	151.36	151.19
11.26	OPPOPR01	OPD NON-DR VISITS-OTH PRIVATE AMT-DR 01	Sum of OPDOR01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	105	105	117126034.42	117214830.01	125.04	125.14

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.27	OPPOPU01	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 01	Sum of OPDOU01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	5	5	8941550.21	8934281.85	163.78	163.65
11.28	OPPOSR01	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 01	Sum of OPDOT01X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	4843566.18	4843566.18	150.00	150.00
12.0	AMCHIR01	# CHIROPRACTR VSTS (OFF+OUTPAT), 1019	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	937	937	78333980.87	78333980.87	8.28	8.28
12.1	AMCTCH01	CHIRO AMBULATORY VISIT CHARGES 01	Sum of OBTC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC01X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	936	936	4801222407.97	4801225107.14	507.87	507.87

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.2	AMCEXP01	TOTL AMBULTRY (OB+OP) CHIRO EXP 01	Sum of OBXP01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	893	893	3974604542.90	3974637050.75	440.17	440.18
12.3	AMCSLF01	CHIRO AMB VISITS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF01X + OPDSF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=11	688	688	1451316803.21	1451294230.59	206.96	206.96
12.4	AMCMCR01	CHIRO AMB VISITS - MEDICARE AMT 01	Sum of OBMR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR01X + OPDMR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	87	87	211863243.24	211835905.44	256.99	256.96

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.5	AMCMCD01	CHIRO AMB VISITS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD01X + OPDMD01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	22	22	47211764.66	47216094.17	264.19	264.21
12.6	AMCPRV01	CHIRO AMB VISITS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV01X + OPDPV01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	453	453	1589653074.13	1589619340.18	335.90	335.89

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.7	AMCVA01	CHIRO AMB VISITS -VA AMT 01	Sum of OBVA01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA01X + OPDVA01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	16	16	18040870.09	18019609.71	149.05	148.88
12.8	AMCTRI01	CHIRO AMB VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFTR01X + OPDTR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	2	2	24582475.30	24576857.80	1053.28	1053.04

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.9	AMCOFD01	CHIRO AMB VISITS -OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF01X + OPDOF01X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0.00	0.00	0.00	0.00
12.10	AMCSTL01	CHIRO AMB VISITS -OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL01X + OPDSL01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	4	4	6570695.59	6570695.59	174.32	174.32
12.11	AMCWCP01	CHIRO AMB VISITS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC01X + OPDWC01X) from OPAT records with and [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	37	37	253016246.00	252998192.32	858.36	858.30

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.12	AMCOPR01	CHIRO AMB VISITS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR01X + OPDOR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	26	26	87762585.23	87737621.05	321.27	321.18
12.13	AMCOPU01	CHIRO AMB VISITS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU01X + OPDOU01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0.00	0.00	0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.14	AMCOSR01	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT01X + OPDOT01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	48	48	284795546.90	284768503.89	613.54	613.48
13.0	AMNURS01	# AMB NURSE/PRCTITIO NR VSTS(OB+OP) 01	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	3141	3141	94680539.24	94680539.24	3.13	3.13
13.1	AMNTCH01	NRS/PRAC AMBULATORY VISIT CHARGES 01	Sum of OBTC01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	3125	3125	21280294809.01	21279822884.07	707.27	707.26

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.2	AMNEXP01	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 01	Sum of OBXP01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP01X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2829	2829	11625467971.89	11625181931.62	423.54	423.53
13.3	AMNSLF01	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF01X + OPDSF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1572	1574	1087547670.73	1087474881.53	69.65	69.56
13.4	AMNMCR01	NRS/PRAC AMB VSTS -MEDICARE AMT 01	Sum of OBMR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR01X + OPDMR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	588	589	3512419432.24	3512506301.10	589.99	589.57

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.5	AMNMCD01	NRS/PRAC AMB VSTS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD01X + OPDMD01X) from OPAT records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	333	333	764925468.27	764822117.84	296.74	296.70
13.6	AMNPRV01	NRS/PRAC AMB VSTS -PRIV INS AMT 01	Sum of OBPV01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV01X + OPDPV01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1522	1525	4966649075.42	4966450633.23	313.92	313.62

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.7	AMNVA01	NRS/PRAC AMB VSTS-VA AMT 01	Sum of OBVA01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA01X + OPDVA01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	90	91	324465523.56	324478999.95	423.38	422.20
13.8	AMNTRI01	NRS/PRAC AMB VSTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFTR01X + OPDTR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	23	23	15679203.13	15678037.76	77.25	77.25

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	AMNOFD01	NRS/PRAC AMB VSTS-OTHER FEDERAL AMT 01	Sum of OBOF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF01X + OPDOF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	27	27	43644679.24	43638321.41	180.04	180.01
13.10	AMNSTL01	NRS/PRAC AMB VSTS-OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL01X + OPDSL01X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	38	38	95757161.44	95750740.32	293.13	293.11
13.11	AMNWCP01	NRS/PRAC AMB VSTS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC01X + OPDWC01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	34	34	75075573.41	75095740.19	196.41	196.46

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.12	AMNOPR01	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR01X + OPDOR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	108	108	529427794.51	529390849.00	515.55	515.52
13.13	AMNOPU01	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU01X + OPDOU01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	20	20	26844022.73	26830188.20	200.68	200.57

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.14	AMNOSR01	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 01	Sum of OBOT01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT01X + OPDOT01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	139	139	183071995.13	183065121.09	168.21	168.20
14.0	AMOPTO01	# AMB OPTOMETRIST VSTS (OB+OP) 01	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1398	1398	16336564.96	16336564.96	1.18	1.18
14.1	AMETCH01	OPTOMETRIST AMBULATORY VISIT CHARGES 01	Sum of OBTC01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1391	1391	2032898111.24	2032869353.62	148.64	148.64

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	AMEEXP01	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 01	Sum of OBXP01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1354	1354	1706028426.85	1705977215.69	128.36	128.35
14.3	AMESLF01	OPTMTRIST AMB VSTS - SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF01X + OPDSF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1022	1022	867123670.46	867071418.58	83.35	83.34
14.4	AMEMCR01	OPTMTRIST AMB VSTS -MEDICARE AMT 01	Sum of OBMR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR01X + OPDMR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	94	94	113871712.54	113848616.37	130.64	130.62

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.5	AMEMCD01	OPTMTRIST AMB VSTS -MEDICAID AMT 01	Sum of OBMD01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD01X + OPDMD01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	111	111	60946912.05	60909279.45	84.58	84.53
14.6	AMEPRV01	OPTMTRIST AMB VSTS -PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV01X + OPDPV01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	548	548	568876625.16	568751337.05	98.27	98.24

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.7	AMEVA01	OPTMTRIST AMB VSTS-VA AMT 01	Sum of OBVA01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA01X + OPDVA01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	33	33	29676745.08	29645401.26	103.83	103.72
14.8	AMETRI01	OPTMTRIST AMB VSTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR01X + OPDTR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	6	6	5133731.14	5127695.10	93.24	93.13

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.9	AMEOFD01	OPTMTRIST AMB VSTS-OTHER FED AMT 01	Sum of OBOF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF01X + OPDOF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	3	3	3272620.95	3269263.71	170.62	170.45
14.10	AMESTL01	OPTMTRIST AMB VSTS-OTH ST/LOCAL AMT 01	Sum of OBSL01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL01X + OPDSL01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	175797.52	175797.52	254.00	254.00
14.11	AMEWCP01	OPTMTRIST AMB VSTS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC01X + OPDWC01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	3	3	2494478.75	2501666.80	97.39	97.67

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.12	AMEOPR01	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR01X + OPDOR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	21	21	17898182.11	17899278.40	109.37	109.38
14.13	AMEOPU01	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU01X + OPDOU01X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	0	0	0.00	0.00	0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	AMEOSR01	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 01	Sum of OBOT01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT01X + OPDOT01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	24	24	36772409.26	36777461.44	144.16	144.18
15.0	AMASST01	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1019	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	578	578	10437352.72	10437352.72	1.74	1.74
15.1	AMATCH01	PHYS ASS T AMBULATORY VISIT CHARGES 01	Sum of OBTC01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	577	577	1456124014.72	1456045664.35	243.86	243.85

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.2	AMAEXP01	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 01	Sum of OBXP01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	560	560	939943650.12	939798926.73	162.39	162.36
15.3	AMASLF01	PHYS ASS T AMB VSTS- SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF01X + OPDSF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	386	386	164550829.89	164499312.93	39.97	39.96
15.4	AMAMCR01	PHYS ASS T AMB VSTS-MEDICARE AMT 01	Sum of OBMR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR01X + OPDMR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	74	75	69125547.26	69090428.42	90.01	89.46

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.5	AMAMCD01	PHYS ASS T AMB VSTS-MEDICAID AMT 01	Sum of OBMD01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD01X + OPDMD01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	35	35	51215109.47	51231186.32	184.92	184.98
15.6	AMAPRV01	PHYS ASS T AMB VSTS-PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV01X + OPDPV01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	380	380	540043388.84	539957321.43	130.99	130.97

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.7	AMAVA01	PHYS ASS T AMB VSTS-VA AMT 01	Sum of OBVA01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA01X + OPDVA01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	20	20	28068684.09	28058807.27	167.76	167.70
15.8	AMATRI01	PHYS ASS T AMB VSTS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR01X + OPDTR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	5	5	3104732.32	3106069.20	73.57	73.60

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.9	AMAOFD01	PHYS ASS T AMB VSTS -OTHER FED AMT 01	Sum of OBOF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF01X + OPDOF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	6	6	1870395.53	1861557.39	39.90	39.71
15.10	AMASTL01	PHYS ASS T AMB VSTS-OTH ST/LOCL AMT 01	Sum of OBSL01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL01X + OPDSL01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	3	3	1522416.26	1524929.47	51.96	52.05
15.11	AMAWCP01	PHYS ASS T AMB VSTS-WRKERS COMP AMT 01	Sum of OBWC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC01X + OPDWC01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	7	7	35104288.29	35111062.32	564.02	564.13

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.12	AMAOPR01	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR01X + OPDOR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	25	25	9604069.05	9594038.67	45.76	45.71
15.13	AMAOPU01	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU01X + OPDOU01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	2	2	1330727.17	1336636.59	98.79	99.23

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.14	AMAOSR01	P A AMB VSTS- OTH UNCLASS SRCE AMT 01	Sum of OBOT01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT01X + OPDOT01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	12	12	34434593.55	34427576.72	278.32	278.27
16.0	AMTHER01	# AMB PT/OT THRPY VISITS (OB+OP) 01	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	806	806	87881717.86	87881717.86	10.61	10.61
16.1	AMTTCH01	PT/OC AMBULATORY VISIT CHARGES 01	Sum of OBTC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC01X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	805	805	15261293593.37	15261134647.17	1844.80	1844.78

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.2	AMTEXP01	TOTL AMBULTRY (OB+OP) PT/OT EXP 01	Sum of OBXP01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP01X from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	786	786	10282730230.79	10282625183.56	1271.88	1271.87
16.3	AMTSLF01	PT/OT AMB VISITS- SELF/FAMILY AMT 01	Sum of OBSF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF01X + OPDSF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	403	404	1367389051.96	1367368364.62	321.88	321.31
16.4	AMTMCR01	PT/OT AMB VISITS-MEDICARE AMT 01	Sum of OBMR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9)] plus sum of (OPFMR01X + OPDMR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9)] and SEEDOC = (2, -7, -8 or -9)]	177	404 177	1816351006.74	1816339963.53	991.67	991.66

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.5	AMTMCD01	PT/OT AMB VISITS-MEDICAID AMT 01	Sum of OBMD01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD01X + OPDMD01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	58	58	301502776.54	301507857.71	611.16	611.17
16.6	AMTPRV01	PT/OT AMB VISITS-PRIVATE INS AMT 01	Sum of OBPV01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV01X + OPDPV01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	522	522	4694469992.77	4694374077.59	847.53	847.51

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.7	AMTVA01	PT/OT AMB VISITS-VA AMT 01	Sum of OBVA01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA01X + OPDVA01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	46	46	168297162.24	168291411.14	391.49	391.48
16.8	AMTTRI01	PT/OT AMB VISITS-TRICARE AMT 01	Sum of OBTR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR01X + OPDTR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	12	12	26314820.29	26304411.52	310.27	310.15

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.9	AMTOFD01	PT/OT AMB VISITS -OTHER FED AMT 01	Sum of OBOF01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF01X + OPDOF01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	3	3	10822480.16	10816735.35	496.24	495.97
16.10	AMTSTL01	PT/OT AMB VISITS-OTH ST/LOCL AMT 01	Sum of OBSL01X from MVIS records with [SEETLKPV=(1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL01X + OPDSL01X) from OPAT records with [SEETLKPV=(1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	7	7	43409351.78	43400199.45	573.86	573.74

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.11	AMTWCP01	PT/OT AMB VISITS-WORKERS COMP AMT 01	Sum of OBWC01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC01X + OPDWC01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	94	94	1193533199.80	1193508862.89	1334.28	1334.26
16.12	AMTOPR01	PT/OT AMB VISITS - OTH PRIVATE AMT 01	Sum of OBOR01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9)] plus sum of (OPFOR01X + OPDOR01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9)] and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	34	34	204351406.13	204345387.52	648.79	648.77

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.13	AMTOPU01	PT/OT AMB VISITS-OTH PUBLIC AMT 01	Sum of OBOU01X from MVIS records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU01X + OPDOU01X) from OPAT records with [SEETLKPV= (1-7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	7668672.81	7677169.43	356.14	356.54
16.14	AMTOSR01	PT/OT AMB VSTS- OTH UNCLAS SRCE AMT 01	Sum of OBOT01X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9)] plus sum of (OPFOT01X + OPDOT01X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9)] and SEEDOC = (2, -7, -8 or -9)] and MEDPTYPE = (8 or 9)]	39	39	448692538.96	448690742.81	983.14	983.14
17.0	AMTOTC01	# CALLS W/OFFICE & OUPAT DEPTS, 1019	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2	1180	1180	18487114.46	18487114.46	1.56	1.56

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
18.0	AMDRC01	# CALLS W/OFF & OUTPAT PHYSICIANS, 1019	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1	739	739	10968407.25	10968407.25	1.47	1.47
19.0	ERTOT01	# EMERGENCY ROOM VISITS, 1019	Count of EROM records	4554	4554	55005259.16	55005259.16	1.36	1.36
19.1	ERFTCH01	ER FACILITY VISIT CHARGES 01	Sum of ERFTC01X from EROM records	4247	4247	38835330059.76	38834045815.10	1035.29	1035.26
19.2	ERFEXP01	TOTAL ER FACILITY EXP 01	Sum of ERFXP01X from EROM records	3868	3868	20087590176.81	20086974915.32	583.49	583.47
19.3	ERFSLF01	ER-SELF/FAMILY AMT - FAC 01	Sum of ERFSF01X from EROM records	1693	1694	2338680060.77	2338709731.20	150.37	150.31
19.4	ERFMCR01	ER-MEDICARE AMT - FAC 01	Sum of ERFMR01X from EROM records	666	666	3014068091.62	3014053213.27	486.51	486.51
19.5	ERFMCD01	ER-MEDICAID AMT - FAC 01	Sum of ERFMD01X from EROM records	797	797	1899625907.40	1899482286.99	331.37	331.35
19.6	ERFPRV01	ER-PRIVATE INS AMT - FAC 01	Sum of ERFPV01X from EROM records	2006	2006	10016436751.30	10016078717.04	510.18	510.16
19.7	ERFVA01	ER-VA AMT - FAC 01	Sum of ERFVA01X from EROM records	77	78	424031971.21	424020819.62	592.12	588.43
19.8	ERFTRI01	ER-TRICARE AMT - FAC 01	Sum of ERFTR01X from EROM records	37	37	100988494.96	100997325.92	369.91	369.94
19.9	ERFOFD01	ER-OTHER FEDERAL AMT - FAC 01	Sum of ERFOF01X from EROM records	24	24	72279370.09	72264347.22	368.53	368.45

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.10	ERFSTL01	ER-OTH ST/LOCAL AMT - FAC 01	Sum of ERFSL01X from EROM records	20	20	54220010.23	54214758.41	374.64	374.61
19.11	ERFWCP01	ER-WORKERS COMP AMT - FAC 01	Sum of ERFWC01X from EROM records	138	138	726373732.88	726321210.05	538.98	538.94
19.12	ERFOPR01	ER-OTHER PRIVATE AMT - FAC 01	Sum of ERFOR01X from EROM records	183	183	973722023.10	973691454.49	583.20	583.18
19.13	ERFOPU01	ER-OTHER PUBLIC AMT - FAC 01	Sum of ERFOU01X from EROM records	42	42	65136269.58	65118472.69	206.12	206.06
19.14	ERFOSR01	ER-OTH UNCLASS SRCE AMT - FAC 01	Sum of ERFOT01X from EROM records	80	80	402037264.73	402022578.43	633.00	632.98
19.15	ERDEXP01	TOTAL EMERGENCY ROOM DR EXP 01	Sum of ERDXP01X from EROM records	2856	2858	5426004734.55	5425605547.34	211.00	210.83
19.16	ERDTCH01	ER DOCTOR VISIT CHARGES 01	Sum of ERDTC01X from EROM records	3150	3150	11151479221.94	11151196315.73	395.63	395.62
19.17	ERDSLF01	ER-SELF/FAMILY AMT - DR 01	Sum of ERDSF01X from EROM records	745	746	739835693.38	739644360.10	112.47	112.28
19.18	ERDMCR01	ER-MEDICARE AMT - DR 01	Sum of ERDMR01X from EROM records	588	588	808018118.76	807880231.91	150.21	150.18
19.19	ERDMCD01	ER-MEDICAID AMT - DR 01	Sum of ERDMD01X from EROM records	549	550	405758779.42	405674205.30	100.82	100.66
19.20	ERDPRV01	ER-PRIVATE INS AMT - DR 01	Sum of ERDPV01X from EROM records	1557	1559	2989963509.34	2989842040.00	195.30	195.05

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.21	ERDVA01	ER-VA AMT - DR 01	Sum of ERDVA01X from EROM records	19	19	16986269.68	16974477.39	91.19	91.13
19.22	ERDTRI01	ER-TRICARE AMT - DR 01	Sum of ERDTR01X from EROM records	21	21	14644555.44	14662987.15	81.79	81.89
19.23	ERDOFD01	ER-OTHER FED AMT - DR 01	Sum of ERDOF01X from EROM records	1	1	98806.75	99886.73	43.00	43.47
19.24	ERDSTL01	ER-OTH ST/LOCAL AMT - DR 01	Sum of ERDSL01X from EROM records	8	8	6773828.83	6768419.05	140.04	139.93
19.25	ERDWCP01	ER-WORKERS COMP AMT - DR 01	Sum of ERDWC01X from EROM records	92	92	144333309.00	144336736.02	159.77	159.77
19.26	ERDOPR01	ER - OTHER PRIVATE AMT - DR 01	Sum of ERDOR01X from EROM records	208	208	258567994.33	258601057.73	140.83	140.84
19.27	ERDOPU01	ER - OTHER PUBLIC AMT - DR 01	Sum of ERDOU01X from EROM records	31	31	22738303.07	22748303.50	92.08	92.12
19.28	ERDOSR01	ER-OTH UNCLASS SRCE AMT - DR 01	Sum of ERDOT01X from EROM records	21	21	18373176.36	18372842.45	85.78	85.78
20.0	IPZERO01	# ZERO-NIGHT HOSPITAL STAYS 01	Count of STAZ records with NUMNIGHX = 0	138	138	1570683.20	1570683.20	1.19	1.19
20.1	ZIFTCH01	ZERO-NITE IP STAY CHARGES - FAC 01	Sum of IPFTC01X from STAZ records with NUMNIGHX = 0	136	136	5463187724.66	5463154057.77	4197.53	4197.51

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.2	ZIFEXP01	TOTAL ZERO- NITE STAYS FAC EXP 01	Sum of IPFXP01X from STAZ records with NUMNIGHX=0	129	129	2788617400.78	2788573246.80	2233.60	2233.57
20.3	ZIFSLF01	ZERO-NITE IP STAZ -SELF/FAM AMT-FAC 01	Sum of IPFSF01X from STAZ records with NUMNIGHX = 0	44	44	108377583.50	108367460.23	259.34	259.32
20.4	ZIFMCR01	ZERO-NITE IP STAZ-MEDICARE AMT-FAC 01	Sum of IPFMR01X from STAZ records with NUMNIGHX = 0	31	31	1016075045.85	1016072990.63	3304.44	3304.43
20.5	ZIFMCD01	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 01	Sum of IPFMD01X from STAZ records with NUMNIGHX = 0	11	11	81562021.22	81565508.63	945.18	945.22
20.6	ZIFPRV01	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 01	Sum of IPFPV01X from STAZ records with NUMNIGHX = 0	81	81	1412707113.86	1412675646.94	1658.16	1658.12
20.7	ZIFVA01	ZERO-NITE IP STAZ-VA AMT- FAC 01	Sum of IPFVA01X from STAZ records with NUMNIGHX = 0	1	1	6469736.82	6469736.82	1541.00	1541.00
20.8	ZIFTRI01	ZERO-NITE IP STAZ-TRICARE AMT-FAC 01	Sum of IPFTR01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.9	ZIFOFD01	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 01	Sum of IPFOF01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.10	ZIFSTL01	ZERO-NITE IP STAZ-OTH ST/LOC AMT-FAC 01	Sum of IPFSL01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.11	ZIFWCP01	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 01	Sum of IPFWC01X from STAZ records with NUMNIGHX = 0	3	3	25216961.02	25203198.06	839.61	839.15
20.12	ZIFOPR01	ZERO-NITE IP STAZ-OTH PRIVATE AMT- FAC 01	Sum of IPFOR01X from STAZ records with NUMNIGHX = 0	10	10	105698147.67	105686725.24	1762.44	1762.25
20.13	ZIFOPU01	ZERO-NITE IP STAZ-OTH PUBLIC AMT-FAC 01	Sum of IPFOU01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.14	ZIFOSR01	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 01	Sum of IPFOT01X from STAZ records with NUMNIGHX = 0	3	3	32531980.25	32531980.25	1984.94	1984.94
20.15	ZIDEXP01	TOTAL ZERO- NITE STAZ DR 01	Sum of IPDXP01X from STAZ records with NUMNIGHX = 0	97	97	866844676.93	866794903.29	942.33	942.28
20.16	ZIDTCH01	ZERO-NITE IP STAY CHARGES - DR 01	Sum of IPDTC01X from STAZ records with NUMNIGHX=0	102	102	1774330711.43	1774280706.36	1855.88	1855.83
20.17	ZIDSLF01	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 01	Sum of IPDSF01X from STAZ records with NUMNIGHX = 0	34	34	118369160.00	118338393.28	357.78	357.69
20.18	ZIDMCR01	ZERO-NITE IP STAZ-MEDICARE AMT-DR 01	Sum of IPDMR01X from STAZ records with NUMNIGHX = 0	20	20	98427117.70	98422278.17	511.27	511.25

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.19	ZIDMCD01	ZERO-NITE IP STAZ-MEDICAID AMT-DR 01	Sum of IPDMD01X from STAZ records with NUMNIGHX = 0	12	12	13769269.34	13767385.50	141.07	141.05
20.20	ZIDPRV01	ZERO-NITE IP STAZ-PRIV INS AMT-DR 01	Sum of IPDPV01X from STAZ records with NUMNIGHX = 0	65	65	603453726.12	603442774.17	928.11	928.10
20.21	ZIDVA01	ZERO-NITE IP STAZ-VA AMT-DR 01	Sum of IPDVA01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.22	ZIDTRI01	ZERO-NITE IP STAZ-TRICARE AMT-DR 01	Sum of IPDTR01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.23	ZIDOFD01	ZERO-NITE IP STAZ-OTHER FED AMT-DR 01	Sum of IPDOF01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.24	ZIDSTL01	ZERO-NITE IP STAZ-OTH ST/LOC AMT-DR 01	Sum of IPDSL01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
20.25	ZIDWCP01	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 01	Sum of IPDWC01X from STAZ records with NUMNIGHX = 0	1	1	2443423.11	2439494.78	311.00	310.50
20.26	ZIDOPR01	ZERO-NITE IP STAZ-OTH PRIVATE AMT-DR 01	Sum of IPDOR01X from STAZ records with NUMNIGHX = 0	10	10	30007250.83	30001710.66	409.85	409.77
20.27	ZIDOPU01	ZERO-NITE IP STAZ-OTH PUBLIC AMT-DR 01	Sum of IPDOU01X from STAZ records with NUMNIGHX = 0	1	1	381575.68	382866.72	133.00	133.45

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.28	ZIDOSR01	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 01	Sum of IPDOT01X from STAZ records with NUMNIGHX = 0	0	0	0.00	0.00	0.00	0.00
21.0	IPDIS01	# HOSPITAL DISCHARGES, 1019	Count of STAZ records	2447	2447	30172114.60	30172114.60	1.36	1.36
21.1	IPFTCH01	IP HOSP STAY CHARGES - FAC 01	Sum of IPFTC01X from STAZ records	2439	2439	448871009807.33	448870616973.68	20305.35	20305.34
21.2	IPFEXP01	TOT HOSP IP FACILITY EXP-INC 0 NITES 01	Sum of IPFXP01X from STAZ records	2336	2336	200005368887.68	200005124891.20	9388.94	9388.92
21.3	IPFSLF01	IP HOSP STAZ- SELF/FAMILY AMT-FAC 01	Sum of IPFSF01X from STAZ records	740	740	3619213128.74	3619124008.64	528.23	528.22
21.4	IPFMCR01	IP HOSP STAZ- MEDICARE AMT- FAC 01	Sum of IPFMR01X from STAZ records	787	787	83139675192.45	83139786206.43	11034.55	11034.57
21.5	IPFMCD01	IP HOSP STAZ- MEDICAID AMT- FAC 01	Sum of IPFMD01X from STAZ records	464	465	17248673900.12	17248699762.40	5184.89	5172.86
21.6	IPFPRV01	IP HOSP STAZ- PRIV INS AMT- FAC 01	Sum of IPFPV01X from STAZ records	1263	1263	77600421017.96	77600252311.92	6204.56	6204.54
21.7	IPFVA01	IP HOSP STAZ-VA AMT-FAC 01	Sum of IPFVA01X from STAZ records	49	49	3717594981.45	3717595499.09	7815.90	7815.90
21.8	IPFTRI01	IP HOSP STAZ- TROCARE AMT- FAC 01	Sum of IPFTR01X from STAZ records	12	12	483972056.26	483954008.84	4432.10	4431.93

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.9	IPFOFD01	IP HOSP STAZ- OTHER FED AMT- FAC 01	Sum of IPFOF01X from STAZ records	11	11	289020780.36	289016422.74	2659.90	2659.86
21.10	IPFSTL01	IP HOSP STAZ- OTH ST/LOCAL AMT-FAC 01	Sum of IPFSL01X from STAZ records	8	8	358813660.84	358816523.79	4620.86	4620.89
21.11	IPFWCP01	IP HOSP STAZ- WORKERS COMP AMT-FAC 01	Sum of IPFWC01X from STAZ records	45	45	4236741691.32	4236704998.82	10891.64	10891.54
21.12	IPFOPR01	IP HOSP STAZ - OTH PRIVATE AMT-FAC 01	Sum of IPFOR01X from STAZ records	149	149	4794640975.87	4794683694.31	3381.15	3381.18
21.13	IPFOPU01	IP HOSP STAZ - OTH PUBLIC AMT- FAC 01	Sum of IPFOU01X from STAZ records	44	44	3849887343.59	3849881593.80	10935.33	10935.31
21.14	IPFOSR01	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 01	Sum of IPFOT01X from STAZ records	18	18	666597110.97	666609860.43	4968.34	4968.43
21.15	IPDEXP01	TOTL HOSP STAZ DR EXP 01	Sum of IPDXP01X from STAZ records	2163	2163	34588892871.09	34588687666.00	1750.26	1750.25
21.16	IPDTCH01	IP HOSP STAY CHARGES - DR 01	Sum of IPDTC01X from STAZ records	2202	2202	75422786409.97	75422470243.01	3759.91	3759.89
21.17	IPDSLF01	IP HOSP STAZ- SELF/FAMILY AMT-DR 01	Sum of IPDSF01X from STAZ records	690	693	1938283841.01	1938214135.79	306.42	304.90
21.18	IPDMCR01	IP HOSP STAZ- MEDICARE AMT- DR 01	Sum of IPDMR01X from STAZ records	774	774	9835458528.59	9835467510.86	1323.62	1323.62

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.19	IPDMCD01	IP HOSP STAZ- MEDICAID AMT- DR 01	Sum of IPDMD01X from STAZ records	472	472	2122928640.07	2122870358.35	595.76	595.74
21.20	IPDPRV01	IP HOSP STAZ- PRIV INS AMT- DR 01	Sum of IPDPV01X from STAZ records	1260	1260	18069312695.97	18069291018.42	1436.99	1436.99
21.21	IPDVA01	IP HOSP STAZ-VA AMT-DR 01	Sum of IPDVA01X from STAZ records	32	32	410485350.24	410489211.74	1215.07	1215.08
21.22	IPDTRI01	IP HOSP STAZ- TRICARE AMT-DR 01	Sum of IPDTR01X from STAZ records	14	14	127978613.12	127979327.38	883.55	883.55
21.23	IPDOFD01	IP HOSP STAZ- OTHER FED AMT- DR 01	Sum of IPDOF01X from STAZ records	1	1	548288.39	551907.10	50.00	50.33
21.24	IPDSTL01	IP HOSP STAZ- OTH ST/LOCAL AMT-DR 01	Sum of IPDSL01X from STAZ records	17	17	35415953.68	35425251.50	243.50	243.57
21.25	IPDWCP01	IP HOSP STAZ- WORKERS COMP AMT-DR 01	Sum of IPDWC01X from STAZ records	20	20	455418094.70	455397902.37	2633.14	2633.02
21.26	IPDOPR01	IP HOSP STAZ - OTH PRIVATE AMT-DR 01	Sum of IPDOR01X from STAZ records	228	228	1247528059.00	1247526922.80	638.37	638.37
21.27	IPDOPU01	IP HOSP STAZ - OTH PUBLIC AMT- DR 01	Sum of IPDOU01X from STAZ records	64	64	329432711.92	329441081.22	610.83	610.85
21.28	IPDOSR01	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 01	Sum of IPDOT01X from STAZ records	7	7	16038221.77	16033038.47	300.19	300.10

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.29	IPNGTD01	# NIGHTS IN HOSP FOR DISCHARGES, 1019	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2355	2355	162688166.78	162688166.78	7.64	7.64
22.0	DVTOT01	# DENTAL CARE VISITS 01	Count of DVIS records	12462	12462	300797175.22	300797175.22	2.48	2.48
22.1	DVTTCH01	TOTAL DENTAL CARE VISIT CHARGES 01	Sum of DVTC01X from DVIS records	12367	12367	65706211841.31	65706105226.84	546.81	546.81
22.2	DVTEXP01	TOTAL DENTAL CARE EXP 01	Sum of DVXP01X from DVIS records	12070	12070	59497973523.05	59497510015.65	506.23	506.23
22.3	DVTSLF01	ALL DENTAL CARE - SELF/FAMILY AMT 01	Sum of DVSF01X from DVIS records	8334	8334	29654313944.50	29654119202.93	354.97	354.97
22.4	DVTMCR01	ALL DENTAL CARE -MEDICARE AMT 01	Sum of DVMR01X from DVIS records	114	114	323422920.09	323364884.78	318.61	318.55
22.5	DVTMCD01	ALL DENTAL CARE -MEDICAID AMT 01	Sum of DVMD01X from DVIS records	1205	1205	1552607687.56	1552327490.08	199.25	199.21
22.6	DVTPRV01	ALL DENTAL CARE -PRIVATE INS AMT 01	Sum of DVPV01X from DVIS records	6993	6993	25148865955.78	25148451123.33	347.62	347.61
22.7	DVTVA01	ALL DENTAL CARE-VA AMT 01	Sum of DVVA01X from DVIS records	114	114	279594422.56	279540566.56	284.14	284.09

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.8	DVTTRI01	ALL DENTAL CARE-TRICARE AMT 01	Sum of DVTR01X from DVIS records	96	96	275221235.92	275150458.68	301.81	301.73
22.9	DVTOFD01	ALL DENTAL CARE -OTHER FEDRL AMT 01	Sum of DVOF01X from DVIS records	36	36	139252983.02	139229584.03	438.43	438.36
22.10	DVTSTL01	ALL DENTAL CARE-OTH ST/LOCAL AMT 01	Sum of DVSL01X from DVIS records	67	67	157191663.97	157177709.29	330.29	330.26
22.11	DVTWCP01	ALL DENTAL CARE-WORKERS COMP AMT 01	Sum of DVWC01X from DVIS records	3	3	15222564.69	15221168.27	633.40	633.34
22.12	DVTOPR01	ALL DENTAL CARE - OTH PRIVATE AMT 01	Sum of DVOR01X from DVIS records	201	201	737690497.34	737646213.64	387.04	387.01
22.13	DVTOPU01	ALL DENTAL CARE - OTH PUBLIC AMT 01	Sum of DVOU01X from DVIS records	21	21	31416466.93	31404638.85	216.88	216.80
22.14	DVTOSR01	ALL DENT CARE- OT UNCLASS SRCE AMT 01	Sum of DVOT01X from DVIS records	393	393	1183917742.74	1183876975.21	301.00	300.99
23.0	DVGEN01	# GENERAL DENTIST VISITS 01	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	11572	11572	228630075.67	228630075.67	2.03	2.03
23.1	DVGTCH01	GENERAL DENTAL CARE VISIT CHARGES 01	Sum of DVTC01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11516	11516	44079754517.97	44079645171.20	392.88	392.88

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.2	DVGEXP01	TOTAL GENERAL DENTIST EXP 01	Sum of DVXP01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11228	11228	40439121885.10	40438724996.59	369.05	369.04
23.3	DVGSLF01	GNRL DENTAL VISITS -SELF/FAM AMT 01	Sum of DVSF01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7503	7503	19372549597.88	19372380237.75	257.39	257.39
23.4	DVGMCR01	GNRL DENTAL VISITS - MEDICARE AMT 01	Sum of DVMR01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	101	101	292584474.91	292530231.17	323.51	323.45
23.5	DVGMCD01	GNRL DENTAL VISITS -MEDICAID AMT 01	Sum of DVMD01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1126	1126	1383669539.01	1383451042.28	190.03	190.00
23.6	DVGPRV01	GNRL DENTAL VISITS -PRIVATE INS AMT 01	Sum of DVPV01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6453	6453	17067702617.12	17067301279.61	255.62	255.61
23.7	DVGVA01	GNRL DENTAL VISITS -VA AMT 01	Sum of DVVA01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	102	102	174234106.55	174176333.62	203.00	202.94
23.8	DVGTRI01	GNRL DENTAL VISITS-TRICARE AMT 01	Sum of DVTR01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	88	88	220028004.19	219955294.24	260.25	260.17
23.9	DVGOFD01	GNRL DENTAL VISITS- OTHER FED AMT 01	Sum of DVOF01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	34	34	130301585.67	130278186.69	426.79	426.72
23.10	DVGSTL01	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 01	Sum of DVSL01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	61	61	93349259.65	93335304.97	223.43	223.40

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.11	DVGWCP01	GNRL DENTAL VISITS - WORKERS COMP AMT 01	Sum of DVWC01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	3	3	15222564.69	15221168.27	633.40	633.34
23.12	DVGOPR01	GNRL DENTAL VISITS - OTH PRIVATE AMT 01	Sum of DVOR01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	182	182	678494733.75	678450450.05	387.52	387.50
23.13	DVGOPU01	GNRL DENTAL VISITS - OTH PUBLIC AMT 01	Sum of DVOR01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	18	18	26518800.12	26509029.25	223.02	222.94
23.14	DVGOSR01	GNRL DENT VSTS - OT UNCLASS SRCE AMT 01	Sum of DVOT01X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	356	356	985171219.66	985136438.71	276.77	276.76
24.0	DVORTH01	#ORTHODONTIST VISITS 01	Count of DVIS records with ORTHODNT = 1	902	902	38441002.39	38441002.39	4.38	4.38
24.1	DVOTCH01	ORTHODONTIST VISIT CHARGES 01	Sum of DVTC01X from DVIS records with ORTHODNT = 1	705	705	13593792324.05	13593800679.43	1993.03	1993.03
24.2	DVOEXP01	TOTAL ORTHODONTIST EXP 01	Sum of DVXP01X from DVIS records with ORTHODNT = 1	636	636	11701315062.65	11701310573.30	1933.24	1933.24
24.3	DVOSLF01	ORTHODONTIST VISITS - SELF/FAMILY AMT 01	Sum of DVSF01X from DVIS records with ORTHODNT = 1	510	510	6556014465.87	6555994278.87	1354.39	1354.39

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.4	DVOMCR01	ORTHODONTIST VISITS - MEDICARE AMT 01	Sum of DVMR01X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.5	DVOMCD01	ORTHODONTIST VISITS -MEDICAID AMT 01	Sum of DVMD01X from DVIS records with ORTHODNT = 1	36	36	74250843.08	74248448.12	328.47	328.46
24.6	DVOPRV01	ORTHODONTIST VISITS -PRIVATE INS AMT 01	Sum of DVPV01X from DVIS records with ORTHODNT = 1	331	331	4849933235.12	4849908528.05	1421.09	1421.08
24.7	DVOVA01	ORTHODONTIST VISITS-VA AMT 01	Sum of DVVA01X from DVIS records with ORTHODNT = 1	1	1	43612874.63	43612874.63	5799.00	5799.00
24.8	DVOTRI01	ORTHODONTIST VISITS-TRICARE AMT 01	Sum of DVTR01X from DVIS records with ORTHODNT = 1	4	4	39261121.39	39261121.39	1029.43	1029.43
24.9	DVOOFD01	ORTHODONTIST VISITS-OTHR FED AMT 01	Sum of DVOF01X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.10	DVOSTL01	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 01	Sum of DVSL01X from DVIS records with ORTHODNT = 1	4	4	55867774.08	55867774.08	1300.25	1300.25
24.11	DVOWCP01	ORTHODONTIST VISITS-WORKERS COMP AMT 01	Sum of DVWC01X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.12	DVOOPR01	ORTHODONTIST VISITS-OTHR PRIVATE AMT 01	Sum of DVOR01X from DVIS records with ORTHODNT = 1	3	3	3031747.54	3031747.54	136.64	136.64

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.13	DVOOPU01	ORTHODONTIST VISITS-OTHR PUBLIC AMT 01	Sum of DVOU01X from DVIS records with ORTHODNT = 1	0	0	0.00	0.00	0.00	0.00
24.14	DVOOSR01	ORTHODONT VSTS - OT UNCLASS SRCE AMT 01	Sum of DVOT01X from DVIS records with ORTHODNT = 1	9	9	79385800.62	79385800.62	1128.89	1128.89
25.1	HHTOTD01	# HOME HEALTH PROVIDER DAYS, 1019	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	695	695	416269905.71	416269905.71	64.75	64.75
26.1	HHAGD01	# AGENCY HOME HEALTH PROVIDER DAYS, 1019	Sum of HHDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDAYS = -9) then HHDAYS not counted from ANY HVIS records for that person.	553	553	256567606.28	256567606.28	50.84	50.84
26.2	HHATCH01	HOME HEALTH AGENCY VISIT CHARGES 01	Sum of HHTC01X from HVIS records with MPCELIG = 1.	579	579	32235506443.57	32235515735.50	6086.91	6086.91
26.3	HHAEXP01	TOTAL HOME HEALTH AGENCY EXP 01	Sum of HHXP01X from HVIS records with MPCELIG = 1.	559	559	29545883389.68	29545802976.81	5764.24	5764.22

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.4	HHASLF01	HOME HLTH AGENCY - SELF/FAMILY AMT 01	Sum of HHSF01X from HVIS records with MPCELIG = 1.	71	71	3231739305.00	3231710166.68	4472.37	4472.33
26.5	HHAMCR01	HOME HLTH AGENCY - MEDICARE AMT 01	Sum of HHMR01X from HVIS records with MPCELIG = 1.	289	289	9589056025.33	9589007525.67	3650.29	3650.28
26.6	HHAMCD01	HOME HLTH AGENCY - MEDICAID AMT 01	Sum of HHMD01X from HVIS records with MPCELIG = 1.	198	198	9656894020.78	9656833160.41	6460.93	6460.89
26.7	HHAPRV01	HOME HLTH AGENCY - PRIVATE INS AMT 01	Sum of HHPV01X from HVIS records with MPCELIG = 1.	94	94	2653717905.63	2653698251.13	2680.05	2680.03
26.8	HHAVA01	HOME HLTH AGENCY-VA AMT 01	Sum of HHVA01X from HVIS records with MPCELIG = 1.	5	5	77269066.96	77262796.59	1694.88	1694.74
26.9	HHATRI01	HOME HLTH AGENCY- TRICARE AMT 01	Sum of HHTR01X from HVIS records with MPCELIG = 1.	0	0	0.00	0.00	0.00	0.00
26.10	HHAOFD01	HOME HLTH AGENCY-OTHER FED AMT 01	Sum of HHOF01X from HVIS records with MPCELIG = 1.	14	14	29478817.20	29449162.13	287.98	287.69
26.11	HHASTL01	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 01	Sum of HHSL01X from HVIS records with MPCELIG = 1.	101	101	2140926967.15	2140907151.37	2382.73	2382.71

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.12	HHAWCP01	HOME HLTH AGENCY- WORKERS COMP AMT 01	Sum of HHWC01X from HVIS records with MPCELIG = 1.	0	0	0.00	0.00	0.00	0.00
26.13	HHAOPR01	HOME HLTH AGENCY - OTH PRIVATE AMT 01	Sum of HHOR01X from HVIS records with MPCELIG = 1.	19	19	2154889179.23	2154890951.88	11635.07	11635.08
26.14	HHAOPU01	HOME HLTH AGENCY - OTH PUBLIC AMT 01	Sum of HHOU01X from HVIS records with MPCELIG = 1.	8	8	12038940.21	12043810.94	99.01	99.05
26.15	HHAOSR01	H HLTH AGENCY - OT UNCLASS SRCE AMT 01	Sum of HHOT01X from HVIS records with MPCELIG = 1.	0	0	0.00	0.00	0.00	0.00
27.1	HHINDD01	# NON-AGENCY HOME HEALTH PROVIDR DAYS 01	Sum of HHDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	89	89	60555766.96	60555766.96	61.25	61.25
27.2	HHNTCH01	HOME HEALTH NON-AGENCY VISIT CHARGES 01	Sum of HHTC01X from HVIS records with MPCELIG = 2	94	94	1788951550.01	1788953517.73	1743.82	1743.83
27.3	HHNEXP01	TOTAL HOME HEALTH NON- AGNCY EXP 01	Sum of HHXP01X from HVIS records with MPCELIG = 2	90	90	1662844956.93	1662846635.65	1718.04	1718.04

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.4	HHNSLF01	HOME HLTH NON- AGNCY - SELF/FAM AMT 01	Sum of HHSF01X from HVIS records with MPCELIG = 2	68	68	1140680490.50	1140680490.50	1480.41	1480.41
27.5	HHNMCR01	HOME HLTH NON- AGNCY - MEDICARE AMT 01	Sum of HHMR01X from HVIS records with MPCELIG = 2	5	5	14476566.68	14476566.68	382.71	382.71
27.6	HHNMCD01	HOME HLTH NON- AGNCY - MEDICAID AMT 01	Sum of HHMD01X from HVIS records with MPCELIG = 2	14	14	292209287.83	292206613.17	2763.77	2763.75
27.7	HHNPRV01	HOME HLTH NON- AGNCY -PRIV INS AMT 01	Sum of HHPV01X from HVIS records with MPCELIG = 2	10	10	42384231.68	42374116.74	288.34	288.27
27.8	HHNVA01	HOME HLTH NON- AGNCY-VA AMT 01	Sum of HHVA01X from HVIS records with MPCELIG = 2	2	2	79949709.85	79939594.91	2027.20	2026.95
27.9	HHNTRI01	HOME HLTH NON- AGNCY-TRICARE AMT 01	Sum of HHTR01X from HVIS records with MPCELIG = 2	0	0	0.00	0.00	0.00	0.00
27.10	HHNOFD01	HOME HLTH NON- AGNCY-OTHR FED AMT 01	Sum of HHOF01X from HVIS records with MPCELIG = 2	0	0	0.00	0.00	0.00	0.00
27.11	HHNSTL01	HOME HLTH NON- AGNCY-OTHR ST/LOCL AMT 01	Sum of HHSL01X from HVIS records with MPCELIG = 2	1	1	5876514.20	5876514.20	921.00	921.00
27.12	HHNWCP01	HOME HLTH NON- AGNCY- WORKERS COMP AMT 01	Sum of HHWC01X from HVIS records with MPCELIG = 2	0	0	0.00	0.00	0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.13	HHNOPR01	HOME HLTH NON- AGNCY-OTH PRIVATE AMT 01	Sum of HHOR01X from HVIS records with MPCELIG = 2	1	1	38528933.93	38528933.93	3180.00	3180.00
27.14	HHNOPU01	HOME HLTH NON- AGNCY-OTH PUBLIC AMT 01	Sum of HHOU01X from HVIS records with MPCELIG = 2	2	2	44129980.43	44134333.81	2493.67	2493.91
27.15	HHNOSR01	H HLTH NON- AGNCY-OT UNCLASS SRCE AMT 01	Sum of HHOT01X from HVIS records with MPCELIG = 2	1	1	4629471.71	4629471.71	750.00	750.00
28.1	HHINFD01	# INFORMAL HOME HEALTH PROV DAYS, 1019	Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	124	124	109517674.38	109517674.38	103.21	103.21
29.0	VISTCH01	GLASSES/CONTA CT LENSES CHARGES 01	Sum of OMTC01X from OMED records with OMTYPEX = 1	4792	4792	10424959100.93	10424948564.60	225.72	225.72
29.1	VISEXP01	TOTAL GLASSES/CONTA CT LENS EXPN 01	Sum of OMXP01X from OMED records with OMTYPEX = 1	4724	4724	10066022641.19	10065925675.28	220.88	220.87
29.2	VISSLF01	GLASSES/CNTCT LENSES - SELF/FAM AMT 01	Sum of OMSF01X from OMED records with OMTYPEX = 1	4042	4042	7282551537.38	7282543766.28	183.14	183.14

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.3	VISMCR01	GLASSES/CNTCT LENSES- MEDICARE AMT 01	Sum of OMMR01X from OMED records with OMTYPEX = 1	111	111	163913354.36	163890070.92	158.22	158.19
29.4	VISMCD01	GLASSES/CNTCT LENSES- MEDICAID AMT 01	Sum of OMMD01X from OMED records with OMTYPEX = 1	391	391	411536214.34	411447251.88	161.06	161.02
29.5	VISPRV01	GLASSES/CNTCT LENSES-PRIV INS AMT 01	Sum of OMPV01X from OMED records with OMTYPEX = 1	1083	1083	1884498885.61	1884469033.15	171.52	171.52
29.6	VISVA01	GLASSES/CNTCT LENSES-VA AMT 01	Sum of OMVA01X from OMED records with OMTYPEX = 1	42	42	86378316.92	86359654.42	209.88	209.83
29.7	VISTRI01	GLASSES/LENSE S-TRICARE AMT 01	Sum of OMTR01X from OMED records with OMTYPEX = 1	1	1	660511.15	660511.15	182.00	182.00
29.8	VISOFD01	GLASSES/CNTCT LENSES-OTHR FED AMT 01	Sum of OMOF01X from OMED records with OMTYPEX = 1	11	11	32489220.86	32469877.16	243.16	243.01
29.9	VISSTL01	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 01	Sum of OMSL01X from OMED records with OMTYPEX = 1	22	22	15002398.64	14996026.81	105.93	105.88
29.10	VISWCP01	GLASSES/CNTCT LENSES- WORKERS COMP AMT 01	Sum of OMWC01X from OMED records with OMTYPEX = 1	2	2	1710949.70	1710949.70	185.95	185.95
29.11	VISOPR01	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 01	Sum of OMOR01X from OMED records with OMTYPEX = 1	48	48	80503066.46	80488761.39	170.04	170.01

TABLE H59IT2 COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES OM THE FY 01 PERSONAL EVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROLL

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.12	VISOPU01	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 01	Sum of OMOU01X from OMED records with OMTYPEX = 1	7	7	2275347.13	2282423.89	46.80	46.94
29.13	VISOSR01	GLASES/CNTCT LENSE-OT UNCLAS SRCE AMT 01	Sum of OMOT01X from OMED records with OMTYPEX = 1	48	48	104612087.50	104607348.54	193.54	193.53
30.0	OTHTCH01	OTHER EQUP/SUPPLIES CHARGES 01	Sum of OMTC01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1342	1342	8232440052.20	8232433713.12	645.63	645.63
30.1	OTHEXP01	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 01	Sum of OMXP01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1231	1231	6600665024.34	6600660808.08	563.95	563.95
30.2	OTHSLF01	OTHER EQUP/SUPPLIES - SELF/FAM AMT 01	Sum of OMSF01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	755	755	2962868958.38	2962831589.52	394.99	394.99
30.3	OTHMCR01	OTHER EQUP/SUPPLIES- MEDICARE AMT 01	Sum of OMMR01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	167	167	742561512.79	742521546.25	483.46	483.44
30.4	OTHMCD01	OTHER EQUP/SUPPLIES- MEDICAID AMT 01	Sum of OMMD01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	174	174	644407851.81	644400920.52	501.49	501.48

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.5	OTHPRV01	OTHER EQUP/SUPPLIES- PRIV INS AMT 01	Sum of OMPV01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	399	399	1769764720.48	1769674762.12	445.72	445.69
30.6	OTHVA01	OTHER EQUP/SUPPLY-VA AMT 01	Sum of OMVA01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	68	68	302962978.13	302955200.92	455.45	455.44
30.7	OTHTRI01	OTHER EQUP/SUPPLY- TRICARE AMT 01	Sum of OMTR01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	6	6	18930912.51	18918248.18	243.83	243.67
30.8	OTHOFD01	OTHER EQUP/SUPPLIES- OTHR FEDRL AMT 01	Sum of OMOF01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	9950972.45	9948655.00	1417.00	1416.67
30.9	OTHSTL01	OTHER EQUP/SUPPLY- OTHR ST/LOCAL AMT 01	Sum of OMSL01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	29213099.54	29213099.54	1710.00	1710.00
30.10	OTHWCP01	OTHER EQUP/SUPPLY - WORKERS COMP AMT 01	Sum of OMWC01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	10	10	59435265.45	59432157.50	553.41	553.38
30.11	OTHOPR01	OTHER EQUP/SUPPLY- OTH PRIVATE AMT 01	Sum of OMOR01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	11	11	41987241.77	41982457.69	538.10	538.04

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.12	OTHOPU01	OTHER EQUP/SUPPLY - OTH PUBLIC AMT 01	Sum of OMOU01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	4	4	5914094.92	5913828.11	303.08	303.07
30.13	OTHOSR01	OTH EQUP/SUPLY -OT UNCLASS SRCE AMT 01	Sum of OMOT01X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	9	9	12866224.76	12868342.72	162.43	162.46
31.0	RXTOT01	# PRESC MEDS INCL REFILLS 01	Count of PMED records	20093	20093	2493748994.35	2493748994.35	13.57	13.57
31.1	RXEXP01	TOTAL RX-EXP 01	Sum of RXXP01X from PMED records	20093	20093	134124880093.22	134122881109.24	729.61	729.60
31.2	RXSLF01	TOTAL RX- SELF/FAMILY AMT 01	Sum of RXSF01X from PMED records	19167	19187	59026869175.89	59025859868.91	332.26	331.95
31.3	RXMCR01	TOTAL RX MEDICARE AMT 01	Sum of RXMR01X from PMED records	998	998	5778980885.95	5778824997.58	616.58	616.56
31.4	RXMCD01	TOTAL RX- MEDICAID AMT 01	Sum of RXMD01X from PMED records	2858	2861	14381183549.79	14380782582.77	740.03	739.06
31.5	RXPRV01	TOTAL RX- PRIVATE INS AMT 01	Sum of RXPV01X from PMED records	10853	10900	49232548520.91	49231978083.70	453.36	451.48
31.6	RXVA01	TOTAL RX-VA AMT 01	Sum of RXVA01X from PMED records	764	764	4230251839.29	4230067560.80	576.77	576.74
31.7	RXTRI01	TOTAL RX- TRICARE AMT 01	Sum of RXTR01X from PMED records	173	173	517936334.62	517947876.67	351.08	351.08
31.8	RXOFD01	TOTAL RX-OTHER FED AMT 01	Sum of RXOF01X from PMED records	17	17	131096828.66	131103127.08	905.62	905.66

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
31.9	RXSTL01	TOTAL RX-OTHER ST/LOCAL AMT 01	Sum of RXSL01X from PMED records	68	68	102092166.11	102118739.81	248.85	248.91
31.10	RXWCP01	TOTAL RX- WORKERS COMP AMT 01	Sum of RXWC01X from PMED records	22	22	86847917.36	86852387.18	542.15	542.18
31.11	RXOPR01	TOTAL RX - OTH PRIVATE AMT 01	Sum of RXOR01X from PMED records	156	158	438371155.40	438384454.78	371.16	364.72
31.12	RXOPU01	TOTAL RX - OTH PUBLIC AMT 01	Sum of RXOU01X from PMED records	30	30	168063858.09	168049105.34	922.34	922.26
31.13	RXOSR01	TOT RX-OTH UNCLASS SRCE AMT 01	Sum of RXOT01X from PMED records	16	16	30918882.03	30912324.63	242.48	242.43

COMPARISON OF MEPS 2001 HEALTH CARE EXPENDITURE ESTIMATES FROM THE FY 01 PERSON-LEVEL FILE (HC-060) AND THE FY 01 EVENT FILES (HC-059A THROUGH HC-059H) WEIGHT = PERWT01F

ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-059A

DVIS = DENTAL VISITS FILE, HC-059B

OMED = OTHER MEDICAL EXPENSES FILE, HC-059C

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-059D

EROM = EMERGENCY ROOM VISITS FILE, HC-059E

OPAT = OUTPATIENT VISITS FILE, HC-059F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-059G

HVIS = HOME HEALTH VISITS FILE, HC-059H

NOTE: EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.